

1899

ELECTRIC LIGHT
SUPPLY
CATALOG

AMERICAN ELECTRIC
COMPANY
ST. PAUL, MINN.

LIBRARY OF CONGRESS.

TK455
Chap.----- Copyright No.-----

Shelf : A5

UNITED STATES OF AMERICA.

Electric Light Supplies.




American Electric Company

56 East Sixth Street,

St. Paul, Minn.



Copyright, 1899 by
American Electric Company.



TK 455
A5

~~TH 499~~
~~A 51~~
43623

TWO COPIES RECEIVED.



SECOND COPY,

59760
Sep. 18.99.

NOV. 16 99-3

INTRODUCTORY.

We are pleased to present to the Electrical Trade of the Northwest our Catalogue of Electric Supplies. It contains a very complete list of all material used in electric light work, and we trust it will prove of service to our customers in making their selections.

We wish it understood that we are prepared to furnish promptly anything in the electrical line, though it may not be listed herein.

All supplies that we furnish are of the highest quality, and every article is fully guaranteed.

American Electric Company.

TERMS.

OUR terms to people of established credit are 30 days net.

Unless your standing is known to us, or you have a rating with the Agencies, please have statement of your financial condition and satisfactory references accompany your order: if this is not done, there will necessarily be delay while we look up your credit.

All accounts will be due on the fifteenth of the month following shipment, and if not paid by that time will be subject to sight draft without notice.

We do not allow cash discounts

Goods will be sent C. O. D. if a remittance sufficient to pay express charges both ways accompanies the order.

If 25 per cent. of the bill is remitted with the order, the goods will be forwarded by freight, and draft for the balance, with bill of lading attached thereto, will be sent to any designated bank, so that the goods can be delivered at destination on payment of draft.

Payment may be made by Draft, Post Office or Express Money Order, or Registered Letter: we will not be responsible for remittances lost in transit.

Prices.

All former prices are hereby annulled.

All prices are subject to change without notice.

Boxing, cartage and postage will be charged at cost.

We will cheerfully and promptly answer all inquiries for prices and discounts. In writing us for quotations kindly refer to the page of our catalogue on which the articles are described, and state the quantity desired.

Shipments.

We request our customers to give us shipping directions with their orders, but in their absence we will use our best judgment in making selections of routes. As we employ experienced packers, we cannot be responsible for breakage after having obtained "in good order" receipts from a transportation company. All claims for breakage and damage should be made to the carriers.

Goods ordered to be shipped by mail will only be sent at purchaser's risk of loss or damage.

⌘ Telegraph Code. ⌘



CUSTOMERS are requested to make use of our code words as far as possible in ordering goods, requesting quotations or requesting information relative to shipment of orders, by telegraph, as it saves considerable expense, making it possible to send a long message for the price of a short one, and experience has also shown that it reduces the liability to errors. By a little ingenuity in arranging such

a message, from thirty to fifty words can be transmitted for the price of a ten word message. Telegraph inquiries received by us in code will be replied to in the same manner, not otherwise. We give below a number of code words, representing business phrases and sentences which are to be used in connection with code words given on the following pages:

CODE IN GENERAL:

Lapwing	Answer by mail.
Larboard	Referring to our letter of.
Larceny	Referring to your letter of.
Larch	We write you fully to-day.
Largeness	We have no letter from you.
Largess	Will write you fully in a day or so.
Lariat	Write giving full particulars.
Lark	Answer by telegraph—day message.
Larva	Answer by telegraph—night message.
Larynx	Referring to our telegram of.
Lascar	Referring to your telegram of.
Lash	Telegraph immediately.
Lashed	Telegraph reply soon as possible.
Lashing	We have no telegram from you.
Lass	Why do you not telegraph?
Lasting	Shall we?
Latch	Will you?
Lateen	Will you accept?
Lateness	Wire at once if accepted or not.

CODE IN GENERAL—(Continued):

Latent	Will greatly accommodate us if you will.
Latently	According to contract.
Lateral	Not according to contract.
Lather	To which add the cost of.
Lathered	In addition to.
Lathering	How did you address?
Latin	Was addressed to.
Latinize	Please note an advance of.
Latitude	Would you advise?
Latterally	Would advise you to.
Latterly	Would not advise you to.
Lattice	Unless otherwise advised will assume that.
Laud	Will you agree to?
Laudable	Will agree to.
Laudably	Must have answer by.
Laudation	Will be in.
Laudative	Will be here.

CODE IN GENERAL—(Continued):

Laugh	Utmost care must be used.
Laughable	Cash on delivery.
Laughed	Cash in 30 days
Laughter	Will not allow any commission.
Laughing	Commission will be allowed.
Launch	Your financial standing being unknown, we will send goods C. O. D. unless otherwise instructed.
Launched	Kindly send us references as to your financial standing, or shall we ship via freight with draft attached to bill of lading?
Laundress	Will you agree to the conditions?
Laundry	Contract awarded.
Laura	Contract will be awarded.
Laurate	Will you extend credit?
Laurel	Have you decided?
Lava	Have not decided.
Lavation	Have decided.
Lavatory	Will guarantee delivery by the.
Lavender	Cannot guarantee delivery before the.
Lawfully	The diameter is.
Lawfulness	Will do the best we possibly can.
Lawgiver	Do the best you possibly can.
Lawgiving	Shall we do so?
Lawless	Do so.
Lawn	Can do nothing until.
Lawrence	What have you done about?
Lax	Will deposit sight draft on you to-day, unless advised to the contrary, for dollars.
Laxative	Please accept our draft for..... dollars.
Laxity	Send duplicate copy of invoice dated.
Laxness	Have examined very carefully and find.
Laymen	Expenses to be paid by.
Lazily	Do not fail to.
Laziness	Have figured as close as possible.
Lazy	Freight must be prepaid.
Leach	Freight rate per hundred pounds to destination.
Leaden	What is freight rate per hundred pounds?
Leader	Guarantee the account.
Leading	Hold subject to your order.
Leafage	Does not include.
Leafing	Must be included.
Leafless	Will keep you fully informed.
Leafy	Insist upon.
League	Await instructions.
Leagued	Letter in transit with full particulars

CODE IN GENERAL—(Continued):

Leak	Shall we deliver goods on verbal order of your Mr.?
Leakage	Advisable for you to place order at once, prices tending to an advance.

ORDERS:

Leaking	Add to our order of.
Leaky	Cancel our order of.
Lean	Change our order of.
Leaned	Hurry forward goods on our order of.
Leaning	Have you shipped goods on our order? If not, when will you?
Leanness	Enter order if you can ship in.
Leaped	Hold for instructions our order of.
Leaping	If you cannot ship in time named advise by telegraph.
Learn	Instructions by mail.
Learned	Prepay freight.
Learning	Shipping instructions will be sent you.
Lease	Ship immediately.
Leased	Ship as soon as possible.
Leasehold	Ship by express.
Leaseholder	Ship by fast freight.
Leash	Ship quickest route.
Leaven	Ship cheapest route.
Leavened	Send tracer immediately for shipment of.
Leavening	Wait receipt of letter before proceeding with order.
Lecture	Change order for.
Lectured	Send C. O. D. by express.
Lecturing	What quantity can you ship per day?
Ledge	Do not delay.
Leeward	Duplicate our order.
Leeway	Can you furnish?
Legacy	Hold subject to our order.
Legal	Hold until further orders.
Legalize	Send us immediately.
Legally	This is very important.
Legate	Send tracer on shipment—goods not here.

QUESTIONS:

Legatee	At what price could you furnish?
Legation	Quote us by telegraph.
Legend	Quote us by next mail.
Legendary	Quote lowest price by telegraph, F. O. B. New York.
Legging	Quote lowest prices by mail, F. O. B. New York.

QUESTIONS—(Continued):

Legible	Telegraph lowest price, F. O. B. New York, and how soon can ship.
Legibly	Can you ship immediately?
Legion	Can you ship in?
Legislate	Have you in stock?
Legislated	Have you in stock? If not, how soon can ship?
Legislating	How soon can you ship?
Legislative	How soon can you make first shipment, and how fast remainder?
Legislator	What substitution can you make?

ANSWERS:

Legislature	Please specify quantities and trade number.
Legitimate	Unable to give better price.
Legitimately	We quote.
Legitimist	We quote for immediate acceptance.
Legless	We quote in reply to your inquiry of.
Leisure	We quote shipment from stock.
Leisurely	We quote shipment in.
Leming	We cannot accept at the price.
Lemon	We will accept your order.
Lemonade	We do not make the article.
Lender	Can ship at once from stock, if advised immediately.
Lending	Can ship at once on receipt of order.
Lengthen	Can ship in.

ANSWERS—(Continued):

Lengthened	Can begin shipping at once, and complete in.....
Lengthening	Can ship within one week from receipt of order if advised at once.
Lengthily	Can ship within two weeks from receipt of order if advised at once.
Leniency	Have none in stock.
Lenient	First shipment will be made.
Lent	Have entered order and will ship.
Leonard	Have sent tracer as requested.
Leonine	Have suspended work as requested.
Leonora	Too late to cancel order.
Leopard	Unable to ship goods at time promised.
Leopols	We ship you to-day.
Leper	We expect to ship.
Leprosy	We will complete your order.
Leptous	We will ship.
Lessen	We have shipped.
Lessened	We have completed your order and shipped same.
Lessening	We have entered order.
Lethargy	Telegraph shipping instructions for your order of.
Lettuce	Can deliver part of your order at once. Shall we ship portion or hold till we can make one complete shipment?
Levant	Do not understand your order. Send duplicate with full details.
Levelness	Send us official order confirming your telegram.

SWITCHES.



Nos. 802 and 827.



Nos. 803 to 813.



Nos. 828 to 838.

Paiste Single Pole Switch.


		Metal Top.		List Price.
Code Word.	List No.			
<i>Mange</i>	802	5 Amperes, each.....		\$0.25
<i>Manger</i>	827	10 " "		.60
<i>Radcliff</i>	20001	5 " with grooved base each		.25
<i>Rago</i>	20002	10 " " " " " "		.60

Paiste Single Pole China Switch.

		Five Amperes.		
<i>Mangle</i>	803	White, each.....		.72
<i>Mangled</i>	804	Ivory, " ..		.72
<i>Mangler</i>	805	Black, "		.80
<i>Mangling</i>	806	"Roman Gold" Flaked, each.....		1.00
<i>Mango</i>	807	Band Gold, each.....		1.00
<i>Mangrove</i>	808	Red, each.....		.80
<i>Manhood</i>	809	Blue, "		.80
<i>Maniac</i>	810	Oak, " ..		.80
<i>Manifest</i>	811	Antique Oak, each.....		.80
<i>Manifested</i>	812	Mahogany, "		.80
<i>Manipulate</i>	813	Walnut, "		.80

Paiste Single Pole China Switch.


		Ten Amperes.		
<i>Mankind</i>	828	White, each.....		.96
<i>Manliness</i>	829	Ivory, "		.96
<i>Manly</i>	830	Black, "		.96
<i>Manna</i>	831	"Roman Gold" Flaked, each.....		1.40
<i>Mannerism</i>	832	Band Gold, each.....		1.40
<i>Mannerly</i>	833	Red, each.....		1.12
<i>Manning</i>	834	Blue, "		1.12
<i>Manor</i>	835	Oak, "		1.12
<i>Mansion</i>	836	Antique Oak, each....		1.12
<i>Mantle</i>	837	Mahogany, each.....		1.12
<i>Mantled</i>	838	Walnut, each. ...		1.12



Nos. 917 and 918.

The "Bryant" S. P. Switch.

Code Word.	List No.	List Price.
<i>Apter</i>	917	Capacity, 15 Amperes, each.....\$1.00
<i>Apituled</i>	918	" 25 " 1.20
<i>Raleigh</i>	999	" 15 " with grooved base each 1.00
<i>Ralston</i>	1000	" 25 " " " " " 1.20



No. 936.

Double Pole Ratchet Switch.

<i>Marooned</i>	936	5 Amperes, Bryant D. P. Ratchet Switch, each,	.75
<i>Marquis</i>	937	10 " " " " " " "	1.00

Ratchet Double Pole China Switch.

Ten Amperes.




No. 845.

<i>Memorize</i>	845	White, each.	1.75
<i>Memory</i>	1845	Ivory "	1.75
<i>Menace</i>	2845	Roman Gold, each.	2.25
<i>Mend</i>	846	Band " "	2.25
<i>Mender</i>	1846	Red, each.....	2.00
<i>Mending</i>	2846	Blue, "	2.00
<i>Menial</i>	847	Oak, "	2.00
<i>Mental</i>	1847	Antique Oak, each.....	2.00
<i>Mentally</i>	2847	Mahogany, "	2.00
<i>Mention</i>	1848	Walnut, "	2.00
<i>Mentioned</i>	848	Black, "	1.75

"P. & S." Single Pole Switch.

This Switch is all china. The china cover operates the Switch, and there is no key or handle projecting. It is small and very neat in appearance. It has an absolutely quick double make and break, with rubbing contacts, and has an exceedingly long break.



No. 33.

<i>Matins</i>	33	5 Amperes, all china, each.....	.25
<i>Mattress</i>	33½	5 " decorated china, each.....	.45
<i>Matrix</i>	34	10 " all china, each....	.35
<i>Matrimony</i>	34½	10 " decorated china, each	.55
<i>Matron</i>	35	5 " flush, all china, "	.25
<i>Matronhood</i>	35½	5 " " decorated china, each.....	.45
<i>Matted</i>	36	10 " " all china, each.....	.35
<i>Matter</i>	36½	10 " " decorated china, each.....	.55




Fig. 1.

“P. & S.” All China Switches.

3-Way Single Pole.

Code Word.	List No.	List Price.
Roofing	No. 135,	3-Way S. P. Switch, all white, each,..... \$.40
Roofless	No. 135½,	3-Way S. P. Switch, decorated, each 70

Double Pole Switch.

Fig. 1 shows the Switch with back plate for open work. Fig. 2. shows the back plate for concealed work. The hollow projections D D are intended to extend through the lathing, thus thoroughly insulating the wires. Fasten the plate to the lathing by the screw B, the plastering being done so as to have the plate flush. To connect wires, remove plates AAAA from Switch, place them in recesses in back plate, bending the wires as shown in Fig. 2. The Switch is held by two screws, in holes C C. Fig. 3 shows under side of Switch with wires held by clamps AAAA

In ordering state whether for concealed or open work.




Fig. 2.

Ringcell	No. 134,	10 Ampere, D. P., all white, each.....	.40
Roofless	No. 134½,	10 “ “ decorated, “	.70




Fig. 3.

“P. & S. Two-Circuit Switch.

This is a modification of No. 134 Switch, which makes it possible to control two circuits by the one switch in such a manner that either a part or all of the lamps may be used as desired by the operator.

In ordering state whether for concealed or open work.

Rook	20182	5 Ampere, all white, each	.40
Rookery	20183	5 “ decorated, “	.70

Lazyman's Switch.

It is often convenient in residences, as well as in halls and stairways, to be able to light or extinguish a lamp from two points. This can be done as shown in cut. By reference to the diagram of the circuit, it will be seen that at either of the points A or B, the light or cluster of lights controlled by the switch can be turned on or off regardless of the position of the other switch.

In ordering state whether for concealed or open work.





Diagram.

Rooky	20184	S. P. Lazyman's Switch, all white, each.....	.40
Room	20185	“ “ “ decorated “	.70



No. 841.

The "Bryant" Standard Switch.

		Double Pole.		List Price.
Code Word.	List No.			
Reese	20008	10 Amperes, each		\$1.00
Margin	841	15 " "		1.50
Marginal	842	25 " "		2.00
Margrave	843	40 " "		3.00
Marigold	844	50 " "		3.50



No. 20003.


With Grooved Base.

Renick	20003	10 Amperes		1.00
Reno	20004	15 "		1.50
Renoca	20005	25 "		2.00
Revere	20006	40 "		3.00
Renfree	20007	50 "		3.50

Perkins' Switches.

The Gibbs Switch.

Marine	2213	10 Amperes, double Pole, each		1.25
Mariner	2214	15 " " "		1.75
Maritime	2215	30 " " "		2.25
Mark	2216	10 " for conduit boxes, each		1.25
Regina	20009	50 " double pole, each		5.00
Markel	2217	3 Point, each		1.25
Market	2218	4 " "		1.25




No. 2213.

The Gibbs Dial Switch.

Ramer	20010	10 Amperes, D. P., each		1.75
Rankleigh	20011	15 " " "		2.25
Rankinville	20012	30 " " "		2.75
Randolph	20013	50 " " "		5.50

The Gibbs Dial Switch for 500 Volts.


Rankin	20014	3 Amperes, S. P., each		1.20
Rapidan	20015	10 " " "		3.75



No. 20019.

The Gibbs 500 Volt Switch, No Dial.


Ravenswood	20017	3 Amperes, S. P., each		.70
Rarlins	20018	10 " " "		3.25



No. 20116.

Perkins Switches—Continued.

Code Word.	List No.		List Price.
<i>Robust</i>	20116	No. 11, 5 Ampere, 120 Volt, S. P each	.55
<i>Rocket</i>	20117	No. 16, 10 " 120 " " .. ".....	.70




No. 20020.

Gibbs 3 Wire Switch.

One of the most ingenious application of the Gibbs principle has been made to produce a switch which breaks simultaneously the three wires (each at two points) when used with the Edison 3 wire system.

<i>Rayburn</i>	20020	For 3 Wire System each	3.00
----------------	--------------	------------------------------	------



No. 2229.

Perkins S. P. Switches.

<i>Mate</i>	2229	No. 20, 5 Amperes, composition handle, each..	.50
<i>Mateless</i>	2230	" 21, 10 " " " "	.60




No. 20021,

Perkins Flush Plates.

<i>Raymond</i>	20021	For 1	Switch,	Plate	3 $\frac{3}{8}$ x 2 $\frac{5}{8}$ inches.....	1.00
<i>Rector</i>	20022	" 1	"	"	3 $\frac{3}{8}$ x 3 "	1.25
<i>Redding</i>	20023	" 1	"	"	4 $\frac{3}{8}$ x 3 $\frac{5}{8}$ "	1.75
<i>Redfield</i>	20024	" 2	"	"	5 $\frac{1}{8}$ x 3 $\frac{1}{2}$ "	2.00
<i>Redford</i>	20025	" 3	"	"	8 $\frac{1}{4}$ x 3 $\frac{1}{2}$ "	3.00
<i>Redman</i>	20026	" 4	"	"	5 $\frac{1}{8}$ x 5 $\frac{7}{8}$ "	4.00
<i>Redoak</i>	20027	" 5	"	"	7 x 7 "	5.00
<i>Redwood</i>	20028	" 6	"	"	8 $\frac{1}{4}$ x 5 $\frac{7}{8}$ "	6.00
<i>Redfie</i>	20029	" 8	"	"	10 $\frac{5}{8}$ x 5 $\frac{7}{8}$ "	8.00

The above price are for *plates only*.

Standard finish--Polished Brass or Nickel. Special finishes supplied as desired.



No. 9378.



No. 9379.



No. 814.



No. 815.



No. 904.

Edison Flush Pocket Switches.

Code Word	List No.	List Price.
<i>Ringwood</i>	9378 Flush Pocket Switch, 10 Amp., 1 Switch	1.75
<i>Rio</i>	9379 " " " 10 " 2 "	3.00
<i>Ripley</i>	9380 " " " 10 " 3 "	4.50
<i>Ripon</i>	9381 " " " 10 " 4 " 1 row	6.00
<i>Ripleyville</i>	9382 " " " 10 " 4 " 2 rows	6.00
<i>Ritchie</i>	9383 " " " 10 " 6 "	8.50
<i>Riverside</i>	9384 " " " 10 " 8 "	11.00

Paiste Three Point Switches.

Metal Top.

<i>Counterplot</i>	814	5 Amperes, each...	.60
<i>Countess</i>	839	10 " "	.80


Paiste Three Point China Switch.

5 Amperes.

<i>Marred</i>	815	Cream White, each.....	.90
<i>Marriage</i>	816	White, each.....	.90
<i>Married</i>	817	Ivory, "	.90
<i>Marring</i>	818	Black, "	.90
<i>Marrow</i>	819	" Roman Gold " Flaked, each	1.25
<i>Marry</i>	820	Band Gold, each.....	1.25
<i>Marrying</i>	821	Red, each.....	1.00
<i>Mare</i>	822	Blue, "	1.00
<i>Marshal</i>	823	Oak, each	1.00
<i>Marshaled</i>	824	Antique Oak, each.....	1.00
<i>Marshaling</i>	825	Mahogany, each.....	1.00
<i>Marshy</i>	826	Walnut, each.....	1.00

10 Amperes.


<i>Martyr</i>	904	White, each....	1.50
<i>Martyrdom</i>	905	Ivory, "	1.50
<i>Marvel</i>	906	Black, "	1.50
<i>Marvelous</i>	907	" Roman Gold " Flaked, each	2.00
<i>Masculine</i>	908	Band Gold, each.....	2.00
<i>Mash</i>	909	Red, each.....	1.75
<i>Mashed</i>	910	Blue, "	1.75
<i>Mashing</i>	911	Oak, "	1.75
<i>Mashy</i>	912	Antique Oak, each.....	1.75
<i>Mask</i>	913	Mahogany, each.....	1.75
<i>Masked</i>	914	Walnut, each	1.75



No. 65097.

Edison Snap Switches.

These Switches have been designed to break circuits having a potential of not over 125 volts. Flush Pocket Switches of special designs will be furnished on special orders, to suit the finish of the room.



No. 67421.

<i>Enema</i>	65097	10 Amperes, D. P., for interior conduit, each....	.85
<i>Enlay</i>	67419	Single Pole Ratchet Switch, capacity 5 amperes, plain, each.....	.50
<i>Entwine</i>	67420	Single Pole Ratchet Switch, capacity 5 amperes, polished, each.....	.40
<i>Entwined</i>	67421	Single Pole Ratchet Switch, capacity 10 amperes, plain, each.....	.70
<i>Entwining</i>	67422	Single Pole Ratchet Switch, capacity 10 amperes, polished, each.....	.60



No. 65095.

<i>Epicure</i>	65095	10 Amperes, D. P., polished, each.....	.85
<i>Epidemic</i>	65096	10 " " nickeled, ".....	.85
<i>Epidemical</i>	65100	25 " " polished, ".....	1.40
<i>Epigram</i>	65102	25 " " nickeled, ".....	1.40
<i>Equal</i>	65120	50 " " polished, ".....	1.85
<i>Equaling</i>	65122	50 " " nickeled, ".....	1.85



No. 57568.

<i>Equality</i>	57568	10 Amperes, D. P., flush pocket, each.....	1.25
-----------------	--------------	--	-------------



No. 60207.

Code Word.	List No.		List Price.
<i>Equalizing</i>	60207	Push Button Switch, for flexible cord, 1 light, polished, each.....	.90
<i>Reynolds</i>	9164	Push Button Switch, for flexible cord, 10 light, polished, each.....	1.20

Edison Three-Way Vertical Snap Switch.




No. 65098.

<i>Maneater</i>	65098	Three-way Switch, polished, 10 amperes, each.	1.00
<i>Manful</i>	65099	“ “ nickeled, 10 “ “	1.00
<i>Manfully</i>	65103	“ “ for interior conduit, 10 am-	
		peres, each	1.00
<i>Manfulness</i>	65104	Three-way Flush Pocket Switch, nickeled, 10	
		amperes, each	1.50

Hart Standard Switches.

These Switches are mounted on Porcelain only. The movement is rotary in one direction, by quarter turns, keeping contacts bright and free from dust, and giving the maximum length of break. The actuating spring is of the best steel wire, and as it is not in circuit, its temper cannot be affected by the current. The break is double in all sizes, and in the double pole switches the circuit is broken at four points. Although not illustrated in the cuts, all standard and flush switches, with the exception of the 50 ampere D. P., are furnished with the adjustable handle.




No. 8235.

Hart 5 Ampere Single Pole Switch.

Diameter of Base, $2\frac{1}{8}$ inches. Diameter of Cover, $1\frac{7}{8}$ inches. Height, to Base of Handle, $\frac{7}{8}$ inch. Total Height, $1\frac{1}{2}$ inches. Total Break, 1 inch. Binding Posts for Wire to No. 8 B. & S.

<i>Massy</i>	8235	With Nickel Plated Cover, each.....	.60
<i>Massively</i>	8236	" Polished Brass " "	.60




No. 8237.

Hart 10 Ampere Single Pole Switch.

Diameter of Base, $2\frac{1}{4}$ inches. Diameter of Cover, 2 inches. Height, to Base of Handle, $1\frac{1}{2}$ inches. Total Height, $1\frac{1}{4}$ inches. Total Break, $\frac{3}{8}$ inch. Binding Posts for Wire to No. 6 B. & S.

Code Word.	List No.		List Price.
<i>Excrement</i>	8237	With Nickel Plated Cover, each.....	\$.75
<i>Excremental</i>	8238	“ Polished Brass “ “	.75




No. 8239.

Hart 10 Ampere Double Pole Switch.

Diameter of Base, $2\frac{1}{4}$ inches. Diameter of Cover, 2 inches. Height, to Base of Handle, $1\frac{1}{2}$ inches. Total Height, $1\frac{3}{4}$ inches. Total Break, $1\frac{1}{2}$ inches. Binding Posts for Wire to No. 6 B. & S.

<i>Excrescence</i>	8239	With Nickel Plated Cover, each.....	1.35
<i>Excrescent</i>	8240	" Polished Brass " "	1.35




No. 8241 and No. 8243.

Hart 20 Ampere Double Pole Switch.

Diameter of Base, $2\frac{1}{8}$ inches. Diameter of Cover, $2\frac{3}{8}$ inches. Height, to Base of Handle, $1\frac{1}{2}$ inches. Total Height, $2\frac{1}{8}$ inches. Total Break, 3 inches. Binding Posts for Wire to No. 5 B. & S.

<i>Excrete</i>	8241	With Nickel Plated Cover, each.....	1.80
<i>Excreted</i>	8242	" Polished Brass " ".....	1.80



No. 8245.

Hart 35 Ampere Double Pole Switch.

Diameter of Base, $2\frac{1}{4}$ inches. Diameter of Cover, $2\frac{1}{8}$ inches. Height, to Base of Handle, $1\frac{3}{8}$ inches. Total Height, $2\frac{1}{4}$ inches. Total Break, 3 inches. Binding Posts for Wire to No. 5 B. & S.


This Switch is the same as the 15 ampere double pole, except that the contacts and switch plates are made of phosphor bronze and hard rolled copper.

<i>Excreting</i>	8243	With Nickel Plated Cover, each....	2.25
<i>Excretion</i>	8244	“ Polished Brass “ “	2.25


Hart 50 Ampere Double Pole Switch.

Diameter of Base, $4\frac{1}{2}$ inches. Diameter of Cover, 4 inches. Height, to Base of Handle, $2\frac{1}{2}$ inches. Total Height, $3\frac{1}{2}$ inches. Total Break, $3\frac{1}{4}$ inches. Binding Posts for Wire to No. 1 B. & S.

<i>Excretive</i>	8245	With Nickel Plated Cover, each.....	4.50
<i>Excretory</i>	8246	“ Polished Brass “ “	4.50



No. 8247.



No. 8249.

Hart 10 Ampere Three-Way Switch.

This Switch is used for controlling lights from either one of two points. A Four-way Switch is used in connection with two Three-way Switches for controlling lights from three or more points. Diameter of Base, $2\frac{1}{2}$ inches. Diameter of Cover, 2 inches. Height, to Base of Handle, $1\frac{1}{8}$ inches. Total Height, $1\frac{1}{4}$ inches. Total Break from one set of contacts, before making contact with the succeeding set, $\frac{1}{8}$ inch. Binding Posts for Wire to No. 6 B. & S.

Code Word.
Excruciate
Exculpated

List No.

8247 With Nickel Plated Cover, each..... \$1.35
8248 " Polished Brass " " 1.35

List Price.

Hart 10 Ampere Four-Way Switch.

Diameter of Base, $2\frac{1}{2}$ inches. Diameter of Cover, 2 inches. Height, to Base of Handle, $1\frac{1}{8}$ inches. Total Height, $1\frac{1}{4}$ inches.

Counting
Country

8249 With Nickel Plated Cover, each..... 1.35
8250 " Polished Brass " " 1.35

Hart Flush Plates.

The Flush Plates are made of solid plate brass $\frac{1}{8}$ inch thick instead of being formed up of thin sheet metal as formerly. No screws show on the surface of the face plate, either in the single or gang plates. Single flush plates are made for all sizes of Hart Switches. Gang plates are made for any number of switches. The stock sizes are for two, three, four, six and eight switches. Five and ten ampere switches may be put on the same gang plate. Prices and dimensions of 15 and 30 ampere gang plates will be furnished upon application.

The standard finishes are nickel, bronze and polished brass. We can furnish the plates in any finish, or to match any house hardware from sample of same.

Self-Adjusting Handle.

The collar has a vertical movement with reference to the body of the handle of 1-16 inch, and is held downward by a flat spring which it encloses and conceals. This spring-pressed collar holds the face-plate firmly against the wall with an easy, elastic pressure. The range of movement of the collar compensates for all variations liable to occur in the distance from the face of the plate to the porcelain base of the switch. This adjustment makes all handles, switches and face plates interchangeable. This adjustment is especially advantageous in gang plates. This adjustable handle is furnished with all Hart Standard and Flush Switches.


No. 1 Flush Plate.

ONE SWITCH.


Length, $3\frac{1}{8}$ inch. Width, $2\frac{1}{8}$ inch. Opening required for Switch, $2\frac{1}{4}$ inch. diameter.

Masterly
Mastership
Masticate


8208 Plate only, nickel, each..... 1.20
8209 " bronze, each..... 1.20
8210 " brass, each 1.20



The method of connection for Three-Point Switches is shown in the above diagram.



To control lights from three points or more the Hart 4-Point Switch is used. The above diagram shows the method of making connection.



Hart Flush Plates—(Continued).

No. 1 A Flush Plate.

Length, 4½ inch. Width, 3½ inch

Code Word	List No.	List Price.
<i>Mastered</i>	8211 Plate only, nickel, each.....	\$1.50
<i>Mastering</i>	8212 " bronze, each.	1.50
<i>Masterless</i>	8213 " brass, each	1.50

No. 1 B Flush Plate.

ONE SWITCH.



No. 8214.

This Plate is adapted for use with interior conduit branch boxes, and the Switches for use with same are our regular Switches, but with special porcelain basis, one and fifteen-sixteenths inches in diameter. The Switch is attached to a cast plate as with the standard Plates, and this Plate is clamped to the conduit box, and has an adjustment of one-sixteenth inch to allow for a variation in the setting of the box.

Diameter of Plate, 2½ inch.

<i>Master</i>	8214 Plate only, nickel, each	1.20
<i>Mastered</i>	8215 " bronze, each	1.20
<i>Master</i>	8216 " brass, each	1.20

No. 1 C Lock Flush Plate.

ONE SWITCH.



No. 8217.

Length, 3½ inch. Width, 2½ inch. Opening required, 2½ inch, diameter. One flat steel key is furnished with each Plate.

<i>Masker</i>	8217 Plate only, nickel, each.....	1.50
<i>Mason</i>	8218 " bronze, each.	1.50
<i>Masonic</i>	8219 " brass, each	1.50

No. 2 Flush Plate


TWO SWITCHES.

Length, 2½ inch. Width, 2½ inch. Opening required, 4¼ x 2½ inch.

These Plates can be furnished to special order with one Lock and one Handle Switch, the Lock Switch being connected in series with and controlling the use of the Handle Switch.

<i>Masonry</i>	8220 Plate only, nickel, each.....	2.40
<i>Masquerade</i>	8221 " bronze, each.....	2.40
<i>Mass</i>	8222 " brass, each	2.40

No. 8220



Hart Flush Plates --(Continued).



No. 3 Flush Plate.

THREE SWITCHES.

Length, 9³/₈ inch. Width, 3¹/₂ inch. Opening required,
7³/₈ x 2⁵/₁₆ inch.


Code Word.	List No.	List Price.
<i>Massacre</i>	8223	Plate only, nickel, each\$ 3.60
<i>Massacred</i>	8224	" bronze, " 3.60
<i>Massive</i>	8225	" brass, " 3.60

No. 4 Flush Plate.

FOUR SWITCHES.

Length, 6⁷/₈ inch. Width, 6¹/₈ inch. Opening required,
4⁷/₈ x 1⁷/₈ inch.

<i>Exhaust</i>	8226	Plate only, nickel, each.....	4.80
<i>Exhausted</i>	8227	" bronze, "	4.80
<i>Exhauster</i>	8228	" brass, "	4.80



No. 6 Flush Plate.

SIX SWITCHES.

Length, 9³/₈ inch. Width, 6¹/₈ inch. Opening required,
7³/₈ x 4⁷/₈ inch.


<i>Exhal</i>	8229	Plate only, nickel, each.....	5.70
<i>Exhalation</i>	8230	" bronze, "	5.70
<i>Exhaling</i>	8231	" brass, "	5.70

No. 8 Flush Plate.

EIGHT SWITCHES.

Length, 12 inch. Width, 6¹/₈ inch. Opening required,
10 x 4⁷/₈ inch.

<i>Exhalent</i>	8232	Plate only, nickel, each.....	6.60
<i>Exhalation</i>	8233	" bronze, "	6.60
<i>Exhale</i>	8234	" brass, "	6.60



No. 915.

Paiste Flush Switch.

<i>Manual</i>	915	Single pole, 10 amperes, each.....	1.30
<i>Manually</i>	916	Three point, 10 "	1.50

With nickel face plates. Special finishes to order.

Perkins Flush Switch.



No. 2219.


Diameter of base, $2\frac{1}{4}$ inches. Length of plate, $3\frac{3}{8}$ inches. Width, $2\frac{1}{8}$ inches.

Flush Switches Nos. 12 and 61 are supplied with composition handles, which is the only handle that can be used with No. 61, but the double pole Switches will be furnished with metal handles if desired.

This Switch is made in three or four point, with or without flush plates.

Code Word.	List No.	List Price.
<i>Manuscript</i>	2219 No. 52, 10 Amperes, D. P., flush, each.....	\$2 25
<i>Map</i>	2220 " 53, 10 " " with key, each.....	2.50
<i>Maple</i>	2221 " 61, 10 " single pole, each.....	1.75


For 220 volts; will take wire up to No. 7 B. & S.



No. 241 to 246.

C-S Flush Double Push Switch.

<i>Discerning</i>	241	10 Ampere, Single Pole, Double Break, Nickel Face, each.....	2.00
<i>Discerningly</i>	242	10 Ampere, Single Pole, Double Break, Brass Face.....	2.00
<i>Discharged</i>	245	15 Ampere, Double Pole, Double Break, Nickel Face, each.....	2.50
<i>Discharging</i>	246	15 Ampere, Double Pole, Double Break, Brass Face, each.....	2.50




No. 241 to 246.


FACE PLATES IN COLORS OTHER THAN POLISHED BRASS AND NICKEL.

Silver, Silver Oxidized, Silver Mottled, Bronze, Bronze Oxidized, Copper Oxidized, extra beyond polished brass or nickel.....	.25
Bower Barfe.....	.50
Gold.....	.75


Other colors or specially designed face plates, special. Unless otherwise specified, nickel will be sent.




No. 247 to 250.



No. 247 to 250.



No. 251.



No. 251.



C-S Flush Commutation Switch.

Code Word	List No.		List Price.
<i>Dischurch</i>	247	5 Ampere, Four Wire, Nickel Face, each.....	\$4.00
<i>Dischurched</i>	248	5 " " " Brass " "	4.00
<i>Disciple</i>	249	10 " Threc " Nickel " "	2.50
<i>Discipline</i>	250	10 " " " Brass " "	2.50

FACE PLATES IN COLORS OTHER THAN POLISHED BRASS AND NICKEL.

Silver, Silver Oxidized, Silver Mottled, Bronze,	
Bronze Oxidized, Copper Oxidized, extra	
beyond polished brass or nickel.	.25
Bower Barfe.	.50
Gold.	75

Other colors or specially designed face plates, special.
Unless otherwise specified, nickel will be sent.




C-S Flush Automatic Switch.

STRICTLY AUTOMATIC.—Opening door turns on the light ; closing door shuts off light. Obviates necessity of placing Switch on outside of a dark room. Adapted also to be set underneath striker-plate of door-lock, so that unlocking door from outside turns on light, while locking it from outside turns it off.


EFFICIENT BURGLAR ALARM.—Intruder confronted by a bright light immediately upon opening a door.

Disclose


251 5 Ampere, Single Pole, Brass Face, each..... 2.00




No. 254 to 258.



No. 254 to 258.



No. 259 and 260.



No. 259 and 260.

C-S Flush Key Switch.

Code Word.	List No.	List Price.
<i>Discolor</i>	254	15 Ampere, Double Pole, Double Break, Nickel
		Face, each..... 2.50
<i>Discomfort</i>	255	15 Ampere, Double Pole, Double Break, Brass
		Face, each..... 2.50
<i>Discomfortable</i>	256	10 Ampere, Three Wire, Double Break, Nickel
		Face, each..... 2.50
<i>Discomforted</i>	257	10 Ampere, Three Wire, Double Break, Brass
		Face, each..... 2.50
<i>Discomforting</i>	258	Keys, per dozen 1.25

<i>Disciplined</i>	259	10 Ampere, Single Pole, Double Break, Nickel
		Face, each..... 2.00
<i>Disclaim</i>	260	10 Ampere, Single Pole, Double Break, Brass
		Face, each..... 2.00
<i>Disclaimer</i>	261	Keys, per dozen..... 1.25


FACE PLATES IN COLORS OTHER THAN POLISHED BRASS OR NICKEL.

Silver, Silver Oxidized, Silver Mottled, Bronze, Bronze Oxidized, Bronze Mottled, extra beyond polished brass or nickel, each.....	.25
Bower Barfe.....	.50
Gold.....	.75

Other colors or specially prepared face plates, special. In ordering, state particularly the kind of box wanted, whether with or without lugs.

C-S Flush Switch Accessories.


GANG FACE PLATES FOR DOUBLE PUSH SWITCH.



Size of Gang Face Plate, Four Switches.




No. 262.




No. 20114.

No. 263.



No.. 20115.



Iron Wall Box, Four Switches.

A comparison between the cut of plate for a single Switch and that of gang face plate for four Switches will show that by using the gang plate a saving of wall space of about $1\frac{5}{8} \times 3\frac{1}{4}$ is effected, besides presenting a better appearance than by placing four face plates side by side. In like manner, the gang face plate for six Switches saves a wall space of $2\frac{3}{16} \times 3\frac{1}{2}$.

For Switches complete, in gangs, up to six Switches in gang, without iron boxes, same price as for same number singly.

Beyond 6 Switches in gang, special.

Wooden Mat.

The Wooden Mat is furnished singly or in gangs to order, in any wood desired. It offers a convenient device for concealing the broken edges of the plastering made in cutting away for the switch body

Code Word.	List No.	List Price.
<i>Discommend</i>	262	Wooden Mats, single switch, each. \$0.30
		Each additional switch, to and including 6 switches. .15

Mats beyond 6 switches, special.

Iron Wall Box.

The Iron Wall Box is intended to be put in while the building is in process of construction. The edge of the box comes flush with the plastering. Furnished singly or in gangs of 2, 3, 4, 5 and 6.

<i>Discommode</i>	263	Iron Wall Box, single switch, each. 15
		Each additional switch, to and including 6 switches .12

Boxes beyond 6 switches, special.

<i>Robe</i>	20114	For 1 Switch. 45
		Each additional Switch. 36

Hole in top and bottom of box is arranged for reception of two $\frac{3}{8}$ or $\frac{1}{2}$ inch brass, iron, or circular loom conduits.


<i>Robinet</i>	20115	For 1 Switch 75
		Each additional Switch. 50

Box fitted with nipples for either $\frac{3}{8}$ or $\frac{1}{2}$ inch iron conduit, or, if preferred, tapped for either size tube. In ordering styles "Robe" and "Robinet" state particularly What size or fitting of conduit is required.

Dimensions of Iron Wall Boxes.

No. Switches.	Length.		Breadth.		Depth.
1	$2\frac{1}{8}$	x	$3\frac{3}{8}$	x	$1\frac{5}{8}$
2	$3\frac{1}{4}$	x	$3\frac{1}{8}$	x	$1\frac{11}{16}$
3	$5\frac{1}{8}$	x	$3\frac{1}{8}$	x	$1\frac{11}{16}$
4	$7\frac{7}{16}$	x	$3\frac{1}{8}$	x	$1\frac{11}{16}$
5	$9\frac{3}{16}$	x	$3\frac{1}{8}$	x	$1\frac{11}{16}$
6	11	x	$3\frac{1}{8}$	x	$1\frac{11}{16}$

Lock Switches.



No. 2222.


Perkins Lock Switch.

Code Word.	List No.	List Price.
<i>Marbled</i>	2222 No. 40, 10 Amperes, double pole, each	\$3.75
<i>March</i>	2223 " 41, 15 " " " " " " " " " "	4.50

For 220 Volts.

Nos. 40 and 41 are especially adapted for use where it is desirable that only authorized persons should have access to the Switch, for which purpose a spring lock fastens the flush plate to the cast iron box containing the Switch, and no one unprovided with a specially designed key can either remove the plate or turn the Switch

This pattern has been found to be very desirable in insane asylums and similar institutions.




No. 947.

Bryant Chandelier Switch.

<i>Exceptions</i>	947 5 Ampere, complete with 6-foot Chain and Ring, each	1.50
	Extra Brass Chain, per foot	.05
	Extra Brass Rings	.05

This Chandelier Switch is intended to be placed in the canopy of the chandelier, and is fitted with a clamping attachment on the back which clamps around the pipe, and is held in place by a set screw. Is rated at ten amperes. The chain can be dropped down between the pipe and the shell of the chandelier, or through a small hole in the canopy outside of the chandelier. It is fitted with brass ring hanging below the chandelier, the first pull of which lights the entire chandelier, the next pull cutting it off.

Chain and ring can be furnished to special finish where desired to match any finish of fixture.




No. 20066.

Anchor Switches.

Single Pole.

Code Word.	List No.		List Price, Each.
Rockland	20066	5 Amperes, S. P	\$.27
Rock river	20067	10 " "	.33
Rock side	20068	10 " " 500 Volt.	1.26




No. 20069.

Double Pole.


Rock springs	20069	10 Amperes, D. P.	.63
Rockton	20070	20 " "	1.00
Rockville	20071	30 " "	1.26

Three Point.

Three point Switches are used to control lights from either one of two points. The method of connection is shown herewith.




Rocky run	20072	10 Amperes, 3 pt. Switch.	60
-----------	-------	-----------------------------------	----




No. 20072.

Four Point.


To control lights from three or more points, two 3 pt. switches are used at two of the points, and a 4 pt. switch at each additional point up to any desired number. The method of connection is shown below.



Rock pie	20073	4 pt. switch.	.90
----------	-------	-----------------------	-----




No. 20073.



No. 20074.



Code Word.	List No.		List Price, Each.
Rod	20074	5 Amperes, S. P., Key.....	\$.63
Rodney	20075	10 " " "	.69
Rod corner	20076	10 " 3 pt. "	.96
Rod point	20077	10 " 4 " "	1.26
Rod place	20078	10 " S P., 500 volt, Key.....	1.62
Rod town	20079	10 " D. P., Key	.99
Rodville	20080	20 " " "	1.36
Roddy	20081	30 " " "	1.62



No. 20082-20083.


Rod tree	20082	Fits 5, 10 Amp. S. P., 10 Amp., D. P.....	.12
Rod stick	20083	Fits 20 and 30 Amp., D. P.....	.14

Anchor Square Switchblock.

Of great convenience in leading in wires to switch, in moulded or cleat work.

Anchor Push Button Switches.

These Switches are made in "gangs" to order. Switches are finished regularly in nickel.
Special finishes, copper, silver, bronzes, etc., also to imitate onyx, pearl, etc., to order.




No. 20084.

Rod aim	20084	20 Amperes, D. P.....	2.50
Rod shoot	20085	20 " S. P.....	2.00
Rod hill	20086	20 " 3 pt.....	2.50
Rod mont	20087	20 " 4 pt.....	4.00

Cast Iron Pockets for Anchor Switches.

Rod mill	20089	Pocket for 1 Switch.....	.15
Rod pond	20090	" 2 "	.27
Rod gun	20091	" 3 "	.39
Rod city	20092	" 4 "	.51
Rod farm	20093	" 5 "	.63
Rod house	20094	" 6 "	.75
Rod burn	20095	" 8 "	.87



Anchor Flush Plates.

The following prices are for plates only. To obtain the net price of the plate and switches complete, add the net price of the plate to the net price of such switches as are desired.

Keys for each switch, extra each ..	.30
Special finish, bronze, copper, etc., each plate extra each.....	.25 to 1.00
Enamel imitating marble, onyx, pearl, etc., each plate extra each	1.00 to 5.00

The Anchor Flush Plates are made, except the single switch, of solid plates, one-eighth inch thick, which finish with a smooth surface.

The handle is so designed as to be practically flush.


A spring beneath the handle makes the plate absolutely rigid.

Note the feature of the removable shell; by simply loosening one screw the shell may be removed for wiring.


The standard finish is nickel. We can furnish the plates in any finish, or to match any house hardware, from sample, at slight extra cost, also enameled to match onyx, marble, pearl, etc. The plates project one-eighth inch from face on wall, the switch itself being recessed in the wall. The depth of recess required is given in table below. In the multiple plates any or all of the switches may be "lock" and of any size given below.

We make to order plates of any desired size other than given, and for any number of switches.


In ordering use catalogue number of plate and specify the size of switch. When special finish is required send a sample with order.




Code Word.	List No.		No. of Switches on plate.	Size Plate.	Horizontal Length Recess.	Depth Recess.	Vertical Length Recess.	List Price.
Roar	20096	5 and 10 amp., S. P	1	3 $\frac{3}{4}$ x 3	2 $\frac{3}{8}$	2 $\frac{3}{8}$	1 $\frac{3}{4}$	.60
Roaring	20097	" " " "	2	3 $\frac{3}{4}$ x 5 $\frac{1}{2}$	2 $\frac{3}{8}$	4 $\frac{1}{4}$	1 $\frac{3}{8}$	2.10
Roaring Creek	20098	" " " "	3	3 $\frac{3}{4}$ x 7 $\frac{7}{8}$	2 $\frac{3}{8}$	6 $\frac{3}{8}$	1 $\frac{3}{8}$	3.30
Rob	20099	" " " "	4	5 $\frac{3}{4}$ x 5 $\frac{3}{4}$	4 $\frac{1}{4}$	4 $\frac{1}{4}$	1 $\frac{3}{8}$	4.20
Roberts	20100	" " " "	6	5 $\frac{3}{4}$ x 7 $\frac{7}{8}$	4 $\frac{1}{4}$	6 $\frac{3}{8}$	1 $\frac{3}{8}$	5.40
Roberts Creek	20101	" " " "	8	5 $\frac{3}{4}$ x10	4 $\frac{1}{4}$	8 $\frac{1}{2}$	1 $\frac{3}{8}$	6.75
Robin	20102	3 pt, 4 pt and 10 amp., D. P.	1	3 $\frac{3}{4}$ x 3	2 $\frac{3}{8}$	2 $\frac{3}{8}$	1 $\frac{3}{4}$	.60
Robinson	20103	" " " "	2	3 $\frac{3}{4}$ x 6 $\frac{1}{4}$	2 $\frac{3}{8}$	4 $\frac{1}{4}$	1 $\frac{3}{8}$	2.10
Robinsdal	20104	" " " "	3	3 $\frac{3}{4}$ x 8 $\frac{5}{8}$	2 $\frac{3}{8}$	7 $\frac{1}{8}$	1 $\frac{3}{8}$	3.30
Rock	20105	" " " "	4	6 $\frac{1}{4}$ x 6 $\frac{1}{4}$	4 $\frac{1}{4}$	4 $\frac{1}{4}$	1 $\frac{3}{8}$	4.20
Rockbridge	20106	" " " "	6	6 $\frac{1}{4}$ x 8 $\frac{5}{8}$	4 $\frac{1}{4}$	7 $\frac{1}{8}$	1 $\frac{3}{8}$	5.40
Rock Creek	20107	" " " "	8	6 $\frac{1}{4}$ x11	4 $\frac{1}{4}$	9 $\frac{1}{2}$	1 $\frac{3}{8}$	6.75
Rock Cut	20108	20 and 30 amp., D. P.....	1	4 $\frac{3}{4}$ x 4 $\frac{3}{4}$	3 $\frac{1}{4}$	3 $\frac{1}{4}$	1 $\frac{3}{8}$	1.00
Rockdale	20109	" " " "	2	4 $\frac{3}{4}$ x 7 $\frac{1}{2}$	3 $\frac{1}{4}$	6 $\frac{1}{4}$	1 $\frac{3}{8}$	2.25
Rock Elm	20110	" " " "	3	4 $\frac{3}{4}$ x11	3 $\frac{1}{4}$	9 $\frac{1}{8}$	1 $\frac{3}{8}$	3.50
Rock Falls	20111	" " " "	4	7 $\frac{3}{4}$ x 7 $\frac{3}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	1 $\frac{3}{8}$	4.75
Rock Field	20112	" " " "	6	7 $\frac{3}{4}$ x11	6 $\frac{1}{4}$	9 $\frac{1}{2}$	1 $\frac{3}{8}$	6.00
Rock Hill	20113	" " " "	8	7 $\frac{3}{4}$ x11 $\frac{1}{2}$	6 $\frac{1}{4}$	12 $\frac{1}{4}$	1 $\frac{3}{8}$	7.25



Connections for Two Circuit Switch.



Connections for No. 9 and Dimmer Switch.



No. 20016.




Fig. 1




Fig. 2




Fig. 3

Special Switches.

Hart Two Circuit Switch, 10 Ampere.

This Switch is especially designed for lights in electric street cars, where there are four lights inside the car and one at each end outside. The four lights inside, and one "end" light, are turned "on" and "off" successively, by the first half revolution of the switch handle. The second half revolution of the handle turns "on" and "off" the inside lights and the other "end" light.

Hart No. 9 Switch, 10 Ampere.

The first quarter turn of the handle lights a portion of the lamps on an electrolytic; the second quarter turn lights the balance of the lamps. The third quarter turn puts out those last lighted, and the fourth quarter turn puts out those first lighted.

Hart Dimmer Switch.

This switch is used with two lamps in series, for "night lights." The first quarter turn connects the lamps in series, giving a dim light. The second quarter turn short-circuits one of the lamps, allowing the other to burn to full candle power. The third quarter turn connects them again in series, and the fourth quarter turn opens the circuit.

The price of above switches is the same as the net price of the 10 Ampere D. P. Hart Switch.

Head-Light Switch.


3 Point, 3 Amperes, 500 Volts, Double Break.

This switch will break the circuit, no additional switch being required for that purpose.

The Head-Light Switch is used in street cars when it is desired to put in circuit with the interior lights either one of the head-lights. The method of connection is shown in Figure 1. It can also be used to put in circuit with the interior lights, either head-light and the vestibule light at other end of car.


Figure 2 shows the connections for 3 interior lights, front head-light and rear vestibule light.

Figure 3 shows connections for 8 interior lights, front head-light and rear vestibule light.



No. 25399.

Single Pole showing Cap removed.



No. 25401.

Three-Way showing Cap removed.





Diagram of Connections.

New York Flush Switch.

(PATENTED.)

Operated with a single button. Alternate pushes turn lights off or on. Single and Double Pole Switches have indicating dials as shown in cut.

The working parts are entirely of metal and cast welded glass. Cast welded glass is the best known insulator for a purpose of this kind and will not absorb a particle of moisture, even if it should become cracked or chipped.

			List Price, Each.
<i>Acurpous</i>	25399	Single Pole.....	\$1.70
<i>Acurus</i>	25400	Double Pole....	2.00
<i>Acatalectic</i>	25401	Three Way.....	2.00

Stock switches finished with nickel plated face plates. Special finishes furnished on short notice.

Heat Regulating Switch.

15 Amperes, 500 Volts, Quadruple Break.

The handle upon being turned from left to right, raises by means of a screw thread cut thereon, a nut loose in the insulating block, which is then carried forward, as soon as released from a lock in the base, with great rapidity, and after a quarter revolution drops again into a lock.

The parts revolve in one direction only.

The loose contact pins, allow automatic adjustment between the points, so that when "made," contact is assured with every point by the pressure of strong spring copper brushes upon one end of the pin, forcing the other against the adjoining contact plates.

When in contact, the insulating block is free to move slightly in any direction, and can not possibly bind the contact pins.

The four simultaneous breaks of the circuit each time the switch is turned from one position to the next reduces the sparking to a minimum.

The Heat Regulating Switch is used for the regulation of heat by different combinations of the heaters.

On the commutator are four raised bosses or dials on which are printed "OFF," "1," "2," "3," respectively. These dials appear successively before a hole in the cover, and thus indicate the position of contacts in commutator.


From the "off" position, as indicated by dial, the first quarter turn connects in circuit the heaters No. 1, and figure 1 appears on dial.

The second turn throws out of circuit heaters No. 1 and connects in circuit heaters No. 2, and figure 2 appears on dial.

Heaters No. 2 being of greater capacity than No. 1, a larger amount of heat is generated.

The third turn connects heaters No. 1 and No. 2 in parallel, which gives the maximum amount of heat, and figure 3 appears on dial.

The H L Switch.




This switch is specially adapted for use in connection with a door for automatically throwing incandescent lamps in and out of circuit. It is circular in form, allowing it to be mounted in the casement of a door or in the wall with very little trouble—it being only necessary to bore a hole the size of the switch shell. It is made either as a single pole double break switch or a 3-point switch. It is mechanically strong and has a long, quick break. It may be used on 110 or 220 volt circuits. It will break three amperes at 220 volts and 5 amperes at 110 volts. Its carrying capacity at any voltage less than 110 volts is rated at 5 amperes.

When the door is opened the push projects forward, actuated by a spring. This movement turns the lights on. The closing of the door simply sets the switch in position ready to turn off the lights as soon as the door is opened again but while the door remains closed the lights continue to burn. When the door is opened the second time the lights are turned off.

This switch is designed specially for bathrooms, telephone booths and vaults, where the person entering the room desires to turn on the lights and at the same time close the door and upon leaving the room desires the lights to be turned off automatically. This switch may also be used for lighting long hallways where light is wanted only while a person is passing through the hall, a switch of the 3-point description being placed in each door, when the door at one end of the hall is opened the lights are turned on and the opening of the door at the other end turns them off.

<i>Acathistus</i>	25405	Single Pole		\$3.00
<i>Incandescent</i>	25406	Three Point		5.00

Door and Closet Switches.



No. 25071


The object of these Switches is to furnish a device that will automatically throw on or off the incandescent lights as desired.

The door switch has one end arranged to take the place of that part of the lock which is fastened in the door jamb and into which the bolt of the lock fits when the door is locked. The bolt of the lock presses upon a projection of the switch which throws off the lights when the bolt is withdrawn from the jamb. By unlock the door the projection of the switch is released and the lights are turned on.

This same principle is used in the closet switch, excepting that the projection which operates the mechanism of the switch extends about one-fourth inch beyond the flush surface of the switch.


The switch is placed in the jamb of the door to which the hinges of the door are fastened. When the door is closed it depresses the projection so that it becomes flush with the door jamb and this turns off the lights. The opening of the door releases the switch and the and the lamps are turned on.

<i>Somner</i>	25071	Door Switch, each		1.25
<i>Somnial</i>	25072	Closet Switch, "		1.25




BUTTON HANDLE.


Unmounted Switches, Types "A" and "B" furnished with above style of handle only when specified.



No. 25328.



No. 25332.



No. 25343.

Baby Knife Unmounted Switches.

NOTE.—Prices on Unmounted Switches do not include Screws.

Screws of any size and length furnished at cost.

For Tablet Board Work. Type A.

Code Word.	List No.		List Price.
<i>Ring</i>	20053	15 Amp., S. P. S. T., Unmounted, each	\$.30
<i>Ringle</i>	20054	15 " D. P. S. T. " "	.50
<i>Ri-</i>	20055	15 " S. P. D. T., " "	.50
<i>Rio Break</i>	20056	15 " D. P. D. T. " "	.70
<i>Riple</i>	20057	15 " 3 Wire, S. T. " "	.80
<i>Ripo</i>	20058	25 " S. P. S. T. " "	.35
<i>Rising</i>	20059	25 " D. P. S. T. " "	.60
<i>Ritrock</i>	20060	25 " S. P. D. T. " "	.70
<i>Riverdane</i>	20061	25 " D. P. D. T. " "	.90
<i>Riverfalls</i>	20062	25 " 3 Wire, S. T. " "	1.00
<i>Acapella</i>	25397	15 " 3 Wire, D. T. " "	1.00
<i>Acaridan</i>	25398	25 " 3 Wire, D. T. " "	1.20

Type "B" Unmounted Knife Switches.

Code Word.	List No.	B. E. No.	List Price. Each.
<i>Abstention</i>	25328	1103 15 amp., double pole, single throw	\$0.32
<i>Abstentiousness</i>	25329	1152 15 " " double throw	.50
<i>Abstention</i>	25330	1075 25 " " single throw	.36
<i>Abstergent</i>	25331	1153 25 " " double throw	.60


Type "C" Unmounted Knife Switches.

Single Break.

<i>Abstersion</i>	25332	1160 35 amp., S. P., single throw	.60
<i>Abstersive</i>	25333	1161 35 " " double throw	.70
<i>Abstinnence</i>	25334	1162 35 " " single throw, fusible	.70
<i>Riccrhead</i>	20063	1059 35 " D. P., single throw	.90
<i>Riccrsi</i>	20064	1060 35 " " single throw, fusible	1.30
<i>Riccrstation</i>	20065	1061 35 " " double throw	1.30
<i>Abstinnency</i>	25335	1154 35 " Three P., single throw	1.50
<i>Abstinnent</i>	25336	1155 35 " " double throw	1.80
<i>Abstinnently</i>	25337	1156 35 " " single throw, fusible	1.80
<i>Abstorted</i>	25338	1157 35 " " double throw, fusible	2.00
<i>Abstracted</i>	25339	1205 50 " S. P., single throw	.80
<i>Abstractedly</i>	25340	1206 50 " " double throw	1.20
<i>Abstractedness</i>	25341	1207 50 " " single throw, fusible	1.20
<i>Abstraction</i>	25342	1225 50 " " double throw, fusible	1.40
<i>Abstractor</i>	25343	1208 50 " D. P., single throw	1.20
<i>Abstractone</i>	25344	1209 50 " " double throw	1.80
<i>Abstractitious</i>	25345	1210 50 " " single throw, fusible	1.80
<i>Abstractice</i>	25346	1226 50 " " double throw, fusible	2.20
<i>Abstractively</i>	25347	1211 50 " Three P., single throw	2.40
<i>Abstractly</i>	25348	1212 50 " " double throw	3.60
<i>Abstractness</i>	25349	1213 50 " " single throw, fusible	3.60
<i>Abstricted</i>	25350	1125 50 " " double throw, fusible	4.00


Type "E" Double Break Knife Switches.

Unmounted.



No. 25355.

Code Word	List No	B. E. Co. No.		List Price. Each
<i>Abstringe</i>	25351	1214	50 amp., S. P., single throw	1.00
<i>Abstrude</i>	25352	1215	50 " " double throw	1.70
<i>Abstrusely</i>	25353	1216	50 " " single throw, fusible	1.70
<i>Abstruseness</i>	25354	1223	50 " " double throw, fusible	2.00
<i>Abstrusion</i>	25355	1217	50 " D. P., single throw	1.50
<i>Abstusity</i>	25356	1218	50 " " double throw	2.30
<i>Absume</i>	25357	1219	50 " " single throw, fusible	2.30
<i>Absumption</i>	25358	1224	50 " " double throw, fusible	3.00
<i>Absurdness</i>	25359	1220	50 " Three P., single throw	3.00
<i>Abuna</i>	25360	1221	50 " " double throw	4.30
<i>Abundant</i>	25361	1222	50 " " single throw, fusible	4.30
<i>Abundantly</i>	25362	1126	50 " " double throw, fusible	4.50



No. 20040.

Type "A" Baby Knife Switches.

Single Throw.—Porcelain Base.


<i>Richhill</i>	20040	1001	15 amperes, S. P. S. T.	\$.30
<i>Richford</i>	20041	974	15 " D. P. S. T.	.50
<i>Richland</i>	20042	1052	15 " 3 Wire, S. T.	.80
<i>Richwood</i>	20043	977	25 " S. P. S. T.	.36
<i>Richview</i>	20044	978	25 " D. P. S. T.	.60
<i>Richmond</i>	20045	979	25 " 3 Wire, S. T.	1.00

Double Throw.—Porcelain Base.

<i>Ridge</i>	20046	1039	15 amperes, S. P. D. T.	.50
<i>Ridgewood</i>	20047	1041	15 " D. P. D. T.	.80
<i>Ridgeroad</i>	20048	1040	25 " S. P. D. T.	.70
<i>Ridgetop</i>	20049	1042	25 " D. P. D. T.	1.00

Slate Base.

<i>Abusable</i>	25363	1158	15 amperes, 3 Pole, D. T.	1.20
<i>Abusage</i>	25364	1159	25 " " "	1.40




No. 25366.


Type "B" Baby Knife Switches.

Single Throw.—Porcelain Base.


<i>Abuseful</i>	25365	1102	15 amperes, D. P. S. T.	.35
<i>Abuser</i>	25366	1074	25 " "	.40




No. 25367.




No. 20052.



No. 25376.



No. 25382.



No. 25398.

Type "C" Single Break Knife Switches.

Single Pole, Slate Base.

Code Word.	List No.	B. E. No.		List Price. Each.
<i>Abusion</i>	25367	1147	35 amperes, S. P. S. T.....	.80
<i>Abusively</i>	25368	1187	50 " "	1.00
<i>Abusiveness</i>	25369	1148	35 " S. P. D. T.....	1.10
<i>Abutter</i>	25370	1188	50 " "	1.40
<i>Abolute</i>	25371	1149	55 " S. P. S. T. fusible	1.30
<i>Abolotion</i>	25372	1189	50 " S. P. S. T. "	1.60

Double Pole, Slate Base.

<i>Ridgeville</i>	20050	1043	35 amperes, D. P. S. T.....	1.00
<i>Abg</i>	25373	1190	50 " "	1.20
<i>Riley</i>	20052	1044	35 " D. P. S. T. for fuse.....	1.50
<i>Abysmal</i>	25374	1192	50 " " "	1.90
<i>Ridgeway</i>	20051	1045	35 " D. P. D. T.....	1.50
<i>Abysall</i>	25375	1191	50 " "	1.90

Three Pole, Slate Base.

<i>Abyssinian</i>	25376	1099	35 amperes, three pole, S. T.....	1.50
<i>Aevrian</i>	25377	1193	50 " " "	2.50
<i>Academe</i>	25378	1101	35 " " D. T.....	2.25
<i>Academical</i>	25379	1194	50 " " "	3.60
<i>Academician</i>	25380	1100	35 " " for fuse, S. T..	2.50
<i>Academic</i>	25381	1195	50 " " " S. T..	3.80

Type "D" Knife Switches.

Mounted on Porcelain Base, which can be furnished either
Black Enameled or White Glazed.

Single Break.

<i>Academical</i>	25382	1184	50 amperes, double pole, single throw, with black enameled base.....	1.40
<i>Academician</i>	25383	1185	50 amperes, double pole, single throw, with white glazed base	1.40

Double Break.

<i>Academism</i>	25384	1236	50 amperes, double pole, single throw, with black enameled base.....	2.00
<i>Academist</i>	25385	1237	50 amperes, double pole, single throw, with white glazed base.....	2.00
<i>Acadian</i>	25386	1238	35 amperes, double pole, single throw, with black enameled base.....	1.50
<i>Aculeph</i>	25387	1230	35 amperes, double pole, single throw, with white glazed base	1.50

Porcelain is superior to slate as an insulator, and is much stronger.

Type "E" Double Break Knife Switches.


Slate Base.

<i>Aculepha</i>	25388	1190	50 amperes, double pole, single throw ..	1.50
<i>Aculephian</i>	25389	1200	50 " " double throw ..	2.30
<i>Aculephoid</i>	25390	1201	50 " " single throw, fusible	2.30
<i>Aculephine</i>	25391	1202	50 amperes, three pole, single throw....	3.00
<i>Aculeyrinous</i>	25392	1203	50 " " double throw ..	4.30
<i>Acutha</i>	25393	1204	50 " " single throw, fusible	4.30
<i>Acuthier</i>	25394	1196	50 amperes, single pole, single throw ..	1.00
<i>Acanthine</i>	25395	1197	50 " " double throw...	1.70
<i>Acanthion</i>	25396	1198	50 " " single throw, fusible	1.70

The Western Electric Knife Switch.

Type E.—For 220 Volts.

BACK CONNECTIONS, UNMOUNTED, FOR SWITCHBOARDS.



No. 20312.

These switches are all rolled tempered copper, and the greatest care in design and construction has been used in order to obtain a switch that would carry its rated capacity in amperes without showing any heating of its parts. In placing and fastening the jaws in position they are not soldered but bolted to the metal plates or lugs. By this method the temper of the jaws is in no way injured, and they will always grasp the blade of the switch with an equal and unvarying contact which will not deteriorate with time.

The hinge contact is made in the same way and the bolt which passes through the hinge is provided with a lock nut, preventing any liability of loosening or poor contact at this point. The blades are of drawn copper, hand finished.

The base is extended for connections on back of board and is secured in place by a lock nut. Swivel connections are provided which will admit of the circuit wires being brought into the switch from any direction.

NOTE.—These Switches are all made to gauge and any repair part can be obtained and a damaged part replaced in a few moments. These Switches are listed for switch-board work unmounted. If desired they will be furnished mounted upon slate bases with front connections, at an advance of 20 per cent. over the price of those with back connections unmounted.


Special prices quoted on Type E Switch, for 500, 1000 and 2000 volts.

Single Pole, Single Throw.

Code Word.	List No.		List Price. Each.
<i>Rotute</i>	20282	E 11 up to 50 Ampere capacity	5.60
<i>Rotuted</i>	20283	'E 21 " 75 " "	6.30
<i>Rotuteplane</i>	20284	E 31 " 150 " "	8.10
<i>Rotaryypump</i>	20285	E 41 " 300 " "	11.90
<i>Rotation</i>	20286	E 51 " 450 " "	14.40
<i>Rotative</i>	20287	E 61 " 600 " "	20.70
<i>Rotator</i>	20288	E 71 " 800 " "	26.30
<i>Role</i>	20289	E 81 " 1200 " "	43.10
<i>Rotgut</i>	20290	E 91 " 2000 " "	63.40

Single Pole, Double Throw.

<i>Rotherbeasts</i>	20291	E 12 up to 50 Ampere capacity	6.70
<i>Rothernail</i>	20292	E 22 " 75 " "	7.70
<i>Rothersoil</i>	20293	E 32 " 150 " "	10.10
<i>Rotifer</i>	20294	E 42 " 300 " "	14.70
<i>Rotiform</i>	20295	E 52 " 450 " "	19.50
<i>Rotten</i>	20296	E 62 " 600 " "	26.30
<i>Rottenly</i>	20297	E 72 " 800 " "	34.70
<i>Rottenness</i>	20298	E 82 " 1200 " "	57.00
<i>Rottenstone</i>	20299	E 92 " 2000 " "	84.00




No. 20285.

The Western Electric Knife Switch.

(Continued.)

Type E.—For 220 Volts.

BACK CONNECTIONS, UNMOUNTED, FOR SWITCHBOARDS.



No. 20300.

Double Pole, Single Throw.

Code Word	List No					List Price. Each.
Rotular	20300	E 13 up to	50	Ampere capacity		7.80
Rotund	20301	E 23	"	75	"	9.20
Rotunda	20302	E 33	"	150	"	12.90
Rotundity	20303	E 43	"	300	"	18.70
Rotundo	20304	E 53	"	450	"	25.70
Rouanne	20305	E 63	"	600	"	34.70
Rouble	20306	E 73	"	800	"	45.80
Rouche	20307	E 83	"	1200	"	79.40
Roue	20308	E 93	"	2000	"	129.10

Double Pole, Double Throw.

Rouet	20309	E 14 up to	50	Ampere capacity		10.10
Rouge	20310	E 24	"	75	"	12.10
Rough	20311	E 34	"	150	"	17.00
Roughcast	20312	E 44	"	300	"	24.30
Roughcaster	20313	E 54	"	450	"	34.00
Roughdraw	20314	E 64	"	600	"	45.80
Roughen	20315	E 74	"	800	"	62.60
Roughfooted	20316	E 84	"	1200	"	107.20
Roughhever	20317	E 94	"	2000	"	161.40

Three Pole, Single Throw.


Roughhewer	20318	E 15 up to	50	Ampere capacity		13.00
Roughhewn	20319	E 25	"	75	"	17.20
Roughings	20320	E 35	"	150	"	19.80
Roughish	20321	E 45	"	300	"	29.30
Roughlegged	20322	E 55	"	450	"	41.40
Roughly	20323	E 65	"	600	"	54.30
Roughness	20324	E 75	"	800	"	71.80
Roughrider	20325	E 85	"	1200	"	118.30
Roughscuff	20326	E 95	"	2000	"	182.60

Three Pole, Double Throw.

Roughshod	20327	E 16 up to	50	Ampere capacity		16.80
Roughstrings	20328	E 26	"	75	"	21.80
Roughst	20329	E 36	"	150	"	28.40
Roughwork	29330	E 46	"	300	"	38.20
Rouk	20331	E 56	"	450	"	54.60
Roulade	20332	E 66	"	600	"	71.50
Rouleau	20333	E 76	"	800	"	97.70
Roulette	20334	E 86	"	1200	"	158.80
Roun	20335	E 96	"	2000	"	243.30

Western Electric Quick Break Knife Switch.

Type Q.—For 220 Volts.



No. 20366.

BACK CONNECTIONS, UNMOUNTED, FOR SWITCHBOARDS.


The Type Q is a Quick Break Knife Switch with essentially the same features as Type E, with the addition of the Quick Break Spring. This Switch is especially approved by the Underwriters for an entrance or service switch for motor work, constant potential arc or incandescent lighting as well as for switchboard work. The Switch is listed, with the exception of one size, with back connections unmounted. The Q Switch mounted with front connections on slate will be furnished at an advance of 20 per cent. over the price of the unmounted switches.

Double Pole, Single Throw.

Code Word.	List No.					List Price, Each.
<i>Rounce</i>	20336	Q 23 up to	75	Ampere capacity		11.40
<i>Rounceval</i>	20337	Q 33 "	150	" "		15.60
<i>Round</i>	20338	Q 43 "	300	" "		22.60
<i>Roundabout</i>	20339	Q 53 "	450	" "		31.50
<i>Roundback</i>	20340	Q 63 "	600	" "		45.20
<i>Roundel</i>	20341	Q 73 "	800	" "		68.00

Three Pole, Single Throw.


<i>Roundelay</i>	20342	Q 25 up to	75	Ampere capacity		17.20
<i>Rounder</i>	20343	Q 35 "	150	" "		23.10
<i>Roundhead</i>	30344	Q 45 "	300	" "		33.00
<i>Roundhouse</i>	20345	Q 55 "	450	" "		47.40
<i>Rounding</i>	20346	Q 65 "	600	" "		67.90
<i>Roundish</i>	20347	Q 75 "	800	" "		98.10



No. 20349.

Two Pole, Single Throw, 220 Volts.

<i>Roundlet</i>	20348	Q 03 up to	25	Ampere capacity, unmounted..	2.90
<i>Roundly</i>	20349	Q 03 "	25	" " " mounted	3.30




No. 20351.

Two Pole, Single Throw, 500 Volts.

<i>Roundness</i>	20350	Q 03 up to	25	Ampere capacity, unmounted..	3.00
<i>Roundridge</i>	20351	Q 03 "	25	" " " mounted	3.40

L. & S. Knife Switches.

Double Throw Without Fuse.



Amperes.	SINGLE POLE.		DOUBLE POLE.		TRIPLE POLE.		Amperes.
	Plain.	Pol.	Plain.	Pol.	Plain.	Pol.	
50	4.00	5.00	6.75	8.50	10.75	13.50	50
100	6.75	8.50	11.25	14.00	18.00	22.50	100
200	9.75	12.25	16.00	20.00	25.50	32.00	200
300	12.00	15.00	20.00	25.00	31.50	39.50	300
400	15.25	19.00	25.50	32.00	40.00	50.00	400
600	20.00	25.00	33.50	42.00	52.50	65.75	600
800	28.00	35.00	46.50	58.00	73.75	92.25	800
1000	40.00	50.00	66.50	83.00	105.00	131.25	1000

Double Throw With Fuse.

Amperes.	SINGLE POLE.		DOUBLE POLE.		TRIPLE POLE.		Amperes.
	Plain.	Pol.	Plain.	Pol.	Plain.	Pol.	
50	5.00	6.25	8.50	10.75	13.50	17.00	50
100	8.50	10.75	14.00	17.50	22.50	28.25	100
200	12.25	15.25	20.00	25.00	32.00	40.00	200
300	15.00	18.75	25.00	31.25	39.50	49.50	300
400	19.00	23.75	32.00	40.00	50.00	62.50	400
600	25.00	31.25	42.00	52.50	65.75	82.25	600
800	35.00	43.75	58.00	72.50	92.25	115.25	800
1000	50.00	62.50	83.00	103.75	131.25	164.00	1000

500-volt switches, except D. T. Fused, add 20 per cent 500-volt switches, Double Throw Fused, add 40 per cent

Single Throw Without Fuse.

Amperes.	SINGLE POLE.		DOUBLE POLE.		TRIPLE POLE.		Amperes.
	Plain.	Pol.	Plain.	Pol.	Plain.	Pol.	
50	3.00	3.75	5.00	6.50	8.00	10.00	50
100	5.00	6.25	8.50	10.50	13.50	17.00	100
200	7.25	9.00	12.00	15.00	19.00	23.75	200
300	9.00	11.25	15.00	18.75	23.50	29.50	300
400	11.50	14.50	19.00	23.75	30.00	37.50	400
600	15.00	18.75	25.00	31.25	39.50	49.50	600
800	21.00	26.25	35.00	43.75	55.25	69.00	800
1000	30.00	37.50	50.00	62.50	78.75	98.50	1000

Single Throw With Fuse.

Amperes.	SINGLE POLE.		DOUBLE POLE.		TRIPLE POLE.		Amperes.
	Plain.	Pol.	Plain.	Pol.	Plain.	Pol.	
50	3.75	4.75	6.25	8.00	10.00	12.50	50
100	6.25	7.75	10.50	13.00	17.00	21.25	100
200	9.00	11.25	15.00	18.75	23.75	29.75	200
300	11.25	14.00	18.75	23.50	29.50	37.00	300
400	14.50	18.00	23.75	29.75	37.50	47.00	400
600	18.75	23.50	31.25	39.00	49.50	62.00	600
800	26.25	32.75	43.75	54.75	69.00	86.25	800
1000	37.50	47.00	62.50	78.00	98.50	123.00	1000


Front connected switches unmounted deduct 10 per cent. Back connected switches unmounted same as list. Back connected switches mounted add 10 per cent.

Style "H" Station Switches for Back Connections.

In this Switch the arm is made sectional as the illustration shows. The blade is of hard drawn copper, securely held in the slotted tube by the end plugs and bushings.

From 25 to 1000 Amperes.

PRICE LIST.



Style "H" Station Switch for Back Connections.



Cut showing mechanical connection of arm.


Capacity in Amperes		WITH FUSE TERMINALS.		WITHOUT FUSE TERMINALS.	
		Polished,	Plain.	Polished,	Plain.
25	Single Pole, Single Throw,	\$ 2.60	\$ 2.35	\$ 2.20	\$ 2.00
25	Single " Double "	4.00	3.60	3.20	2.85
25	Double " Single "	4.75	4.25	3.80	3.40
25	Double " Double "	8.50	7.65	6.80	6.10
25	Triple " Single "	6.00	5.40	4.80	4.30
25	Triple " Double "	10.70	9.60	8.50	7.65
50	Single " Single "	5.50	5.00	4.40	4.00
50	Single " Double "	8.50	7.65	6.80	6.10
50	Double " Single "	10.00	9.00	8.00	7.20
50	Double " Double "	18.00	16.20	14.40	12.00
50	Triple " Single "	12.70	11.40	10.00	9.00
50	Triple " Double "	22.50	19.25	18.00	16.20
75	Single " Single "	7.10	6.40	5.60	5.00
75	Single " Double "	11.00	9.90	8.80	7.90
75	Double " Single "	13.00	11.70	10.40	9.35
75	Double " Double "	23.40	21.00	18.70	16.80
75	Triple " Single "	16.50	14.80	13.20	11.85
75	Triple " Double "	29.00	26.00	25.20	22.65
100	Single " Single "	8.25	7.40	6.60	6.00
100	Single " Double "	12.75	11.45	10.40	9.39
100	Double " Single "	15.00	13.50	12.00	10.80
100	Double " Double "	27.00	24.30	21.60	19.40
100	Triple " Single "	19.00	17.00	15.20	13.50
100	Triple " Double "	33.75	30.30	27.00	24.25
150	Single " Single "	9.00	8.00	7.20	6.50
150	Single " Double "	14.00	12.60	11.20	10.00
150	Double " Single "	16.50	14.80	13.20	11.80
150	Double " Double "	29.70	26.70	25.75	23.00
150	Triple " Single "	20.90	17.80	16.75	15.00
150	Triple " Double "	37.00	33.30	29.60	26.50
200	Single " Single "	11.00	9.90	8.80	8.00
200	Single " Double "	17.00	15.30	13.60	12.25
200	Double " Single "	20.00	18.00	16.00	14.40
200	Double " Double "	36.20	32.50	28.90	26.00
200	Triple " Single "	25.30	22.75	20.25	18.00
200	Triple " Double "	54.00	48.60	43.20	38.80
300	Single " Single "	15.40	13.80	12.30	11.00
300	Single " Double "	23.80	21.40	19.00	17.00
300	Double " Single "	28.00	25.20	22.40	20.00
300	Double " Double "	50.00	45.00	40.00	36.00
300	Triple " Single "	35.50	32.00	28.40	25.50
300	Triple " Double "	63.00	56.70	50.40	45.30
400	Single " Single "	18.70	16.80	15.00	13.50
400	Single " Double "	28.90	26.00	23.10	20.50
400	Double " Single "	34.00	30.60	27.20	24.40
400	Double " Double "	61.20	55.00	48.90	44.00
400	Triple " Single "	43.00	38.70	34.40	30.80
400	Triple " Double "	80.00	72.00	64.00	57.60
600	Single " Single "	25.30	22.75	20.20	18.00
600	Single " Double "	39.00	35.00	31.20	28.00
600	Double " Single "	46.00	41.40	36.80	33.00
600	Double " Double "	82.00	73.80	65.60	59.00
600	Triple " Single "	68.30	61.50	54.60	49.00
600	Triple " Double "	98.00	88.20	78.40	70.50
1000	Single " Single "	40.00	36.00	32.00	28.80
1000	Single " Double "	63.00	56.70	50.00	45.00
1000	Double " Single "	74.00	66.60	59.20	53.25
1000	Double " Double "	132.00	118.00	105.60	95.00
1000	Triple " Single "	93.00	83.00	74.40	67.00
1000	Triple " Double "	166.00	150.00	132.00	118.00

These prices are for parts mounted on slate. Extra charge for marble.

Style "H" Station Switches for Front Connections.

From 25 to 1000 Amperes.

PRICE LIST.



Style "H" Station Switch for Front Connections.




Cut showing mechanical connection of arm.

Capacity in Amperes		WITH FUSE TERMINALS.		WITHOUT FUSE TERMINALS.	
		Polished.	Plain.	Polished.	Plain.
25	Single Pole, Single Throw,	\$ 2.75	\$ 2.50	\$ 2.30	\$ 2.10
25	Single " Double "	4.20	3.80	3.35	3.00
25	Double " Single "	5.00	4.45	4.00	3.60
25	Double " Double "	8.90	8.00	7.15	6.45
25	Triple " Single "	6.30	5.65	5.00	4.50
25	Triple " Double "	11.20	10.00	8.80	8.00
50	Single " Single "	5.75	5.25	4.60	4.10
50	Single " Double "	8.90	8.00	7.20	6.50
50	Double " Single "	10.50	9.50	8.40	7.50
50	Double " Double "	19.00	17.00	15.20	13.20
50	Triple " Single "	13.30	12.00	10.60	9.50
50	Triple " Double "	23.50	20.00	18.80	17.00
75	Single " Single "	7.40	6.75	5.90	5.30
75	Single " Double "	11.50	10.20	9.20	8.25
75	Double " Single "	13.60	12.25	10.50	9.50
75	Double " Double "	24.60	22.00	19.60	17.75
75	Triple " Single "	17.50	15.50	14.00	12.60
75	Triple " Double "	30.50	27.30	24.40	22.00
100	Single " Single "	8.45	7.75	6.75	6.10
100	Single " Double "	13.40	12.00	10.72	9.70
100	Double " Single "	15.75	14.25	12.60	11.40
100	Double " Double "	28.25	25.50	22.60	20.40
100	Triple " Single "	20.00	17.85	16.00	14.40
100	Triple " Double "	34.25	31.80	27.40	24.70
150	Single " Single "	9.50	8.40	7.65	6.90
150	Single " Double "	14.75	13.25	11.80	10.70
150	Double " Single "	17.30	15.50	13.80	12.50
150	Double " Double "	31.20	28.00	25.00	22.50
150	Triple " Single "	22.00	19.75	17.60	15.90
150	Triple " Double "	38.85	35.00	31.00	28.00
200	Single " Single "	11.50	10.40	9.20	8.30
200	Single " Double "	17.80	16.00	14.00	12.60
200	Double " Single "	21.00	19.00	16.80	15.20
200	Double " Double "	38.00	35.20	30.00	27.00
200	Triple " Single "	26.50	24.00	21.25	19.00
200	Triple " Double "	56.50	50.00	45.00	40.00
300	Single " Single "	16.20	14.60	13.00	11.70
300	Single " Double "	25.00	22.50	20.00	18.00
300	Double " Single "	29.40	26.50	23.50	21.00
300	Double " Double "	52.50	47.25	42.00	37.75
300	Triple " Single "	37.25	33.50	29.80	27.00
300	Triple " Double "	66.50	63.20	53.00	48.00
400	Single " Single "	19.60	17.60	15.75	14.25
400	Single " Double "	30.25	27.00	24.20	21.80
400	Double " Single "	35.70	32.20	28.50	26.00
400	Double " Double "	64.00	57.00	51.00	46.00
400	Triple " Single "	45.00	40.00	36.40	32.80
400	Triple " Double "	84.00	75.00	67.00	60.00
600	Single " Single "	26.50	23.90	21.25	19.00
600	Single " Double "	40.80	36.50	32.50	29.25
600	Double " Single "	48.30	43.50	38.50	34.00
600	Double " Double "	86.00	78.00	68.75	61.50
600	Triple " Single "	71.25	64.00	57.00	51.50
600	Triple " Double "	102.00	92.00	80.00	72.00
1000	Single " Single "	42.00	37.20	33.00	30.00
1000	Single " Double "	66.00	60.00	39.00	35.00
1000	Double " Single "	77.75	70.00	62.00	55.00
1000	Double " Double "	138.00	124.00	110.00	100.00
1000	Triple " Single "	97.00	87.50	77.00	70.00
1000	Triple " Double "	174.00	156.50	132.00	120.00

These prices are for parts mounted on slate. Extra charge for marble.

Station Switches.


Single Pole, Single Throw.



No. 8265.

Code Word.	List No.		List Price.
<i>Exemplify</i>	8265	15 Amperes, plain, no fuse, each	\$1.75
<i>Exemplifying</i>	8266	25 " " " "	3.00
<i>Exempt</i>	8267	50 " " " "	3.50
<i>Exempted</i>	8268	75 " " " "	4.25
<i>Exempting</i>	8269	100 " " " "	5.50
<i>Exercise</i>	8270	200 " " " "	7.00
<i>Exercised</i>	8271	300 " " " "	8.75
<i>Exercising</i>	8272	400 " " " "	13.00
<i>Exert</i>	8273	600 " " " "	18.25
<i>Exerted</i>	8274	800 " " " "	21.75
<i>Exertment</i>	8275	1000 " " " "	24.50
<i>Exhausting</i>	8287	15 " polished, no fuse, each	2.00
<i>Exhaustion</i>	8288	25 " " " "	3.50
<i>Exhaustive</i>	8289	50 " " " "	4.25
<i>Exhaustment</i>	8290	75 " " " "	5.50
<i>Exhibit</i>	8291	100 " " " "	7.00
<i>Exhibited</i>	8292	200 " " " "	8.75
<i>Exhibiting</i>	8293	300 " " " "	11.00
<i>Exhibition</i>	8294	400 " " " "	15.60
<i>Exhibitive</i>	8295	600 " " " "	21.90
<i>Exhilarate</i>	8296	800 " " " "	26.10
<i>Exhilarated</i>	8297	1000 " " " "	29.40
<i>Exhort</i>	8276	15 " plain, with fuse, " "	2.50
<i>Exhorted</i>	8277	25 " " " "	3.75
<i>Exhorting</i>	8278	50 " " " "	4.25
<i>Exhume</i>	8279	75 " " " "	5.50
<i>Exhuming</i>	8280	100 " " " "	7.00
<i>Exile</i>	8281	200 " " " "	8.50
<i>Exilement</i>	8282	300 " " " "	10.50
<i>Exiling</i>	8283	400 " " " "	16.00
<i>Exist</i>	8284	600 " " " "	22.00
<i>Existence</i>	8285	800 " " " "	26.00
<i>Existent</i>	8286	1000 " " " "	29.75
<i>Existing</i>	8298	15 " polished, with fuse, each	3.00
<i>Exit</i>	8299	25 " " " "	4.50
<i>Erode</i>	8300	50 " " " "	5.25
<i>Erodes</i>	8301	75 " " " "	6.50
<i>Exonerate</i>	8302	100 " " " "	8.50
<i>Exonerated</i>	8303	200 " " " "	10.50
<i>Exotic</i>	8304	300 " " " "	13.50
<i>Expand</i>	8305	400 " " " "	19.20
<i>Expanded</i>	8306	600 " " " "	26.40
<i>Expanding</i>	8307	800 " " " "	31.20
<i>Expanse</i>	8308	1000 " " " "	35.70

Single Pole, Double Throw.



No. 8000.

<i>Expansion</i>	8000	25 Amperes, plain, no fuse, each	4.00
<i>Expansive</i>	8001	50 " " " "	4.75
<i>Expatiate</i>	8002	75 " " " "	5.75
<i>Expectant</i>	8003	100 " " " "	7.50
<i>Expectorate</i>	8004	200 " " " "	9.50
<i>Expedient</i>	8005	300 " " " "	12.00
<i>Expedite</i>	8006	400 " " " "	20.75
<i>Ezekiel</i>	8007	600 " " " "	29.25
<i>Ezra</i>	8008	800 " " " "	35.00
<i>Exertion</i>	8009	1000 " " " "	40.50

Station Switches—(Continued).

Single Pole, Double Throw.


Code Word.	List No.		List Price
<i>Encage</i>	8020	25 Amperes, polished, no fuse, each.....	\$4.75
<i>Encaged</i>	8021	50 " " " "	5.75
<i>Encaging</i>	8022	75 " " " "	7.00
<i>Encamp</i>	8023	100 " " " "	8.75
<i>Enchain</i>	8024	200 " " " "	11.00
<i>Enchained</i>	8025	300 " " " "	15.00
<i>Enchaining</i>	8026	400 " " " "	24.90
<i>Enchainment</i>	8027	600 " " " "	35.10
<i>Enchant</i>	8028	800 " " " "	42.80
<i>Enchanted</i>	8029	1000 " " " "	48.60
<i>Encounter</i>	8010	25 " plain, with fuse, each.....	4.75
<i>Encountering</i>	8011	50 " " " "	5.75
<i>Encourage</i>	8012	75 " " " "	7.00
<i>Encouraging</i>	8013	100 " " " "	8.75
<i>Encradle</i>	8014	200 " " " "	11.00
<i>Encrimson</i>	8015	300 " " " "	14.50
<i>Encroach</i>	8016	400 " " " "	26.25
<i>Encroacher</i>	8017	600 " " " "	36.00
<i>Encroaching</i>	8018	800 " " " "	42.75
<i>Encroachment</i>	8019	1000 " " " "	48.25
<i>Enchanting</i>	8030	25 " polished, with fuse, each.....	5.50
<i>Enchantment</i>	8031	50 " " " "	6.75
<i>Enchase</i>	8032	75 " " " "	8.25
<i>Enchased</i>	8033	100 " " " "	10.25
<i>Enchasing</i>	8034	200 " " " "	13.00
<i>Encircle</i>	8035	300 " " " "	17.00
<i>Encompass</i>	8036	400 " " " "	31.50
<i>Encompassed</i>	8037	600 " " " "	43.20
<i>Encompassing</i>	8038	800 " " " "	51.30
<i>Encore</i>	8039	1000 " " " "	58.00

Made with back connections for ten per cent additional to list price.

Double Pole, Single Throw.

<i>Encumber</i>	8040	15 Amperes, plain, no fuse, each.....	2.25
<i>Encumbering</i>	8041	25 " " " "	5.75
<i>Encumbrance</i>	8042	50 " " " "	7.00
<i>Endamage</i>	8043	75 " " " "	8.75
<i>Endanger</i>	8044	100 " " " "	11.00
<i>Endear</i>	8045	200 " " " "	14.50
<i>Endearing</i>	8046	300 " " " "	18.00
<i>Endearment</i>	8047	400 " " " "	29.00
<i>Endeavor</i>	8048	600 " " " "	39.25
<i>Endeavoring</i>	8049	800 " " " "	45.75
<i>Endless</i>	8050	1000 " " " "	52.75
<i>Endlessly</i>	8062	15 " polished, no fuse, each.....	3.25
<i>Endlessness</i>	8063	25 " " " "	7.00
<i>Endow</i>	8064	50 " " " "	8.25
<i>Endowing</i>	8065	75 " " " "	10.50
<i>Endowment</i>	8066	100 " " " "	13.50
<i>Endurance</i>	8068	300 " " " "	24.00
<i>Endure</i>	8069	400 " " " "	34.80
<i>Endured</i>	8070	600 " " " "	47.10
<i>Enduring</i>	8071	800 " " " "	54.90
<i>Endurise</i>	8072	1000 " " " "	63.30


Station Switches—(Continued).



No. 8051.

Code Word.	List No.	Double Pole, Single Throw.				List Price.
<i>Enemy</i>	8051	15 Amperes, plain, with fuse, each.				\$3.00
<i>Energy</i>	8052	25 " " " "				7.25
<i>Enervate</i>	8053	50 " " " "				8.75
<i>Enervated</i>	8054	75 " " " "				11.00
<i>Enervating</i>	8055	100 " " " "				14.25
<i>Enervation</i>	8056	200 " " " "				17.50
<i>Enfamish</i>	8057	300 " " " "				22.00
<i>Enfeeble</i>	8058	400 " " " "				34.25
<i>Enfeebled</i>	8059	600 " " " "				45.25
<i>Enfeblement</i>	8060	800 " " " "				52.75
<i>Enfetter</i>	8061	1000 " " " "				60.00
<i>Engender</i>	8073	15 " polished, with fuse, each.				4.25
<i>Engendered</i>	8074	25 " " " "				8.75
<i>Engendering</i>	8075	50 " " " "				10.25
<i>Engild</i>	8076	75 " " " "				12.75
<i>Engineering</i>	8077	100 " " " "				16.50
<i>Enginery</i>	8078	200 " " " "				22.00
<i>Engird</i>	8079	300 " " " "				29.00
<i>English</i>	8080	400 " " " "				41.10
<i>Engloom</i>	8081	600 " " " "				54.30
<i>Engorge</i>	8082	800 " " " "				63.30
<i>Engorged</i>	8083	1000 " " " "				72.00

Made with or without fuse, as desired



No. 8124.

Three Pole, Single Throw.						
<i>Enormous</i>	8124	15 Amperes, plain, no fuse, each.				3.00
<i>Enrage</i>	8125	25 " " " "				8.25
<i>Enraged</i>	8126	50 " " " "				10.50
<i>Enrank</i>	8127	75 " " " "				13.00
<i>Enranked</i>	8128	100 " " " "				16.50
<i>Enranking</i>	8129	200 " " " "				21.00
<i>Enrapt</i>	8130	300 " " " "				27.00
<i>Enrich</i>	8131	400 " " " "				45.50
<i>Enriched</i>	8132	600 " " " "				60.25
<i>Enriching</i>	8133	800 " " " "				70.00
<i>Enrichment</i>	8134	1000 " " " "				80.75
<i>Enlisted</i>	8146	15 " polished, no fuse, each.				4.00
<i>Enlisting</i>	8147	25 " " " "				10.50
<i>Enlistment</i>	8148	50 " " " "				12.25
<i>Enliven</i>	8149	75 " " " "				15.75
<i>Enlivened</i>	8150	100 " " " "				20.00
<i>Enlivening</i>	8151	200 " " " "				26.50
<i>Enmesh</i>	8152	300 " " " "				35.00
<i>Enmity</i>	8153	400 " " " "				54.60
<i>Ennoble</i>	8154	600 " " " "				72.30
<i>Enoch</i>	8155	800 " " " "				84.00
<i>Enormity</i>	8156	1000 " " " "				96.90
<i>Enkindle</i>	8135	15 " plain, with fuse, each.				3.75
<i>Enkindled</i>	8136	25 " " " "				9.50
<i>Enkindling</i>	8137	50 " " " "				13.25
<i>Enlargement</i>	8138	75 " " " "				16.00
<i>Enlight</i>	8139	100 " " " "				20.00
<i>Enlighten</i>	8140	200 " " " "				26.00
<i>Enlightened</i>	8141	300 " " " "				35.00
<i>Enlightening</i>	8142	400 " " " "				52.75
<i>Enlightment</i>	8143	600 " " " "				70.25
<i>Enlink</i>	8144	800 " " " "				81.25
<i>Enlist</i>	8145	1000 " " " "				92.50


Station Switches—(Continued).

Three Pole, Single Throw.


Code Word.	List No.		List Price.
<i>Enjoin</i>	8157	15 Amperes, polished, with fuse, each...	\$5.00
<i>Enjoined</i>	8158	25 " " " "	13.25
<i>Enjoining</i>	8159	50 " " " "	15.50
<i>Enjoinment</i>	8160	75 " " " "	19.00
<i>Enjoy</i>	8161	100 " " " "	24.25
<i>Enjoyable</i>	8162	200 " " " "	33.00
<i>Exerting</i>	8163	300 " " " "	43.00
<i>Enjoyed</i>	8164	400 " " " "	63.30
<i>Enjoying</i>	8165	600 " " " "	84.30
<i>Enjoyment</i>	8166	800 " " " "	97.80
<i>Enjail</i>	8167	1000 " " " "	111.00

Double Pole, Double Throw.

<i>Enhance</i>	8084	25 Amperes, plain, no fuse, each	7.75
<i>Enhanced</i>	8085	50 " " " "	9.50
<i>Enhancement</i>	8086	75 " " " "	11.75
<i>Enhancer</i>	8087	100 " " " "	14.75
<i>Enhancing</i>	8088	200 " " " "	18.75
<i>Enharden</i>	8089	300 " " " "	25.00
<i>Enharden</i>	8090	400 " " " "	43.50
<i>Enigma</i>	8091	600 " " " "	60.75
<i>Enigmatic</i>	8092	800 " " " "	71.75
<i>Enigmatize</i>	8093	1000 " " " "	82.50
<i>Engraving</i>	8104	25 " polished, no fuse, each	9.50
<i>Engross</i>	8105	50 " " " "	11.00
<i>Engrossed</i>	8106	75 " " " "	14.00
<i>Engrossing</i>	8107	100 " " " "	17.50
<i>Engrossment</i>	8108	200 " " " "	23.50
<i>Enguard</i>	8109	300 " " " "	32.00
<i>Engulf</i>	8110	400 " " " "	52.20
<i>Engulfed</i>	8111	600 " " " "	72.90
<i>Engulfing</i>	8112	800 " " " "	86.10
<i>Engulfment</i>	8113	1000 " " " "	99.00
<i>Engorgement</i>	8094	25 " plain, with fuse, each	10.50
<i>Engorging</i>	8095	50 " " " "	13.00
<i>Engrail</i>	8096	75 " " " "	16.00
<i>Engrain</i>	8097	100 " " " "	19.50
<i>Engrained</i>	8098	200 " " " "	25.50
<i>Engrapple</i>	8099	300 " " " "	33.00
<i>Engrave</i>	8100	400 " " " "	55.25
<i>Engraved</i>	8101	600 " " " "	74.25
<i>Engraven</i>	8102	800 " " " "	87.25
<i>Engravement</i>	8103	1000 " " " "	98.50
<i>Enring</i>	8114	25 " polished, with fuse, each	13.00
<i>Enrobe</i>	8115	50 " " " "	15.25
<i>Enrobing</i>	8116	75 " " " "	18.75
<i>Enroll</i>	8117	100 " " " "	23.50
<i>Enrolled</i>	8118	200 " " " "	31.00
<i>Enrollment</i>	8119	300 " " " "	42.00
<i>Enroot</i>	8120	400 " " " "	66.30
<i>Enrooted</i>	8121	600 " " " "	89.10
<i>Enrooting</i>	8122	800 " " " "	104.70
<i>Enseal</i>	8123	1000 " " " "	118.20



No. 8084.




No. 8261.

Dynamo Switch.

With this Switch and simple bus bar connections a very neat and convenient switchboard for a good sized isolated plant can be made at a very small expense.

Code Word.	List No.	List Price.
<i>Excutor</i>	8261 25 Amperes, each	\$ 4.25
<i>Excutory</i>	8262 50 " "	6.50
<i>Excentress</i>	8263 100 " "	9.50
<i>Exemplary</i>	8264 200 " "	13.00



No. 8251.

Elevator Switch.


<i>Excusably</i>	8251 3 Pole, 100 Amperes, each	15.00
<i>Excuse</i>	8252 2 " 100 " "	12.00

Single Pole Blade Switches.

MOUNTED ON MARBLEIZED SLATE BASES.

With Safety Catch Holders.

<i>Mentor</i>	8309	Capacity in Amperes, up to 25, plain, each	.99
<i>Mercenary</i>	8311	" " " 25, polished "	1.20
<i>Mercer</i>	8312	" " " 50, plain "	2.97
<i>Merchant</i>	8314	" " " 50, polished "	3.57
<i>Merciless</i>	8316	" " " 100, plain "	3.63
<i>Mercury</i>	8317	" " " 100, polished "	4.26
<i>Rockaway</i>	20118	" " " 200, plain "	4.95
<i>Rockcod</i>	20119	" " " 200, polished "	5.94
<i>Mercy</i>	8318	" " " 300, plain "	5.46
<i>Merge</i>	8320	" " " 300, polished "	6.54
<i>Merged</i>	8321	" " " 400, plain "	5.94
<i>Meridian</i>	8323	" " " 400, polished "	7.14
<i>Merino</i>	8324	" " " 600, plain "	8.58
<i>Merited</i>	8326	" " " 600, polished "	10.29



No. 8309.

Without Safety Catch Holders.

<i>Meddler</i>	8327	Capacity in Amperes up to 25, plain, each	.90
<i>Meditate</i>	8329	" " " 25, polished "	1.08
<i>Rockcourt</i>	20120	" " " 50, plain "	2.73
<i>Rockcork</i>	20121	" " " 50, polished "	3.27
<i>Meditating</i>	8330	" " " 100, plain "	3.36
<i>Medical</i>	8332	" " " 100, polished "	4.05
<i>Medicinally</i>	8333	" " " 200, plain "	4.59
<i>Medicated</i>	8335	" " " 200, polished "	5.52
<i>Milked</i>	8336	" " " 300, plain "	5.04
<i>Milkmaid</i>	8338	" " " 300, polished "	6.06
<i>Milkman</i>	8339	" " " 400, plain "	5.49
<i>Milky</i>	8341	" " " 400, polished "	6.90
<i>Mill</i>	8342	" " " 600, plain "	7.95
<i>Millet</i>	8344	" " " 600, polished "	9.54


Single Pole Blade Switches—(Continued).

With Safety Catch Holders.

Code Word.	List No.		List Price.
<i>Rockcress</i>	20122	Capacity in Amperes up to 800, plain each...	\$13.80
<i>Rockdoe</i>	20123	" " " 800, polished "	16.56
<i>Milling</i>	8345	" " " 1200, plain "	18.15
<i>Mimic</i>	8347	" " " 1200, polished "	21.78
<i>Mimical</i>	8348	" " " 1800, plain "	25.41
<i>Mince</i>	8350	" " " 1800, polished "	30.49

Without Safety Catch Holders.

<i>Rockaluy</i>	20124	Capacity in Amperes up to 800, plain, each..	12.77
<i>Rocker</i>	20125	" " " 800, polished "	15.34
<i>Mineed</i>	8351	" " " 1200, plain "	16.79
<i>Mind</i>	8353	" " " 1200, polished "	20.16
<i>Minded</i>	8354	" " " 1800, plain "	23.50
<i>Mindfully</i>	8356	" " " 1800, polished "	28.12



No. 8345.

Double and Triple Pole Blade Switches.


WITH SAFETY CATCH HOLDERS.

Double Pole.

<i>Miner</i>	8357	Capacity in Amperes, up to 25, plain, each....	1.65
<i>Mingle</i>	8359	" " " 25, polished "	1.98
<i>Mining</i>	8360	" " " 50, plain "	3.96
<i>Minister</i>	8362	" " " 50, polished "	4.77
<i>Mink</i>	8363	" " " 100, plain "	5.94
<i>Minstrel</i>	8365	" " " 100, polished "	7.14
<i>Rockery</i>	20126	" " " 200, plain "	7.20
<i>Rocket</i>	20127	" " " 200, polished "	9.30
<i>Mintage</i>	8366	" " " 300, plain "	9.00
<i>Minus</i>	8368	" " " 300, polished "	10.80
<i>Minute</i>	8369	" " " 400, plain "	10.23
<i>Minuteness</i>	8371	" " " 400, polished "	12.27
<i>Miracle</i>	8372	" " " 600, plain "	13.86
<i>Mireness</i>	8374	" " " 600, polished "	16.62

Triple Pole.

<i>Mirror</i>	8375	Capacity in Amperes up to 25, plain each....	2.31
<i>Mirth</i>	8377	" " " 25, polished "	2.79
<i>Mirthful</i>	8378	" " " 50, plain "	5.28
<i>Misapply</i>	8380	" " " 50, polished "	6.36
<i>Misbehave</i>	8381	" " " 100, plain "	8.91
<i>Mischance</i>	8383	" " " 100, polished "	10.71
<i>Rockfish</i>	20128	" " " 200, plain "	11.22
<i>Rockgout</i>	20129	" " " 200, polished "	13.47
<i>Mischief</i>	8384	" " " 300, plain "	13.20
<i>Miser</i>	8386	" " " 300, polished "	15.84
<i>Miscry</i>	8387	" " " 400, plain "	15.18
<i>Misfortune</i>	8390	" " " 400, polished "	18.21
<i>Misgive</i>	8391	" " " 600, plain "	20.79
<i>Misguide</i>	8393	" " " 600, polished "	24.96



Nos. 8357 and 8375.

Double and Triple Pole Blade Switches.

WITHOUT SAFETY CATCH HOLDERS.

Double Pole.

Code Word.	List No			Capacity in Amperes, up to 25, plain, each.	List Price.
Misguided	8394	"	"	" 25, polished "	1.50
Mishap	8396	"	"	" 50, plain "	1.80
Misjoin	8397	"	"	" 50, polished "	3.66
Misjudged	8399	"	"	" 100, plain "	4.38
Misjudging	8400	"	"	" 100, polished "	5.49
Mislead	8402	"	"	" 200, plain "	6.60
Rockless	20130	"	"	" 200, polished "	7.17
Rockling	20131	"	"	" 300, plain "	8.61
Misleader	8403	"	"	" 300, polished "	8.34
Misplace	8405	"	"	" 400, plain "	9.99
Misrule	8406	"	"	" 400, polished "	9.48
Missing	8408	"	"	" 600, plain "	11.37
Mission	8409	"	"	" 600, polished "	12.84
Mist	8411	"	"	" 600, polished "	15.42

Triple Pole.

Mistake	8412	"	"	Capacity in Amperes up to 25, plain each.	2.10
Mistletoe	8414	"	"	" 25, polished "	2.52
Mistreat	8415	"	"	" 50, plain "	4.86
Mistrust	8417	"	"	" 50, polished "	5.85
Misuse	8418	"	"	" 100, plain "	8.25
Miter	8420	"	"	" 100, polished "	9.90
Rockmilk	20132	"	"	" 200, plain "	10.38
Rockmoss	20133	"	"	" 200, polished "	12.45
Mitigate	8421	"	"	" 300, plain "	12.21
Mittimus	8423	"	"	" 300, polished "	14.67
Mix	8424	"	"	" 400, plain "	14.04
Mixture	8426	"	"	" 400, polished "	16.86
Moan	8427	"	"	" 600, plain "	19.14
Mourning	8429	"	"	" 600, polished "	22.98


6

Double and Triple Pole.

WITH SAFETY CATCH HOLDERS.

Double Pole.

Rockoil	20134	"	"	Capacity in Amperes up to 800, plain, each.	23.23
Rockrose	20135	"	"	" 800, polished "	27.83
Mout	8430	"	"	" 1200, plain "	36.30
Mobbed	8432	"	"	" 1200, polished "	43.56
Mobbing	8433	"	"	" 1800, plain "	43.56
Moccasin	8435	"	"	" 1800, polished "	52.27



Nos. 8430 and 8436.

Double and Triple Pole—(Continued).

Triple Pole.

Code Word	List No	Capacity in Amperes up to 800, plain, each	List Price.
Rockplant	20136	...	35.57
Rockruby	20137	800, polished "	42.70
Mock	8436	1200, plain "	58.08
Mocked	8438	1200, polished "	69.70
Mocking	8439	1800, plain "	65.34
Modeled	8441	1800, polished "	78.41

WITHOUT SAFETY CATCH HOLDERS.

Double Pole.

Rocksalt	20138	Capacity in Amperes up to 800, plain	each	...	21.42
Rockshaft	20139	"	"	800, polished "	26.37
Modeling	8442	"	"	1200, plain "	33.59
Mordant	8444	"	"	1200, polished "	40.33
Morning	8445	"	"	1800, plain "	40.29
Morphology	8447	"	"	1800, polished "	48.34

Triple Pole.


Rockshell	20140	Capacity in Amperes, up to 800, plain,	each	...	32.90
Rocksoap	20141	"	"	800, polished "	39.47
Morsel	8448	"	"	1200, plain "	53.72
Mortality	8450	"	"	1200, polished "	64.48
Mortar	8451	"	"	1800, plain "	60.46
Mortgage	8453	"	"	1800, polished "	72.53

Double Throw—Single, Double and Triple Pole.

WITH SAFETY CATCH HOLDERS.

Single Pole.

Mortify	8454	Capacity in Amperes up to 25, plain	each	...	1.77
Mortise	8456	"	"	25, polished "	2.13
Mosaic	8457	"	"	50, plain "	5.28
Moslem	8459	"	"	50, polished "	6.36
Mossy	8460	"	"	100, plain "	6.48
Motherly	8462	"	"	100, polished "	7.80
Rocktar	20142	"	"	200, plain "	8.82
Rockwood	20143	"	"	200, polished "	10.56
Motion	8463	"	"	300, plain "	9.69
Motley	8465	"	"	300, polished "	11.64
Mottled	8466	"	"	400, plain "	10.56
Mound	8468	"	"	400, polished "	12.69
Mount	8469	"	"	600, plain "	15.24
Mounting	8471	"	"	600, polished "	18.30



Nos. 8454, 8472 and 8490.

Double Throw—Single, Double and Triple Pole —(Continued)

Double Pole.

Code Word	List No	Capacity in Amperes, up to	List Price.
<i>Mourn</i>	8472	25, plain, each	2.97
<i>Mournful</i>	8474	" " " 25, polished "	3.57
<i>Mournfully</i>	8475	" " " 50, plain "	7.05
<i>Mouse</i>	8477	" " " 50, polished "	8.46
<i>Mouth</i>	8478	" " " 100, plain "	10.56
<i>Movable</i>	8480	" " " 100, polished "	12.69
<i>Rockwork</i>	20144	" " " 200, plain "	13.77
<i>Rocky</i>	20145	" " " 200, polished "	16.53
<i>Movement</i>	8481	" " " 300, plain "	16.02
<i>Mortgaging</i>	8483	" " " 300, polished "	19.20
<i>Modern</i>	8484	" " " 400, plain "	18.21
<i>Modest</i>	8486	" " " 400, polished "	21.84
<i>Modestly</i>	8487	" " " 600, plain "	24.66
<i>Lump</i>	8489	" " " 600, polished "	29.58

Triple Pole.

<i>Modify</i>	8490	Capacity in Amperes up to 25, plain	each	4.14
<i>Module</i>	8492	“ “ “ 25, polished “		4.98
<i>Moist</i>	8493	“ “ “ 50, plain “	...	9.42
<i>Moistening</i>	8495	“ “ “ 50, polished “		11.28
<i>Moisture</i>	8496	“ “ “ 100, plain “		15.84
<i>Moldiness</i>	8498	“ “ “ 100, polished “		19.02
<i>Rocoa</i>	20146	“ “ “ 200, plain “		19.98
<i>Rode</i>	20147	“ “ “ 200, polished “		23.97
<i>Molest</i>	8499	“ “ “ 300, plain “		23.49
<i>Molify</i>	8501	“ “ “ 300, polished “		28.20
<i>Molt</i>	8502	“ “ “ 400, plain “		27.00
<i>Molten</i>	8504	“ “ “ 400, polished “		32.40
<i>Moment</i>	8505	“ “ “ 600, plain “		36.96
<i>Momentus</i>	8507	“ “ “ 600, polished “		44.37

WITHOUT SAFETY CATCH HOLDERS.

Single Pole.

<i>Monad</i>	8508	Capacity in Amperes up to	25, plain	each . . .	\$1.62
<i>Monarchial</i>	8510	"	"	25, polished " . . .	1.92
<i>Monarchy</i>	8511	"	"	50, plain " . . .	4.65
<i>Monastic</i>	8513	"	"	50, polished " . . .	5.58
<i>Mongrel</i>	8514	"	"	100, plain " . . .	5.76
<i>Monkey</i>	8516	"	"	100, polished " . . .	6.93

Double Throw—Single, Double and Triple Pole —(Continued).

Single Pole.—(Continued.)

Code Word.	List No.		List Price.
<i>Rodent</i>	20148	Capacity in Amperes up to 200, plain each...	\$ 7.86
<i>Rodge</i>	20149	" " " 200, polished "	... 9.45
<i>Monkish</i>	8517	" " " 300, plain "	... 8.61
<i>Monopoly</i>	8519	" " " 300, polished "	... 10.38
<i>Monotony</i>	8520	" " " 400, plain "	... 9.36
<i>Monthly</i>	8522	" " " 400, polished "	... 11.25
<i>Monument</i>	8523	" " " 600, plain "	... 13.56
<i>Moose</i>	8525	" " " 600, polished "	... 16.29

Double Pole.


<i>Macaroni</i>	8526	Capacity in Amperes, up to 25, plain, each....	2.70
<i>Mace</i>	8528	" " " 25, polished "	 3.24
<i>Macarate</i>	8529	" " " 50, plain "	 6.24
<i>Machinery</i>	8531	" " " 50, polished "	 7.50
<i>Machinist</i>	8532	" " " 100, plain "	 9.36
<i>Madam</i>	8534	" " " 100, polished "	 11.25
<i>Rodomel</i>	20150	" " " 200, plain "	 12.24
<i>Roestone</i>	20151	" " " 200, polished "	 14.73
<i>Madcup</i>	8535	" " " 300, plain "	 14.25
<i>Madman</i>	8537	" " " 300, polished "	 17.10
<i>Madness</i>	8538	" " " 400, plain "	 16.20
<i>Magazine</i>	8540	" " " 400, polished "	 19.44
<i>Maggot</i>	8541	" " " 600, plain "	 21.93
<i>Magic</i>	8543	" " " 600, polished "	 26.34

Triple Pole.

<i>Magical</i>	8544	Capacity in Amperes up to 25, plain each....	3.78
<i>Magistrate</i>	8546	" " " 25, polished "	 4.53
<i>Magney</i>	8547	" " " 50, plain "	 8.28
<i>Magnifying</i>	8549	" " " 50, polished "	 9.96
<i>Magnitude</i>	8550	" " " 100, plain "	 14.10
<i>Maggie</i>	8552	" " " 100, polished "	 16.92
<i>Rogue</i>	20152	" " " 200, plain "	 17.73
<i>Rodgeship</i>	20153	" " " 200, polished "	 21.30
<i>Mahometan</i>	8553	" " " 300, plain "	 20.85
<i>Maiden</i>	8555	" " " 300, polished "	 25.05
<i>Maidenly</i>	8556	" " " 400, plain "	 23.97
<i>Maimed</i>	8558	" " " 400, polished "	 28.77
<i>Maiming</i>	8559	" " " 600, plain "	 32.58
<i>Mainmast</i>	8561	" " " 600, polished "	 39.09

Double Throw—Single, Double and Triple Pole (Continued).

WITH SAFETY CATCH HOLDERS.



Nos. 8562, 8568 and 8574.

Single Pole.

Code Word.	List No.	Capacity in Amperes up to	List Price.
<i>Royal</i>	20154	800, plain, each...	24.52
<i>Royal</i>	20155	" " " 800, polished "	29.44
<i>Maintain</i>	8562	" " " 1200, plain "	32.27
<i>Maize</i>	8564	" " " 1200, polished "	38.74
<i>Majestic</i>	8565	" " " 1800, plain "	45.21
<i>Major</i>	8567	" " " 1800, polished "	54.25

Double Pole.

<i>Roist</i>	20156	Capacity in Amperes up to 800, plain each..	41.32
<i>Roke</i>	20157	" " " 800, polished "	49.60
<i>Majority</i>	8568	" " " 1200, plain "	64.55
<i>Malapert</i>	8570	" " " 1200, polished "	77.48
<i>Malaria</i>	8571	" " " 1800, plain "	77.45
<i>Matecontent</i>	8573	" " " 1800, polished "	93.36

Triple Pole.

<i>Rokeage</i>	20158	Capacity in Amperes, up to 800, plain, each..	63.23
<i>Role</i>	20159	" " " 800, polished "	75.90
<i>Mope</i>	8574	" " " 1200, plain "	103.29
<i>Moping</i>	8576	" " " 1200, polished "	123.95
<i>Moral</i>	8577	" " " 1800, plain "	116.16
<i>Morality</i>	8579	" " " 1800, polished "	139.39

WITHOUT SAFETY CATCH HOLDERS.

Single Pole.

<i>Rollcall</i>	20160	Capacity in Amperes up to 800, plain each..	21.78
<i>Roller</i>	20161	" " " 800, polished "	26.14
<i>Moralize</i>	8580	" " " 1200, plain "	28.64
<i>Morass</i>	8582	" " " 1200, polished "	34.39
<i>Morbid</i>	8583	" " " 1800, plain "	40.09
<i>Morbidness</i>	8585	" " " 1800, polished "	48.11

Double Pole.

<i>Rollerbolt</i>	20162	Capacity in Amperes up to 800, plain each..	37.14
<i>Rollermill</i>	20163	" " " 800, polished "	44.00
<i>Morose</i>	8586	" " " 1200, plain "	57.38
<i>Malicious</i>	8588	" " " 1200, polished "	68.87
<i>Maline</i>	8589	" " " 1800, plain "	68.74
<i>Multignity</i>	8591	" " " 1800, polished "	82.33


Triple Pole.

<i>Rollingpin</i>	20164	Capacity in Amperes up to 800, plain each..	56.10
<i>Rollingpress</i>	20165	" " " 800, polished "	67.32
<i>Malard</i>	8592	" " " 1200, plain "	91.67
<i>Malling</i>	8594	" " " 1200, polished "	113.52
<i>Malt</i>	8595	" " " 1800, plain "	103.16
<i>Mammalia</i>	8597	" " " 1800, polished "	123.78


Double Throw—Single, Double and Triple Pole
(Continued).

Separate Lugs for Blade Switches.

Code Word.	List No.	Capacity in Amperes up to	25, plain	each	List Price
Mammon	8598	"	"	"	.11
Mammoth	8599	"	"	"	.12
Manacle	8600	"	"	"	.15
Manacled	8601	"	"	"	.17
Romage	20166	"	"	"	.29
Roman	20167	"	"	"	.34
Manacling	8602	"	"	"	.29
Manage	8603	"	"	"	.34
Romance	20168	"	"	"	.44
Romaunt	20169	"	"	"	.49
Management	8604	"	"	"	.58
Manager	8605	"	"	"	.65
Managing	8606	"	"	"	.58
Marikin	8607	"	"	"	.65
Mandamus	8608	"	"	"	.73
Mandarin	8609	"	"	"	.80
Romeine	20170	"	"	"	.97
Romekin	20171	"	"	"	1.07
Mandate	8610	"	"	"	2.20
Mandatory	8611	"	"	"	2.44
Mandrake	8612	"	"	"	3.34
Mandrel	8613	"	"	"	3.67



No. 20199. Open.



No. 20199. Closed.

Bryant High Tension Service Switch and
Fuse Box Combined.

Designed for 500 Volt Motor Service Switch. Made of iron, slate lined, slate thoroughly baked in oil. It is double pole, double break. The distance between the terminals is five (5) inches. The positive and negative sides are separated by slate

When opened the fuse terminals have no connections whatever with the live wires, and are therefore safe and convenient to fuse.

When the box is closed no live parts can be touched either intentionally or by accident. It is moisture and weather proof.

The box is also adapted to work on primary alternating circuits 1000 volts. It combines both the features of a cut-out and knife switch.

Code Word	List No	List Price
Rooster	20199	High Tension Service Switch, 100 Amperes, 500 Volts, each 7.00

Larger sizes made to order.


Price of Connections for Blade Switches.

In figuring the cost of Knife Switches on pages 46 to 53 inclusive, add to the list prices the list prices of connections herewith.


Prices on connections are subject to the same discount as the switches.

FOR SINGLE THROW.			FOR DOUBLE THROW.		
25 Amperes, 1 Pole.....	\$	.27	25 Amperes, 1 Pole.....	\$	.39
25 " 2 "		.54	25 " 2 "		.81
25 " 3 "		.81	25 " 3 "		1.20
50 " 1 "		.69	50 " 1 "		1.20
50 " 2 "		1.35	50 " 2 "		2.40
50 " 3 "		2.00	50 " 3 "		3.60
100 " 1 "		.87	100 " 1 "		1.74
100 " 2 "		1.74	100 " 2 "		3.48
100 " 3 "		2.79	100 " 3 "		5.22
200 " 1 "		.93	200 " 1 "		1.86
200 " 2 "		1.86	200 " 2 "		3.72
200 " 3 "		2.94	200 " 3 "		5.58
300 " 1 "		1.20	300 " 1 "		2.46
300 " 2 "		2.40	300 " 2 "		4.80
300 " 3 "		3.60	300 " 3 "		7.41
400 " 1 "		1.62	400 " 1 "		3.30
400 " 2 "		3.24	400 " 2 "		6.66
400 " 3 "		4.80	400 " 3 "		9.99
600 " 1 "		2.13	600 " 1 "		4.26
600 " 2 "		4.26	600 " 2 "		8.52
600 " 3 "		6.39	600 " 3 "		12.78
800 " 1 "		2.94	800 " 1 "		5.73
800 " 2 "		5.88	800 " 2 "		11.46
800 " 3 "		8.82	800 " 3 "		17.79
1200 " 1 "		4.02	1200 " 1 "		8.67
1200 " 2 "		8.01	1200 " 2 "		17.34
1200 " 3 "		12.00	1200 " 3 "		25.98
1800 " 1 "		4.14	1800 " 1 "		9.99
1800 " 2 "		8.28	1800 " 2 "		19.98
1800 " 3 "		12.66	1800 " 3 "		30.00
For Single Pole Switches, as above, 2 Connections.			For Single Pole Switches, as above, 3 Connections.		
" Double " " " 4 "			" Double " " " 6 "		
" Three " " " 6 "			" Three " " " 9 "		


In ordering Switches, be sure to specify connections if they are desired.



Open. Small Size.



Closed. Large Size.



800 Ampere Single.

I-T-E Automatic Magnetic Circuit Breaker.

Single Pole and Double Pole, Direct or Alternating Current, Stand-ard Switchboard Type, Back Connections.

Size of Base.

From 5 Amperes to 60 Amperes, Single Pole.....	7 x 11 x 1 1/4 inches.
" 80 " 600 " "	10 x 14 x 1 1/4 "
" 800 " 1000 " "	11 x 17 x 1 1/4 "
" 5 " 60 " Double Pole.....	7 x 13 x 1 1/4 "
" 80 " 600 " "	10 x 17 x 1 1/4 "

The Double Pole Circuit Breakers between 80 Amperes and 600 Amperes are identical in construction with the 800 Ampere Single Pole.

Finish, Price-List, Rating and Adjustment.

The I-T-E Standard Switchboard Circuit Breakers are furnished in the following finishes:

No. 1. Standard. Mounted on black enamel, slate or marble base, as desired. Jacket finished in polished nickel; current-carrying parts natural copper finish, highly polished and lacquered; non-electrical parts nickel-plated.

No. 3. Rough Type. Mounted on plain slate base. Jacket copper-plated; current-carrying and non-electrical parts dipped finish; all movable iron parts copper-plated; all bearing pins phosphor bronze.

Should the Circuit Breaker be desired for switchboard work on template, so state and give thickness of switchboard.

Double Pole Circuit Breakers of this type should not be used on circuits of over 250 volts.


Price of No. 3 finish is 10 per cent. less than list of No. 1 finish.

Direct Current.

CODE.	Actual Rating Amperes.	ADJUSTMENT AMPERES.			NO. 1 FINISH.	
		Steps.	Lowest.	Highest.	Single Pole.	Double Pole.
OI	2000				\$98.00	\$146.25
PI	1500					
AI	1000	150	800	1600		
QI	800	100	700	1400		
UI	600	100	500	1000		
BI	500	80	400	800	66.00	98.00
VI	400	70	350	700	63.00	94.00
CI	300	60	225	525	57.00	85.00
DI	200	50	150	350	45.00	67.00
GI	100	25	75	175	39.00	58.00
WI	80	20	60	150	39.00	58.00
HI	60	20	45	125	33.00	49.00
XI	45	15	35	95	30.00	45.00
KI	30	15	25	75		
YI	20	5	15	40		
MI	10	4	8	24		
NI	5	2	4	12		

Alternating Current.


CODE.	Actual Rating Amperes.	ADJUSTMENT AMPERES.			NO. 1 FINISH.	
		Steps.	Lowest.	Highest.	Single Pole.	Double Pole.
OAI	2000				\$122.50	\$183.00
PAI	1500					
AAI	1000	150	800	1600		
QAI	800	100	700	1400		
UAI	600	100	500	1000		
BAI	500	80	400	800	86.25	128.75
VAI	400	70	350	700	82.50	122.50
CAI	300	60	225	525	78.75	117.50
DAI	200	50	110	350	71.25	106.25
GAI	100	25	75	175	56.25	83.75
WAI	80	20	60	150	48.75	72.50
HAI	60	20	45	125	48.75	72.50
XAI	45	15	35	95	41.25	61.25
KAI	30	15	25	75	37.50	56.25
YAI	20	5	15	40	37.50	56.25
MAI	10	4	8	24	37.50	
	5	2	4	12		



Circuit Breaker with Swinging Arm Handle.




Throwing-in Arm.



Complete Shunt Block. Fuse in Position.



Extra Plugs and Fuse for Shunt Block.



Protected Terminal Fuse.

I-T-E Automatic Magnetic Circuit Breakers —(Continued).

This cut represents Circuit Breaker with Swinging Arm Handle to permit of its location at top of Switchboard or under hood of street railway car.

Throwing-In Arm.

Throwing-In Arm for use on 800 Ampere Single Pole and larger, and 300 Ampere Double Pole and larger

This arm is included in price for above size Circuit Breakers.

I-T-E Shunt Block with Protected Terminal Fuse.

For high voltage work, where an extra precaution is desired to protect the contacts of circuit breaker, it is advisable to use the protected terminal fuse and shunt block. By means of this device the arc is transferred from the contacts of circuit breaker to a favorably located fuse of such construction that the terminals of fuse block are protected and arcing cannot be maintained.

These fuses are much less in carrying capacity than the minimum adjustment of the circuit breaker, hence they afford an absolute protection.

Shunt Blocks.

Style A 2, 600-80 Amperes, each.....	\$6.00
Style A 3, 80-5 " "	6.00

Price includes an extra set of plugs.

Protected Terminal Fuses.

SWITCHBOARD TYPE.

For 2,000-1,000 Amperes, per 100	6.00
For 800- " " "	4.50

SIZE OF STANDARD CIRCUIT BREAKERS.		SIZE OF FUSE TO PROTECT STANDARD CIRCUIT BREAKERS.		
Code.	Capacity Amperes, Actual.	Type Shunt Block.	Primary Fuse	Metal.
O1	2000	A-1	No. 10 B. & S.	Copper.
P1	1500	A-1	10 "	" "
A1	1000	A-1	12 "	"
Q1	800	A-1	12 "	"
U1	600	A-2	14 "	"
B1	500	A-2	16 "	"
V1	400	A-2	18 "	"
C1	300	A-2	18 "	"
D1	200	A-2	18 "	"
G1	100	A-2	18 "	"
W1	80	A-2	20 "	"
III	60	A-3	22 "	"
X1	45	A-3	24 "	"
K1	30	A-3	15 Amp.	Lead and Tin.
Y1	20	A-3	10 "	"
M1	10	A-3	5 "	"
NI	5	A-3	3 "	"

We also make a form of shunt fuse block designed to have the fuse "blow" back of the switchboard, but controlled from the front.


I-T-E Mercury Contact Circuit Breakers

For Direct and Alternating Current both in Single and Double Pole.

SPECIALLY DESIGNED FOR CURRENTS OF HIGH VOLTAGE.

The contacts and mercury-containing cups are made of aluminum, a metal with which mercury will not amalgamate.

This form of Circuit Breaker is intended to be used for service wires entering buildings and also for all mains carrying currents in excess of 10 amperes. There are but two forces employed in this device, namely, gravity and magnetism.



Double Pole Mercury Contact.

Size of Base.

5 Amperes to 60 Amperes, Single and Double Pole, 6 x 7 x 3/4 inches.


CODE.	Actual Rating Amperes.	ADJUSTMENT AMPERES.			PRICE.	
		Steps.	Lowest.	Highest.	Single Pole.	Double Pole.
Hg NI	5	2	4	12	\$12.00	\$16.50
Hg MI	10	4	8	24		
Hg YI	20	5	15	40		
Hg KI	30	15	25	75		
Hg XI	45	15	35	90	16.50	22.50
Hg HI	60	20	45	125	22.50	30.00
Hg WI	80	25	65	175	30.00	36.00
Hg GI	100	30	75	200		

The jackets and all other non-current carrying parts are nickel-plated. The current-carrying parts are polished aluminum.

I-T-E Mercury Contact Circuit Breakers

For Underload and Overload.

Specially designed for use in connection with Motors, to open a circuit in case of an overload; also, to open the circuit in case of an underload or a break between motor and service supply. This special device protects motor and building against overloads and fires resulting therefrom. It also protects the generator and cables against sudden overloads. The underload feature protects motor and building in case the current is momentarily cut off at the generator end.




Underload and Overload.

Size of Base.


5 Amperes to 60 Amperes, Single Pole and Double Pole, 6 x 7 x 3/4 inches.

CODE.	Actual Rating Amperes.	OVERLOAD ADJUSTMENT AMPERES.			Underload Adjustment Amperes.	PRICE.	
		Steps.	Lowest.	Highest.		Single Pole.	Double Pole.
Hg N2I	5	1	5	10	1	\$16.50	\$22.50
Hg F2I	7 1/2	1 1/2	8	16	1 1/2		
Hg M2I	10	2	10	20	2		
Hg L2I	15	3	15	30	3		
Hg Y2I	20	4	20	40	4	22.50	30.00
Hg T2I	25	5	25	50	5		
Hg K2I	30	6	30	60	6		
Hg X2I	45	9	45	90	9		
Hg H2I	60	12	60	120	12	30.00	40.00
Hg W2I	80	16	80	160	16	40.00	50.00
Hg G2I	100	20	100	200	20		


The Mercury Circuit Breakers are positive in action, and are guaranteed to operate at all times within five per cent. of adjustment. They are non-arcing, having a long, clean break of five inches, and can be instantly, and without special effort, re-set. These Circuit Breakers cannot be re-set if the same excess of current or trouble still exists on the wires that caused it to open.



Platform Type, to use on Dashboard.



Fuse Block.



Sill Type, to use on Platform Sill.

I-T-E Automatic Magnetic Car Circuit Breaker.

The severe conditions under which street railway equipments operate demand some other protection than that afforded by fuses.

Briefly, the following troubles in Electric Railway Service are remedied by the use of the "I-T-E" Magnetic Circuit Breaker.

Careless treatment and abuse of equipment by incompetent or reckless motormen.

Interference of travel, due to power-station Circuit Breakers opening on the failure of some individual car.

The continuance of the arcing, present after a "ground" or "short circuit" occurs, in the motor equipment, owing to the sluggishness of the heavy fuses to "blow;" results in the destruction of surrounding material and insulation.

Development of new flaws and faults in the apparatus, during a "short circuit" or "ground," owing to the abnormal carrying capacity of fuses employed.

The circuit is opened in less and less time as the circuit protected approaches nearer and nearer a "short circuit."

Positively no burning or blistering of contacts when circuit breaker opens.


Means of keeping a record of each time circuit breaker is opened.

The device is simple and inexpensive to maintain.

Adjustment independent of friction, springs or other features liable to cause alteration.

TYPE.	RATING AMPERES.		ADJUSTMENT AMPERES.			LIST PRICE.	
	Actual.	Nominal	Steps.	Lowest.	Highest.	Sill.	Dashboard.
RI	60	80	25	100	175	\$18.00	\$19.50
S1	60	80	50	150	250	18.00	19.50

Prices quoted on larger sizes and on special forms on receipt of information giving requirements.



Top View of Circuit Breaker.
Showing Carbon Protection.

"I-T-E" Circuit Breakers.—Continued.

Special Instructions.

In ordering state style of finish by number—(whether No. 1 or No. 3);—character of base—(when ordering No. 1 finish). Also state whether circuit breakers ordered are desired for direct or alternating current. If to be shipped unmounted, state thickness of switchboard on which the circuit breaker will be used.

The "I-T-E" Circuit Breakers can be furnished on plain, polished or enameled slate or marble, as desired. Unless otherwise ordered slate bases will be furnished.


Special size and style bases will be furnished on receipt of definite information, for which special prices will be given on application.

We are prepared to furnish "I-T-E" Circuit Breakers to meet the varying requirements of storage battery work on receipt of definite information.

The "I-T-E" Circuit Breaker has frequently been used as an amperemeter for obtaining readings of sudden flows of current. When the Circuit Breaker is desired for such work, if advised, we will carefully calibrate the same for each adjustment throughout its range.

ACTUAL RATING.—The Cutter Electrical and Manufacturing Co. Standard. Heating of any part of Circuit Breaker not to exceed 20 deg. C. above surrounding atmosphere after a 10-hour consecutive flow of current, as tabulated in column under heading of actual rating.

IMPORTANT NOTICE.—While the range of the "I-T-E" Circuit Breaker is very great and allows of large jump of current, it must NOT be used for carrying continuously current in excess of its actual rating.



Detail Section of "I-T-E" Circuit Breaker, Standard Switchboard Type.

- | | |
|---------------------------|--------------------------------------|
| A Iron Jacket. | H Striker Plate to throw Switch out. |
| B Solenoidal Coil. | I Spring Piston. |
| C Movable Plunger. | J Spring Tube, head removable. |
| D Fixed Plug. | K Steel Striker Plate on Arm. |
| E Striker Pin. | L Buffer Springs. |
| F Catch of Striker Plate. | M Adjusting Screen. |
| G Catch of Switch Arm. | |




Diagram No. 1.




Diagram No. 2.

Diagram of Connections of "I-T-E" Current Breakers.

Diagram No. 1.

Showing method of connecting "I-T-E" Circuit Breaker and protected Terminal Fuse Shunt Block.


Diagram No. 2.

Showing method of connecting Double Pole "I-T-E" Circuit Breakers.


CUT=OUTS.




STRAIGHT (LONG), No. 900.




QUADRANT, No. 901.



MIDGET, No. 902.



MIDGET, D. P., No. 903.



No. 18.

Fixture Cut-outs.

Code Word.	List No.	List Price.
<i>Exalted</i>	900	Straight (Long), each..... \$0.32

<i>Exalting</i>	901	Quadrant, each..... .32
-----------------	-----	-------------------------

<i>Examination</i>	902	Midget, each..... .15
--------------------	-----	-----------------------


<i>Examine</i>	903	Midget, double pole, each..... .25
----------------	-----	------------------------------------

This is a Fixture Cut-out with a cover which can be removed to renew fuse. It is small enough for smallest canopy.

<i>Examining</i>	18	Covered Bug Cut-out, each..... .12
------------------	----	------------------------------------

Fixture Cut-outs—(Continued).

This is similar to No. 18, but is made straight instead of curved, and can be used wherever a single pole Cut-out is desirable, or where wires are run over moldings or cornices






Code Word.	List No.	List Price.
<i>Examined</i>	19 Covered Bug Cut-out, each	..\$0.12

Use No. 18 for fixtures using 5 amperes and under. For larger fixtures use No. 19.

No. 19. OPEN

The Bryant Bug Cut Out.




No. 24487—Open.

No. 24487—Covered.



Code Word	List No	B. E. No	List Price
<i>Vineyard</i>	24487	1106 Each	\$0.12

Concave-head contact screws in the base, and convex in the cap, insure a perfect contact where the two connecting wires are of different gauge.
The cover, being held in place by but one nut, can be readily removed for fusing.




No. 61119

<i>Exactness</i>	61119	Single Pole Elcctrolier Cut-out, 6 light. each.	15
<i>Exactor</i>	61116	" " " " 3 " Hard	
		Rubber Base, 1½ inch long, each.	10



No. 2395.


<i>Exaggerate</i>	2394	Newton Bug Cut-out only, each.....	.10
<i>Exaltation</i>	2395	" " " complete, with cover, each	.20



No. 946

Medium Horseshoe Cut-out.

<i>Euphony</i>	946	Each	.15
----------------	-----	------------	-----




No. 54.

Medium Horseshoe Cut-out—(Continued).

Code Word.	List No.	List Price.
<i>Europe</i>	54 Bracket Cut-out,...	\$0.04½

This is a very small double pole Horseshoe Fixture Cut-out, measuring only 2½ inches at its greatest diameter,



No. 74.

<i>European</i>	74 Horseshoe, each.....	.09
-----------------	-------------------------	-----



No. 930.


Fixture Cut-outs.

<i>Chronograph</i>	930 Horseshoe, each.....	.20
--------------------	--------------------------	-----



No. 931

<i>Chronicle</i>	931 Horseshoe, each.....	.20
------------------	--------------------------	-----



No. 933.

<i>Estranged</i>	933 Horseshoe, per pair.....	.18
------------------	------------------------------	-----

Fixture Cut-outs—(*Continued*).

Code Word.	List No.	List Price.
<i>Estrange</i>	932 Horseshoe, each.....	\$0.20




No. 932.

K. W. Ceiling Rosette.


PACKED IN INDIVIDUAL BOXES.

<i>Caliph</i>	870 Cleat, each	.20
---------------	-----------------------	-----




CLEAT, No. 870.

<i>Call</i>	926 Square Moulding, each.....	.20
-------------	--------------------------------	-----




SQUARE BASE MOULDING, No. 926.

<i>Calling</i>	871 Concealed, each.....	.20
----------------	--------------------------	-----



CONCEALED, No. 871.

<i>Callous</i>	872 Combination, each.....	.20
----------------	----------------------------	-----




COMBINATION, No. 872.



No. 950.

K. W. Cleat Rosette—Improved Side Pieces.

Code Word.	List No.	List Price.
<i>Chuckling</i>	950	Each\$0.18



No. 170.

Self-Tying Ceiling Button

<i>Rensen</i>	170	Per 100 2.75
---------------	-----	--------------------



No. 2300.


Dovetail Rosettes.

<i>Caleb</i>	2300	No. 101, for Cleat Work, each..... .35
--------------	------	--



No. 2301.


<i>Calf</i>	2301	No. 102, for Concealed Work, each..... .40
-------------	------	--




No. 232.



No. 2303



No. 6.



No. 80.

Dovetail Rosettes—(Continued).

Code Word.	List No.	List Price.
<i>Calibre</i>	2302 No. 104, for Moulding Work, each.....	\$0.40

<i>Calico</i>	2303 No. 106, for Moulding Work, each.....	.40
---------------	--	-----

Fuseless Rosette.


This Fuseless Rosette is useful in factories and places where it is difficult to replace fuse. Five or six can be used on a branch with small branch block. It is fitted with a substantial clamp for wire, which also has a screw and washer at inner end to fasten the lamp cord to.

<i>Ether</i>	6 Fuseless Rosette, each.....	.06
--------------	-------------------------------	-----

Combination Rosette.

Made in three styles, viz.: No. 80, for cleat and concealed; No. 81, for moulding or 3 wire and concealed; No. 82, full combination, for cleat, moulding, 3 wire and concealed. With No. 82 you can do any kind of wiring with the same Rosette, and it is only necessary to carry one kind in stock to be able to do any job.


<i>Ethics</i>	80 For Cleat and Concealed, each.....	.14
---------------	---------------------------------------	-----



No. 81.


Combination Rosette—(Continued).

Code Word.	List No.	List Price.
<i>Etiquette</i>	81 For Moulding, Concealed and 3 wire, each.....	\$0.14



No. 82.

<i>Eugenie</i>	82 For Cleat, Moulding, Concealed and 3 wire, each.....	.14
----------------	---	-----




No. 70.

“P. & S.” High Insulation Ceiling Button.

This Ceiling Button effectually keeps the wire away from the ceiling. It is small, being but 1½ inches in diameter.

<i>Eulogist</i>	70 Ceiling Button, per 100.....	2.50
-----------------	---------------------------------	------




No. 20030.

Bryant Rosette and Cleat Combined.

The upper and lower parts are fastened together by the well-known K. W. Fastening.


<i>Renfrew</i>	20030 Each	.12
----------------	------------------	-----



No. 40.—COVERED.

“P. & S.” Ceiling Rosette with Cap.


<i>Eustace</i>	40 Each.....	.12
----------------	--------------	-----



No. 25067.

Imperial Rosettes.

Code Word.	List No.		List Price.
<i>Somnambulator</i>	25067	Two-piece Rosette, per 1,000.....	\$30.00
<i>Somnambule</i>	25068	Base, only, "	15.00
<i>Somnambulism</i>	25069	Cap, " "	15.00
<i>Somnambulist</i>	25070	Solid Rosette, "	30.00





No. 869.

Plain Rosette, No Fuse.

Callow

	List Price.
869 Plain Rosette, each.....	\$0.15



No. 39.—OPEN.

“P. & S.” Concealed Rosette.

This is an adaptation of No. 40 Ceiling Rosette to concealed work. To remove cap, loosen the round head screws $\Delta\Delta$ one or two turns.

Eva

39 For Concealed Work, each.....	.12
---	------------




No. 1323.

Porcelain Ceiling Button.

This Ceiling Button is used when it is desired to suspend the lamp at a distance from the rosette cut-out. No. 1323 is $1\frac{1}{2}$ inches, and No. 1324 is $2\frac{1}{2}$ inches diameter.

Eternally

1323 $1\frac{1}{2}$ inches in diameter, per 100.....	2.00
---	-------------



No. 1324.

Eternity

1324 $2\frac{1}{2}$ inches in diameter, per 100.....	3.50
---	-------------

Anchor Covered Chandelier Cut-Out.



No. 20187.

Code Word.	List No.		List Price Each.
<i>Roomful</i>	20186	Plain	\$0.06
<i>Roomily</i>	20187	Covered	.12



No. 20188.

Concealed Ceiling Cut-Out.


<i>Roominess</i>	20188		.12 ³ / ₄
------------------	-------	-------	---------------------------------



No. 20189.

Cleat Ceiling Cut-Out.

<i>Roomsome</i>	20189	Cleat Ceiling Cut-Out.....	.12 ³ / ₄
<i>Roomless</i>	20190	" " " with solid lug	.16



No. 20191.

Combination Cut-Out.


<i>Roomth</i>	20191		.12 ³ / ₄
---------------	-------	-------	---------------------------------




No. 25407.




No. 25408.




No. 25409.




No. 25413.



No. 25117.




No. 25421.




Three-Wire Tablet Board.



Two-Wire Tablet Board.




No. 25424.



No. 25425.



No. 25426.



No. 25427.

New Style Cut Outs.

Code Word.	List No.	
<i>Acauline</i>	25407	Rubber Covered
		Midget Cut Out
<i>Acaulose</i>	25408	Porcelain
		Cleat.....

P. Branch Cut Outs,

Covered.

<i>Acceleration</i>	25409	10 amperes capacity
<i>Accelerative</i>	25410	25 " "
<i>Accelerator</i>	25411	50 " "
<i>Accelatory</i>	25412	100 " "

P. Main Cut Outs.

Covered.

<i>Accend</i>	25413	10 amperes capacity
<i>Accendibility</i>	25414	25 " "
<i>Accendible</i>	25415	50 " "
<i>Accension</i>	25416	100 " "

P. Main Cut Outs.

Uncovered.

<i>Accentor</i>	25417	10 amperes capacity
<i>Accentual</i>	25418	25 " "
<i>Accentuate</i>	25419	50 " "
<i>Accentuation</i>	25420	100 " "

P. 500 Volt Motor Cut Outs.

<i>Acceptableness</i>	25421	30 amperes capacity
<i>Acceptability</i>	25422	60 " "
<i>Acceptably</i>	25423	150 " "

Multiple Circuit Tablet Boards.

Built in any number of circuits from four up.



Branch Cut Out Block.

P. No.



<i>Acceptancy</i>	25424 (1209)	Two or three wire, capacity 30 amperes..
<i>Acceptation</i>	25425 1235	Two or three wire, capacity 30 amperes
<i>Acception</i>	25426 2235	Three wire, single branch, capacity 30 amperes.....

Main Cut Outs.



<i>Acceptius</i>	25427 1365	Three wire, main, capacity 75 amperes.
<i>Acceptlor</i>	25428 1265	Three wire, main, capacity 30 amperes..




No. 24477



No. 24478.



No. 24479.



No. 20725.

B. E. Rosettes.

Patented September 13, 1887, April 30, 1889, and April 23, 1895.

Caps are interchangeable and will fit any B. E. Rosette Base.

The principal advantage of the B. E. Rosette lies in the adjustable spring contact in the cap. Slight pressure of a screw-driver against the spring will tighten or loosen the contact as desired.

Code Word	List No	B. E. No	List Price Each.
<i>Volunt</i>	24477	1082 For Cleat Work	\$0.15

<i>Volley</i>	24478	1083 For Concealed Work	.15
---------------	-------	-------------------------	-----

<i>Volition</i>	24479	1084 Square Base for Moulding Work	.15
-----------------	-------	------------------------------------	-----

Bryant Porcelain Tablet Board.

For Two-Wire System.

<i>Sacque</i>	20723	1085	2 Circuits	1.00
<i>Sacrat</i>	20724	1086	4 "	2.00
<i>Sacrament</i>	20725	1087	6 "	3.00
<i>Sacramental</i>	20726	1088	8 "	4.00
<i>Sacraratum</i>	20727	1089	10 "	5.00
<i>Sacrate</i>	20728	1090	12 "	6.00
<i>Sacre</i>	20729	1091	14 "	7.00


Each block or section includes two Circuits.




No. 891-1435.




No. 892-1465.




No. 893-1487.




No. 894-2835.



No. 895-1565.




No. 896-1587.



No. 897-1535.

**Bryant-Edison Main and Branch Blocks with
Mica Cover.**

Code Word.	List No.	List Price.
<i>Evacuate</i>	891 No. 1435, Double Pole Branch, capacity 30 Amperes, each	\$0.90
<i>Evacuated</i>	892 No. 1465, Double Pole Main, capacity 30 Amperes, each	.77
<i>Evacuating</i>	893 No. 1487, Double Pole, Double Branch, capacity 30 Amperes, each	1.80
<i>Evade</i>	894 No. 2835, Double Pole, Single Branch, capacity 30 Amperes, each	1.10
<i>Evaded</i>	895 No. 1565, Double Pole, Main, capacity 75 Amperes, each	1.65
<i>Evading</i>	896 No. 1587, D. P. Double Branch, 75 Amperes, will take No. 00 B. & S. wire, each	6.25
<i>Evoad</i>	897 No. 1535, Double Pole, Double Branch, for wire up to No. 4 B. & S., capacity 75 Amperes, each	2.00




No. 20192.

No. 20193.

Bryant-Edison Fuse Blocks.**Main and Branch—Porcelain Covered.**

Code Word	List No	List Price Each.
<i>Rooney</i>	20192 1465—30 Ampere, S. P. Main Line Cut-Out.	.50
<i>Roos</i>	20193 2835—30 Ampere, D. P. Single Branch Cut-Out	.60




No. 20194

No. 20195

<i>Roop</i>	20194 1565—75 Ampere, D. P. Main Line Cut-Out . .	.85
-------------	---	-----

<i>Roorbach</i>	20195 1435—25 Ampere, D. P. Double Branch Cut-Out	.55
-----------------	---	-----




No. 20196.

No. 20197.

<i>Roussoil</i>	20196 1487—30 Ampere, D. P. Double Branch Cut-Out	.85
-----------------	---	-----

<i>Roost</i>	20197 1535—75 Ampere D. P. Double Branch for Wire up to No. 4 B. & S. Gauge.....	1.80
--------------	--	------



No. 20198.

<i>Roostcock</i>	20198 1587—75 Ampere D. P. Double Branch for Wire up to No. 00 B. & S. Gauge	3.50
------------------	--	------

Edison Link Fuse Cut-outs on Porcelain Bases.

These Cut-outs have been designed for use on both the two and the three-wire systems, and are intended to protect circuits having a potential of not over 125 volts across one link.



No. 61569

Code Word.	List No.	List Price.
<i>Evangelic</i>	61569 Single Pole Main Line Cut-out, capacity 75 amperes, each	.75




No. 61465.

<i>Essential</i>	61465 Double Pole Main Line Cut-out, capacity 30 amperes, each.....	.70
------------------	---	-----




No. 61565.

<i>Evaporating</i>	61565 Double Pole Main Line Cut-out, capacity 75 amperes, each.....	1.20
--------------------	---	------




No. 62835.

<i>Evaporated</i>	62835 Double Pole Single Branch Cut-out, capacity 30 amperes, each....	1.00
-------------------	--	------




No. 61243.

<i>Evangelist</i>	61243 Double Pole Single Branch Cut-out for wire up to No. 0 B. W. G., capacity 75 amperes, each..	2.00
-------------------	--	------




No. 61245.

<i>Evaporate</i>	61245 Double Pole Single Branch Cut-out for wire up to No. 6 B. W. G., capacity 75 amperes, each..	1.50
------------------	--	------



No. 61487.

<i>Evasion</i>	61487 Double Pole Double Branch Cut-out, capacity 30 amperes, each.....	1.50
----------------	---	------




No. 61587.

Edison Link Fuse Cut-outs on Porcelain Bases


—(Continued).

Code Word.	List No.	List Price.
<i>Espoused</i>	61587	Double Pole Double Branch Cut-out for wire up to No. 0 B. W. G., capacity 75 amperes, each. \$4.00



No. 61535.

<i>Espy</i>	61535	Double Pole Double Branch Cut-out for wire up to No. 6 B. W. G., capacity 75 amperes, each. 2.50
-------------	--------------	---




No. 61299.

<i>Espying</i>	61299	Three to Two-Wire Double Branch Cut-out, capacity 30 amperes, each. 1.70
----------------	--------------	---




No. 61265.

<i>Esquire</i>	61265	Three-Wire Main Line Cut-out, capacity 30 amperes, each. .85
----------------	--------------	---




No. 61365.

<i>Essay</i>	61365	Three-Wire Main Line Cut-out, capacity 75 amperes, each. 1.75
--------------	--------------	--



No. 62235.

<i>Essayed</i>	62235	Three-Wire Single Branch Cut-out, capacity 30 amperes, each. 1.50
----------------	--------------	--



No. 61247.


Edison Link Fuse Cut-Outs on Porcelain Bases.
(Continued).

Code Word	List No	List Price.
<i>Essaying</i>	61247	Three-Wire Single Branch Cut-out, capacity 75 Amperes, each \$2.50



No. 61235.

<i>Essence</i>	61235	Three-Wire Double Branch Cut-out, capacity 30 Amperes, each 2.25
<i>Roomage</i>	28230	D. P. Double Branch Porcelain Cover, 10 Amp . . .40



No. 62965.



No. 62569.

Edison Plug Cut-Outs on Porcelain Bases.

These Cut-outs have been designed to protect circuits having a maximum current of 30 amperes, at a maximum potential of 125 volts.

MAXIMUM CAPACITY, 30 AMPERES.



No. 61935.




No. 62945.

<i>Escorted</i>	62569	Single Pole Main Line Cut-out, each 30
<i>Escorting</i>	62965	Double Pole Main Line Cut-out, each 50



No. 62587.

<i>Escrone</i>	61935	Double Pole Single Branch Cut-out, each 60
<i>Escutcheon</i>	62945	Double Pole Single or Double Cross-over Branch, each 1.30



No. 68020.

<i>Esculent</i>	62587	Double Pole Double Branch Cut-out, each 1.10
-----------------	-------	--

<i>Roomer</i>	68020	D. P. Single or Double Cross-over 60
---------------	-------	---



No. 62199.

Edison Plug Cut-outs on Porcelain Bases—
(Continued).

Code Word.	List No.	List Price.
<i>Especial</i>	62199	Three to Two-Wire Double Branch, each.....\$1.25



No. 62165.

<i>Espousal</i>	62165	Three-Wire Main Line, each.....	.80
-----------------	-------	---------------------------------	-----



No. 62135.

<i>Espouse</i>	62135	Three-Wire, Double Three-wire Branch, each..	1.50
----------------	-------	--	------


Edison Fuse Plugs.

FOR USE WITH PLUG CUT-OUTS ON PORCELAIN BASES.



No. 66327


<i>Escalade</i>	66327	Fuse Plug, maximum capacity, 3 amperes, each,	.12
<i>Escapade</i>	66329	" " " 6 " "	.12
<i>Escape</i>	66331	" " " 10 " "	.12
<i>Escapement</i>	66333	" " " 12 " "	.12
<i>Escaping</i>	66335	" " " 15 " "	.12
<i>Escarp</i>	66337	" " " 20 " "	.12
<i>Eschero</i>	66339	" " " 25 " "	.12
<i>Escort</i>	66341	" " " 30 " "	.12



No. 884

Sawyer-Man Main Cut-outs.


<i>Established</i>	884	Capacity, 10 amperes, each.....	.45
<i>Estate</i>	885	" 25 " "	.60
<i>Esteem</i>	886	" 50 " "	.85
<i>Esteemed</i>	887	" 100 " "	1.35



No. 938.

Sawyer-Man Main Cut-outs, Covered.


<i>Esteeming</i>	938	10 Amperes, each.....	.40
<i>Esthetic</i>	939	25 " "	.65
<i>Esther</i>	940	50 " "	.80
<i>Estimable</i>	941	100 " "	1.00



No. 888

Sawyer-Man Branch Cut-outs.


Code Word.	List No.	List Price.
<i>Estimate</i>	888 Capacity, 15 Amperes, each.	\$.14
<i>Estimated</i>	889 " 25 " "	.20
<i>Estimating</i>	890 " 50 " "	.44



No. 942.

Sawyer-Man Branch Cut-outs, Covered.


<i>Estimation</i>	942 15 Amperes, each.	.14
<i>Estimative</i>	943 25 " "	.22
<i>Estoppel</i>	944 50 " "	.46



No. 881.

K. W. Branch Cut-outs.

<i>Estray</i>	881 10 Amperes, each.	.50
<i>Estreat</i>	882 30 " "	.90
<i>Etch</i>	883 50 " "	1.00



No. 878.

K. W. Main Line Cut-out.


<i>Etched</i>	878 10 Amperes, each.	.50
<i>Etching</i>	879 30 " "	.80
<i>Eternal</i>	880 50 " "	.90



No. 20172.

Improved Form of S. M. Branch Cut-Out.


Code Word.	List No.	List Price
<i>Romist</i>	20172 25 Amperes, each.....	\$0.45
<i>Romp</i>	20173 50 " "	.70



No. 20174.

Special Branch Blocks.


<i>Rondeau</i>	20174 10 Amperes, each.....	.40
<i>Rondel</i>	20175 25 " "	.65



No. 20176.

500 Volt D. P. Cut-Out.


<i>Bondo</i>	20176 10 amperes, mica cover, each.....	.25
<i>Accompt</i>	25468 10 " porcelain cover, each ..	.25



No. 945.

500 Volt S. P. Cut-Out.

<i>Rongu</i>	20177 25 Amperes, each.....	.80
<i>Ront</i>	945 100 " "	1.50



No. 1326.

Seymour's Patent Branch Block.

Code Word.	List No.	List Price.
<i>Everlasting</i>	1326 10 Amperes, with china cover, each.....	\$0.25
<i>Eversion</i>	1328 25 " " " "	.35
<i>Erict</i>	1330 50 " " " "	.57



No. 1325.


<i>Evergreen</i>	1325 10 Amperes, without cover, each.....	.17
<i>Evermore</i>	1327 25 " " " "	.27
<i>Every</i>	1329 50 " " " "	.47

Sawyer-Man Main Block.

We furnish Sawyer-Man Main Blocks complete, with or without fuse plug. The fuse plug is a unique device for holding the fuse, and also acts as a cover for the fuse. To insert fuse, loosen screws AA one or two turns and insert fuse between brasses, tighten screws and the fuse will be held in position, and the plug can then be inserted under the regular screws on the Main Block.

THEY WILL FIT ANY MAKE OF SAWYER-MAN MAINS.

<i>Exicted</i>	22 Sawyer-Man Main, 10 amperes, each.....	.17
<i>Exicting</i>	23 " " 25 " "	.23
<i>Exiction</i>	24 " " 50 " "	.34
<i>Exact</i>	25 " " 100 " "	.60
<i>Exacted</i>	26 Fuse Plug, 10 " "	.05
<i>Exacting</i>	27 " 25 " "	.05



No. 22.


Double Pole Switch Cut-out.

This Cut-out is of new design and embraces certain features specially adapting it for use in the mains, feeders and sub-feeders of incandescent wiring systems.


The terminals and Switch mechanism are of ample proportions for the service required, and at the same time are so compact in arrangement as to take but little room, a very desirable feature when the limited space allowed for Cut-out cabinets in buildings is considered.

The Switch breaks either pole independently, making a quick break, and cannot be caused to open or close or become loose in connection by any jar communicated through a building.

<i>Event</i>	2405 100 Amperes, each.....	5.00
<i>Eventful</i>	2406 200 " "	6.00
<i>Eventual</i>	2407 300 " "	7.50
<i>Everglade</i>	2408 400 " "	11.00



No. 2405.



No. 1320.

Multiple Cut-out Board.

<i>Excursion</i>	1320 Per Circuit	1.80
------------------	------------------------	------




Nos. 2588 to 2592.

Safety Fuse Block.

Soapstone Base.

Code Word.	List No.		List Price.
<i>Excel</i>	2588	25 Amperes, each.....	\$2.50
<i>Excelled</i>	2589	50 " "	2.75
<i>Excellence</i>	2590	100 " "	3.00
<i>Excellency</i>	2591	250 " "	3.50
<i>Excellent</i>	2592	400 " "	4.00



No. 38.

Covered Motor Cut-out.

Single Pole.

This Cut-out is designed for motors on power circuits, and as it has a fuse 3 inches long, it is especially adapted for 500 volt circuits. The channel which incases the fuse is of such a shape as to cause the fuse to be bent at four angles, which adds to the efficiency, as it is difficult to maintain an arc around an angle. To remove fuse cover, to renew fuse, loosen screws AA one half turn.

<i>Essentially</i>	38	20 Amperes, each.....	.25
--------------------	----	-----------------------	-----



No. 2409.

Special Fuse Holders.

With Cable Terminals.

<i>Establish</i>	2409	each.....	3.50
------------------	------	-----------	------



No. 2576.

Main Line Fuse Blocks.

For use in main line circuits where no switch is required. Mounted on slate base, and, with exception of fuse bar, indestructible.

Single Pole.

<i>Example</i>	2576	1 to 25 Amperes, each.....	1.00
<i>Exasperate</i>	2577	Over 25 to 100 Amperes, each.....	1.50
<i>Exasperated</i>	2578	" 100 " 300 " "	2.50
<i>Excarate</i>	2579	" 300 " 600 " "	3.50


Double Pole.

<i>Excarated</i>	2580	1 to 25 Amperes, each	2.00
<i>Excarating</i>	2581	Over 25 to 100 Amperes, each.....	3.00
<i>Excarator</i>	2582	" 100 " 300 " "	5.00
<i>Excaration</i>	2583	" 300 " 600 " "	7.00

Three Pole.


<i>Exceed</i>	2584	1 to 25 Amperes, each.....	3.00
<i>Exceeded</i>	2585	Over 25 to 100 Amperes, each.....	4.50
<i>Exceeding</i>	2586	" 100 " 300 " "	7.50
<i>Exceedingly</i>	2587	" 300 " 600 " "	10.50

Ten per cent. advance for 500 volts.




No. 2580.


Cut-Out and Distributing Boards.




No. 101 M.



No. 105 M.



No. 145 A.




No. 145 B.


We illustrate a few of the many different styles of Cut-Out and Distributing Boards.

As most of these Boards are made in special sizes to suit the various conditions, it is difficult to list them. We have facilities for furnishing any style of these Boards, and will quote prices on receipt of specifications and requirements.


Boards may be furnished with plain slate, marbleized slate, or marble backs. Cut-Out boxes are made with single or double slate lining, and covers made of hardwood, slate or glass.




No. 17 M.




No. 104 M.



No. 145 S.



No. 135 M.



No. 100 M.

Cut-Outs and Distributing Boards.—(Continued.)




Fig. 146 M.




Fig. 147 M.

Main Branch Cut-Outs.

The Cut-Outs illustrated, Figs. 148 W and 149 W, are designed for large capacities and are for the purpose of taking circuits off from mains on each floor of large buildings. The Mains feed into the bottom of the Cut-Outs and out at the top, being fused at both points; if desirable, or copper strips may be placed instead of fuses. The circuits branch each way on the sides and can be fused for the capacity desired. For all Cut-Outs over 200 amperes, parallel fuses are used, insuring sufficient contact on the bottom of the fuses to carry the current without heating from lack of contact. The space occupied by the fuse tips is reset, making it impossible to twist the fuses when the set screw is screwed down, a feature not found in other Cut-Outs. The set screws are of steel, copper-plated, with slotted hexagon heads, enabling the use of either a wrench or screwdriver. The connections on the larger size of Cut-Outs are made with swivel lugs which are of ample carrying capacity. The polarities are separated by one-quarter inch slate insulation.

This style of Cut-Out is also made for the 3-Wire and 3-Wire convertible systems.

The neutral fuses and lugs are of twice the capacity of one of the outside to enable the wires to be thrown on the 2-wire system when desired.

Swivel lugs are used on all the Cut-Outs above 100 amperes.

The contacts are mounted on slate or marble bases.

In ordering these Cut-Outs state what size of wire is desired to connect to the terminals and they will be bored accordingly.




Fig. 148 W.





Fig. 149 W.


SOCKETS AND RECEPTACLES.



No. 855.



No. 849.



No. 859.



No. 3609.

Bryant Standard No. 1 Sockets.

Code Word.	List No.	List Price. Each.
<i>Arthur</i>	855 Westinghouse Key	\$0.60
<i>Assimilate</i>	856 Westinghouse Keyless.....	.50

<i>Asa</i>	851 Thomson-Houston Key	.60
<i>Assimilating</i>	852 Thomson-Houston Keyless.....	.50
<i>Root</i>	849 Thomson-Houston Key, Short Shell	.60
<i>Rootcrop</i>	850 Thomson-Houston Keyless, Short Shell	.50


<i>Erceptice</i>	859 United States Key, each	.70
<i>Erceptless</i>	860 United States Keyless, each	.60

No. 1 Bracket Sockets.

For Street Lighting.

WITH 3/8 INCH OPENING.

<i>Calculate</i>	3608 Thomson-Houston Base, Keyless	.20
<i>Caldron</i>	3909 Westinghouse Base, "	.20
<i>Absciter</i>	25298 Thomson-Houston Base, Key.....	.30
<i>Absentation</i>	25299 Westinghouse Base, "	.30



No. 952.

Sockets with Extra Long Keys.


Any Bryant Key Socket can be furnished with extra long key to special order. In ordering specify distance from outside of shell to end of handle.



No. 20204.

Bryant No. 2A Key Sockets.

<i>Roothouse</i>	20204	No. 2A, Thomson-Houston Key Socket	.20
<i>Rootleaf</i>	20205	No. 2A, Thomson-Houston Keyless Socket	.15
<i>Rootless</i>	20206	No. 2A, Westinghouse Key Socket	.20
<i>Rootlet</i>	20207	No. 2A, Westinghouse Keyless Socket	.15



No. 20208.

Bryant No. 2B Fixture Sockets.

<i>Rootstock</i>	20208	Thomson-Houston Key Socket	.20
<i>Rooty</i>	20209	Thomson-Houston Keyless Socket	.15
<i>Rootze</i>	20210	Westinghouse Key Socket	.20
<i>Rootic</i>	20211	Westinghouse Keyless Socket	.15

By means of the third bayonet joint, the shell is firmly "locked" to the base of the socket, making it impossible to "wobble" or "sag" when used with a heavy shade.
An examination of a sample lot will show its great advantage over the regular style.




No. 20202.

Bryant Pull Socket.

<i>Rootenter</i>	20202	Thomson-Houston Base	.50
<i>Rooter</i>	20203	Westinghouse Base	.50

G. E. Pull Socket.


<i>Rootair</i>	9400	Edison Base	.60
----------------	------	-------------------	-----



No. 20212.

Bryant Standard No. 1 Wall Socket.


Code Word.	List No.		List Price. Each.
<i>Rope</i>	20212	No. 1, Thomson-Houston Key Wall Socket.....	\$0.25
<i>Ropeband</i>	20213	No. 1, Thomson-Houston Keyless Wall Socket.....	.20
<i>Ropedancer</i>	20214	No. 1, Westinghouse Key Wall Socket.....	.25
<i>Ropeladder</i>	20215	Westinghouse Keyless Wall Socket.....	.20
<i>Ropemaker</i>	20216	U. S. Key Wall.....	.64
<i>Ropemat</i>	20217	U. S. Keyless Wall.....	.54



Bryant No. 2B Fusible Wall Socket.

<i>Absentaneous</i>	25300	Thomson-Houston Key, concealed.....	.36
<i>Absentment</i>	25301	" " " cleat.....	.36
<i>Absinthian</i>	25302	" " " moulding.....	.36
<i>Absinthiote</i>	25303	" " Keyless, concealed.....	.34
<i>Absinthiated</i>	25304	" " " cleat.....	.34
<i>Absinthine</i>	25305	" " " moulding.....	.34
<i>Absinthium</i>	25306	Westinghouse Key, concealed.....	.36
<i>Absis</i>	25307	" " " cleat.....	.36
<i>Absist</i>	25308	" " " moulding.....	.36
<i>Absistance</i>	25309	" Keyless, concealed.....	.34
<i>Absoluteness</i>	25310	" " " cleat.....	.34
<i>Absolution</i>	25311	" " " moulding.....	.34

Caps are interchangeable and will fit any K. W. Rosette Base. Shell fitted with three bayonet joints, making a rigid fastening.




No. 20222.

Bryant No. 2A Wall Socket.

<i>Ropetrick</i>	20222	No. 2A, Thomson-Houston Key Wall Socket...	.25
<i>Ropewalk</i>	20223	No. 2A, Thomson-Houston Keyless Socket.....	.20
<i>Ropeyarn</i>	20224	No. 2A, Westinghouse Key Wall Socket.....	.25
<i>Ropely</i>	20225	No. 2A, Westinghouse Keyless Wall Socket...	.20

Standard Edison Sockets.



No. 69323.

<i>Ropiness</i>	69323	Gen. Elec. Co. Key Socket with Fibre Ring, polished.....	.35
<i>Ropish</i>	69364	Gen. Elec. Co. Key Socket with Rubber Ring, polished.....	.40

Edison Sockets.



No. 69324

Code Word.	List No.	List Price Each.
<i>Ropy</i>	69324	G. E. Keyless Socket $\frac{1}{8}$ in. Pipe, plain \$0.30
<i>Roque</i>	69373	G. E. T. H. Keyless Socket $\frac{1}{8}$ in. Pipe, plain..... .30




No. 66223.

<i>Condor</i>	66223	Keyless Socket for $\frac{1}{8}$ in. Pipe, plain 30
<i>Conduce</i>	66225	" " $\frac{1}{8}$ " polished 35



No. 66235.

<i>Excreable</i>	66235	Keyless Electrolier Socket for $\frac{1}{8}$ in. Pipe, plain. .30
<i>Excreate</i>	66237	" " " $\frac{1}{8}$ " polished .35



No. 9319.

<i>Excreation</i>	9319	Keyless Socket for High Candle-Power Lamps 1.30
-------------------	------	---



No. 4505.

<i>Roral</i>	4505	Socket for Series Incandescent Lamp for Alternating Current Circuits..... 2.00
--------------	------	--



No. 4504.


Edison Sockets--(Continued).

Code Word	List No	List Price Each.
<i>Rorid</i>	4504	Socket for Series Incandescent Lamp for Arc Circuits \$2.00




No. 6066.

<i>Evenness</i>	60666	Edison Hard Rubber Waterproof Socket 60
<i>Roriferous</i>	20226	T. H. Hard Rubber Waterproof Socket..... 60



No. 66307.

<i>Rorifluent</i>	20227	Edison Porcelain Waterproof Socket..... .35
<i>Rorqual</i>	20228	T. H. Porcelain Waterproof Socket 35



No. 66297.

<i>Rorulent</i>	66307	Edison Key Wall Socket, polished..... .60
-----------------	-------	---

<i>Rory</i>	66297	Edison Key Wall Socket, plain 40
<i>Rosary</i>	66299	Edison Key Wall Socket, polished.... .45



No. 69338 and 69376.


Edison Sockets and Receptacles.—(Continued.)

Code Word.	List No	List Price. Each.
<i>Rosechaffer</i>	69368	Key Wall Receptacle, Edison Base Lamp, Porcelain Base, polished brass..... \$0.40
<i>Rosecolor</i>	69376	Key Wall Receptacle, T. H. Base Lamp, Porcelain Base, polished brass..... .40




No. 69369 and 69377.

<i>Rosecolored</i>	69369	Keyless Wall Receptacle, Edison Base Lamp, Porcelain Base, polished brass..... .35
<i>Rosecut</i>	69377	Keyless Wall Receptacle, T. H. Base Lamp, Porcelain Base, polished brass..... .30



No. 66281, 50978 and 50979.

<i>Rosecut</i>	66281	Edison Keyless Wall Socket, polished..... .40
<i>Rose</i>	50978	Edison Keyless Receptacle, with D. P. Fuse, plain..... .45
<i>Roseal</i>	50979	Edison Keyless Receptacle, with D. P. Fuse, polished..... .55



No. 66285.

<i>Rosecut</i>	66285	Edison Keyless Wall Socket, polished..... .35
----------------	--------------	--



No. 66272 and 66273.

<i>Rosebay</i>	66271	Edison Keyless Wall Socket, plain..... .25
<i>Rosebug</i>	66273	Edison Keyless Wall Socket, polished..... .30

Weather-proof Sockets.



No. 3203.



No. 3202.



No. 3728.



No. 20254.

H. W. Johns Mfg. Co.'s Moulded Mica Lamp Sockets.

Made in Brown or Black.

Code Word.	List No.		List Price. Each.
<i>Architect</i>	3203	Thomson-Houston Base, Pendant Socket, 6 inch wires.....	\$0.25
<i>Arching</i>	3202	Westinghouse Base, Pendant Socket, 6 inch wires, each.....	.25
<i>Archibald</i>	3201	Edison Base, Pendant Socket, 6 1/4 inch wires.....	.25
<i>Archer</i>	3204	" Mica Wall Socket	.40
<i>Becoming</i>	3728	" Mica Bracket Socket	.40

With Extra Long Wires.

Mica Sockets, with wires	6 inches long	.25
" " "	12 "	.27 1/2
" " "	18 "	.30
" " "	24 "	.35
" " "	30 "	.40
" " "	3 feet long	.45
" " "	4 "	.55
" " "	5 "	.65
" " "	6 "	.75
" " "	7 "	.85
" " "	8 "	.95
" " "	10 "	1.15

<i>Lactation</i>	3383 1/2	Thomson-Houston Base, Mica Wall Socket...	.40
<i>Lactal</i>	3384	Westinghouse Base, Mica Wall Socket...	.40
<i>Bedeck</i>	3730	Thomson-House Base, Mica Bracket Socket ..	.40
<i>Bedding</i>	2729	Westinghouse Base, Mica Bracket Socket...	.50
Will fit 1/8 inch pipe bracket.			

Perkins Sockets.

Plain Sockets.

<i>Rosewort</i>	20254	Key Socket for Thomson-Houston Base	.40
<i>Rosierucian</i>	20255	Keyless Socket for Thomson-Houston Base...	.35




No. 20257.

Perkins Sockets.—Continued.

Plain.


Code Word.	List No.		List Price. Each.
<i>Rosied</i>	20256	Key Socket for Westinghouse Base.....	\$0.40
<i>Rosier</i>	20257	Keyless Socket, Westinghouse Base.....	.35



No. 20260.

Wall.

<i>Rosin</i>	20258	Key Wall Socket for Thomson-Houston Base...	.45
<i>Rosiness</i>	20259	Keyless Wall Socket for Thomson-Houston Base	.40
<i>Rosinoil</i>	20260	Key Wall Socket for Westinghouse Base.....	.45
<i>Rosiny</i>	20261	Keyless Wall Socket for Westinghouse Base...	.40



No. 20262.

Fusible Wall.

<i>Rosland</i>	20262	Key Fusible Wall Socket for Thomson-Houston Base	.75
<i>Rosmarine</i>	20263	Keyless Fusible Wall Socket for Thomson Houston Base.....	.70
<i>Ross</i>	20264	Key Fusible Wall Socket for Westinghouse Base	.75
<i>Rossell</i>	20265	Keyless Fusible Wall Socket for Westinghouse Base	.70

This Fusible Wall Socket is a combination of the Dove-tail Rosette Cut-out and Perkins Socket. In ordering please state what style of base is required; whether cleat, concealed or moulding rosette.



No. 20269.

Anchor Sockets.


Plain.

Code Word.	List No.	List Price. Each.
<i>Rostel</i>	20269	Key Socket, T. H. Base.....\$0.18
<i>Rostelate.</i>	20270	Key Socket, Westinghouse Base..... .18
<i>Roster</i>	20271	Keyless Socket, T. H. Base..... .16
<i>Rostral</i>	20272	Keyless Socket, Westinghouse Base..... .16

Special 3-8 Keyless Socket.

Will screw on 3/8 inch pipe for street fixtures, brackets, etc.

<i>Rostrate</i>	20273	Special for T. H. Base..... .20
<i>Rostrum</i>	20274	Special for Westinghouse Base..... .20



No. 20276.


Wall.

<i>Rosulate</i>	20275	Key Socket, T. H. Base .. .20
<i>Rot</i>	20276	Key Socket, Westinghouse Base..... .20
<i>Rota</i>	20277	Keyless Socket, T. H. Base..... .18
<i>Rotal</i>	20278	Keyless Socket, Westinghouse Base .. .18

Extra long handles, extra	.20
Fancy finish, bronze, copper, etc., extra	.20
“ “ marble, onyx, granite, extra.....	.20

Cutter's, Street Hood Socket.

Has the terminals exposed on the porcelain shell so that it is readily wired without pulling the wires through a narrow neck. Saves time and insures high insulation. Shipped complete with iron flange threaded to fit standard streethoods.



No. 20279.


<i>Rotulite</i>	20279	Complete, T. H. Base	.25
<i>Rotary.</i>	20280	“ Westinghouse Base	.25
<i>Rotascope</i>	20281	“ Edison Base	.30



No. 20230.

Bryant Porcelain Weatherproof Sockets.


Code Word	List No	List Price Each
<i>Rosediamond</i>	20229 T. H. Base	\$0.20
<i>Rosedrop</i>	20230 Westinghouse Base	.20



No. 20232.

<i>Rose-engine</i>	20231 T. H. W P. Bracket Socket	.40
<i>Rosefish</i>	20232 Westinghouse W. P. Bracket Socket	.40

Fitted with 1/8 inch brass socket bushing for bracket work.



No. 20233.

Side Wires.


<i>Rosefly</i>	20233 Style A, for T. H. Lamp	.30
<i>Rosegull</i>	20234 Style A, for Westinghouse Lamp	.30



No. 20235.

Bottom Wires.


<i>Rosehead</i>	20235 For T. H. Lamp	.30
<i>Roseknot</i>	20236 For Westinghouse Lamp	.30



No. 20238.

Bryant Porcelain Weatherproof Sockets.
—(Continued.)


Code Word.	List No.	List Price. Each.
<i>Rosclake</i>	20237 T. H. Base	\$0.20
<i>Roselite</i>	20238 Westinghouse Base.....	.20



No. 868.

Porcelain Keyless Receptacles.

<i>Excitation</i>	868	For Thomson-Houston System, each	.40
<i>Excitator</i>	1868	For Westinghouse System.....	.40



No. 20856.

For Shade Holder.

Made extra heavy; fastened by turning the top, and so arranged that Shade Holder can be held. These Receptacles are made with fusible cut-outs.


<i>Saintess</i>	20856	For Thomson Houston system, each	.25
<i>Sainthood</i>	20857	For Westinghouse system, each	.25



No. 921.

For Cleat Work.

<i>Excite</i>	921	For Thomson-Houston System.....	.15
<i>Excitement</i>	1921	For Westinghouse System.....	.15




No. 948.

Special Shade Holder Receptacle.


<i>Ece</i>	948	Westinghouse Base	.20
<i>Ecen</i>	3948	Thomson-Houston Base.....	.20

Standard Edison Receptacles.



No. 69171

Code Word	List No.	List Price. Each.
<i>Rosebush</i>	69171 Edison Keyless Receptacle, Porcelain, with screw connections	\$0.18



No. 69370.


<i>Rosecampion</i>	69370 Edison Keyless Wall Receptacle, T. H. Lamp, Porcelain.....	.20
--------------------	--	------------

The Wall Receptacle No. 2868 is intended for use with attaching plug and portable lamp. The fuse in the receptacle protects the circuits without requiring a fuse in the attaching plug.



No. 2868.

<i>Excitatory</i>	2868 Wall Receptacle, with fuse.....	.40
-------------------	---	------------




No. 2921.

<i>Exciter</i>	2921 Porcelain Receptacle for cleat work	.18
----------------	---	------------




No. 1948.

<i>Eveline</i>	1948 Porcelain Receptacle for cleat work to take Shade Holder	.25
----------------	---	------------



No. 929.


<i>Exclaiming</i>	929 K. W. Fusible Receptacle.....	.40
-------------------	--	------------



No. 1949.

Standard Edison Receptacles—(Continued.)


Code Word.	List No.	List Price. Each.
<i>Evening</i>	1949 K. W. Shade Holder Receptacle	\$0.50



No. 8830.


<i>Courtly</i>	8830 K. W. Shade Holder Angle Receptacle	.80
----------------	--	-----

Edison Standard Waterproof Receptacles.




No. 20240.

<i>Rosemurry</i>	20240 G. E. Waterproof Receptacle	.40
Extra heavy for refrigerators, stock yards, breweries and out of door work.		




No. 20241.

<i>Rosen</i>	20241 G. E. Waterproof Receptacle	.25
This is the same as No. 2921, with the side lugs taken off and bottom wires inserted.		




No. 20242.


<i>Rosemable</i>	20242 G. E. Waterproof Receptacle	.40
Extra heavy for refrigerators, stock yards, breweries, and out of door work.		




No. 25162.



No. 25168.




No. 25174.



No. 1922.

No. 25294.



No. 25296.

Bryant K. W. Receptacle.

The K. W. Receptacle is for double fuse, the caps are interchangeable and will fit any K. W. base.

Code Word.	List No.	List Price, Each.
<i>Abducent</i>	25162	Thomson-Houston Base, concealed..... \$0.28
<i>Abduct</i>	25163	" " " cleat 28
<i>Abduction</i>	25164	" " " moulding 28
<i>Abductor</i>	25165	Westinghouse " concealed..... .28
<i>Abeam</i>	25166	" " " cleat 28
<i>Abear</i>	25167	" " " moulding 28

K. W. Shade Holder Receptacle.

<i>Abearance</i>	25168	Thomson-Houston Base, concealed.....	.32
<i>Abecedarian</i>	25169	" " " cleat.....	.32
<i>Abed</i>	25170	" " " moulding.....	.32
<i>Abele</i>	25171	Westinghouse " concealed.....	.32
<i>Abeltree</i>	25172	" " " cleat.....	.32
<i>Abelian</i>	25173	" " " moulding.....	.32

K. W. Shade Holder Receptacle—Angle.

<i>Abelite</i>	25174	Thomson-Houston Base, concealed.....	.50
<i>Abelonian</i>	25175	" " " cleat.....	.50
<i>Abelmark</i>	25176	" " " moulding.....	.50
<i>Aberdevine</i>	25177	Westinghouse " concealed.....	.50
<i>Aberr</i>	25178	" " " cleat.....	.50
<i>Aberrance</i>	25179	" " " moulding.....	.50

Bryant Receptacle.

For Concealed and Moulding Work.

<i>Exciting</i>	922	For Thomson-Houston System.....	16
<i>Excitingly</i>	1922	For Westinghouse System.....	16

Pony Receptacle.

<i>Abscondence</i>	25294	Bryant No. 1123 T. H. Base.....	.10
<i>Absconder</i>	25295	Bryant No. 1124 West. Base.....	.10


Bryant Testing Base.

<i>Absent</i>	25296	Bryant No. 1180 T. H. Base.....	.10
<i>Absenteeism</i>	25297	Bryant No. 1181 West Base.....	.10



"P. & S." China Key and Keyless Sockets.

Code Word.	List No.		List Price. Each.
<i>Rosclon</i>	20243	Key Socket for Drop Lights, T. H.	\$0.15
<i>Rosepink</i>	20244	" " " W. H.	.15
<i>Rosequarts</i>	20245	Keyless Socket " T. H.	.12
<i>Roser</i>	20246	" " " W. H.	.12
<i>Roseroot</i>	20247	Key Socket for Fixtures T. H.	.18
<i>Rosery</i>	20248	" " " W. H.	.18
<i>Roset</i>	20249	Keyless Socket " T. H.	.15
<i>Rosetta</i>	20250	" " " W. H.	.15
<i>Rosewater</i>	20251	Key Wall Socket, T. H.	.16
<i>Rosewindow</i>	20252	" " " W. H.	.16
<i>Rosewood</i>	20253	Keyless Wall Socket, T. H.	.13
<i>Rost</i>	20268	" " " W. H.	.13



No. 117.

Exclusively 117 T. H. Porcelain Weatherproof Socket, P. & S. .18

The standard length of wire in this Waterproof Socket is 8 inches. We can, however, furnish them to order with wires of any length. Where it is desired to drop lamps a considerable distance from mains, it is an advantage to have wires long, so as to avoid splicing the wire.



No. 108.


"P. & S." China Wall Socket Receptacles.

We make these Receptacles in three different styles as shown. All have backs thus insuring high insulation. We use the same wire connection as is used in our Combination Rosette.



No. 111.

Exclamatory 108 With small back for Thomson-Houston Base.... .13
Exclude 109 " " Westinghouse Base 13




No. 114.

Excluded 111 With large back for Thomson-Houston Base.... .17
Exclamative 112 " " Westinghouse Base 17

Exclusion 114 With small back and screw for Thomson-Houston Base..... .17


Excluding 115 With small back and screw for Westinghouse Base 17

Fusible Wall Socket Receptacles.



No. 8835.


Code Word.	List No.	List Price. Each.
<i>Discredit</i>	8836	Concealed, for Thomson-Houston Base..... \$0.17
<i>Discreet</i>	8837	" " Westinghouse Base 17
<i>Discretion</i>	8839	Open, for Thomson-Houston Base 17
<i>Discriminate</i>	8840	" " Westinghouse Base..... .17
<i>Discuss</i>	8842	Cleat and Concealed, for Thomson-Houston Base 19
<i>Donald</i>	8843	" " " Westinghouse Base 19
<i>Dorcus</i>	8845	Moulding and Concealed, for Thomson-Houston Base 19
<i>Dorinder</i>	8846	Moulding and Concealed, for Westinghouse Base..... .19
<i>Duncan</i>	8848	Full Combination, for Thomson-Houston Base. .19
<i>Daub</i>	8849	" " " Westinghouse Base..... .19



No. 20266.

P. & S. Waterproof Receptacle.

<i>Rosselly</i>	20266	Waterproof Receptacle, for Thomson-Houston Base..... .20
<i>Rossignol</i>	20267	Waterproof Receptacle, for Westinghouse Base .20




No. 6001.

No. 6000.

Edison Key and Keyless Lamp Receptacles—

Code Word.	List No.	List Price
<i>Excising</i>	6000	Iron Stage Box and Receptacle, capacity 50 amperes, each..... \$ 4.50
<i>Excision</i>	6001	Attaching Plug for No. 6000, each..... 1.50



Ries' Regulating Sockets.

For Alternating Current Circuits, light can be regulated from dull red to full candle power, and the consumption of candle power controlled accordingly.

For Thomson-Houston Base Lamps.

Code Word	List No	Volts	Candle Power	Price Each.
<i>Accolent</i>	25456	50 to 55	16 to 25	\$3.25
<i>Accombination</i>	25457	50 to 55	32 to 50	4.00
<i>Accommodable</i>	25458	100 to 110	16 to 25	4.00
<i>Accommodableness</i>	25459	100 to 110	32 to 50	5.00

For Sawyer-Mann Base Lamps.

Code Word	List No	Volts	Candle Power	Price Each
<i>Accommodately</i>	25460	50 to 55	16 to 25	\$3.25
<i>Accommodateness</i>	25461	50 to 55	32 to 50	4.00
<i>Accommodating</i>	25462	100 to 110	16 to 25	4.00
<i>Accomplishment</i>	25463	100 to 110	32 to 50	5.00

Brunts' Regulating Socket.

Controls the electric light same as gas. Five degrees of light with a positive saving of current when turned down.

This Regulating Socket is for 16 candle power Incandescent Lights. It is adapted to direct or alternating current; any voltage from 50 to 118. By the simple turning of Key you raise or lower your light from 2 to 16 candle power and consequently save your current when turned down. This Socket is valuable for the Sick Room, Vestibules and Sleeping apartments.


In ordering please state voltage and base (T. H. or Edison.)

Thomson-Houston Base.

Code Word	List No.	Volts	Candle Power	Price Each
<i>Accomplicity</i>	25464	50 to 55	16	\$2.00
<i>Accomplishable</i>	25465	100 to 118	16	2.00

Edison Base.

<i>Accomplisher</i>	25466	50 to 55	16	2.00
<i>Accomplishment</i>	25467	100 to 118	16	2.00



No. 24488.


Weatherproof Sockets.

Type "D." for Shade-Holder.

Code Word.	List No	B. E. No	List Price, Each.
<i>Villager</i>	24488	1104 Thomson-Houston Base.	\$0.20
<i>Vigorous</i>	24489	1105 Westinghouse	.20

Regular length of wire is 12 inches Special length to special order


The rim at the bottom of the socket is a new feature designed to hold the shadeholder



No. 24489.

No. 2A Brush Swan Socket.

<i>Solfa</i>	24490	1113	Brush-Swan Base, Key... .	.30
<i>Solfanara</i>	24491	1114	" " Keyless	.24
<i>Acatalepsy</i>	25402	1116	" " Key Wall.....	.34
<i>Acater</i>	25403	1117	" " Keyless Wall	.32



Stage Receptacle.

The Jaws and Wire Connectors are made in one piece, of heavy cast brass. The face of the Jaws are pure tempered copper, securely fastened

The handle is made of hard wood, appropriate for the purpose. The portion of the plug which enters the jaws is triangular in section, on two faces of which are secured heavy copper strips. These strips make a contact with the jaws and are also connected with the flexible cable which enters the handle of the plug through the hole in the end.

No. 20862.

<i>Saintologist</i>	20862	Complete	3.20
<i>Saintship</i>	20863	Without plug.....	2.50
<i>Sajene</i>	20864	Plug only.	.70



No. 25404.



No. 24492.

Attachment Plugs.

Enameled Wood Handle not Fusible.

<i>Acites</i>	25404	1163	United States Base.....	.15
<i>Solfatura</i>	24492	1115	Brush-Swan Base.....	.15


Attachment Plugs.

Not Fusible—Wood Handle. With Metal Base.



No. 867.

Code Word.	List No.		List Price.
<i>Cetacean</i>	867	For Thomson-Houston System, each.....	\$0.25
<i>Cetaceous</i>	1867	" Westinghouse " "	.25
<i>Cetic</i>	2867	" Edison " "	.25



No. 25292



No. 25293

<i>Abgriessu</i>	25292	Attaching Plug for Standard Lamp Socket, Porcelain.....	.30
<i>Abgriessian</i>	25293	Attaching Plug for T.-H. Lamp Socket, polished	.30

Attachment Plugs.

Fusible—All Parts Brass and Porcelain.

The metal cover can be removed by giving it a quarter turn; the fuse is then easily inserted.



No. 923.

<i>Bawling</i>	923	For Thomson-Houston Socket, each.....	.40
----------------	-----	---------------------------------------	-----



No. 924.

<i>Beach</i>	924	For Westinghouse Sockets, each.....	.40
--------------	-----	-------------------------------------	-----




No. 925.

<i>Beacon</i>	925	For Edison Sockets, each.....	.40
---------------	-----	-------------------------------	-----



Receptacle closed—not in use.




59.

Code Word.
Saintlike
Saintliness
Saintly
Farm
Fanatic

List No.	B. E. No.	List Price.
20859	1108	Complete with lid and plug..... \$3.00
20860	1109	" " plug, no lid..... 2.50
20861	1110	Chapman Attaching plug only..... 1.50
26000	1111	Receptacle only, with lid..... 1.50
26001	1112	" " no lid..... 1.00


Prices cover light bronze face plates. Special finishes to order.




No. 20861.



No. 262.



No. 26002.



No. 26006.



No. 26007.



No. 26008.

The Chapman Receptacle.

Patented May 21, 1895.

The Chapman Receptacle is placed in the wall, base-board or floor. When not in use the lid is closed—the plug being removed—and the face plate is flush, out of the way. All plugs are fused to thirty amperes, and are interchangeable.

Modern methods require a receptacle of this character placed in the base-board at every point where there is a possibility that current may be required for fan motors, desk lights, electrical heating devices or hospital work.

Distance between screw centers of face plate is $3\frac{3}{8}$ inches. Size of face plate is $3\frac{3}{8}$ x $2\frac{1}{2}$ inches.

Woods Mats for Chapman Receptacles.

The Wooden Mat is furnished singly or in gangs to order, in any wood desired. It offers a convenient device for concealing the broken edges of the plastering made in cutting away for the receptacle.

Discommend 262 1127 Wooden Mats, single switch, each..... .30

The above price covers the common woods, for rare and expensive woods special prices will be quoted.

Iron Wall Boxes for Chapman Receptacles.

<i>Thimble</i>	26002	1118	1 Outlet at one end only.....	.80
<i>Reed</i>	26003	1227	2 " " "	.80
<i>Reedless</i>	26004	1228	2 " " " 1 at other end..	.80
<i>Reeling</i>	26005	1229	1 " at each end.....	.80

These boxes are lined with porcelain enamel and are guaranteed to withstand an alternating current of 2,000 volts. Distance between screw centers is $3\frac{3}{8}$ inches, adapting it for use with the Chapman Receptacle or any Standard Push Button Switch on the market.

The Chapman Bracket Receptacle.

Adapted for use with any Standard $\frac{1}{8}$ inch Bracket made from $\frac{3}{8}$ -inch brass tubing. Regular finish is polished brass. Special finish to special order. Distance between screw centers of face plate is $3\frac{3}{8}$ inches. Diameter of face plate is $4\frac{1}{4}$ inches.

<i>Tiger</i>	26006	1128	acket Receptacle complete with Plug No. 1129.....	4.50
<i>Tippler</i>	26007	1183	Bracket Receptacle only.....	2.50
<i>Tigress</i>	26008	1129	" Plug only.....	2.00

Chapman Attaching plugs, No. 20861 and 26008 are interchangeable and can be used either with No. 20859 or No. 26007.

<i>Panting</i>	26009	1182	Dummy Plug for No. 26007.....	1.00
----------------	-------	------	-------------------------------	------

This is merely a wood plug with brass plate, designed to fill the receptacle opening when not in use.

INCANDESCENT SUPPLIES.

MISCELLANEOUS.



No. 3630.



No. 3632.



No. 3634.



No. 3636.




No. 3637.



No. 2927.

Socket Bushings.

Code Word.	List No.	List Price.
<i>Anchored</i>	3630	Genuine Hard Rubber, $\frac{1}{8}$ inch, per 1,000.....\$20.00
<i>Anchoress</i>	3631	Composition, $\frac{1}{8}$ inch, per 1,000..... 8.00
<i>Anchorite</i>	3632	Genuine Hard Rubber, $\frac{1}{8}$ inch, per 1,000..... 30.00
<i>Anchoring</i>	3633	Composition, $\frac{1}{8}$ inch, per 1,000..... 9.00
<i>Anchovy</i>	3634	Genuine Hard Rubber, $\frac{1}{8}$ inch, per 1,000..... 30.00
<i>Ancient</i>	3635	Composition, $\frac{1}{8}$ inch, per 1,000..... 12.00
<i>Anciently</i>	3636	Soft Rubber, per 1,000..... 7.00
<i>Ancipital</i>	3637	Genuine Hard Rubber, $\frac{1}{8}$ inch, per 1,000..... 30.00
<i>Cemetery</i>	2927	Polished Brass and Hard Rubber Fixture Bushing, each..... .25



No. 3457.

Cord Adjusters.

Code Word.	List No.	List Price.
<i>Bindingly</i>	3457	Ball Cord Adjuster, stained cherry, per 1,000.... \$7.00
<i>Aum</i>	25100	" " black enamel..... " 11.50




No. 3651.

<i>Beambird</i>	3651	Bar Cord Adjuster, wood, per 1,000. 7.00
<i>Aardvark</i>	25101	" " hard rubber, per 100. 7.00




No. 5559.

<i>Idling</i>	5559	"Q and S" Cord Adjuster, each. 04
---------------	------	--



No. 3561.

<i>Idiotic</i>	3561	Dumb Bell Cord Adjuster, per 1,000. 8.00
----------------	------	--



No. 1337.

Idler

1337	Two Piece, screw top, per 1,000.... 15.00
------	---


Socket Handles.



No. 3556.

Idleness

3556	One Piece, per 1,000. 12.50
------	-------------------------------------




No. 20760.

The Dow Cord Adjuster.

The Dow Adjuster is a thoroughly reliable device for instantly raising or lowering any electric light, and is especially adapted for stores, offices, libraries and hospitals. Can be operated with one hand; is not liable to get out of order, and is much safer than long cords, as the cord when not in use can be rolled up out of the way. In most places the Adjuster can be placed on the cord now in use. It is three inches in diameter and holds twelve feet of cord.

<i>Saddlehorse</i>	20760	Nickel-plated, per doz...	\$20.00
<i>Saddler</i>	20761	Gilt, "	18.00




No. 20762.

The Disc Cord Adjuster.

It is round, scarce two and a quarter inches in diameter; it is flat, a thickness of but little more than a quarter of an inch. It is in shape like a spool of small height and large diameter; it is hollow, and in its inside is a well tempered spiral spring. A wire twisted into a peculiar shape, fastens this little device to a lamp-cord. In the spool-like groove is wound a cord which passes through the loop, extending from the side wire. Fasten it to the lamp cord, pull this cord out the entire length; this winds up the spring, and while the cord is extended fasten it to the lamp cord. You can then raise your lamp to any desired height. It will stay there until you change it.

<i>Saddlerroof</i>	20762	Each	.50
--------------------	-------	------------	-----




No. 8691.

Perfection Desk or Music Rack Clamp.

Sold complete, including half shade of opal, red, blue, green or yellow glass or of aluminum.

<i>Crucial</i>	8691	Brass, each	3.50
<i>Castlery</i>	8692	Nickel, "	4.00

In ordering, state kind of socket required.



No. 3618.

Shade Holder for Cluster Lights.

Slips $\frac{3}{8}$ Inch Tube.

Code Word.	List No.	List Price.
<i>Caloric</i>	3618 2 $\frac{1}{4}$ Inch, each.....	\$0.30
<i>Calorific</i>	3619 3 $\frac{1}{4}$ " "	.40




No. 3803.

Acme Shade Holder.

Will Fit Any Socket.


<i>Belong</i>	3803 2 $\frac{1}{4}$ Inch, per gross.	10.00
<i>Belonging</i>	3804 3 $\frac{1}{4}$ " "	15.00



No. 3198.


Socket Rings.

<i>American</i>	3197 Hard Rubber Ring for Standard Edison Socket, each	.15
<i>Amethyst</i>	3198 Porcelain Ring for Standard Edison Socket, each, ...	.10



No. 2694.

<i>Exclamation</i>	2694 Soft Rubber Socket Cover, each.....	.10
--------------------	--	-----



No. 8723.

Gas Attachments.

<i>Censorial</i>	8723 Polished Brass, per 100.....	10.00
<i>Ancient</i>	3635 Composition Fixture Bushing for same, per 1,000, ...	12.00
<i>Anchovy</i>	3634 Hard Rubber " " " "	30.00
<i>Censurable</i>	8724 Polished Brass, per 100.....	9.00
<i>Ancient</i>	3635 Composition Fixture Bushing for same, per 1,000, ...	12.00
<i>Anchovy</i>	3634 Hard Rubber " " " "	30.00



No. 8724.



No. 239.

<i>Census</i>	239	Stamped Brass, not polished, per 100.	\$ 5.00
<i>Centage</i>	240	“ polished, “	7.00



No. 8677.

Iron Duopod.

<i>Lank</i>	8677	Tapped $\frac{1}{8}$ to $\frac{1}{2}$ inch, per dozen.....	1.00
-------------	------	--	------



No. 8678.

Iron Tripod.

<i>Languishment</i>	8678	Per dozen.....	.75
---------------------	------	----------------	-----



No. 8679.

Iron Crowfoot.

<i>Languor</i>	8679	Per dozen.....	.70
----------------	------	----------------	-----



No. 8680.



No. 8681.

Iron Chandelier Loops.

<i>Languishing</i>	8680	Closed, per dozen.....	3.00
<i>Lantern</i>	8681	Closed, per dozen., ...	3.00



No. 8683.

<i>Lanyard</i>	8682	Open, $\frac{1}{2}$ inch, per dozen	3.00
<i>Lapdog</i>	8683	“ $\frac{3}{8}$ “ “	3.00
<i>Lapful</i>	8684	“ $\frac{1}{2}$. “ “	3.00



No. 8983.

Lacquer Radiant.

For Coloring Incandescent Lamps.

The advantages of this material are: Cheapness, richness and permanency of color, and simplicity of application.

16 Ounce Bottle.

Code Word.	List No.		List Price
<i>Centennial</i>	8983	Ruby, per bottle.....	\$ 2.00
<i>Centering</i>	8984	Amber, "	2.00
<i>Centesimal</i>	8985	Blue, "	2.00
<i>Centigrade</i>	8986	Green, "	2.00
<i>Centime</i>	8987	Orange, "	2.00
<i>Centipede</i>	8988	Violet, "	2.00

6-Ounce Bottle.

<i>Mantau</i>	14850	Ruby, per bottle.....	.80
<i>Manoka</i>	14851	Amber, "	.80
<i>Manteno</i>	14852	Blue, "	.80
<i>Manton</i>	14853	Green, "	.80
<i>Manville</i>	14854	Orange, "	.80
<i>Mapimi</i>	14855	Violet, "	.80

Full directions with each bottle.




No. 8989.

Frosting Varnish.

For Frosting Incandescent Lamps.

Contains no acid, is perfectly harmless and easily applied.

<i>Centenary</i>	8989	Per 16-oz. bottle.....	2.00
<i>Centallo</i>	14856	Per 6-oz. bottle.....	.80



No. 8990.

Metal Dipping Cup.


For Use with Lacquer Radiant and Frosting Varnish.

<i>Centaur</i>	8990	Each.....	.40
----------------	------	-----------	-----

The Macallen Solid Mica Insulating Joint.



Registered July 31, 1894.



No. 1001.

These Joints have been approved and recommended by the Boards of Fire Underwriters* throughout the country, and are recognized by the trade as the standard insulating joint.

All our joints are tested electrically to 2500 volts, and all our combination joints are tested under high atmospheric pressure, and we guarantee them not to leak gas.

IN COMPOSITION BRASS.

Combination.

<i>Cormorant</i>	1001	$\frac{3}{8}$ x $\frac{1}{8}$, each.....	\$0.50
<i>Corn</i>	1002	$\frac{3}{8}$ x $\frac{1}{4}$, "	.50
<i>Cornea</i>	1003	$\frac{3}{8}$ x $\frac{3}{8}$, "	.50
<i>Corned</i>	1004	$\frac{1}{2}$ x $\frac{1}{8}$, "	.66 $\frac{2}{3}$
<i>Cornelia</i>	1005	$\frac{1}{2}$ x $\frac{1}{4}$, "	.66 $\frac{2}{3}$
<i>Cornelius</i>	1006	$\frac{1}{2}$ x $\frac{3}{8}$, "	.66 $\frac{2}{3}$
<i>Corner</i>	1007	$\frac{1}{2}$ x $\frac{1}{2}$, "	.66 $\frac{2}{3}$
<i>Cornet</i>	1008	$\frac{3}{4}$ x $\frac{1}{8}$, "	1.00
<i>Cornetcy</i>	1009	$\frac{3}{4}$ x $\frac{1}{4}$, "	1.00
<i>Cornish</i>	1010	$\frac{3}{4}$ x $\frac{3}{8}$, "	1.00
<i>Cornucopia</i>	1011	$\frac{3}{4}$ x $\frac{1}{2}$, "	1.00
<i>Corollary</i>	1012	$\frac{3}{4}$ x $\frac{3}{4}$, "	1.00
<i>Corona</i>	1013	1 x $\frac{1}{2}$, "	1.60
<i>Coronal</i>	1014	1 x $\frac{3}{4}$, "	1.60
<i>Coronary</i>	1015	1 x 1, "	1.60
<i>Coroner</i>	1016	1 $\frac{1}{2}$ x 1, "	2.20
<i>Corporal</i>	1017	1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, "	2.20
<i>Corporally</i>	1018	1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, "	4.00
<i>Corporate</i>	1019	2 x 2, "	6.00

Larger sizes made to order, special prices.

Blank.

<i>Corporation</i>	1021	$\frac{3}{8}$ x $\frac{1}{8}$, each.....	.50
<i>Corpulence</i>	1022	$\frac{3}{8}$ x $\frac{1}{4}$, "	.50
<i>Corpulent</i>	1023	$\frac{3}{8}$ x $\frac{3}{8}$, "	.50
<i>Corrective</i>	1024	$\frac{1}{2}$ x $\frac{1}{8}$, "	.66 $\frac{2}{3}$
<i>Conducting</i>	1025	$\frac{1}{2}$ x $\frac{1}{4}$, "	.66 $\frac{2}{3}$
<i>Conduction</i>	1026	$\frac{1}{2}$ x $\frac{3}{8}$, "	.66 $\frac{2}{3}$
<i>Conductor</i>	1027	$\frac{1}{2}$ x $\frac{1}{2}$, "	.66 $\frac{2}{3}$
<i>Cone</i>	1028	$\frac{3}{4}$ x $\frac{1}{8}$, "	1.00
<i>Confab</i>	1029	$\frac{3}{4}$ x $\frac{1}{4}$, "	1.00
<i>Confederacy</i>	1030	$\frac{3}{4}$ x $\frac{3}{8}$, "	1.00
<i>Confederate</i>	1031	$\frac{3}{4}$ x $\frac{1}{2}$, "	1.00
<i>Confederating</i>	1032	$\frac{3}{4}$ x $\frac{3}{4}$, "	1.00
<i>Confederation</i>	1033	1 x $\frac{1}{2}$, "	1.60
<i>Confer</i>	1034	1 x $\frac{3}{4}$, "	1.60
<i>Conference</i>	1035	1 x 1, "	1.60
<i>Confess</i>	1036	1 $\frac{1}{2}$ x 1, "	2.20
<i>Confessedly</i>	1037	1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, "	2.20
<i>Confessing</i>	1038	1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, "	4.00
<i>Confessor</i>	1039	2 x 2, "	6.00

Larger sizes made to order, special prices.

The Macallen Solid Mica Insulating Joint.

IN MALLEABLE IRON.

Code Word.	List No.	Combination.	List Price.
<i>Confineless</i>	1041	$\frac{3}{8}$ x $\frac{1}{2}$, each.....	\$0.45
<i>Confinement</i>	1042	$\frac{3}{8}$ x $\frac{1}{4}$, ".....	.45
<i>Confiner</i>	1043	$\frac{3}{8}$ x $\frac{3}{8}$, ".....	.45
<i>Confirm</i>	1044	$\frac{1}{2}$ x $\frac{1}{8}$, ".....	.60
<i>Confirmable</i>	1045	$\frac{1}{2}$ x $\frac{1}{4}$, ".....	.60
<i>Confiscate</i>	1046	$\frac{1}{2}$ x $\frac{3}{8}$, ".....	.60
<i>Confiscating</i>	1047	$\frac{1}{2}$ x $\frac{1}{2}$, ".....	.60
<i>Confidant</i>	1048	$\frac{3}{4}$ x $\frac{3}{8}$, ".....	.90
<i>Confide</i>	1049	$\frac{3}{4}$ x $\frac{1}{2}$, ".....	.90
<i>Confidence</i>	1050	$\frac{3}{4}$ x $\frac{3}{4}$, ".....	.90
<i>Confidently</i>	1051	1 x $\frac{1}{2}$, ".....	1.45
<i>Confiding</i>	1052	1 x $\frac{3}{4}$, ".....	1.45
<i>Confine</i>	1053	1 x 1, ".....	1.45

Blank.

<i>Conform</i>	1061	$\frac{3}{8}$ x $\frac{1}{8}$, each.....	.45
<i>Conformable</i>	1062	$\frac{3}{8}$ x $\frac{1}{4}$, ".....	.45
<i>Conformation</i>	1063	$\frac{3}{8}$ x $\frac{3}{8}$, ".....	.45
<i>Conformed</i>	1064	$\frac{1}{2}$ x $\frac{1}{8}$, ".....	.60
<i>Conforming</i>	1065	$\frac{1}{2}$ x $\frac{1}{4}$, ".....	.60
<i>Conformist</i>	1066	$\frac{1}{2}$ x $\frac{3}{8}$, ".....	.60
<i>Conformity</i>	1067	$\frac{1}{2}$ x $\frac{1}{2}$, ".....	.60
<i>Confiscator</i>	1068	$\frac{3}{4}$ x $\frac{3}{8}$, ".....	.90
<i>Conflagration</i>	1069	$\frac{3}{4}$ x $\frac{1}{2}$, ".....	.90
<i>Conflict</i>	1070	$\frac{3}{4}$ x $\frac{3}{4}$, ".....	.90
<i>Conflicting</i>	1071	1 x $\frac{1}{2}$, ".....	1.45
<i>Confluence</i>	1072	1 x $\frac{3}{4}$, ".....	1.45
<i>Confluent</i>	1073	1 x 1, ".....	1.45


Electrolier or Separable Joint.

IN MALLEABLE IRON.

<i>Confound</i>	1101	$\frac{3}{8}$ x $\frac{1}{8}$, each.....	.50
<i>Confounded</i>	1102	$\frac{3}{8}$ x $\frac{1}{4}$, ".....	.50
<i>Confounding</i>	1103	$\frac{3}{8}$ x $\frac{3}{8}$, ".....	.50
<i>Confront</i>	1104	$\frac{1}{2}$ x $\frac{1}{8}$, ".....	.66%
<i>Confrontant</i>	1105	$\frac{1}{2}$ x $\frac{1}{4}$, ".....	.66%
<i>Confrontation</i>	1106	$\frac{1}{2}$ x $\frac{3}{8}$, ".....	.66%
<i>Confronted</i>	1107	$\frac{1}{2}$ x $\frac{1}{2}$, ".....	.66%
<i>Confronting</i>	1110	$\frac{3}{4}$ x $\frac{1}{2}$, ".....	1.00
<i>Confrontment</i>	1111	$\frac{3}{4}$ x $\frac{3}{4}$, ".....	1.00

IN COMPOSITION BRASS.

<i>Confuse</i>	1081	$\frac{3}{8}$ x $\frac{1}{8}$, each.....	.60
<i>Confused</i>	1082	$\frac{3}{8}$ x $\frac{1}{4}$, ".....	.60
<i>Confusedly</i>	1083	$\frac{3}{8}$ x $\frac{3}{8}$, ".....	.60
<i>Confusedness</i>	1084	$\frac{1}{2}$ x $\frac{1}{8}$, ".....	.80
<i>Confusing</i>	1085	$\frac{1}{2}$ x $\frac{1}{4}$, ".....	.80
<i>Confusion</i>	1086	$\frac{1}{2}$ x $\frac{3}{8}$, ".....	.80
<i>Confutable</i>	1087	$\frac{1}{2}$ x $\frac{1}{2}$, ".....	.80
<i>Confutation</i>	1090	$\frac{3}{4}$ x $\frac{1}{2}$, ".....	1.20
<i>Confute</i>	1091	$\frac{3}{4}$ x $\frac{3}{4}$, ".....	1.20



No. 1101.



No. 1141.

The Macallen Solid Mica Bracket Joint.

IN MALLEABLE IRON

Code Word.	List No.	Combination.	List Price.
<i>Confuted</i>	1141	$\frac{3}{8}$ x $\frac{1}{8}$, each	\$0.36
<i>Confuting</i>	1142	$\frac{3}{8}$ x $\frac{1}{4}$, "	.36
<i>Congcal</i>	1143	$\frac{3}{8}$ x $\frac{3}{8}$, "	.36
<i>Congealing</i>	1144	$\frac{1}{2}$ x $\frac{1}{8}$, "	.50
<i>Congelation</i>	1145	$\frac{1}{2}$ x $\frac{1}{4}$, "	.50
<i>Congener</i>	1146	$\frac{1}{2}$ x $\frac{3}{8}$, "	.50

Blank.

<i>Congeneric</i>	1151	$\frac{3}{8}$ x $\frac{1}{8}$, each	.36
<i>Congenial</i>	1152	$\frac{3}{8}$ x $\frac{1}{4}$, "	.36
<i>Congenital</i>	1153	$\frac{3}{8}$ x $\frac{3}{8}$, "	.36
<i>Congest</i>	1154	$\frac{1}{2}$ x $\frac{1}{8}$, "	.50
<i>Congestible</i>	1155	$\frac{1}{2}$ x $\frac{1}{4}$, "	.50
<i>Congestion</i>	1156	$\frac{1}{2}$ x $\frac{3}{8}$, "	.50


IN COMPOSITION BRASS.

Combination.

<i>Congression</i>	1121	$\frac{3}{8}$ x $\frac{1}{8}$, each	.40
<i>Congruent</i>	1122	$\frac{3}{8}$ x $\frac{1}{4}$, "	.40
<i>Conically</i>	1123	$\frac{3}{8}$ x $\frac{3}{8}$, "	.40
<i>Conifer</i>	1124	$\frac{1}{2}$ x $\frac{1}{8}$, "	.54
<i>Coniform</i>	1125	$\frac{1}{2}$ x $\frac{1}{4}$, "	.54
<i>Conjecture</i>	1126	$\frac{1}{2}$ x $\frac{3}{8}$, "	.54

Blank.

<i>Conjoin</i>	1131	$\frac{3}{8}$ x $\frac{1}{8}$, each	.40
<i>Conjoint</i>	1132	$\frac{3}{8}$ x $\frac{1}{4}$, "	.40
<i>Conjointly</i>	1133	$\frac{3}{8}$ x $\frac{3}{8}$, "	.40
<i>Conjointness</i>	1134	$\frac{1}{2}$ x $\frac{1}{8}$, "	.54
<i>Conjugal</i>	1135	$\frac{1}{2}$ x $\frac{1}{4}$, "	.54
<i>Conjugate</i>	1136	$\frac{1}{2}$ x $\frac{3}{8}$, "	.54



No. 8790.

"P. & S." China Insulating Joint.

<i>Cenobite</i>	8790	$\frac{1}{8}$ x $\frac{1}{8}$ in., $2\frac{1}{4}$ in. diameter, each	.27
<i>Cenobitic</i>	8791	$\frac{1}{8}$ x $\frac{1}{4}$ " $\frac{1}{8}$ " next to wall, $2\frac{1}{4}$ in. diameter, each	.27
<i>Cenotaph</i>	8792	$\frac{1}{4}$ x $\frac{1}{8}$ " $\frac{1}{8}$ " " $2\frac{1}{4}$ " " " "	.27
<i>Censor</i>	8793	$\frac{1}{4}$ x $\frac{1}{4}$ " $2\frac{1}{4}$ " diameter, each	.27
<i>Casket</i>	8794	$\frac{1}{4}$ x $\frac{3}{8}$ " $\frac{1}{4}$ " next to wall, $2\frac{1}{4}$ in. diameter, each	.33
<i>Cuspian</i>	8795	$\frac{3}{8}$ x $\frac{1}{8}$ " " " $2\frac{1}{4}$ " " " "	.33
<i>Cussock</i>	8796	$\frac{3}{8}$ x $\frac{1}{4}$ " " " $2\frac{1}{4}$ " " " "	.33
<i>Castinet</i>	8797	$\frac{3}{8}$ x $\frac{3}{8}$ " $2\frac{1}{4}$ " diameter, each	.33
<i>Castaway</i>	8798	$\frac{3}{8}$ x $\frac{1}{2}$ " " " next to wall, 3 in. diameter, each	.38
<i>Caste</i>	8799	$\frac{1}{2}$ x $\frac{3}{8}$ " $\frac{1}{2}$ " " 3 " " "	.38
<i>Castellan</i>	8800	$\frac{1}{2}$ x $\frac{1}{2}$ " 3 " diameter, each	.38



Tested Fuse Wire and Ribbon.

Fuse Wire.

Code Word.	List No.	Dia. Mils.	Carry. Cap. Amp.	Std. Lgth.	Ft. lb.	Price per lb.
<i>Abaisance</i>	25113	10	$\frac{1}{4}$	1½ inches	2700	Special
<i>Roundshoulder</i>	20352	17	$\frac{1}{2}$	1½ "	950	\$2.75
<i>Roundtrade</i>	20354	20	1	.1½ "	670	1.10
<i>Roundtray</i>	20355	23	1½	1½ "	510	1.05
<i>Roup</i>	20356	25	2	1½ "	430	1.05
<i>Rousant</i>	20357	27	3	1½ "	370	1.00
<i>Rouse</i>	20358	30	4	1½ "	300	1.00
<i>Rouser</i>	20359	35	5	2 "	220	1.00
<i>Rousing</i>	20360	38	6	2 "	185	.85
<i>Rousingly</i>	20361	44	7	2 "	140	.85
<i>Roust</i>	20362	47	8	2 "	120	.80
<i>Rout</i>	20363	54	9	2 "	93	.80
<i>Route</i>	20364	58	10	2 "	80	.80
<i>Routine</i>	20365	62	12	3 "	70	.80
<i>Routously</i>	20366	68	14	3 "	60	.80
<i>Roce</i>	20367	70	15	3 "	52	.75
<i>Rorer</i>	20368	73	16	3 "	49	.75
<i>Roering</i>	20369	78	18	3 "	43	.75
<i>Roeringly</i>	20370	86	20	4 "	36	.75
<i>Roeringness</i>	20372	90	25	4 "	32	.75
<i>Roeringshot</i>	20373	100	30	4 "	26	.75
<i>Rorce</i>	20374	110	35	4 "	22	.75
<i>Rowable</i>	20375	122	40	4 "	18	.75
<i>Rowantree</i>	20376	126	45	4 "	17	.75
<i>Rowboat</i>	20377	147	50	5 "	12.5	.75
<i>Rowdyish</i>	20379	160	60	5 "	10.3	.70
<i>Rowel</i>	20380	172	70	5 "	9.0	.70
<i>Rowen</i>	20381	178	75	5 "	8.3	.70
<i>Rower</i>	20382	190	80	5 "	7.5	.70
<i>Rowett</i>	20383	198	90	5 "	6.7	.70
<i>Rowlegragg</i>	20384	220	100	5 "	5.5	.70

½ to 35 Amp. inclusive, on 1 lb. spools. 40 to 100 Amp. inclusive, on 2 lb. spools.


Tested Fuse Ribbon.

		Carrying Capacity Amperes.	Length in ins.	Size in inches.	Feet per lb.	Price per lb.
<i>Rowlock</i>	20385	50	4	.36 x .047	12.5	\$0.65
<i>Abaiser</i>	25114	60	4	.44 x .042	11.3	.65
<i>Rowport</i>	20386	75	4	.50 x .043	9.7	.65
<i>Abalienate</i>	25115	90	4	.66 x .045	7.0	.65
<i>Roya</i>	20388	100	4	.38 x .078	7.0	.65
<i>Abalienation</i>	25116	115	4	.44 x .092	5.2	.60
<i>Royalet'</i>	20389	125	4	.50 x .095	4.5	.60
<i>Royalism</i>	20390	150	4	.53 x .092	4.3	.60
<i>Royalist</i>	20391	175	4	.66 x .095	3.3	.60
<i>Abund</i>	25117	190	4	.75 x .094	3.0	.60
<i>Royalize</i>	20392	200	4	.87 x .093	2.6	.60
<i>Abandoned</i>	25118	225	4	1.0 x .095	2.2	.60
<i>Royally</i>	20393	250	4½	1.0 x .113	1.8	.60
<i>Royalty</i>	20394	300	4½	1.0 x .15	1.4	.60
<i>Abandoner</i>	25119	400	4½	1.0 x .19	1.1	.60
<i>Royne</i>	20395	500	4½	1.25 x .20	.85	.60
<i>Abandonment</i>	25120	600	4½	1.5 x .18	.75	.60

Furnished in coils of any length.

Shawmut Tested Fuse Links.

For Rosettes.



No. 1.

No. 1 B Terminal. 1, 2, 3, 5 Ampere. Slots $\frac{1}{8}$ inch, $1\frac{1}{2}$ inch centers. \$21.50

For S. M. or Edison Main or Branch Blocks.



No. 2½ B.

No. 2½ B Terminal. 5, 8, 10, 12, 15, 20, 25, 30 Ampere. Slots $\frac{3}{16}$ inch, $1\frac{1}{2}$ inch centers. 33.50


For Edison Main or Branch Blocks.

No. 3 A Terminal. 35, 40, 45, 50, 60, 75, 90, 100 Ampere. Slots inch, $1\frac{1}{2}$ inch centers. 35.00

For S. M. Blocks and Fused Switches.

Same Terminal as above, 25, 30, 35, 40, 50 Amperes, $2\frac{1}{2}$ inch centers. 50.00

For S. M. Blocks and Fused Switches.



No. 3 A.

No. 4 A Terminal. 60, 75, 90 Amperes Slots $\frac{1}{4}$ inch, $2\frac{1}{2}$ inch centers 55.00

For Fuse Blocks and Switch Boards.



No. 4 A.

	List Price, per 1000.
No. 5 A Terminal, Slots $\frac{3}{8}$ inch, $2\frac{1}{2}$ inch centers, 100, 125, 150, 175, 200 amperes.....	\$112.50
No. 6 A Terminal, Slots $\frac{1}{2}$ inch, $2\frac{1}{2}$ inch centers, 200, 225, 250, 275 amperes	135.00
300, 350, 400 amperes.....	165.00
500, 600 amperes.....	200.00
700, 800 amperes.....	250.00


Prices are based upon the TERMINAL used, and not upon the carrying capacity. An additional charge will be made for links over 4 inches between centers, based upon the extra metal used and the difficulty in manufacture.

In ordering, find the exact cut of the Fuse Link required, and then specify


- FIRST. Safe carrying capacity.
- SECOND. Terminal number, e. g., 1 B, 2½ B. etc.
- THIRD. Distance between centers of binding posts.

NOTE.—The fusing point of Shawmut Fuse Links is about 30 per cent. above safe carrying capacity.

Sawyer-Man Flat Lead Links.




		Dist. between Center.	Amperes.		
Roynish	20396	1½ inch.	10- 25		25.00
Roysterer	20397	2¼ "	25- 40		40.00
Roysterror	20398	2¼ "	40- 50		45.00
Roylelet	20399	2¼ "	50- 60		50.00
Royleish	20400	2¼ "	60- 80		60.00
Rut	20401	2½ "	80-125		100.00
Rubadub	20402	2½ "	125-175		120.00
Rubato	20403	2½ "	175-225		150.00



Shawmut Copper Terminals.

Code Word.	List No.	Number.	Maximum Capacity in Amperes	List Price per 1000.
<i>Rubbage</i>	20404	1'	10	9.20
<i>Rubber</i>	20405	2	20	9.40
<i>Rubbridge</i>	20405½	2½ B	30	9.40
<i>Rubbish</i>	20407	3	60	12.00
<i>Rubbishly</i>	20408	4	100	19.00
<i>Rubble</i>	20409	4½ B	100	19.20
<i>Rubblestone</i>	20410	5	200	30.00
<i>Rubblecull</i>	20411	5½ or 6	300	58.00
<i>Rubblework</i>	20412	5½ or 6 thick	600	64.00
<i>Rubbly</i>	20413	8	1000	120.00
<i>Rubedinous</i>	20414	10 C	1500	160.00
<i>Rubefurient</i>	20415	T. H. Ry	150	20.00

Shawmut Specially Designed Fuses.



20 Ampere Type.

T. H. RAILWAY LINKS.			GENERATOR FUSES.			ED. UNDERGROUND FUSES.		
Amp.	Type.	Price per 1000.	Amp.	Terminal	Price per 100.	Amp.	Terminal	Price per 100
35	Round	\$40.00	500	No. 8 A.	\$30.00	600	No. 5½ A.	\$25.00
50	"	45.00	600	"	30.00	700	"	25.00
75	"	50.00	700	"	35.00	800	"	25.00
80	"	50.00	800	"	35.00	900	"	25.00
100	"	50.00	900	"	40.00	1000	"	25.00
100	Flat	50.00	1000	"	40.00	300	No. 10 C.	30.00
150	"	60.00				400	"	30.00
200	"	75.00				500	"	35.00
						600	"	40.00
						700	"	40.00
						800	"	40.00
						900	"	50.00
						1000	"	50.00
						1200	"	65.00

3 B Terminal, 500 Volt Fuses, 5 inch Centers, 5 to 40 amp. capacity,	Per 100
5 A " 500 " 5 " " 20 to 60 "	\$10.00
	15.00

Cutler-Hammer Rheostats.


MOTOR STARTING BOXES.

With Automatic Release and Circuit Breaker.


This device is a combined Starting Box and Circuit Breaker.

Should the motor become overloaded the lever immediately flies back, inserting the resistance of the Rheostat and then opening the circuit WITHOUT SPARK. No carbons for the final break are therefore necessary.


The combined device not only protects the motor from Short Circuit, Ground and Overload, but also protects the motor from interrupted current and open field circuit.



Motor Starting Box with Automatic Release.



Motor Starting Box with Magnetic Release.



Motor Starting Box with Magnetic Release.

Cutler-Hammer Rheostats.—Continued.

Motor Starting Boxes.—Continued.

With Automatic Release and Circuit Breaker.

Horse Power.	125 Volts.	240 Volts.	500 Volts.
$\frac{1}{4}$ to 3	\$ 25.00	\$ 25.00	\$ 25.00
5.....	37.00	37.00	37.00
7½.....	55.00	42.00	42.00
10.....	58.00	45.00	45.00
15.....	65.00	60.00	52.00
20.....	70.00	65.00	58.00
25.....	85.00	70.00	63.00
30.....	95.00	85.00	75.00
35.....	105.00	90.00	90.00
40.....	115.00	100.00	100.00
50.....	140.00	115.00	115.00
75.....	220.00	185.00	175.00
100.....	280.00	250.00	225.00
150.....	375.00	335.00	300.00
200.....	480.00	440.00	380.00

Motor Starting Boxes.

With Magnetic Release.

Absolutely fire proof; built entirely of marbleized slate, metal and asbestos.

Impossible to leave the resistance in circuit and burn out the box.

Prevents injury to motor when supply of current is cut off and then suddenly turned on again.

Prevents injury to armature and commutator due to an open field circuit.

Simple durable and reliable. Only one moving part. Endorsed by the Board of Fire Underwriters.

When ordering give horse power, voltage and make of motor.


Horse Power.	125 Volts.	240 Volts.	500 Volts.
$\frac{1}{4}$ to 3	\$ 15.00	\$ 15.00	\$ 15.00
5.....	25.00	25.00	25.00
7½.....	40.00	30.00	30.00
10.....	43.00	33.00	33.00
15.....	50.00	45.00	40.00
20.....	55.00	50.00	45.00
25.....	65.00	55.00	50.00
30.....	73.00	65.00	60.00
35.....	80.00	70.00	70.00
40.....	90.00	80.00	80.00
50.....	115.00	100.00	100.00
75.....	190.00	165.00	150.00
100.....	250.00	225.00	200.00
150.....	325.00	300.00	275.00
200.....	420.00	400.00	350.00

SPECIAL RHEOSTATS.


In ordering Special Rheostats the following information is necessary.

- 1st. The purpose for which the Rheostat is to be used.
- 2nd. The maximum current to be carried.
- 3rd. The maximum time the current will be flowing through the resistance of the Rheostat.
- 4th. The minimum current to be used.
- 5th. The total resistance to be required.
- 6th. The voltage of the current.
- 7th. The horse power or K.W. of the motor or dynamo used.
- 8th. The number of steps or divisions necessary on the front of Rheostat.

When provided with the exact knowledge of just what the Rheostat is expected to do, many of the above points can be determined. By giving explicit and full information prompt results can be obtained.



Motor Starting Box, with Automatic Release.
300 Ampere Front.



Combined Motor Starting Box and
Speed Regulator.

Cutler-Hammer Rheostats.—Continued.

COMBINED MOTOR STARTING BOX AND
SPEED REGULATOR.

Automatic Release from Every Point.

Our Motor Speed Regulators, with Automatic Release, combine in one device all the advantages and protections afforded by our Automatic Release Motor Starters, in addition to the great convenience of a Speed Regulator.

The Automatic Release acts from every contact point, firmly locking the arm in position at any desired speed, and upon failure of the current, or the opening of the field circuit, automatically releases the arm, permitting it to return to the full off position.

In ordering give Horse-power, Voltage, Normal Speed, and make of Motor. Also, lowest speed desired and kind of machinery attached to the motor. Prices are based on 50 per cent. reduction of speed at full load

H. P	120 VOLTS.		220 VOLTS.		500 VOLTS.	
	With Autom'tic Release.	Without Autom'tic Release.	With Autom'tic Release.	Without Autom'tic Release.	With Autom'tic Release.	Without Autom'tic Release.
1/4	\$ 22.00	\$ 15.00	\$ 22.00	\$ 15.00	\$ 22.00	\$ 15.00
1/2	28.00	18.00	28.00	18.00	28.00	18.00
1	35.00	22.00	35.00	22.00	35.00	22.00
2	42.00	30.00	42.00	30.00	42.00	30.00
3	52.00	40.00	52.00	40.00	52.00	40.00
5	67.00	55.00	67.00	55.00	67.00	55.00
7 1/2	85.00	70.00	85.00	70.00	85.00	70.00
10	100.00	85.00	100.00	85.00	100.00	85.00
15	125.00	110.00	120.00	105.00	120.00	105.00
20	155.00	135.00	145.00	125.00	145.00	125.00
25	185.00	160.00	175.00	150.00	175.00	150.00
30	215.00	185.00	205.00	180.00	200.00	175.00
35	250.00	210.00	240.00	205.00	235.00	200.00
40	295.00	245.00	285.00	235.00	275.00	225.00
50	360.00	300.00	340.00	290.00	325.00	275.00
75	500.00	435.00	450.00	400.00	425.00	375.00


Reversible Controllers.

For either Series or Shunt Wound Motors.

Adapted for Traveling Cranes, Locomotive Turn Tables, Conveyors,
Swinging Bridges, Rolling Mills, Hoists,
Unloading Vessels,

and all kinds of Eleetrie work where the Motor is started and
stopped, and its direction of rotation is changed a great many
times a day

Renewable Carbon Brushes and Segments, Non-Sparkling,
Compact and Indestructible.



H. P.	VOLTS.			DIMENSIONS OVER ALL IN INCHES.			Weight. Lbs.
	110	220	500	Height.	Width.	Depth.	
3	\$120.00	\$120.00	\$120.00	30	16	14	150
5	150.00	150.00	150.00	30	16	16	175
7½	180.00	180.00	180.00	30	16	18	200
10	200.00	200.00	200.00	36	18	18	250
15	220.00	220.00	220.00	36	18	18	275
20	240.00	230.00	230.00	40	18	18	300
25	250.00	240.00	240.00	40	18	18	300
30	260.00	250.00	250.00	40	20	18	350
40	280.00	260.00	260.00	40	20	18	350
50	300.00	275.00	275.00	40	20	18	350
75	360.00	300.00	300.00	40	22	22	400

Depth includes projection of handle.

These Controllers are designed to start and stop a Motor a
great many times a day, and to regulate the speed of the
motor during a time not to exceed a minute or two. They
are not designed to regulate the speed of a Motor which
runs continuously for hours, but will not burn out even if
abused to this extent.

In ordering always state whether a Controller
is desired for a Shunt or Series wound Motor.

Carpenter Enamel Rheostats.

Type "R"

Small Motor Regulating Rheostats, 1-16 to 1-6 H. P.




No. 20416.

Code Word.	List No.	Size of Motor in H. P.	Volts.	Capacity in Amp. Continuously.	List Price Each.
<i>Aaronic</i>	25102	$\frac{1}{8}$	125	.7	\$4.50
<i>Rubelite</i>	20416	$\frac{1}{8}$	125	1.	3.70
<i>Rubeola</i>	20417	$\frac{1}{8}$	125	1.5	3.70
<i>Rubescence</i>	20418	$\frac{1}{8}$	125	2.	3.70
<i>Rubescant</i>	20419	$\frac{1}{8}$	250	.5	4.50
<i>Rubican</i>	20420	$\frac{1}{8}$	250	.75	4.50

Motor Regulating Rheostats.

These Rheostats are intended for regulating the speed of motors down to one-half of the full speed under full torque, and will stand the "maximum amperes" continuously with the full switch lever on any contact.



No. 20421.

Code Word.	List No.	H. P. of Motor	Volts.	Maximum Amperes.	
<i>Rubicelle</i>	20421	$\frac{1}{4}$	125	2.5	8.50
<i>Rubicund</i>	20422	$\frac{1}{4}$	125	4	13.00
<i>Rubidium</i>	20423	1	125	8	17.00
<i>Rubific</i>	20424	2	125	16	23.00
<i>Rubiforme</i>	20425	3	125	24	23.00
<i>Rubify</i>	20426	5	125	40	35.00
<i>Rubiginous</i>	20427	7 $\frac{1}{2}$	125	60	55.00
<i>Rubbigo</i>	20428	10	125	80	55.00
<i>Rubine</i>	20429	15	125	120	78.00
<i>Rubrous</i>	20430	20	125	150	98.00
<i>Rubric</i>	20431	25	125	190	175.00
<i>Rubrical</i>	20432	30	125	230	220.00
<i>Aaronical</i>	25103	40	125	288	260.00
<i>Aaron's rod</i>	25104	50	125	360	350.00
<i>Rubricate</i>	20433	$\frac{1}{4}$	250	1.2	8.50
<i>Rubrician</i>	20434	$\frac{1}{4}$	250	2	14.00
<i>Rubricist</i>	20435	1	250	4	17.00
<i>Rubstone</i>	20436	2	250	8	22.00
<i>Rubus</i>	20437	3	250	12	23.00
<i>Ruby</i>	20438	5	250	20	35.00
<i>Rubytail</i>	20439	7 $\frac{1}{2}$	250	30	55.00
<i>Rubywood</i>	20440	10	250	40	55.00
<i>Ruche</i>	20441	15	250	60	75.00
<i>Ruck</i>	20442	20	250	75	95.00
<i>Ructation</i>	20443	25	250	95	118.00
<i>Rud</i>	20444	30	250	115	138.00
<i>Ab</i>	25105	40	250	144	235.00
<i>Abaca</i>	25106	50	250	180	275.00
<i>Abaciscus</i>	25107	75	250	270	400.00
<i>Abacist</i>	25108	100	250	360	550.00
<i>Rudder</i>	20445	$\frac{1}{4}$	500	6	11.00
<i>Ruddercoat</i>	20446	$\frac{1}{4}$	500	1	14.00
<i>Rudderhead</i>	20447	1	500	2	23.00
<i>Ruddernole</i>	20448	2	500	4	39.00
<i>Rudderless</i>	20449	3	500	6	40.00
<i>Ruddernail</i>	20450	5	500	10	55.00
<i>Rudderpant</i>	20451	7 $\frac{1}{2}$	500	15	60.00
<i>Rudderstock</i>	20452	10	500	20	60.00
<i>Ruddied</i>	20453	15	500	30	100.00
<i>Ruddle</i>	20454	20	500	38	120.00
<i>Ruddleman</i>	20455	25	500	48	140.00
<i>Ruddock</i>	20456	30	500	58	160.00
<i>Abacot</i>	25109	40	500	72	200.00
<i>Abactor</i>	25110	50	500	90	270.00
<i>Abaculus</i>	25111	75	500	135	370.00
<i>Abaddon</i>	25112	100	500	180	500.00


Carpenter Enamel Rheostats.—(Continued.)

Motor Starting Rheostats.


With "No Voltage" Automatic Release. Protecting Motor in case of Failure of Current from any cause.

"IA" Type.

Code Word	List No.	H. P. of Motor.	Volts.	Max. Amp. for 15 Sec.	List Price, Each.
<i>Aberancey</i>	25180	$\frac{1}{4}$	125	2.5	\$14.50
<i>Ruddy</i>	20457	$\frac{1}{2}$	125	4.	14.50
<i>Rude</i>	20458	1	125	8.	14.50
<i>Rudely</i>	20459	2	125	16.	16.00
<i>Rudeness</i>	20460	3	125	24.	19.00
<i>Rudenture</i>	20461	5	125	40.	23.00
<i>Ruderary</i>	20462	$7\frac{1}{2}$	125	60.	28.00
<i>Ruderation</i>	20463	10	125	80.	33.00
<i>Abberate</i>	25181	15	125	120.	46.00
<i>Abberation</i>	25182	20	125	150.	46.00
<i>Aberuncate</i>	25183	25	125	190.	59.00
<i>Aberuncator</i>	25184	30	125	230.	79.00
<i>Abetment</i>	25185	40	125	288.	82.00
<i>Abettal</i>	25186	50	125	360.	92.00
<i>Abettor</i>	25187	$\frac{1}{4}$	250	1.2	14.50
<i>Rudesby</i>	20464	$\frac{1}{2}$	250	2.	14.50
<i>Rudiment</i>	20465	1	250	4	14.50
<i>Rudish</i>	20466	2	250	8.	16.00
<i>Rudity</i>	20467	3	250	12.	19.00
<i>Rudelphine</i>	20468	5	250	20.	23.00
<i>Rue</i>	20469	$7\frac{1}{2}$	250	30.	28.00
<i>Rueful</i>	20470	10	250	40.	32.00
<i>Ruefully</i>	20471	15	250	60.	38.00
<i>Ruelle</i>	20472	20	250	75.	41.00
<i>Abervacuation</i>	25188	25	250	95.	46.00
<i>Abeysance</i>	25189	30	250	115.	66.00
<i>Abeysant</i>	25190	40	250	144.	67.00
<i>Abgregate</i>	25191	50	250	180.	79.00
<i>Abgregation</i>	25192	75	250	270.	117.00
<i>Abhat</i>	25193	100	250	360.	157.00
<i>Abhominable</i>	25194	$\frac{1}{4}$	500	.6	17.00
<i>Rufescent</i>	20473	$\frac{1}{2}$	500	1.	17.00
<i>Ruff</i>	20474	1	500	2.	17.00
<i>Ruffed</i>	20475	2	500	4.	19.00
<i>Ruffian</i>	20476	3	500	6.	21.00
<i>Ruffianism</i>	20477	5	500	10.	26.00
<i>Ruffianly</i>	20478	$7\frac{1}{2}$	500	15.	30.00
<i>Ruffianous</i>	20479	10	500	20.	34.00
<i>Ruffle</i>	20480	15	500	30.	36.00
<i>Rufflement</i>	20481	20	500	38.	39.00
<i>Abhor</i>	25195	25	500	48.	44.00
<i>Abhorrence</i>	25196	30	500	58.	64.00
<i>Abhorrencey</i>	25197	40	500	72.	64.00
<i>Abhorrent</i>	25198	50	500	90.	78.00
<i>Abhorrently</i>	25199	75	500	135.	106.00
<i>Abhorrer</i>	25200	100	500	180.	139.00



No. 25120.



No. 25201.

Spring Starters—Motor Starting Rheostats.

Provided with Safety Spring Switch.

"SS" Type.

Code Word	List No.	H. P. of Motor.	Volts.	Max. Amp. for 15 Sec.	List Price, Each.
<i>Abhorribe</i>	25201	$\frac{1}{4}$	125	2.5	7.00
<i>Ruffleless</i>	20482	$\frac{1}{2}$	125	4.	7.00
<i>Ruffler</i>	20483	1	125	8.	8.50
<i>Rufous</i>	20484	2	125	16.	10.00
<i>Ruft</i>	20485	3	125	24.	13.00
<i>Rufterhood</i>	20486	5	125	40.	17.00
<i>Rug</i>	20487	$7\frac{1}{2}$	125	60.	22.00
<i>Rugate</i>	20488	10	125	80.	27.00
<i>Rugged</i>	20489	15	125	120.	40.00
<i>Ruggedly</i>	20490	20	125	150.	40.00
<i>Ruggedness</i>	20491	25	125	190.	52.00
<i>Rugging</i>	20492	30	125	230.	72.00
<i>Abhorring</i>	25202	40	125	288.	75.00
<i>Abib</i>	25203	50	125	360.	85.00


Carpenter Enamel Rheostats.—(Continued.)

Spring Starters—(Continued.)

Motor Starting Rheostats.


Provided with Safety Spring Switch.

"SS" Type.



No. 20493.

Code Word	List No.	H. P. of Motor	Volts	Max. Amp. for 15 Sec.	List Price Each.
<i>Abundant</i>	25121	$\frac{1}{4}$	250	1.2	\$ 7.00
<i>Rugby</i>	20493	$\frac{1}{4}$	250	2.	7.00
<i>Rugged</i>	20494	1	250	4.	8.50
<i>Rugby</i>	20495	2	250	8	10.00
<i>Rugby</i>	20496	3	250	12.	13.00
<i>Rugby</i>	20497	5	250	20.	17.00
<i>Rugby</i>	20498	$7\frac{1}{2}$	250	30.	22.00
<i>Rugby</i>	20499	10	250	40.	26.00
<i>Rugby</i>	20500	15	250	60.	32.00
<i>Rugby</i>	20501	20	250	75	35.00
<i>Rugby</i>	20502	25	250	95	40.00
<i>Rugby</i>	20503	30	250	115	60.00
<i>Rugby</i>	25122	40	250	144	60.00
<i>Rugby</i>	25123	50	250	180	72.00
<i>Rugby</i>	25124	75	250	270	110.00
<i>Rugby</i>	25125	100	250	360.	150.00
<i>Rugby</i>	25126	$\frac{1}{4}$	500	6	9.00
<i>Rugby</i>	20504	$\frac{1}{2}$	500	1	9.00
<i>Rugby</i>	20505	1	500	2.	9.00
<i>Rugby</i>	20506	2	500	4.	11.00
<i>Rugby</i>	20507	3	500	6.	13.00
<i>Rugby</i>	20508	5	500	10.	18.00
<i>Rugby</i>	20509	$7\frac{1}{2}$	500	15.	22.00
<i>Rugby</i>	20510	10	500	20.	26.00
<i>Rugby</i>	20511	15	500	30.	28.00
<i>Rugby</i>	20512	20	500	38.	31.00
<i>Rugby</i>	20513	25	500	48.	36.00
<i>Rugby</i>	20514	30	500	58.	56.00
<i>Rugby</i>	25127	40	500	72.	56.00
<i>Rugby</i>	25128	50	500	90.	70.00
<i>Rugby</i>	25129	75	500	135.	97.00
<i>Rugby</i>	25130	100	500	180.	130.00



No. 20515.

Leoard Universal Automatic Rheostat.

With "Overload" and "No Voltage" Release.


"DL" Type.

Code Word.	List No.	H. P. of Motor	Volts	Max. Amp. for 15 Sec.	List Price Each.
<i>Abundant</i>	25131	$\frac{1}{4}$	125	2.5	\$24.00
<i>Rugby</i>	20515	$\frac{1}{4}$	125	4.	24.00
<i>Rugby</i>	20516	1	125	8	24.00
<i>Rugby</i>	20517	2	125	16.	24.00
<i>Rugby</i>	20518	3	125	24	24.00
<i>Rugby</i>	20519	5	125	40.	29.00
<i>Rugby</i>	20520	$7\frac{1}{2}$	125	60.	35.00
<i>Rugby</i>	20521	10	125	80.	40.00
<i>Rugby</i>	20522	15	125	120.	55.00
<i>Rugby</i>	20523	20	125	150.	60.00
<i>Rugby</i>	25132	25	125	190.	70.00
<i>Rugby</i>	25133	30	125	230.	111.00
<i>Rugby</i>	25134	40	125	288.	126.00
<i>Rugby</i>	25135	50	125	360.	172.00

Carpenter Enamel Rheostats.—(Continued.)


"D L" Type—(Continued.)

Leonard Universal Automatic Rheostat.



No. 20528.

Code Word	List No	H. P. of Motor	Volts	Max. Amp. for 15 Sec.	List Price Each.
<i>Abatised</i>	25136	$\frac{1}{4}$	250	1.2	\$24.00
<i>Ruminal</i>	20528	$\frac{1}{2}$	250	2	24.00
<i>Ruminant</i>	20529	1	250	4	24.00
<i>Ruminate</i>	20530	2	250	8	24.00
<i>Rumination</i>	20531	3	250	12	24.00
<i>Ruminator</i>	20532	5	250	20	29.00
<i>Ruminsch</i>	20533	$7\frac{1}{2}$	250	30	35.00
<i>Rumkin</i>	20534	10	250	40	40.00
<i>Rummage</i>	20535	15	250	60	45.00
<i>Abatude</i>	25137	20	250	75	50.00
<i>Abature</i>	25138	25	250	95	55.00
<i>Abowed</i>	25139	30	250	115	75.00
<i>Abbatial</i>	25140	40	250	144	85.00
<i>Abbatial</i>	25141	50	250	180	90.00
<i>Abba</i>	25142	75	250	270	185.00
<i>Abatship</i>	25143	100	250	360	230.00
<i>Rumney</i>	20539	$\frac{1}{4}$	500	6	26.00
<i>Rumnous</i>	20540	$\frac{1}{2}$	500	1	26.00
<i>Rumorer</i>	20541	1	500	2	26.00
<i>Rumorous</i>	20542	2	500	4	26.00
<i>Rump</i>	20543	3	500	6	27.00
<i>Rumper</i>	20544	5	560	10	32.00
<i>Rumpfed</i>	20545	$7\frac{1}{2}$	500	15	36.00
<i>Rumple</i>	20546	10	500	20	40.00
<i>Rumpless</i>	20547	15	500	30	45.00
<i>Abbreviate</i>	25144	20	500	38	46.00
<i>Abbreviation</i>	25145	25	500	48	50.00
<i>Abbreviator</i>	25146	30	500	58	70.00
<i>Abbreviatory</i>	25147	40	500	72	75.00
<i>Abbreviature</i>	25148	50	500	90	88.00
<i>Abb-wool</i>	25149	75	500	135	135.00
<i>Abdal</i>	25150	100	500	180	180.00



No. 20551.

Reversing Controllers.

Reversing Controllers, for Reversing Direction of Rotation and for Controlling Speed of Motors. "RR" Type.

One of the most difficult problems in connection with electric motors, is to secure a perfect device for operating a motor at a variable speed at will, and reversing its direction of rotation.

We handle a full line of reversing Rheostats for motors, from $\frac{1}{2}$ H. P. to 100 H. P., and of any voltage. Also a complete line of field reversing Rheostats. We make a specialty of such Rheostats for traveling crane service and elevator service, and can ordinarily make prompt shipment from stock for usual sizes.

These controllers are provided with quick break devices, in connection with controlling switch, so that when bringing the motor to rest from either direction of rotation the arc is broken instantly.


Code Word	List No	H. P. of Motor.	Volts.	Max. Amp for 15 Sec	List Price Each.
<i>Abderian</i>	25151	2	125	16	\$85.00
<i>Abderite</i>	25152	3	125	24	85.00
<i>Abdert</i>	25153	5	125	40	90.00
<i>Abdicant</i>	25154	$7\frac{1}{2}$	125	60	105.00
<i>Abdication</i>	25155	10	125	80	105.00
<i>Abdicative</i>	25156	15	125	120	260.00
<i>Abditory</i>	25157	20	125	150	280.00
<i>Abdomen</i>	25158	25	125	190	300.00
<i>Abdominal</i>	25159	30	125	230	420.00
<i>Abdominopy</i>	25160	40	125	288	460.00
<i>Abdominous</i>	25161	50	125	360	500.00



Carpenter Enamel Rheostats.—(Continued.)
“RR” Type.—Continued.

Reversing Controllers.


Code Word.	List No.	H. P. of Motor.	Volts.	Max. Amp. for 15 Sec.	List Price, Each.
Abidance	25204	2	250	8.	\$85.00
Abider	25205	3	250	12.	85.00
Runer	20559	5	250	20.	90.00
Rung	20560	7½	250	30.	105.00
Runghead	20561	10	250	40.	105.00
Runic	20562	15	250	60.	125.00
Runlet	20563	20	250	75.	145.00
Runnel	20564	25	250	95.	300.00
Abidingly	25206	30	250	115.	320.00
Abietic	25207	40	250	144.	360.00
Abigail	25208	50	250	180.	400.00
Abiliment	25209	75	250	270.	600.00
Abintestate	25210	100	250	360.	700.00
Abirritation	25211	2	500	4.	105.00
Abjudicate	25212	3	500	6.	105.00
Runnet	20566	5	500	10.	105.00
Running	20567	7½	500	15.	105.00
Runnion	20568	10	500	20.	105.00
Runt	20569	15	500	30.	125.00
Rupee	20570	20	500	38.	145.00
Rupellary	20571	25	500	48.	165.00
Abjudication	25213	30	500	58.	185.00
Abjugate	25214	40	500	72.	225.00
Abjunctive	25215	50	500	90.	265.00
Abjuration	25216	75	500	135.	525.00
Abjulatory	25217	100	500	180.	625.00




Ventilating-Fan Speed Controllers.

Reducing Speed of Fan and Series Wound Motor to Half-Full Speed.
“SV” Round Type. “V” Square Type.

Code Word.	List No.	H. P. of Motor.	Volts.	Type.	Max. Amp. at full Speed of Fan.	List Price Each.
Abjurement	25218	1¼	125	SV	1.	\$3.70
Abjurer	25219	1½	125	SV	1.5	3.70
Abductate	25220	1½	125	SV	2.	3.70
Abductation	25221	1½	125	V	1.5	7.00
Abducqueate	25222	1½	125	V	2.5	7.00
Abducqueaton	25223	1½	125	V	4.	7.00
Able-bodied	25224	1	125	V	8.	11.00
Ablegate	25225	2	125	V	16.	15.00
Ablegation	25226	3	125	V	24.	22.00
Ablen	25227	5	125	V	40.	38.00
Ablet	25228	7½	125	V	60.	40.00
Ablenese	25229	10	125	V	80.	70.00
Ablepsy	25230	15	125	V	120.	90.00
Abler	25231	1½	250	SV	.5	4.50
Ablest	25232	1½	250	SV	.75	4.50
Abligate	25233	1½	250	V	.5	10.00
Abligation	25234	1½	250	V	1.2	8.00
Abliguration	25235	1½	250	V	2	9.00
Ablocate	25236	1	250	V	4.	11.00
Ablocation	25237	2	250	V	8	15.00
Abloom	25238	3	250	V	12	22.00
Ablude	25239	5	250	V	20.	38.00
Abluent	25240	7½	250	V	30.	40.00
Ablutionary	25241	10	250	V	40.	55.00
Ablusion	25242	15	250	V	60.	72.00
Abnegation	25243	1¼	500	V	.6	18.00
Abnegative	25244	1½	500	V	1.	12.00
Abnegator	25245	1	500	V	2.	12.00
Abnet	25246	2	500	V	4.	14.00
Abnodate	25247	3	500	V	6.	23.00
Abnodation	25248	5	500	V	10.	38.00
Abnormous	25249	7½	500	V	15.	40.00
Abodance	25250	10	500	V	20.	55.00
Abodement	25251	15	500	V	30.	72.00







No. 20593.



No. 20607.



No. 20609.



No. 20611.

Carpenter Enamel Rheostats.—(Continued.)


125 Volt Round Type, Field Rheostats.

For Front of Board.

Code Word.	List No.	Max. Amp. 1st Step.	Ohms of Field to which Rheostat is well suited.	Ohms of Rheostat	No. of Steps.	Ampere Capacity of Last Step.	Diam. ins.	List Price. Each.
<i>Rusher</i>	20593	.5	250.	300.	24	.227	8	\$ 12.50
<i>Rushgrass</i>	20594	.62	200.	240.	24	.284	8	12.50
<i>Rushiness</i>	20595	.75	166.	200.	24	.341	8	12.50
<i>Rushingly</i>	20596	1.	125.	150.	24	.454	8	12.50
<i>Rushlight</i>	20597	1.25	100.	120.	24	.568	8	12.50
<i>Rushlike</i>	20598	1.5	83.	100.	24	.683	8	12.50
<i>Rushring</i>	20599	2.	62.5	75.	24	.91	8	12.50
<i>Rushy</i>	20600	2.5	50.	60.	24	1.13	8	12.50
<i>Rusk</i>	20601	3.	42.	50.	24	1.35	8	12.50
<i>Rusma</i>	20602	4.	31.	37.5	33	1.82	10	14.25
<i>Russ</i>	20603	5.	25.	30.	44	2.27	12	18.50
<i>Russett</i>	20604	6.	21.	25.	44	2.7	12	18.50
<i>Russetting</i>	20605	8.	15.6	18.75	60	3.64	15	24.50
<i>Russety</i>	20606	10.	12.5	15.	60	3.33	15	24.50
<i>Russleather</i>	20607	12.5	10.	12.	60	5.7	15	39.00
<i>Russia</i>	20608	16.	7.8	9.3	60	7.3	15	39.00
<i>Russian</i>	20609	20.	6.2	7.5	60	9.1	15	56.00
<i>Rust</i>	20610	25.	5.	6.	60	11.36	15	56.00

For Back of Board.


Code Word.	List No.	Max. Amp. 1st Step.	Ohms of Field to which Rheostat is well suited.	Ohms of Rheostat	No. of Steps	Ampere Capacity of Last Step.	Diam. ins.	List Price. Each.
<i>Rustful</i>	20611	.5	250.	300.	24	.227	8	\$ 25.00
<i>Rustie</i>	20612	.62	200.	240.	24	.284	8	25.00
<i>Rustical</i>	20613	.75	166.	200.	24	.341	8	25.00
<i>Rustically</i>	20614	1.	125.	150.	24	.454	8	25.00
<i>Rusticate</i>	20615	1.2	100.	120.	24	.568	8	25.00
<i>Rustication</i>	20616	1.5	83.	100.	24	.683	8	25.00
<i>Rusticity</i>	20617	2.	62.5	75.	24	.91	8	25.00
<i>Rusting</i>	20618	2.5	50.	60.	24	1.13	8	25.00
<i>Rustiness</i>	20619	3.	42.	50.	24	1.35	8	25.00
<i>Rustjoint</i>	20620	4.	31.	37.5	33	1.82	10	27.50
<i>Rustle</i>	20621	5.	25.	30.	44	2.27	12	31.50
<i>Rustler</i>	20622	6.	21.	25.	44	2.7	12	31.50
<i>Rusty</i>	20623	8.	15.6	18.75	60	3.64	15	37.00
<i>Ru</i>	20624	10.	12.5	15.	60	3.33	15	37.00
<i>Rutabaga</i>	20625	12.5	10.	12.	60	5.7	15	48.00
<i>Rutaceous</i>	20626	16.	7.8	9.3	60	7.3	15	48.00
<i>Ruth</i>	20627	20.	6.2	7.5	60	9.1	15	66.00
<i>Ruthenium</i>	20628	25.	5.	6.	60	11.36	15	66.00



No. 20629.



No. 20637.



No. 20639.



No. 20641.

Carpenter Enamel Rheostats.—(Continued.)

250 Volt Round Type, Field Rheostats.

For Front of Board.

Fig. 8, 9 and 10.

Code Word.	List No.	Max. Amp. 1st Step.	Ohms of Field to which Rheostat is well suited.	Ohms of Rheostat	No. of Steps.	Ampere Capacity of Last Step.	Diam. ins.	List Price. Each.
<i>Ruthful</i>	20629	1	250	300	44	.454	12	\$18.50
<i>Ruthfully</i>	20630	1.25	200	240	44	.568	12	18.50
<i>Ruthless</i>	20631	1.5	166	200	44	.682	12	18.50
<i>Rutidosis</i>	20632	2.	125	150	44	.909	12	18.50
<i>Rutil</i>	20633	2.5	100	120	44	1.136	12	18.50
<i>Rutilant</i>	20634	3	83	100	44	1.366	12	18.50
<i>Rutilate</i>	20635	4	62	75	60	1.82	15	24.50
<i>Rutile</i>	20636	5	50	60	60	2.27	15	24.50
<i>Rutter</i>	20637	6.25	40	48.5	60	2.84	15	39.00
<i>Rutterkin</i>	20638	8.	31	37	60	3.65	15	39.00
<i>Ruttier</i>	20639	10.	25	30	60	4.54	15	56.00
<i>Ruttish</i>	20640	12.5	20	24	60	5.7	15	56.00

For Back of Board.

Code Word.	List No.	Max. Amp. 1st Step.	Ohms of Field to which Rheostat is well suited.	Ohms of Rheostat	No. of Steps	Ampere Capacity of Last Step.	Diam. ins.	List Price. Each.
<i>Ruttishness</i>	20641	1.	250	300	44	.454	12	\$31.50
<i>Ruttle</i>	20642	1.25	200	240	44	.568	12	31.50
<i>Rutty</i>	20643	1.5	166	200	44	.682	12	31.50
<i>Rynd</i>	20644	2.	125	150	44	.909	12	31.50
<i>Ryder</i>	20645	2.5	100	120	44	1.136	12	31.50
<i>Rye</i>	20646	3	83	100	44	1.366	12	31.50
<i>Ryegrass</i>	20647	4.	62	75	60	1.82	15	37.00
<i>Rynchops</i>	20648	5.	50	60	60	2.27	15	37.00
<i>Rynd</i>	20649	6.25	40	48	60	2.84	15	48.00
<i>Ryot</i>	20650	8.	31	37.5	60	3.65	15	48.00
<i>Ryth</i>	20651	10.	25	30	60	4.54	15	66.00
<i>Rytma</i>	20652	12.5	20	24	60	5.7	15	66.00

500 Volt Round Type, Field Rheostats.

Front of Board.


Code Word.	List No.	Max. Amp. 1st Step.	Ohms of Field to which Rheostat is well suited.	Ohms of Rheostat	No. of Steps	Ampere Capacity of Last Step.	Diam. ins.	List Price. Each.
<i>Sadah</i>	20653	1.25	400	480	44	.568	12	\$18.50
<i>Saba</i>	20654	1.5	333	400	44	.682	12	18.50
<i>Sabadilla</i>	20655	2.	250	300	60	.909	15	24.50
<i>Sabacan</i>	20656	2.5	200	240	60	1.14	15	24.50
<i>Sabacanism</i>	20657	3.	166	200	60	1.36	15	39.00
<i>Sabaism</i>	20658	4.	125	150	60	1.82	15	39.00
<i>Sabal</i>	20659	5.	100	120	60	2.27	15	56.00
<i>Sabouth</i>	20660	6.25	80	96	60	2.84	15	56.00

Carpenter Enamel Rheostats.—(Continued.)

500 Volt Round Type, Field Rheostats.

For Back of Board.

Code Word.	List No.	Max. Amp. 1st Step.	Ohms of Field to which Rheostat is well suited.	Ohms of Rheostat	No. of Steps.	Ampere Capacity of Last Step.	Diam. ins.	List Price, Each.
<i>Sabasia</i>	20661	1.25	400	480	44	.568	12	\$31.50
<i>Sabbat</i>	20662	1.5	333	400	41	.682	12	31.50
<i>Sabbatarian</i>	20663	2.	250	300	60	.909	15	37.00
<i>Sabbat</i>	20664	2.5	200	240	60	1.14	15	37.00
<i>Sabbatic</i>	20665	3.	166	200	60	1.36	15	48.00
<i>Sabbatism</i>	20666	4.	125	150	60	1.82	15	48.00
<i>Sabbatous</i>	20667	5.	100	120	60	2.25	15	66.00
<i>Sabbine</i>	20668	6.25	80	96	60	2.84	15	66.00



Field Rheostats of Large Capacity.

For Railway and Large Incandescent
Lighting Generators.


No. 20669 to 20704.

Code Word.	List No.	Max. Amp. 1st Step.	Ohms of Field to which Rheostat is well suited.	Ohms of Rheostat	No. of Steps	Ampere Capacity of Last Step.	Volts.	List Price, Each.
<i>Sabeau</i>	20669	8.	18.7	22.5	80	3.6	150	\$ 70.00
<i>Sabrism</i>	20670	10.	15.	18.	80	4.5	"	70.00
<i>Sabella</i>	20671	12.	12.5	15.	80	5.4	"	84.00
<i>Sabellann</i>	20672	16.	9.4	11.2	80	7.2	"	84.00
<i>Sabellian</i>	20673	20.	7.5	9.	80	9.	"	84.00
<i>Saber</i>	20674	24.	6.2	7.5	80	10.8	"	98.00
<i>Sabian</i>	20675	32.	4.7	5.6	80	14.4	"	112.00
<i>Sabianism</i>	20676	40.	3.7	4.5	80	18.	"	127.00
<i>Sabine</i>	20677	48.	3.1	3.8	80	21.6	"	156.00
<i>Sable</i>	20678	64.	2.3	2.8	80	28.8	"	184.00
<i>Sablemouse</i>	20679	80.	1.9	2.2	80	36.	"	200.00
<i>Sablizre</i>	20680	100.	1.5	1.8	80	45.	"	230.00
<i>Sabot</i>	20681	128.	1.2	1.4	80	57.6	"	315.00
<i>Sabulous</i>	20682	4.	75.	90.	80	1.8	300	70.00
<i>Sac</i>	20683	5.	60.	72.	90	2.2	"	70.00
<i>Sacar</i>	20684	6.	50.	60.	80	2.7	"	84.00
<i>Saccade</i>	20685	8.	37.5	45.	80	3.6	"	84.00
<i>Saccate</i>	20686	10.	30.	36.	80	4.5	"	84.00
<i>Saccharic</i>	20687	12.	25.	30.	80	5.5	"	98.00
<i>Saccharifous</i>	20688	16.	18.7	22.5	80	7.2	"	112.00
<i>Saccharify</i>	20689	20	15.	18.	80	9.0	"	112.00
<i>Saccharilla</i>	20690	24.	12.5	15.	80	11.0	"	142.00
<i>Saccharimety</i>	20691	32.	9.4	11.2	80	14.4	"	170.00

Carpenter Enamel Rheostats.—(Continued).

For Railway Generators.

Code Word	List No.	Max Amp. 1st Step	Ohms of Field to which Rheostat is well Suited.	Ohms of Rheostat.	No. of Steps.	Ampere Capacity of Last Step.	Volts	List Price Each
<i>Saccharine</i>	20692	2	300	360.	80	91	600	\$ 70.00
<i>Saccharize</i>	20693	2 5	240	288	80	1 13	600	70.00
<i>Saccharoid</i>	20694	3	200	240	80	1 36	600	84.00
<i>Saccharoidal</i>	20695	4	150	180	80	1.81	600	84.00
<i>Saccharometer</i>	20696	5	120	144	80	2 27	600	84.00
<i>Saccharuin</i>	20697	6	100	120	80	2.72	600	98.00
<i>Saccholuclate</i>	20698	8	75	90	80	3 63	600	112.00
<i>Saccholate</i>	20699	10	60	72	80	4.54	600	112.00
<i>Sacchulmic</i>	20700	12	50.	60	80	5.45	600	142.00
<i>Sacciform</i>	20701	16	37 5	45	80	7.26	600	170.00
<i>Saccomys</i>	20702	20	30	36	80	9.09	600	170.00
<i>Saccular</i>	20703	25	24.	28 8	80	11 36	600	200.00
<i>Saccule</i>	20704	32	18 75	22 5	80	14.54	600	285.00



Theatre Dimmers.

It is safe as regards fire risk, is self-contained, and is shipped complete from factory ready to set up on the stage and connect the two circuit wires to it.


No. of 16 C. P. 100-120 Volt 50 Watt Lamps Controlled	No. of Steps.	Max. Amperes First Step	Max. Amperes Last Step	Dimensions (Inches Over All) when in position shown in cut			Approx. Weights in lbs.	List Price Each
				Horizontal Along Pivot Axis	Across Pivot Axis. Diam.	Vertical Across Pivot Axis. Diam.		
<i>Aboding</i>	25252	SD	1 4 5	1 1½	5	5	1½	\$ 4.50
<i>Abotele</i>	25253	"	2 4 1	2 1½	5	5	1½	4.50
<i>Abolis</i>	25254	"	3 4 1 5	3 1½	5	5	1½	4.50
<i>Abolishable</i>	25255	"	6 9 3	6 3½	5½	5½	3	9.50
<i>Abolishment</i>	25256	"	12 13 6	1 2 3½	7	7	5	11.00
<i>Abolishism</i>	25257	"	15 16 7 5	1 5 4	9	9	8	14.50
<i>Abolitionism</i>	25258	"	20 16 10.	2 4	9	9	8	14.50
<i>Abolitionist</i>	25259	"	25 18 12 5	2.5 4	11	11	16	19.00
<i>Abolitionize</i>	25260	"	30 18 15	3 4	11	11	16	19.00
<i>Abolla</i>	25261	"	40 22 20.	4. 5	14	14	30	27.00
<i>Aboma</i>	25262	"	50 22 25	5. 5	14	14	30	27.00
<i>Abomasum</i>	25263	BD	20- 50 50 25	5 6	18	36	87	40.00
<i>Abomasus</i>	25264	"	30- 75 50 37.5	7 5 6	18	36	87	40.00
<i>Abominable</i>	25265	"	40-100 50 50	10. 6	18	36	87	45.00
<i>Abominabler</i>	25266	"	50-125 50 62.5	12.5 6	18	36	87	50.00
<i>Abomination</i>	25267	"	60-150 50 75	15. 6	18	36	87	50.00
<i>Aboon</i>	25268	"	70-175 50 87.5	17.5 10	18	36	170	80.00
<i>Abord</i>	25269	"	80-200 50 100.	20. 10	18	36	170	85.00
<i>Aborsive</i>	25270	"	90-225 50 112.5	22.5 10	18	36	170	90.00
<i>About</i>	25273	"	100-250 50 125.	25. 10	18	36	170	95.00
<i>Above-board</i>	25274	"	110-275 50 137.5	27.5 10	18	36	170	100.00
<i>Above-cited</i>	25275	"	120-300 50 150.	30. 10	18	36	170	110.00

With Interlocking Switches. "IBD" Type. 100-125 Volt Lamps.

<i>Above-deck</i>	25276	"	20- 50 50 25	5 8	18	44	112	65.00
<i>Above-said</i>	25277	"	30- 75 50 37.5	7.5 8	18	44	112	65.00
<i>Abraid</i>	25278	"	40-100 50 50.	10 8	18	44	112	70.00
<i>Abraum</i>	25279	"	50-125 50 62.5	12.5 8	18	44	112	75.00
<i>Abrazas</i>	25280	"	60-150 50 75.	15. 8	18	44	112	75.00
<i>Abray</i>	25281	"	70-175 50 87.5	17.5 12	18	44	195	105.00
<i>Abrenounce</i>	25282	"	80-200 50 100.	20. 12	18	44	195	110.00
<i>Abricock</i>	25283	"	90-225 50 112.5	22.5 12	18	44	195	115.00
<i>Abroach</i>	25284	"	100-250 50 125.	25. 12	18	44	195	120.00
<i>Abrogation</i>	25285	"	110-275 50 137.5	27.5 12	18	44	195	125.00
<i>Abrood</i>	25286	"	120-300 50 150.	30 12	18	44	105	135.00



[Front view.]



[Back view.]

American "Universal" Enamel Field Rheostats.

The "Universal" rheostat is compact, fire proof, and meets all the requirements of underwriters and municipal inspectors.

The most important feature gained is by having each step of resistance independent, detachable and of small area. Each section of the resistance is made up of a small steel enamelled disc, the resistance being imbedded in the enamel and having copper strip terminals arranged so they are easily connected in series, one disc with another, as shown in the illustration of the back of the plate. Each disc has a hole in its centre which coincides with one on the plate when mounted, through which a flat headed bolt is passed from the front of the plate under the nut of which, when serewed in place, the terminals are clamped, the flat head making the contact point on the front to engage the usual movable arm.

As every step of the "Universal" is removable it is obvious that within certain limits numerous combinations of resistance sections may be made on any one plate. It is only necessary for us to define the limits of each size of plates, leaving you to indicate just what you want, instead of submitting an arbitray list to which you must conform. To fill orders promptly we have a quantity of a few sizes of plates ready for the resistance and a complete stock of the resistance required, and assemble them to order. When we know what you want and it is within the limits of our lists we can ship on demand.

For convenience in ordering, the following tables define the limits of each different plate at the voltage mentioned and also give the list price for each size.

All are made for mounting on front or back of board, as ordered, and the same template for drilling the board answers for all sizes referred to in this catalogue, thereby avoiding the chance of having holes drilled wrong, due to any mistake in ordering.

For 550. Volts. Single Plates.

Maximum Ampere Capacity with only One Section of Resistance in Circuit.	Maximum Ohms in Rheostat.	Minimum Ohms in Field on 550 Volts, required to keep Amperes within limit stated in column 1.	
1.	600	540	
1.25	574	432	
1.5	528	384	
1.75	400	310	
2.	315	272	
2.25	229	241	
			Diameter of Plate.....15 inches
			No. of steps.....60
			Price Front of Board.....\$28.00
			Price Back of Board..... 37.00

Double Plates.

2.5	287	216	
3.	264	192	
3.5	200	155	
4.	158	136	
4.5	115	121	
			Diameter of Plate..... 15 inches
			No. of Steps.....60
			Price Front of Board.....\$50.00
			Price Back of Board..... 60.00

In Ordering, state the maximum voltage at the dynamo, and the resistance of the shunt field circuit; or, the maximum voltage, and the maximum number of amperes required for the field circuit.

American "Universal" Enamel Field Rheostats.

For 125 Volts. Single Plates.

Maximum Ampere Capacity with only One Section of Resistance in Circuit.	Maximum Ohms in Rheostat	Minimum Ohms in Field on 125 Volts, required to keep Amperes within limit stated in column 1.	
1.	250	115	Diameter of Plate.... 9 inches No. of Steps.....25 Price Front of Board....\$15.00 Price Back of Board.... 26.00
1.25	244	92	
1.5	231	77	
1.75	206	67	
2.	184	59	
2.25	160	53	
2.5	134	48	
2.75	101	43	
3.	79	40	
3.5	47.6	34	
4.	32.7	30.4	
1.	310	115	Diameter of Plate...10½ inches No. of Steps.....31 Price Front of Board....\$18.00 Price Back of Board.... 27.00
1.5	291	77	
2.	244	59	
2.5	195	48	
3	140	40	
3.5	95	34	
4	70	30.4	
4.5	44.7	27.2	
5.	28.5	24.5	
1	450	115	Diameter of Plate....12 inches No. of steps.....45 Price Front of Board....\$22.00 Price Back of Board.... 31.00
2	384	59	
3	273	40	
4	162	30.4	
5.	56	24.5	
6	26.5	19.7	
7.	20.2	17.5	
1.	600	115	Diameter of Plate.....15 inches No. of steps.....60 Price Front of Board....\$28.00 Price Back of Board..... 37.00
3	423	40	
5.	182	24.5	
7.	38.8	17.5	
8.	24.5	15.6	
9.	17.3	14	
10.	14.5	12.4	
10.5	11.4	11.5	

Double Plates.

12.5	13.3	9.8	Diameter of Plate....12 inches No. of Steps.....45 Price Front of Board....\$40.00 Price Back of Board.... 49.00
14	10.1	8.7	
12.5	35.	9.8	
14	19.4	8.7	Diameter of Plate.. 15 inches No. of Steps.....60 Price Front of Board...\$50.00 Price Back of Board... 60.00
16.	12.3	7.7	
18.	8.7	6.9	
20.	7.3	6.1	
21.	5.7	5.7	

In Ordering, state the maximum voltage at the dynamo, and the resistance of the shunt field circuit; or, the maximum voltage, and the maximum number of amperes required for the field circuit.

American "Universal" Enamel Field Rheostats.


For 250 Volts. Single Plates.

Maximum Ampere Capacity with only One Section of Resistance in Circuit.	Maximum Ohms in Rheostat.	Minimum Ohms in Field, on 250 Volts, required to keep Amperes within limit stated in column 1.	
1.	250	210	Diameter of Plate.....9 inches No. of Steps.....25 Price Front of Board.....\$15.00 Price Back of Board..... 26.00
1.25	195	192	
1.5	178	167	
1.75	161	139	
2.	136	122	
2.25	102	108	
1.	310	240	Diameter of Plate...10½ inches No. of Steps.....31 Price Front of Board.....\$18.00 Price Back of Board..... 27.00
1.5	238	167	
2.	186	122	
2.5	114	98	
1.	450	210	Diameter of Plate....12 inches No. of steps 45 Price Front of Board.....\$22.00 Price Back of Board..... 31.00
2.	317	122	
3.	145	82	
4.	59	61	
1.	600	240	Diameter of Plate.....15 inches No. of steps.....60 Price Front of Board.....\$28.00 Price Back of Board..... 37.00
2.	467	122	
3.	238	82	
4.	99	61	
5.	48	49	

Double Plates.

6	73.	41	Diameter of Plate.....12 inches No. of Steps.....45 Price Front of Board.....\$40.00 Price Back of Board..... 49.00
8	29.5	30.5	
6.	119	41.	Diameter of Plate... 15 inches No. of Steps.....60 Price Front of Board.....\$50.00 Price Back of Board..... 60.00
8.	49.2	30.5	
10.	24.	24.5	

In Ordering, state the maximum voltage at the dynamo, and the resistance of the shunt field circuit; or, the maximum voltage, and the maximum number of amperes required for the field circuit.




Controller and Rheostat.

Automatic Pressure Controller.

The Controller automatically builds up the machine as soon as the Armature begins to revolve, and keeps the pressure constant without the slightest variation, under all loads, and in spite of rapid changes in speed. The Controller saves time and insures a steady light and long life of the lamps.

List No.		List Price. Each.
25060	Controller in Cabinet with Rheostat.....	200.00
25061	Controller in Cabinet without Rheostat	150.00
25062	Motor and Rheostat for regulating speed, for use with above, extra	50.00
25063	For currents above 20 amperes and up to 100 amperes, extra.....	50.00
25064	Potential Indicator, direct current.....	40.00
25065	Potential Indicator, alternating current.....	50.00



Patented.

Controller Head.


This is designed for use with rheostat ordinarily supplied with dynamo or power generator.

Arranged with pulley to be driven by countershaft or motor as shown.

25066	Controller Head with Pulley...	100.00
-------	-----------------------------------	--------

Automatic Switches for Electric Motors.

Specially Adapted for Operating Electric Pumps.



The above cut represents switch for automatically starting and stopping electric motors (Series wound).

This Switch is for motors not exceeding half horse power.

Mounted on plain slate base in iron frame, with unfinished metal parts.....	\$12.00
Mounted on marbleized slate with japanned iron frame, all metal parts highly polished	15.00
Tinned copper ball float with 2 pulleys, 10 feet brass chain, weight and adjusting balls complete for the above	3.50

Separate Parts.

Tinned Copper Ball Float.....	1.50
Brass Chain, per foot	.10
Japanned Iron Pulleys, each.....	.25
Brass Box with Adjustable Weights	.75
Adjusting Balls, each.	.10




Fig. F


Fig. F represents Automatic Switch in position after cutting off current and stopping motor, the water in tank having reached the desired level. As the water is lowered the float in sinking raises the weight on chain running through slot in bottom lever of Switch until the lower adjusting ball reaches the lever.

In lifting it gradually raises the top lever until it reaches a vertical position.

The weight on this lever then carries it over by gravity, causing it to strike the cam and make contact and start motor and pump.

Any desired depth of water can be maintained in the tank by altering the distance between the adjusting balls on chain running through the slot of switch lever

Automatic Switches for Electric Motors—(Continued)



The above cut represents Switch for automatically starting and stopping Electric Motors up to and including 5 H. P. Arranged to allow the current to gradually enter through resistance, preventing undue sparking at commutator at time of starting motor, thus taking the place of a starting box or rheostat as usually operated by hand.

This switch can be readily adjusted so that the time taken to turn on full current can be varied from 5 to 30 seconds.

Price List.


	Plain	Marbleized Slate with Metal Parts highly Polished
1 H. P	\$50.00	\$55.00
2 "	58.00	63.00
3 "	65.00	70.00
4 "	72.00	77.00
5 "	80.00	85.00

Tinned copper ball float, 2 pulleys, 10 feet brass chain, weight and adjusting balls, complete. 4.50

Separate Parts.

Tinned Copper Ball Float	2.50
Brass Chain, per foot	.15
Japanned Iron Pulleys, ...	.40
Brass Box, with Adjusting Weights.	1.00
Adjusting Balls	.10

Adjustable Rheostats.



No. 21020.

This Rheostat is simple in construction, reliable in operation, and low in cost. It is perfectly fire-proof throughout, only iron and asbestos being used in its construction. The resistance wire is wound upon an asbestos covered wrought iron drum and over the wire is spread a layer of fire-proof cement.

The drums are made both round and elliptical in shape and offer a large radiating surface which insures a cool and uniform action.

The contact with the resistance wire in the drum is made by a slide carrying a number of rollers, thereby insuring good contact at several points and avoiding any heating.

Owing to the form of the shell an exceedingly delicate graduation of resistance is obtained, and moreover the drum occupies but little space in width and is, therefore well adapted for use upon Station Switchboards.

These Rheostats can be operated directly or by mechanism connecting to the front of the Board.

Specify voltage when ordering.

<i>Saltspring</i>	21016	For	1/2	K. W. Dynamos	\$20.00
<i>Saltwater</i>	21017	"	3	"	20.00
<i>Saltwork</i>	21018	"	12	"	22.00
<i>Saltwort</i>	21019	"	15	"	22.00
<i>Salty</i>	21020	"	17	"	22.00
<i>Salubrious</i>	21021	"	20	"	24.00
<i>Salubriouslu</i>	21022	"	25	"	24.00
<i>Salubri</i>	21023	"	30	"	24.00
<i>Salubrity</i>	21024	"	40	"	24.00
<i>Salutarily</i>	21025	"	50	"	26.00
<i>Salutariness</i>	21026	"	60	"	26.00
<i>Salutary</i>	21027	"	75	"	26.00
<i>Salutation</i>	21028	"	100	"	26.00

Prices quoted on special sizes.

B.=F. Theatre Dimmers.


The Bairstow-Fanning Theatre Dimmer is an adjustable Rheostat for regulating the brilliancy of incandescent lamps for stage effects.

In construction these Dimmers resemble our adjustable rheostats described above.

The alterations in voltage of the lamps with the aid of these Dimmers, may be made so gradually that the change in illumination is entirely imperceptible; while on the other hand the lamps may be brought from a bright incandescence to a dull glow almost instantly. This valuable quality of rapidity of adjustment is entirely under control of the operator; while the great range and delicacy of gradations of the Dimmers is afforded by their design and construction,

These Theatre Dimmers are made not only to dim the lamps, i. e. to bring the lamps to a dull glow, but also to totally darken them if desired.


We have the sole right to manufacture these Dimmers and can furnish them in any size.



No. 372.

Interlocking Switchboard for Theatre Lighting.


Equipped with B.-F. Rheostats.




Erected in the Davidson Theatre,
Milwaukee, Wisconsin.

Switchboard for Theatre Lighting.

Equipped with B.-F. Rheostats.



**Erected in the Oliver Opera House,
South Bend, Indiana.**



No. 372.

B.=F. Theatre Dimmers.—(Continued.)

Code Word.	List No.		List Price Each.
<i>Iber</i>	372	10 Amperes, single	\$24.00
<i>Ibis</i>	373	20 " "	30.00
<i>Icarian</i>	374	25 " "	33.00
<i>Iceberg</i>	375	30 " "	36.00
<i>Icelander</i>	376	35 " "	39.00
<i>Icele</i>	377	40 " "	42.00
<i>Icy</i>	378	50 " two in multiple.	51.00
<i>Ida</i>	379	60 " " "	60.00
<i>Ideal</i>	380	70 " " "	75.00
<i>Idiom</i>	381	80 " " "	91.50
<i>Idiot</i>	382	90 " " "	110.00
<i>Idly</i>	383	100 " three "	120.00
<i>Idolater</i>	384	125 " " "	136.00
<i>Idolatress</i>	385	150 " four "	160.00

Lightning Arresters.


There are few problems in electrical engineering which have presented so many difficulties as that of protecting electrical apparatus against lightning.

The successful operation of lightning arresters depends largely—more than is ordinarily supposed—upon a systematic arrangement of the lightning arrester, or a combination of lightning arresters and choke coils, and upon the care with which the installation is made with reference to short straight ground wires, reliable earth connection and maintenance of these connections.

The protection of electric light and power circuits divides itself under two heads: first, the protection of distributing systems; second, the protection of transmission systems.

The Protection of Distributing Systems is effected by means of lightning arresters distributed at frequent intervals over the system. In suburban and otherwise exposed districts four to the mile of wire are recommended. In city districts two are usually found sufficient.


Power Transmission Systems do not require line arresters. The points of protection being at the extremities of the system, namely, in the power house and motor stations, a bank of lightning arresters, in combination with choke coils, is installed at each of these points. For voltages up to 3000 volts, four choke coils arranged in series in each wire, with lightning arresters intervening are recommended. For higher voltages than this, special combinations have to be made, according to the general characteristics of the system with reference to the capacity of the generator and the use of raising and lowering transformers.



No. 126.

Swinging Ball Lightning Arrester.


<i>Laceration</i>	126	Each	\$8.00
-------------------	-----	------------	--------



No. 20763.



No. 20765.



No. 20767.

Lightning Arresters.

Wurt Lightning Arresters.

Double Pole Station Arrester.

Type A.

Code Word.	List No.	List Price. Each.
<i>Saddlery</i>	20763	For Alternating Current, Incandescent and Power Circuits, up to 1200 volts, each. \$21.00
		Use two up to 2400 volts.
		Use three up to 3200 volts.

<i>Saddleshaped</i>	20764	For Alternating Current Arc Circuits, up to 3000 volts, each 21.00
---------------------	--------------	---

Double Pole Line Arresters.

Type C.

<i>Saddletree</i>	20765	For Alternating Current, Incandescent and Power Circuits, up to 1200 volts, each. 4.50
		Use two up to 2100 volts.
		Use three up to 3000 volts.

<i>Saddlucan</i>	20766	For Alternating Current Arc Circuits up to 3000 volts, each 4.50
------------------	--------------	---

Single Pole Station Arrester.


Type K.—For Direct Current Only.

125 up to 600 volts.

<i>Saddlucan</i>	20767	Each 10.50
------------------	--------------	-----------------------------



No. 20769.



No. 20770.

Lightning Arresters.—(Continued.)

Wurt Lightning Arresters.—(Continued.)

Single Pole Line Arrester.

Type J.

Code Word.	List No.	List Price. Each.
<i>Sadducee</i>	20768	For Direct Current Arc Circuits up to 4000 Volts..... 6.00

Type J similar to Type L.

Type L.

<i>Sadduceism</i>	20769	For Direct Current Circuits, 125 up to 600 Volts..... 4.50
-------------------	-------	--

Single Pole Station Arrester.

Type I.

<i>Sadduceism</i>	20770	For Direct Current Arc Circuits up to 4000 Volts..... 8.25
-------------------	-------	--

Double Pole Station Arrester.

Type F.

<i>Sadduceize</i>	20771	For Direct Current, Brush Circuits only 21.00
-------------------	-------	---



Garton Lightning Arrester.

Lightning Arresters.

<i>Absolutist</i>	25312	Station Arrester, marble base	11.00
<i>Absolutistir</i>	25313	“ “ marbleized slate	11.00
<i>Absolutory</i>	25314	“ “ plain slate	8.00
<i>Absolcable</i>	25315	Pole Arrester, with iron cover.....	11.00
<i>Absolratory</i>	25316	“ “ “ wooden cover	8.00
<i>Absonate</i>	25317	Car “ “ iron cover.....	11.00

Kicking Coil.

<i>Absonous</i>	25318	Marble Base, 325 amperes	14.00
<i>Absorbabil</i>	25319	Wooden Base, 325 amperes	12.00
<i>Absorbable</i>	25320	Marble Base, 125 amperes	12.00
<i>Absorbtion</i>	25321	Plain Slate, 125 amperes.....	10.00
<i>Absorpt</i>	25322	Car and Stationary	9.00

"In ordering Garton Lightning Arresters state voltage and whether for Direct or Alternating Current."




Perfection Woven Wire Brushes.

Code Word.	List No							List Price. Each.
<i>Salient</i>	20900	½ ins. wide, 3-16 ins. thick, 6 ins. long						\$.75
<i>Saliently</i>	20901	¾ " 1-4 " 7 "						1.25
<i>Saliferous</i>	20902	¾ " 1-2 " 7 "						1.50
<i>Salifiable</i>	20903	¾ " 1-4 " 7 "						1.35
<i>Salification</i>	20904	1 " 1-8 " 7 "						1.30
<i>Salify</i>	20905	1 " 1-4 " 7 "						1.50
<i>Saligat</i>	20906	1 " 5-16 " 7 "						1.60
<i>Salina</i>	20907	1 ⅛ " 1-4 " 7 "						1.60
<i>Salination</i>	20908	1 ⅛ " 5-16 " 7 "						1.70
<i>Saline</i>	20909	1 ⅛ " 3-8 " 7 "						1.80
<i>Salineness</i>	20910	1 ⅛ " 1-2 " 7 "						2.00
<i>Saliniferous</i>	20911	1 ¼ " 1-4 " 7 "						1.75
<i>Saliniform</i>	20912	1 ¼ " 5-16 " 7 "						1.90
<i>Salinometer</i>	20913	1 ¼ " 3-8 " 7 "						2.05
<i>Salinous</i>	20914	1 ¼ " 1-2 " 7 "						2.30
<i>Salique</i>	20915	1 ⅜ " 3-16 " 7 "						1.75
<i>Salite</i>	20916	1 ⅜ " 1-4 " 7 "						1.85
<i>Saliva</i>	20917	1 ⅜ " 5-16 " 7 "						2.00
<i>Salival</i>	20918	1 ⅜ " 3-8 " 7 "						2.20
<i>Salivant</i>	20919	1 ⅜ " 1-2 " 7 "						2.50
<i>Salivary</i>	20920	1 ½ " 1-4 " 7 "						2.00
<i>Salivate</i>	20921	1 ½ " 5-16 " 7 "						2.20
<i>Salivation</i>	20922	1 ½ " 3-8 " 7 "						2.40
<i>Salivous</i>	20923	1 ½ " 1-2 " 7 "						2.75
<i>Salix</i>	20924	1 ½ " 5-8 " 7 "						3.00
<i>Sallenders</i>	20925	1 ½ " 5-8 " 8 "						3.25
<i>Sallet</i>	20926	1 ⅝ " 1-4 " 7 "						2.20
<i>Salleting</i>	20927	1 ⅝ " 5-16 " 7 "						2.50
<i>Salliance</i>	20928	1 ⅝ " 3-8 " 7 "						2.75
<i>Sallow</i>	20929	1 ⅝ " 1-2 " 7 "						3.25
<i>Sallowness</i>	20930	1 ¾ " 1-4 " 7 "						2.25
<i>Sallowthorn</i>	20931	1 ¾ " 5-16 " 8 "						2.35
<i>Sally</i>	20932	1 ¾ " 3-8 " 8 "						2.50
<i>Sallylunn</i>	20933	1 ¾ " 1-2 " 8 "						3.00
<i>Sallyport</i>	20934	1 ¾ " 5-8 " 8 "						3.50
<i>Salnagundi</i>	20935	1 ¾ " 3-4 " 8 "						4.00
<i>Salniac</i>	20936	1 ¾ " 7-8 " 8 "						4.50
<i>Salnis</i>	20937	1 ⅞ " 1-4 " 7 "						2.30
<i>Salnon</i>	20938	1 ⅞ " 5-16 " 8 "						2.45
<i>Salmonet</i>	20939	1 ⅞ " 3-8 " 8 "						2.75
<i>Salmonoid</i>	20940	1 ⅞ " 1-2 " 8 "						3.50
<i>Salmonpeel</i>	20941	1 ⅞ " 5-8 " 8 "						4.25
<i>Salmonpipe</i>	20942	1 ⅞ " 5-8 " 12 "						7.00
<i>Salmontrout</i>	20943	2 " 1-4 " 7 "						2.50
<i>Salygen</i>	20944	2 " 5-16 " 8 "						2.75
<i>Salon</i>	20945	2 " 3-8 " 8 "						3.00
<i>Saloon</i>	20946	2 " 1-2 " 8 "						3.75
<i>Saloop</i>	20947	2 " 5-8 " 8 "						4.50
<i>Salop</i>	20948	2 ⅛ " 3-8 " 8 "						3.30
<i>Salpa</i>	20949	2 ¼ " 3-8 " 8 "						3.50
<i>Salpian</i>	20950	2 ¼ " 1-2 " 8 "						4.25
<i>Salpicon</i>	20951	2 ¼ " 5-8 " 8 "						4.75
<i>Salsafy</i>	20952	2 ½ " 5-16 " 8 "						3.25
<i>Salses</i>	20953	2 ½ " 3-8 " 8 "						4.00



Perfection Woven Wire Brushes. —(Continued.)

Code Word	List No						List Price, Each.
<i>Salsilla</i>	20954	2½ ins. wide, 1-2 ins. thick, 8 ins. long.....					\$4.50
<i>Salsacid</i>	20955	2½ " " 5-8 " 8 "					5.00
<i>Salsoda</i>	20956	2⅞ " " 3-8 " 8 "					4.25
<i>Salsolaceous</i>	20957	2⅞ " " 1-2 " 8 "					4.75
<i>Salsuginous</i>	20958	2⅞ " " 5-8 " 8 "					5.25
<i>Salt</i>	20959	3 " " 3-8 " 8 "					4.50
<i>Saltant</i>	20960	3 " " 1-2 " 8 "					5.00
<i>Saltarello</i>	20961	3 " " 5-8 " 8 "					5.75
<i>Saltate</i>	20962	3 " " 3-4 " 8 "					6.50
<i>Saltation</i>	20963	3⅜ " " 1-4 " 8 "					3.00
<i>Saltatorial</i>	20964	3⅜ " " 5-16 " 8 "					3.75
<i>Saltatory</i>	20965	3⅜ " " 3-8 " 8 "					4.75
<i>Saltcake</i>	20966	3⅜ " " 1-2 " 8 "					5.50
<i>Saltcat</i>	20967	3⅜ " " 5-8 " 8 "					6.50
<i>Saltcellar</i>	20968	3⅜ " " 3-4 " 8 "					7.50



Carbon Brushes.

We give below a list of the Standard Carbon Brushes used on Western Electric Generators and Motors. In addition to this list we are prepared to quote prices on any size needed. When you are in the market for brushes write to us for special price list which will be mailed on application.

Code Word	List No.						List Price, Per 1000.
<i>Sapling</i>	21269	1⅜ x ⅝ x ¼					\$20.00
<i>Saponaceous</i>	21270	1¾ x ¾ x ⅜					20.00
<i>Saponacity</i>	21271	1¾ x ¾ x ⅞					20.00
<i>Saponary</i>	21272	2 x ¾ x ⅞					20.00
<i>Saponifiable</i>	21273	2 x 1 x ½					25.00
<i>Saponify</i>	21274	2 x 2 x ¾					40.00
<i>Saponine</i>	21275	2½ x ⅝ x ⅜					25.00
<i>Saponule</i>	21276	2½ x 1½ x ⅜					25.00
<i>Sapor</i>	21277	2½ x 1½ x ½					25.00
<i>Saporific</i>	21278	2½ x 1⅜ x 1					40.00
<i>Saporosity</i>	21279	2½ x 1¼ x ⅜					25.00
<i>Saporous</i>	21280	2½ x 1¼ x ⅞					25.00
<i>Sapota</i>	21281	4 x 1⅝ x ¾					55.00
<i>Sappare</i>	21282	4 x 1¾ x ¾					60.00
<i>Sapper</i>	21283	4 x 1¾ x ⅞					65.00
<i>Sapphic</i>	21284	4 x 1¾ x 1					70.00
<i>Sappiness</i>	21286	4 x 2 x 1					80.00
<i>Sappy</i>	21287	4 x 2 x 1⅜					100.00
<i>Saproller</i>	21288	4 x 2 x 1⅜					130.00

Western Electric Non-Sparking Brushes.



Western Electric Non Sparking Brushes are made under Patent No. 419,660, and are specially adapted for use on dynamos where metal brushes are ordinarily used.

The brushes are constructed with high resistance metal placed upon both sides of a low resistance, the object being to prevent sparking at the edges of the brushes when leaving the segments.

The principle on which these brushes work is shown in the cut. The armature coils are represented diagrammatically at $c\ c\ c$, and the brush is shown just before it leaves one of the commutator segments. It will be seen from an inspection of the cut that the current traveling up on either side of the armature, and passing into the brush from the segments a and d , has to pass through the high resistance metal of the brush, while the current can pass through the coils c^1 and c^2 into the segment b , and from there into the low resistance metal of the brush. Of course, under these conditions, the main body of the current goes through the low resistance metal, and as the segment a approaches nearer and nearer the tip of the brush the resistance still further increases and the amount of current flowing from segment a into the brush is gradually diminished until just as the brush leaves the segment there is very little, if any, current to be interrupted, and consequently little or no sparking.

This action takes place whether the brush is in its proper position for the load it is carrying or not, the action in the latter case being to reduce the amount of current which has to be broken when the segment leaves the tip of the brush, and consequently when sparking does occur it is not as violent as if the ordinary low resistance brush was used.

An insulating medium is placed between the high resistance metal and the stiffening springs on the outside of the brushes which prevents the current from reaching the brush holder without first passing through the entire length of the brush.

These brushes are made of selected material of the best quality and in the most careful manner possible.

The outside strips of stiffened metal should never be allowed to touch the commutator. If this happens the high resistance metal is short circuited and rendered useless.

When the brushes become worn down use a file or hack saw

to cut away about an inch of the metal of the stiffening springs.

If brushes tend to spread at the toe, the stiffening springs may be bowed at the brush holder to hold the toe more tightly together. Tension may be light if commutator is true and smooth. Some lubrication is needed—oil is generally used, but in some cases something heavier is to be preferred, such as vaseline or tallow. There are very few commutators that do not need the occasional application of sandpaper if for no other reason than to keep the mica down to the level of the copper. A rub in time saves a trip to the repair shop.

Next to a smooth commutator, the most important condition for sparkless running of dynamo brushes is the amount of "lap," or length of bearing of the brush. The lap is determined by the thickness and the bevel of the "business end" of the brush. Except where otherwise specified Western Electric Brushes are made with a bevel of forty-five degrees. This repre-




Diagram.



Showing Bow of Stiffening Spring.

Western Electric Non-Sparking Brushes. (Continued.)

sents the common practice. Siemens & Halske brushes are beveled to twenty-nine degrees. It is not uncommon to find dynamos which have been running for years with totally wrong lap on the brushes. No rule can be laid down, but in most cases a little observation will show what is best for a particular dynamo, and after this has been determined the correct bevel should be maintained by trimming brushes when necessary. In some cases trimming can be saved in part by carefully shoving forward one brush at a time, allowing the natural wear to restore the original bevel.

Regular Stock Sizes of Western Electric Brushes.

See Special List for other Sizes.

Style.	Width.	Thickness.	Length.	Price.
A	$\frac{1}{2}$	$\frac{5}{16}$	8	\$.90
M	$\frac{3}{4}$	$\frac{5}{16}$	8	1.05
R	$\frac{1}{2}$	$\frac{5}{16}$	8	1.15
B	1	$\frac{5}{16}$	8	1.25
N	1	$\frac{3}{8}$	8	1.45
F	$1\frac{1}{4}$	$\frac{1}{2}$	8	1.15
I	$1\frac{1}{4}$	$\frac{5}{16}$	8	1.40
O	$1\frac{1}{4}$	$\frac{3}{8}$	8	1.65
D	$1\frac{3}{8}$	$\frac{3}{8}$	10	2.00
J	$1\frac{3}{8}$	$\frac{1}{2}$	10	2.60
P	$1\frac{1}{4}$	$\frac{5}{16}$	8	1.55
Q	$1\frac{3}{4}$	$\frac{5}{16}$	8	1.70
L	$1\frac{7}{8}$	$\frac{5}{16}$	10	2.05
C	$1\frac{1}{2}$	$\frac{3}{8}$	10	2.45
K	$1\frac{7}{8}$	$\frac{1}{2}$	10	3.25
G	$1\frac{7}{8}$	$\frac{3}{4}$	10	2.85
E	$1\frac{7}{8}$	$\frac{3}{4}$	12	4.60

Price List of Western Electric Brushes.

Thickness in Inches.	Length in Inches.	WIDTH IN INCHES.												
		$\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2
$\frac{3}{16}$	8	\$0.55	\$0.60	\$0.55	\$0.70	\$0.75	\$0.80	\$0.85	\$0.90	\$0.95	\$1.00	\$1.05	\$1.10	\$1.15
	10	.65	.70	.75	.80	.85	.90	1.00	1.05	1.10	1.15	1.25	1.30	1.35
	12	.70	.75	.80	.90	.95	1.05	1.10	1.20	1.25	1.30	1.40	1.45	1.50
$\frac{1}{4}$	8	.75	.80	.90	.95	1.00	1.10	1.15	1.20	1.25	1.30	1.40	1.45	1.50
	10	.80	.90	.95	1.05	1.15	1.20	1.30	1.35	1.45	1.50	1.60	1.70	1.75
	12	.85	.95	1.05	1.15	1.25	1.35	1.45	1.50	1.65	1.70	1.80	1.90	2.00
$\frac{5}{16}$	8	.90	1.00	1.05	1.15	1.25	1.35	1.40	1.45	1.55	1.60	1.70	1.80	1.85
	10	1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.80	1.85	1.95	2.05	2.15
	12	1.05	1.20	1.30	1.40	1.50	1.65	1.75	1.90	2.00	2.15	2.25	2.35	2.50
$\frac{3}{8}$	8	1.10	1.15	1.25	1.35	1.45	1.55	1.65	1.75	1.80	1.90	2.00	2.10	2.20
	10	1.15	1.30	1.40	1.50	1.65	1.75	1.85	2.00	2.10	2.20	2.35	2.45	2.60
	12	1.20	1.40	1.55	1.70	1.85	1.95	2.10	2.25	2.40	2.50	2.65	2.80	2.95
$\frac{7}{16}$	8	1.25	1.35	1.45	1.55	1.70	1.80	1.90	2.00	2.10	2.20	2.35	2.45	2.55
	10	1.35	1.50	1.60	1.75	1.90	2.05	2.15	2.30	2.45	2.60	2.70	2.85	3.00
	12	1.45	1.60	1.80	1.95	2.10	2.30	2.45	2.60	2.75	2.90	3.10	3.25	3.40
$\frac{1}{2}$	8	1.40	1.50	1.65	1.80	1.90	2.00	2.15	2.30	2.40	2.50	2.65	2.80	2.90
	10	1.60	1.70	1.85	2.00	2.15	2.30	2.45	2.60	2.80	2.95	3.10	3.25	3.40
	12	1.65	1.85	2.00	2.20	2.40	2.60	2.80	2.95	3.15	3.35	3.50	3.70	3.90
$\frac{5}{8}$	8	1.70	1.90	2.05	2.20	2.35	2.50	2.65	2.80	3.00	3.15	3.30	3.45	3.60
	10	1.90	2.05	2.25	2.45	2.65	2.85	3.05	3.25	3.45	3.65	3.85	4.05	4.20
	12	2.05	2.25	2.50	2.75	3.00	3.20	3.45	3.70	3.90	4.15	4.40	4.60	4.85

Thickness is given for the middle of the Brush.


For price of 6 inch Brush, subtract from 8 inch, difference between 8 and 10 inch.

$\frac{3}{16}$ inch price will be charged for any size under that thickness.

Brush Copper.

REGULAR SIZES IN STOCK. SPECIAL SIZES MADE UPON SHORT NOTICE.

Nos. B. & S. Gauge.	$\frac{1}{8}$ in. and Narrower	Over $\frac{1}{8}$ in. to 1 in.	Over 1 in. to $1\frac{1}{2}$ in.	Over $1\frac{1}{2}$ in. to 2 in.	Over 2 in. to $2\frac{1}{2}$ in.	Over $2\frac{1}{2}$ in.
23	\$0.37 $\frac{1}{2}$	\$0.37	\$0.36 $\frac{1}{2}$	\$0.36 $\frac{1}{2}$	\$0.36 $\frac{1}{2}$	\$0.36
24	.37 $\frac{1}{2}$	.37	.36 $\frac{1}{2}$	.36 $\frac{1}{2}$	.36 $\frac{1}{2}$	.36
25	.38 $\frac{1}{2}$	.38	.37 $\frac{1}{2}$	.37 $\frac{1}{2}$	.37 $\frac{1}{2}$	.37
26	.38 $\frac{1}{2}$	.38	.37 $\frac{1}{2}$	.37 $\frac{1}{2}$	.37 $\frac{1}{2}$	.37
27	.40	.39 $\frac{1}{2}$	.39	.39	.39	.38
28	.40	.39 $\frac{1}{2}$	.39	.39	.39	.38
29	.41	.40 $\frac{1}{2}$	.40	.40	.40	.39
30	.41	.40 $\frac{1}{2}$	.40	.40	.40	.39
31	.43	.42	.41 $\frac{1}{2}$	.41 $\frac{1}{2}$	.41 $\frac{1}{2}$	.40
32	.43 $\frac{1}{2}$	.42 $\frac{1}{2}$	.41 $\frac{1}{2}$	.41 $\frac{1}{2}$	.41 $\frac{1}{2}$	.40
33	.44 $\frac{1}{2}$	.43 $\frac{1}{2}$	.42 $\frac{1}{2}$	.42 $\frac{1}{2}$	.42 $\frac{1}{2}$	.41
34	.44 $\frac{1}{2}$	.43 $\frac{1}{2}$	.42 $\frac{1}{2}$	.42 $\frac{1}{2}$	.42 $\frac{1}{2}$	.41
35	.46	.45	.44	.44	.44	.42
36	.47	.46	.45	.45	.45	.43
37	.50	.49	.46	.45 $\frac{1}{2}$	.45	.43
38	.53	.49 $\frac{1}{2}$	.48	.47 $\frac{1}{2}$	.47	.44
39	.56	.51	.49 $\frac{1}{2}$	.48	.47	.44
40	.60	.53	.50	.49	.48	.45




Switchboard.


The illustrations on this page show respectively the front and rear of our standard switchboard for one dynamo and one feeder circuit.

Switchboard Front.

We are prepared to furnish switchboards for any number or sizes of dynamos and for any number of feeder circuits.

Switchboard Rear.







Switchboards.

This illustration shows a switchboard furnished with Type "Q" quick break switches for two dynamos and five line circuits.

This illustration shows a combination switchboard for one incandescent alternator and arc dynamo.



Switchboards.



Combination power and lighting board for two dynamos and four circuits.

Equipped with Western Electric ammeters and volt meters, and Western Electric type "E" switches.

It is almost impossible to standardize switchboards. We build switchboards in accordance with specifications and conditions.



Switchboard Clock.

This is an American Eight Day Engine Lever Clock in a dust-proof case, designed especially for use on the Switchboard, where an accurate record of time is a valuable accessory to the proper running of a station.

The second hand is placed in the same position as is usually found on a watch. The movement can be easily taken from the dust-proof case. The porcelain dial is without feet and consequently is not liable to fracture. The regulator is of the micrometer pattern and allows of the closest regulation. The escapement is of the pattern known as the quick beat and is in a separate frame.

The movement is of the three plate type which permits of the removal of the main spring without disturbing the train or escapement.

The construction of the clock and working proportions of the movement from the main wheel to the balance wheel compare favorably with the very highest grade of English or French clocks.



The particular mounting of the main spring produces a uniform maintenance of the arc of vibration and the deviation from absolute correct time can be no greater on the eighth day than on the first, and after once adjusting the clock the result is great accuracy as a time-keeper.

Watches carried by persons in a dynamo room are always subject to magnetism and a correct timepiece located on the switch board will be a useful article in any electric light plant.

The dimensions of the Eight Day Switchboard Clock.

Width of back.....	5½ inches.
Length of back.....	7 "
Depth.....	3½ "
Diameter of clock.....	5½ "

25571 Switchboard clock, nickel finish , \$10.00



Switchboard Fittings.

Clamps for Inside Bus Bars.

The connections from switches to bus bars are made by using the inside bus bar clamps.

The stud extends back so that the connector on it is in line with the connector on the switch post; no bend is necessary on the cable.

Clamps for $\frac{3}{8} \times 1\frac{1}{2}$ in., $\frac{1}{2} \times 1\frac{1}{2}$ in. and 1×2 in. bus bars can be furnished promptly.

Connectors, switches and clamps are all numbered alike for capacity.

No. 1 being for 50 amperes.

No. 6 being for 600 amperes.

No. 2 " 75 "

No. 7 " 800 "

No. 3 " 150 "

No. 8 " 1200 "

No. 4 " 300 "

No. 9 " 2000 "

No. 5 " 450 "


Prices quoted on application.

Clamp Connectors.


When space back of switchboard is very limited we make the connector on the switch post and clamp all one piece.

This style made to order. In writing for prices give full information as to size and the quantity.

Connectors, with Set Screws, for Heavy Conductors.



Nos. 65161 to 65171.




Nos. 65173 to 67183.




Nos. 67361 to 67371.

<i>Chime</i>	65161	"Tee" Connector for $\frac{1}{4}$ inch rod, each.....	.25
<i>Chimera</i>	65163	" " " $\frac{3}{8}$ " "	.40
<i>Chimerical</i>	65165	" " " $\frac{1}{2}$ " "	1.00
<i>Chemistry</i>	65167	" " " $\frac{9}{16}$ " "	1.40
<i>Chip</i>	65169	" " " $\frac{5}{8}$ " "	1.50
<i>Chipped</i>	65171	" " " $\frac{3}{4}$ " "	1.75
<i>Chipping</i>	65173	Elbow " " $\frac{1}{4}$ " "	.20
<i>Chirp</i>	65175	" " " $\frac{3}{8}$ " "	.40
<i>Chiseled</i>	65177	" " " $\frac{1}{2}$ " "	.70
<i>Chivalrous</i>	65179	" " " $\frac{9}{16}$ " "	.80
<i>Chivalry</i>	65181	" " " $\frac{5}{8}$ " "	.90
<i>Chocolate</i>	65183	" " " $\frac{3}{4}$ " "	1.40
<i>Choice</i>	67361	Straight " " $\frac{1}{4}$ " "	.20
<i>Choir</i>	67363	" " " $\frac{3}{8}$ " "	.30
<i>Choke</i>	67365	" " " $\frac{1}{2}$ " "	.65
<i>Choking</i>	67367	" " " $\frac{9}{16}$ " "	.75
<i>Choler</i>	67369	" " " $\frac{5}{8}$ " "	.85
<i>Cholera</i>	67371	" " " $\frac{3}{4}$ " "	1.30



Fuse Posts, No. 1, 2, 3 and 4.



Fuse Posts No. 5, 6 and 7.

Switch Board Fittings.—Continued
Fuse Posts.

The illustration shows our fuse posts. The smaller size are equipped for one fuse, the larger one for two fuses. The posts are cast from a special composition. The conductivity of which is almost the same as that of copper. The connectors are our standard.

The Hexagon slotted cap screw with brass washers can be tightened by either a wrench or a screw driver.

Fuse Posts.

Code Word	List No.			List Price Each.
<i>Accurs</i>	25573	No. 1	25 to 50 amperes.....	\$.080
<i>Acipenser</i>	25574	No. 2	50 to 75 ".....	1.00
<i>Acturgy</i>	25575	No. 3	75 to 150 ".....	1.30
<i>Acknowo</i>	25576	No. 4	150 to 300 ".....	1.90
<i>Acknowledge</i>	25577	No. 5.	300 to 450 ".....	3.00
<i>Acknowledger</i>	25578	No 6	450 to 600 ".....	4.00
<i>Acknowledgemet</i>	25579	No. 7	600 to 800 ".....	6.10


Table of dimensions of fuse posts. Letters referring to diagrams.

Size of Fuse Post		Dimensions—Inches.						
No	Amperes	A	B	C	D	E	F	R
1	25- 50			1 3/8	5/8		1/8	7/8
2	50- 75			1	5/8		1/8	1
3	75-150			1 1/4	5/8		1/8	1 1/4
4	150-300			2 1/4	5/8		1/8	1 3/4
5	300-450	5 1/2	1 1/4	2 5/8	1 + 1/8	5/8		2
6	450-600	5 1/2	1 1/4	3	1 1/4 + 1/8	5/8		2 1/4
7	600-800	5 1/2	1 1/4	3 1/2	1 1/2 + 1/8	5/8		2 1/2

Table giving shop order numbers for parts of fuse posts.


No on Cat	Name of Part	ORDER NUMBERS ON PARTS FOR							
		Fuse-Post	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6	No. 7
		Amperes	25-50	50-75	75-150	150-300	300-450	450-600	600-800
103	Fuse Post	1031	1032	1033	1034	1035	1036	1037	
104	Cap-Screw	1041	1042	1043	1044	1045	1046	1047	
105	Washer	1051	1052	1053	1054	1055	1056	1057	
106	Screw					1065	1066	1067	
107	Post Nut	1071	1072	1073	1074	1075	1076	1077	
108	Conn'r-Screw	1081	1082	1083	1084	1085	1086	1087	
109	Connector	1091	1092	1093	1094	1095	1096	1097	

Prices on Parts Quoted on Application.




Switchboard Fittings — *Continued.*


Connectors for Heavy Conductors.



Nos. 65189 to 65205.



Nos. 65209 to 65225.



Nos. 65229 to 65245.

Code Word.	List No.	List Price.
<i>Choleric</i>	65189	Cross Connection for $\frac{1}{2}$ inch rod, each..... \$1.00
<i>Choose</i>	65193	" " " $\frac{3}{8}$ " " 1.75
<i>Chooser</i>	65197	" " " $\frac{1}{2}$ " " 2.00
<i>Choosing</i>	65201	" " " $\frac{5}{8}$ " " 3.00
<i>Chop</i>	65205	" " " $\frac{3}{4}$ " " 4.00
<i>Chopper</i>	65209	" Tee" or " Y" Connection for $\frac{1}{2}$ inch rod, each... .90
<i>Chops</i>	65213	" " " " $\frac{3}{8}$ " " 1.40
<i>Choral</i>	65217	" " " " $\frac{1}{2}$ " " 1.60
<i>Chord</i>	65221	" " " " $\frac{5}{8}$ " " 2.00
<i>Chorister</i>	65225	" " " " $\frac{3}{4}$ " " 3.00
<i>Chorus</i>	65229	Straight Connection for $\frac{1}{2}$ inch rod, each..... .65
<i>Chorusgirl</i>	65233	" " " $\frac{3}{8}$ " " 90
<i>Chose</i>	65237	" " " $\frac{1}{2}$ " " 1.10
<i>Chosen</i>	65241	" " " $\frac{5}{8}$ " " 1.50
<i>Chousing</i>	65245	" " " $\frac{3}{4}$ " " 2.00

Wire Terminals.




No. 1321.

<i>Lack</i>	1321	$\frac{1}{2}$ Inch, each 25
<i>Lackey</i>	1322	$\frac{3}{8}$ " 40
<i>Lacking</i>	1333	$\frac{1}{2}$ " 75
<i>Laeonic</i>	1334	$\frac{5}{8}$ " 1.00
<i>Laeonical</i>	1335	$\frac{3}{4}$ " 1.40
<i>Laeonics</i>	1336	1 " 1.75
<i>Absorptive</i>	25323	$1\frac{1}{2}$ " 2.25
<i>Absorbtivity</i>	25324	$1\frac{1}{2}$ " 3.00

Wire Connections.


Single Screw.



No. 1851.

	Outside Size.	Size of Wire.	per 100.....	
<i>Crag</i>	1851	$\frac{3}{8}$	6	15.00
<i>Cragged</i>	1852	$\frac{7}{16}$	4	18.00
<i>Craggy</i>	1853	$\frac{1}{2}$	2	21.00
<i>Cramp</i>	1854	$\frac{9}{16}$	0	24.00
<i>Cramping</i>	1855	$\frac{5}{8}$	00	27.00


Double Screw.



No. 8973.

	Outside Size.	Size of Wire.	per 100.....	
<i>Edna</i>	8973	$\frac{1}{4}$	000	44.00
<i>Educate</i>	8974	$\frac{7}{8}$	0000	60.00
<i>Education</i>	8975	1	$\frac{1}{4}$	75.00
<i>Edward</i>	8976	$1\frac{1}{2}$	$\frac{1}{4}$	90.00


Switchboard Fittings—(Continued).




No. 8977.

Clamp Connections for Heavy Conductors.

Code Word.	List No.	List Price.
<i>Choulder</i>	8977	Cross Connection for $\frac{3}{8}$ inch rod, each..... \$2.20




No. 8978.



No. 8979.

<i>Chrismal</i>	8978	T Connection for $\frac{3}{8}$ inch rod, each..... 1.45
-----------------	------	---

<i>Chrismath</i>	8979	Straight Connection for $\frac{3}{8}$ inch rod, each..... 1.10
------------------	------	--



No. 8980.

<i>Chrism</i>	8980	Y Connection for $\frac{3}{8}$ inch rod, each..... 1.15
---------------	------	---



No. 8981.



No. 8982.

<i>Cemented</i>	8981	L Connection for $\frac{3}{8}$ inch rod, each..... 1.25
-----------------	------	---

<i>Cementing</i>	8982	T Connection for $\frac{3}{8}$ inch rod, each..... 1.20
------------------	------	---



Nos. 1804 to 1812.

Wire Terminals.

<i>Cheaply</i>	1804	For No. 12 wire, B. & S. G., per 100.....							4.00
<i>Cheapness</i>	1805	" 10 " " " " " " " " " " " "							4.50
<i>Cheating</i>	1806	" 8 " " " " " " " " " " " "							5.00
<i>Cheeker</i>	1807	" 6 " " " " " " " " " " " "							6.00
<i>Checkmate</i>	1808	" 4 " " " " " " " " " " " "							7.00
<i>Cheerful</i>	1809	" 3 " " " " " " " " " " " "							7.50
<i>Cheerfully</i>	1810	" 2 " " " " " " " " " " " "							8.00
<i>Cheerily</i>	1811	" 1 " " " " " " " " " " " "							9.00
<i>Cheering</i>	1812	" 0 " " " " " " " " " " " "							11.00

Switchboard Fittings—(Continued).



No. 1813.

Wire Holders.

Code Word.	List No.		List Price.
<i>Correlle</i>	1813	1 to 25 amperes, per pair.....	\$0.50
<i>Cosmetic</i>	1814	25 to 100 " "	1.00
<i>Cosmic</i>	1815	100 to 300 " "	2.00
<i>Cossack</i>	1816	400 " "	3.00
<i>Costing</i>	1817	500 " "	4.00
<i>Couch</i>	1818	600 " "	5.00
<i>Couchant</i>	1819	800 " "	6.00
<i>Cough</i>	1820	1000 " "	8.00




No. 1821.

Bus Bar Stands.

<i>Coventry</i>	1821	$\frac{1}{4}$ inch, each.....	.50
<i>Covert</i>	1822	$\frac{3}{8}$ " "	.75
<i>Covertly</i>	1823	$\frac{1}{2}$ " "	1.00
<i>Coverture</i>	1824	$\frac{5}{8}$ " "	1.25
<i>Corel</i>	1825	$\frac{3}{4}$ " "	1.50
<i>Coreled</i>	1826	1 " "	2.00
<i>Coreting</i>	1827	1 $\frac{1}{4}$ " "	2.50
<i>Coretous</i>	1828	1 $\frac{1}{2}$ " "	3.00

We make the above in the following lengths: 1 inch, 1 $\frac{1}{4}$ inch, 2 inch and 4 inch. SPECIFY LENGTH.

Bus Bar Connections.



No. 1829.

Solid.

<i>Corey</i>	1829	$\frac{1}{4}$ inch, each.....	.40
<i>Coward</i>	1830	$\frac{1}{8}$ " "	.60
<i>Cowardice</i>	1831	$\frac{3}{8}$ " "	.60
<i>Cowardly</i>	1832	$\frac{1}{2}$ " "	.80
<i>Crab</i>	1833	$\frac{5}{8}$ " "	1.00
<i>Crabapple</i>	1834	$\frac{3}{4}$ " "	1.25
<i>Crabbed</i>	1835	1 " "	1.50
<i>Crabbedly</i>	1836	1 $\frac{1}{4}$ " "	2.00
<i>Crabby</i>	1837	1 $\frac{1}{2}$ " "	3.00

Split.

<i>Crack</i>	1838	$\frac{1}{4}$ inch, each.....	.40
<i>Cracked</i>	1839	$\frac{1}{8}$ " "	.60
<i>Cracker</i>	1840	$\frac{3}{8}$ " "	.60
<i>Cracking</i>	1841	$\frac{1}{2}$ " "	.80
<i>Crackle</i>	1842	$\frac{5}{8}$ " "	1.00
<i>Crackling</i>	1843	$\frac{3}{4}$ " "	1.25
<i>Cradle</i>	1844	1 " "	1.50
<i>Cradled</i>	1849	1 $\frac{1}{4}$ " "	2.00
<i>Cradling</i>	1850	1 $\frac{1}{2}$ " "	3.00



No. 1838.


Switchboard Fittings—(Continued).

Switchboard Brackets.


Code Word.	List No.	List Price.
<i>Jumping</i>	136 1 Light, each	\$1.25
<i>Junction</i>	137 1 Light, each	1.50
<i>Juncture</i>	138 2 " "	2.50




No. 136.



No. 137.



No. 142.



Nos. 143 to 145.



No. 139.

Switchboard Bolts.

<i>Kirk</i>	141 Machine Screw, complete, each.....	.40
<i>Kirkman</i>	142 Wood " " "	.30
<i>Kirtle</i>	143 Wood Screw, complete, each.....	.20
<i>Kirtled</i>	144 Machine " " "	.20
<i>Kiss</i>	145 Special Cap to fit Nos. 143 and 144, each.....	.20
<i>Jungle</i>	139 Voltmeter Bolt, each.....	.20

ARC SUPPLIES.

Miscellaneous.



No. 213.

Code Word.	List No.	List Price.
<i>Eulogy</i>	213 Each	\$20.00



No. 214


Arc Ammeter.

This Ammeter is designed for use as a station instrument. It is well protected by a sealed case ; has no springs or permanent magnets ; is dead beat and accurate within one per cent.

<i>Eulogize</i>	214 Each.....	18.00
-----------------	---------------	-------

Arc Switchboard.


Equipped with Western Electric Instruments.



A **Typical Switchboard** constructed for six dynamo and ten line circuits. The board is constructed of marble, and for each dynamo is furnished an ammeter and polarity indicator. Only specially selected marble is used for arc boards and the workmanship is thoroughly guaranteed. Specifications for special boards will be furnished on application.

Arc Switchboard Fittings.


Improved Spring Jack.



No. 21350.

This cut represents the latest type of Switchboard Spring Jack for Arc Circuits. The Spring Jack is separable and a bushing screwing through from the face of the board holds the Spring Jack in place and obviates any liability from shock on the face of the board as there are no metal parts of the Jack on the front of the board. The connection to circuit is made by means of a swivel lug and brings the wire against the marble board. When the Spring Jack is in place, with all connections made, it extends from the back of the board but $2\frac{3}{8}$ inches. The contact spring is of phosphor bronze, and extra length is secured by making it the curved form as shown.

Code Word	List No.	List Price. Each.
<i>Sarcocaul</i>	21350 Spring Jack	\$3.35



No. 25325.

<i>Absque</i>	25325 Test Jack	.50
---------------	-----------------------	-----

Improved Plugs.



No. 21351.

The Safety Plug illustrated is of the sheathing type and renders it impossible to obtain a shock should the circuit be opened accidentally at the switchboard while making a change of circuits when the dynamo is in operation. The insulation is of hard rubber and of sufficient strength to stand any ordinary service. These plugs are made in two sizes, one for main circuit and one for transfer circuit.



No. 21352.

<i>Sarcocolla</i>	21351 Transfer Plug.....	4.00
<i>Sarcocode</i>	21352 Main Plug	5.00

Old Style Plugs.




No. 1176.

<i>Dawning</i>	1176 Disconnecting Plug, each....	1.00
----------------	-----------------------------------	------



No. 1177.


<i>Day</i>	1177 Main Plug, each.....	1.50
------------	---------------------------	------



No. 935.

Cleveland Arc Cut-out.

Code Word.	List No.	List Price.
<i>Editor</i>	935 Each	\$2.50



No. 2926.

Western Electric Building Switch.

<i>Edmond</i>	2926 Each	11.25
---------------	-----------------	-------



No. 1115.

Hope Arc Cut-out.


<i>Damp</i>	1115	Slate base, each.....	4.70
<i>Dampness</i>	1116	Porcelain base, each.....	6.00
<i>Damsel</i>	1117	" " cam movement. each.....	6.00



No. 1118.


Hope Arc Cut-out—(Continued).

Code Word.	List No.	List Price.
<i>Dance</i>	1118	Extra large, for station use, each.....\$20.00



No. 1119.

<i>Dancer</i>	1119	For Alternating Currents, each.....18.00
<i>Dancing</i>	1120	“ “ “ with fuse, each.....18.00



No. 1127.

<i>Dandify</i>	1127	For Alternating Currents, Bi-pole, each.....14.40
----------------	------	---



No. 934


Bryant-Cleveland Arc Cut-Out.

This Arc Cut-Out is made entirely of porcelain and metal, consequently incombustible and moisture-proof.

The action of the commutator at the point of breaking or closing the circuit is entirely uncontrolled by the handle.

The binding posts are the well-known K. W. style, very secure and easy to wire.

Code Word.	List No.	List Price.
		Each.
<i>Edition</i>	934	Each..... \$3.00



No. 21079.

F. W. Large Arc Circuit Cut-Out.

In order to comply with the requirements of the fire underwriters an absolute cut-out must be placed wherever arc wires enter or leave a building. The cut-out here shown is of an improved type, having been adopted by many of the large electric companies. It is fire-proof, all the mechanism being mounted on porcelain, while the switching action is instantaneous in both directions, the operator having no control over it. It is, therefore, impossible for the contacts to remain in any position but that shown by the indicator "ON" or "OFF." This cut-out is designed for heavy service, and will operate without arcing on from one to fifty lamps.

<i>Saucerbox</i>	21079	Each..... 7.00
------------------	--------------	-----------------------




No. 21080.

F. W. Small Arc Circuit Cut-Out.

This Cut-Out is intended for light service, such as from one to five lamps. It is designed for use in places where it would be inconvenient to install the larger size. The switching action is performed by turning a key which compresses a spring, then suddenly releasing it, causing the central porcelain disc to make one-quarter revolution but always in the same direction. This instantly switches the current off and on. This cut-out is admirably adapted for use in iron lamp posts where the cables come up from below.

<i>Saucerpan</i>	21080	Each..... 7.00
------------------	--------------	-----------------------




No. 21081.

Lightning Arresters for Arc Circuits.

Where arc circuits enter or leave the station it is necessary to place lightning arresters in the several branches, in order to protect the dynamos and apparatus in the station during heavy thunder storms so prevalent in some parts of this country. The lightning arrester here shown affords a path for the lightning discharge to earth, and should an arc from any cause follow the discharge, it is broken.

<i>Saucer</i>	21081	Each..... 10.00
---------------	--------------	------------------------


Automatic Circuit Controlling Switch.




This switch is designed more especially for use with series arc or other high potential circuits where it is desired to cut out and entirely insulate a line when not in actual service. It is entirely automatic in its action and never offers any appreciable resistance to the passage of current through itself. The construction is such that when current is supplied to its terminals that current will be established in the line in case the line is in proper working condition; if the line should be open the switch will again insulate the line and the current will flow directly through the switch encountering there only the resistance of a small solenoid wound with heavy wire. If at any time during the operation of the line an accident should occur causing the circuit to be opened, the switch will immediately insulate the line and provide a path for the current through itself. Before remaining permanently in that position, however, it will make a trial stroke so that if the continuity of the line has been re-established (as for instance by the dropping together of carbons in a lamp whose rod had become stuck) that current will be re-established in the line as before.

The diagrams of circuits shows the usual way of connecting the switches to the lamp circuits—any number of switches may be used on a line, each one controlling a given portion. A single switch is capable of controlling a circuit of any number of lamps up to fifty.

Prices on application.



Electric Clock Switch.



This Switch was designed for use in offices, show windows, hotels, etc., or on any direct or alternating current circuit, not exceeding 125 volts of pressure.

It operates both to turn on the current at whatever hour of the day the dial is set for, and later on to cut it off again at any desired time.


It is not a magnetic, but a mechanical switch, operated by means of a clock movement, which is wound when the switch is set.

The clock movement is protected by a neat Iron japanned case, with hinged door. The switch part is free, and readily accessible. A case, enclosing the entire switch, can be furnished if desired. All the parts are insulated in the best manner, and the work is strong and substantial.

Mounted on slate base, capacity 10 amperes.

No. 23078.


Code Word.	List No.	Price List.
<i>Silurian</i>	23078	Each.
	Electric Clock Switch	\$14.40



No. 21048.


Arc Light Line Switches.

Code Word.	List No.	List Price. Each.
<i>Salcor</i>	21048 2-Point	\$2.00
Mounted on Slate.		



No. 21049.

<i>Sam</i>	21049 3-Point	2.50
Mounted on Slate.		




No. 21050.

Isolating Switch for Arc Circuit.

A simple and reliable Switch adapted for currents below 30 amperes, and which operates to completely isolate or remove the lamps from all connections with a circuit made with a circuit. Made with slate base and bronze terminals.

<i>Samara</i>	21050 Each	3.50
---------------	------------------	------



No. 21053.

P. & S. China Hanging Board.


<i>Samaroid</i>	21053	Base, only	.90
<i>Sammarra</i>	21054	" with old brass work refitted	1.35



No. 2850.


Arc Cut-Out Boards.

Code Word	List No.		List Price. Each.
<i>Earldom</i>	2850	Round, wood, each	\$3.00
<i>Abstainer</i>	25326	" slate, "	3.70



No. 2851.

<i>Earn</i>	2851	Oblong, wood, each	2.80
<i>Abstentious</i>	25327	" slate, "	3.70




No. 8851.

China Arc Hanging Board.

No. 8851, for series circuits, has automatic device which closes circuit if the lamp is disconnected when the switch is on.

No. 8852 is for incandescent circuits, and the switch is also double pole and breaks in four places.

Code Word.	List No.		List Price. Each.
<i>Dating</i>	8851	For Constant Current, Series Circuit	2.50
<i>Dative</i>	8852	For Constant Potential, Multi- ple Circuits	2.50




No. 21051.

Stationary Lamp Hanger.

With Isolating Switch.

By the use of this Hanger the lamp can be entirely disconnected from the circuit, and not merely shunted, as is the case with single pole switches. They are made for either wide or narrow frame lamps. Mounted on slate.

<i>Samare</i>	21051	Narrow frame.....	4.50
<i>Samuritan</i>	21052	Wide "	5.25



No. 21058.

Stationary Hanger Boards.—(*Continued.*)

Code Word.	List No.	List Price. Each.
<i>Samester</i>	21058 For Narrow Frame Lamps	\$2.75
<i>Sameth</i>	21059 For Wide Frame Lamps.....	3.20
Mounted on Slate. For either double or single lamps.		




No. 21060.

Hanger Boards.

For Constant Potential Lamps.


<i>Samian</i>	21060 With Binding Terminals....	2.10
<i>Samill</i>	21061 With Hook Terminals.....	2.10
Mounted on Slate.		



No. 21062.

Kelsh Arc Lamp Hanger Board.


<i>Samiot</i>	21062 Each	3.00
Mounted on Marbleized Slate.		



No. 8705.


Arc Lamp Hooks.

<i>Copiousness</i>	8705 Plain, wrought iron, each.....	1.50
--------------------	-------------------------------------	------



No. 8706.

<i>Copist</i>	8706 Ornamental, each	
---------------	-----------------------------	--




No. 8707.

<i>Coplant</i>	8707 Ornamental, each	
----------------	-----------------------------	--

Prices on Ornamental Brackets quoted on application.

Arc Lamp Hooks—(*Continued*).




No. 8708.

Code Word.
Copperish

List No.

List Price.

8708 Ornamental, each.....



No. 8709.

Coppice


8709 Ornamental, each.....



No. 8710.

Copae


8710 Ornamental, each.....



No. 8711.

Copula

8711 Ornamental, each



No. 8716.

Copy

8716 Ornamental, each.....



No. 8717.

Copybook

8717 Ornamental, each.....

Prices on Ornamental Brackets quoted on application.



No. 21636.

Lamp Hoods.

These Hoods are made of heavy galvanized iron, japanned, supported by iron frames, with a cast iron base, making the whole very strong and substantial.

The lamp is suspended from a hanging board provided with a hand cut-out, and firmly fastened inside the Hood.

Code Word.	List No.	List Price.
		Each.
<i>Scoria</i>	21636	Each \$18.00



No. 2001.

<i>Ease</i>	2001	Each 28.00
-------------	------	------------------



No. 2002.


Lamp Hoods—(Continued)

Code Word.	List No.	List Price.
<i>Easel</i>	2002	Each..... \$25.00



No 2003.

<i>Easily</i>	2003	Each..... 20.00
---------------	------	-----------------



No. 2886.


Lamp Hoods.—(Continued.)

Code Word.	List No.		List Price. Each.
<i>Easiness</i>	2886	Complete	\$9.00
<i>Salutatorian</i>	21029	Hood only	3.50
<i>Salutatory</i>	21030	Side Rods and Bracket.....	3.50
<i>Salute</i>	21031	Cut-Out Board	2.00



No. 2887.

<i>Easement</i>	2887	Complete with Cut-Out Board.....	5.00
<i>Saluter</i>	21032	Hood only	3.00



No. 2888.

<i>Easing</i>	2888	Complete with Cut-Out Board.....	4.00
---------------	------	----------------------------------	------

Domestic Carbons.

Solid.

High Tension Series Arc.

Specify when ordering whether moulded or forced.

Code Word.	List No.	Inches.	List Price. Per 1000.
<i>Salter</i>	20969	7-16 x 12, plain.....	\$13.50
<i>Saltern</i>	20970	7-16 x 12, coppered.....	13.50
<i>Saltfish</i>	20971	1-2 x 12, plain.....	14.00
<i>Saltfast</i>	20972	1-2 x 12, coppered.....	14.00
<i>Saltgauge</i>	20973	5-8 x 12, plain.....	19.50
<i>Saltgreen</i>	20974	5-8 x 12, coppered.....	20.50
<i>Soltier</i>	20975	9-16 x 14, plain.....	20.50
<i>Saltierwise</i>	20976	9-16 x 14, coppered	22.00
<i>Saltigrade</i>	20977	5-8 x 14, plain.....	21.70
<i>Saltimbanco</i>	20978	5-8 x 14, coppered.....	23.70
<i>Saltin</i>	20979	7-16 x 7, plain.....	6.75
<i>Saltire</i>	20980	7-16 x 7, coppered.....	6.75
<i>Saltish</i>	20981	1-2 x 7, plain.....	7.00
<i>Saltishly</i>	20982	1-2 x 7, coppered.....	7.00
<i>Saltishness</i>	20983	5-8 x 7, plain.....	11.00
<i>Saltjunk</i>	20984	5-8 x 7, coppered.....	12.00
<i>Saltpeter</i>	20985	1-2 x 9, plain.....	9.50
<i>Saltless</i>	20986	1-2 x 9, coppered.....	9.50
<i>Saltlick</i>	20987	5-8 x 9, plain.....	13.00
<i>Saltly</i>	20988	5-8 x 9, coppered.....	13.70

Coppered Solid Forced.

For Low Tension Series Arc.

<i>Saltmarsh</i>	20989	7-16 x 12....	13.50
<i>Saltmine</i>	20990	1-2 x 12.....	14.00
<i>Saltness</i>	20991	5-8 x 12.....	20.50
<i>Saltpan</i>	20992	7-16 x 7.....	6.75
<i>Saltpen</i>	20993	1-2 x 7	7.00
<i>Saltperlute</i>	20994	5 8 x 7.....	12.00

For Constant Potential Lamps.

Uppers—Soft Cored.

<i>Sault</i>	21091	5-16 x 7 1-2	9.50
<i>Sauncingbell</i>	21092	3-8 x 7 1-2	12.00
<i>Saunders</i>	21093	7-16 x 7 1-2	13.50
<i>Saundersblue</i>	21094	1-2 x 7 1-2	16.50
<i>Saunter</i>	21095	9-16 x 7 1-2	17.50
<i>Saunterer</i>	21096	5-8 x 7 1-2	24.00
<i>Saur</i>	21097	5-8 x 8.....	25.50
<i>Sauria</i>	21098	11-16 x 8.....	34.00
<i>Saurian</i>	21099	5-16 x 10.....	13.00
<i>Sauroid</i>	21100	3-8 x 10.....	16.50
<i>Saurophagus</i>	21101	7-16 x 10.....	18.00
<i>Saurg</i>	21102	1-2 x 10.....	22.00
<i>Sausage</i>	21103	9-16 x 10.....	24.00
<i>Saussurite</i>	21104	5-8 x 10... ..	32.00
<i>Sauterelle</i>	21105	11-16 x 10.....	38.00





Domestic Carbons.—(Continued.)

For Constant Potential Lamps.

Uppers—Soft Cored.

Code Word.	List No.		List Price. Per 1000.
<i>Sautern</i>	21106	23-32 x 10.....	40.00
<i>Sauregarde</i>	21107	5-16 x 12.....	15.00
<i>Savable</i>	21108	3-8 x 12.....	20.00
<i>Savacan</i>	21109	7-16 x 12.....	22.00
<i>Savage</i>	21110	15-32 x 12.....	24.00
<i>Savagely</i>	21111	1-2 x 12.....	26.00
<i>Savageness</i>	21112	9-16 x 12.....	28.00
<i>Savagery</i>	21113	5-8 x 12.....	38.00
<i>Savagism</i>	21114	1-2 x 14.....	30.00
<i>Savana</i>	21115	9-16 x 14.....	33.00
<i>Savant</i>	21116	5-8 x 14.....	44.00
<i>Save</i>	21117	11-16 x 14.....	51.00
<i>Saveall</i>	21118	3-4 x 14.....	58.00

Loweres—Solid.

<i>Saveloy</i>	21119	5-16 x 6.....	6.50
<i>Saver</i>	21120	3-8 x 6.....	8.50
<i>Savin</i>	21121	7-16 x 6.....	9.50
<i>Saving</i>	21122	1-2 x 6.....	12.00
<i>Savingly</i>	21123	7-16 x 7.....	11.00
<i>Savingness</i>	21124	1-2 x 7.....	14.00
<i>Savingsbank</i>	21125	9-16 x 7.....	15.00
<i>Savor</i>	21126	5-8 x 7.....	20.00
<i>Savorily</i>	21127	5-16 x 7 1-2.....	10.00
<i>Savoriness</i>	21128	3-8 x 7 1-2.....	11.00
<i>Savorless</i>	21129	7-16 x 7 1-2.....	12.00
<i>Savorly</i>	21130	1-2 x 7 1-2.....	15.00
<i>Savorous</i>	21131	9-16 x 7 1-2.....	16.00
<i>Savory</i>	21132	5-8 x 7 1-2.....	21.50
<i>Savoy</i>	21133	1-2 x 8.....	16.00
<i>Savoyard</i>	21134	5-8 x 8.....	23.00
<i>Saw</i>	21135	5-16 x 9 1-2.....	10.00
<i>Savoie</i>	21136	3-8 x 9 1-2.....	13.50
<i>Sampan</i>	21137	7-16 x 9 1-2.....	15.50
<i>Samphine</i>	21138	1-2 x 9 1-2.....	19.00
<i>Sample</i>	21139	5-16 x 10.....	11.00
<i>Sampler</i>	21140	3-8 x 10.....	14.50
<i>Samshoo</i>	21141	7-16 x 10.....	16.00
<i>Samshu</i>	21142	1-2 x 10.....	20.00
<i>Samson</i>	21143	3-8 x 12.....	17.00
<i>Samsonspost</i>	21144	7-16 x 12.....	19.00
<i>Sanability</i>	21145	15-32 x 12.....	21.00
<i>Sanable</i>	21146	1-2 x 12.....	24.00
<i>Sanableness</i>	21147	17-32 x 12.....	25.00
<i>Sanation</i>	21148	9-16 x 12.....	26.00
<i>Sanative</i>	21149	5-8 x 12.....	34.00



Domestic Carbons.—(Continued.)

High Tension Series Arc Cored.

Uppers—Cored.

Code Word.	List No.	Inches.	List Price. Per 1000.
<i>Sanativeness</i>	21150	7-16 x 12.....	10.00
<i>Sanatory</i>	21151	1-2 x 12.....	10.00
<i>Sanbenito</i>	21152	5-8 x 12.....	13.50
<i>Sanctebell</i>	21153	1-2 x 14.....	11.50
<i>Sanctebell</i>	21154	9-16 x 14.....	14.00
<i>Sanctificate</i>	21155	5-8 x 14.....	16.00
<i>Sanctification</i>	21156	11-16 x 14.....	18.00
<i>Sanctimonios</i>	21157	3-4 x 14.....	20.00

Special Bottoms—Solid.

<i>Sanctimony</i>	21158	7-16 x 7.....	5.00
<i>Sanction</i>	21159	1-2 x 7.....	5.00
<i>Sanctionary</i>	21160	5-8 x 7.....	6.50
<i>Sanctitude</i>	21161	5-8 x 9.....	8.25
<i>Sanctify</i>	21162	3-8 x 10.....	7.25
<i>Sanctum</i>	21163	1-2 x 10.....	8.25
<i>Sanctus</i>	21164	3-8 x 12.....	8.50
<i>Sand</i>	21165	7-16 x 12.....	9.00
<i>Sanda</i>	21166	15-32 x 12.....	9.50
<i>San</i>	21167	1-2 x 12.....	10.00

“Helios.”

Direct Current Carbons.

Cored.



Millimeters.	Inches.	Price.	Millimeters.	Inches.	Price.
12 x 160	15-32 x 6 5-16	\$14.00	10 x 255	3-8 x 10	\$16.60
15 x 160	19-32 x 6 5-16	18.50	11 x 255	7-16 x 10	18.40
18 x 160	23-32 x 6 5-16	26.00	12 x 255	15-32 x 10	20.00
8 x 190	5-16 x 7 1-2	9.60	13 x 255	1-2 x 10	22.15
10 x 190	3-8 x 7 1-2	12.35	14 x 255	9-16 x 10	24.00
11 x 190	7-16 x 7 1-2	13.75	15 x 255	19-32 x 10	27.50
12 x 190	15-32 x 7 1-2	15.00	16 x 255	5-8 x 10	32.25
13 x 190	1-2 x 7 1-2	16.50	18 x 255	23-32 x 10	40.00
14 x 190	9-16 x 7 1-2	17.85	20 x 255	25-32 x 10	48.00
15 x 190	19-32 x 7 1-2	20.50	25 x 255	1 x 10	70.00
16 x 190	5-8 x 7 1-2	24.00	8 x 305	5-16 x 12	15.40
18 x 190	23-32 x 7 1-2	31.00	10 x 305	3-8 x 12	20.00
13 x 205	1-2 x 8	17.80	11 x 305	7-16 x 12	22.00
16 x 205	5-8 x 8	25.75	12 x 305	15-32 x 12	24.00
18 x 205	23-32 x 8	33.00	13 x 305	1-2 x 12	26.40
12 x 240	15-32 x 9 1-2	19.00	14 x 305	9-16 x 12	28.65
15 x 240	19-32 x 9 1-2	27.00	15 x 305	19-32 x 12	33.00
18 x 240	23-32 x 9 1-2	39.00	16 x 305	5-8 x 12	38.60
8 x 255	5-16 x 10	12.90	18 x 305	23-32 x 12	50.00



Domestic Carbons—(Continued.)

“Helios.”—(Continued.)

Direct Current Carbons.

Solid.

Millimeters.	Inches.	Price.	Millimeters.	Inches.	Price.
8 x 160	5-16 x 6 5-16	\$ 7.00	14 x 190	9-16 x 7 1-2	\$16.50
10 x 160	3-8 x 6 5-16	9.25	15 x 190	19-32 x 7 1-2	19.00
12 x 160	15-32 x 6 5-16	11.75	16 x 190	5-8 x 7 1-2	22.00
8 x 150	5-16 x 6	6.50	10 x 205	3-8 x 8	11.60
10 x 150	3-8 x 6	8.65	12 x 205	15-32 x 8	15.00
11 x 150	7-16 x 6	9.75	13 x 205	1-2 x 8	16.00
12 x 150	15-32 x 6	11.00	8 x 240	5-16 x 9 1-2	10.40
13 x 150	1-2 x 6	12.00	10 x 240	3-8 x 9 1-2	13.90
14 x 150	9-16 x 6	13.00	11 x 240	7-16 x 9 1-2	15.60
15 x 150	19-32 x 6	15.00	12 x 240	15-32 x 9 1-2	17.60
16 x 150	5-8 x 6	17.35	13 x 240	1-2 x 8 1-2	19.10
11 x 180	7-16 x 7	11.70	14 x 240	9-16 x 9 1-2	20.80
13 x 180	1-2 x 7	14.35	15 x 240	19-32 x 9 1-2	24.00
14 x 180	9-16 x 7	15.65	16 x 240	5-8 x 9 1-2	27.75
15 x 180	19-32 x 7	18.00	10 x 255	3-8 x 10	14.70
16 x 180	5-8 x 7	20.85	12 x 255	15-32 x 10	18.70
8 x 190	5-16 x 7 1-2	8.25	13 x 255	1-2 x 10	20.00
10 x 190	3-8 x 7 1-2	11.00	15 x 255	19-32 x 10	25.50
11 x 190	7-16 x 7 1-2	12.35	16 x 255	5-8 x 10	29.00
12 x 190	15-32 x 7 1-2	13.90	11 x 305	7-16 x 12	19.50
13 x 190	1-2 x 7 1-2	15.15	13 x 305	1-2 x 12	24.00

Helios Cored Carbons.

Alternating.

Millimeters.	Inches.	Price.	Millimeters.	Inches.	Price.
11 x 240	7-16 x 9 1-2	\$19.00	15 x 150	19-32 x 6	\$18.50
12 x 160	15-32 x 6 5-16	14.00	15 x 160	19-32 x 6 5-16	19.00
12 x 240	15-32 x 9 1-2	20.00	15 x 190	19-32 x 7 1-2	22.50
12 x 280	15-32 x 11	23.50	15 x 205	19-32 x 8	24.00
13 x 150	1-2 x 6	14.25	15 x 240	19-32 x 9 1-2	28.00
13 x 160	1-2 x 6 5-16	15.00	15 x 255	19-32 x 10	29.50
13 x 190	1-2 x 7 1-2	17.50	15 x 280	19-32 x 11	32.00
13 x 205	1-2 x 8	19.00	16 x 190	5-8 x 7 1-2	25.00
13 x 240	1-2 x 9 1-2	22.00	16 x 205	5-8 x 8	27.00
13 x 255	1-2 x 10	23.50	16 x 240	5-8 x 9 1-2	31.00
13 x 280	1 2 x 11	25.50	16 x 255	5 8 x 10	33.00
14 x 190	9-16 x 7 1-2	21.00	20 x 160	25-32 x 6 5-16	30.00
14 x 240	9-16 x 9 1-2	25.50	20 x 240	25-32 x 9 1-2	45.00



Imported Carbons.

“Sun-Schmelzer-Nurnberg.”

Cored Carbons for Direct Current.

Code Word.	List No.	Diam. in MM.	Diam. in ins.	Length in ins.	List Price Per 1000
<i>Sandmyrtle</i>	21198	11	7-16 x	7 1-2	\$ 14.70
<i>Sandmartin</i>	21199	11	7-16 x	10	19.50
<i>Sandpaper</i>	21200	11	7-16 x	12	23.00
<i>Sandpiper</i>	21201	13	1-2 x	7 1-2	17.20
<i>Sandpride</i>	21202	13	1-2 x	10	23.50
<i>Sandrock</i>	21203	13	1-2 x	12	28.00
<i>Sandsmelt</i>	21204	14	9-16 x	7 1-2	19.00
<i>Sandstar</i>	21205	14	9-16 x	10	25.25
<i>Sandstone</i>	21206	14	9-16 x	12	30.30
<i>Sandstorm</i>	21207	15	19-32 x	6 1-2	18.60
<i>Sandtube</i>	21208	16	5-8 x	7	23.00
<i>Sandcasp</i>	21209	16	5-8 x	7 1-2	25.25
<i>Sandwich</i>	21210	16	5-8 x	10	33.80
<i>Sandworm</i>	21211	16	5-8 x	12	40.50
<i>Sandwort</i>	21212	18	11-16 x	10	43.00

Solid Carbons for Direct Current.

<i>Sandy</i>	21213	8	5-16 x	6	7.00
<i>Sane</i>	21214	8	5-16 x	7 1-2	8.80
<i>Saneness</i>	21215	8	5-16 x	9 1-2	11.20
<i>Sang</i>	21216	10	3-8 x	6	9.25
<i>Sangarce</i>	21217	10	3-8 x	6 1-2	9.70
<i>Sangfroid</i>	21218	10	3-8 x	7 1-2	11.60
<i>Sangiuc</i>	21219	10	3-8 x	9 1-2	14.40
<i>Sangreal</i>	21220	11	7-16 x	6	10.35
<i>Sanguifier</i>	21221	11	7-16 x	7	12.00
<i>Sanguify</i>	21222	11	7-16 x	7 1-2	13.00
<i>Sanguinary</i>	21223	11	7-16 x	8 1-2	14.95
<i>Sanguine</i>	21224	11	7-16 x	9 1-2	16.50
<i>Sanguineless</i>	21225	11	7-16 x	12	20.90
<i>Sanguinely</i>	21226	13	1-2 x	6	12.50
<i>Sanguinity</i>	21227	13	1-2 x	7	14.50
<i>Sanhedrim</i>	21228	13	1-2 x	7 1-2	15.75
<i>Sanicle</i>	21229	13	1-2 x	9 1-2	20.00
<i>Sanies</i>	21230	13	1-2 x	12	25.00
<i>Sanions</i>	21231	14	9-16 x	7	16.10
<i>Sanitarist</i>	21232	16	5-8 x	7	21.25

Cored Carbons for Alternating Current.

<i>Sanitarium</i>	21233	13	1-2 x	7 1-2	21.25
<i>Sanitary</i>	21234	13	1-2 x	9 1-2	27.00
<i>Sanity</i>	21235	15	19-32 x	7 1-2	27.15
<i>Sanjek</i>	21236	15	19-32 x	9 1-2	34.50
<i>Sank</i>	21237	16	5-8 x	9 1-2	39.50



Imported Carbons

Wertheim

Solid

Diam. Inches.	LENGTHS.						
	6 Inch per 1000	7 Inch per 1000	8 Inch per 1000	9 Inch per 1000	10 Inch per 1000	11 Inch per 1000	12 Inch per 1000
1/4	\$22.00	\$22.00	\$23.00	\$23.00	\$24.00	\$24.00	\$24.00
5/16	23.00	24.00	25.00	26.00	27.00	28.00	28.00
3/8	24.00	25.00	26.00	27.00	28.00	29.00	30.00
7/16	26.00	27.00	29.00	30.00	32.00	33.00	34.00
1/2	27.00	28.00	30.00	31.00	33.00	34.00	36.00
5/8	28.00	30.00	31.00	33.00	35.00	36.00	38.00
3/4	29.00	31.00	33.00	34.00	36.00	38.00	40.00
7/8	32.00	35.00	37.00	40.00	42.00	44.00	47.00

Soft Cored.

Diam. Inches	6 Inch per 1000	7 Inch per 1000	8 Inch per 1000	9 Inch per 1000	10 Inch per 1000	11 Inch per 1000	12 Inch per 1000
1/4	\$22.00	\$22.00	\$23.00	\$24.00	\$25.00	\$25.00	\$26.00
5/16	24.00	25.00	26.00	27.00	28.00	29.00	30.00
3/8	25.00	26.00	27.00	28.00	29.00	30.00	32.00
7/16	27.00	28.00	30.00	31.00	33.00	34.00	35.00
1/2	28.00	29.00	31.00	32.00	34.00	35.00	37.00
5/8	29.00	31.00	32.00	34.00	36.00	38.00	39.00
3/4	30.00	32.00	34.00	36.00	38.00	40.00	42.00
7/8	33.00	36.00	38.00	41.00	43.00	46.00	48.00
1 1/8	36.00	39.00	42.00	45.00	48.00	50.00	53.00
1 1/4	37.00	40.00	43.00	47.00	50.00	53.00	56.00

For Direct Current Arc Lamps.

Soft Cored Uppers.

Diam-eter	Length.	Per 1000.	Diam-eter	Length	Per 1000	Diam-eter	Length	Per 1000
7/8	x 7 1/2 in.	\$14.70	7/8	x 10 in.	\$19.70	7/8	x 12 in.	\$23.40
1 1/8	x 7 1/2 "	17.60	1 1/8	x 10 "	23.70	1 1/8	x 12 "	28.15
1 1/4	x 7 1/2 "	19.00	1 1/4	x 10 "	25.50	1 1/4	x 12 "	30.50
1 1/2	x 7 1/2 "	25.50	1 1/2	x 10 "	34.30	1 1/2	x 12 "	41.00
1 3/4	x 8 "	33.75	1 3/4	x 10 "	43.15			
1 7/8	x 8 "	44.00	1 7/8	x 10 "	53.75			


Solid Lower.

Diam-eter	Length	Per 1000.	Diam-eter	Length.	Per 1000	Diam-eter	Length	Per 1000
5/16	x 6 in.	\$ 7.00	5/16	x 7 in.	\$21.60	5/16	x 9 1/2 in.	\$11.15
3/8	x 6 "	9.30	3/8	x 7 1/2 in.	8.75	3/8	x 9 1/2 "	14.75
7/16	x 6 "	10.40	7/16	x 7 1/2 "	11.60	7/16	x 9 1/2 "	16.60
1/2	x 6 "	12.80	1/2	x 7 1/2 "	13.15	1/2	x 9 1/2 "	20.40
5/8	x 7 "	12.15	5/8	x 7 1/2 "	16.15	5/8	x 10 in.	17.70
3/4	x 7 "	14.90	3/4	x 8 "	15.40	3/4	x 10 "	21.50
7/8	x 7 "	16.25	7/8	x 8 "	17.20			

"Electra" Solid Carbons.

For Enclosed Arc Lamps.

Per 1000			Per 1000		
1/2	x 12 in.	\$37.90	7/8	x 12 in.	\$30.70
3/4	x 10 "	31.55	1 1/8	x 10 "	25.60
1 1/2	x 9 1/2 "	30.00	1 1/8	x 9 1/2 "	24.30
1 1/4	x 7 1/2 "	23.60	1 1/8	x 6 "	15.20
1 1/2	x 6 "	19.00	1 1/8	x 4 3/4 "	12.15
3/4	x 5 1/2 "	17.40	1 1/8	x 12 "	28.20
1/2	x 5 "	15.85	3/4	x 6 "	15.20
1/4	x 4 3/4 "	14.30			




No. 21355.

Spark Arresters.

Arrestor No. 21355, made with heavy frame and fine wire gauze. Hinges at back and fitted with latch in front. Standard size 12 inches high; diameter at bottom 10 inches; diameter at top 6¾ inches.

Code Word.	List No.	List Price. Each.
<i>Sarcolemma</i>	21355 Each	\$4.00



No. 21267.

Spark Arresters.

Perforated.

These Arresters are made of perforated steel sheet, with a rim of thin iron sheet which rests upon the globe of the lamp. They swing open with hinges at the back. Made in three different sizes adapting them for use on Western Electric Arc Lamps. With slight alterations they can be used on Arc Lamps of other standard makes.

Approved by the Board of Underwriters and are especially indorsed as being a perfect safeguard against fire and insects.

They are thoroughly Japanned.

When ordering specify style of lamp on which these Arresters are to be used.

	Each.
<i>Sapindus</i> 21267 Each	2.60




No. 8725.

No. 8726.

Carbon Bags.

<i>East</i>	8725 Tin Carbon Case	3.00
<i>Ebenzer</i>	8726 Extra Heavy Leather Carbon Case	4.25



No. 21055.

Rae Store Reflector.


For T.-H. Double Carbon Lamps.

Has a special opal shade which concentrates the bulk of the light on the goods, thus utilizing the light commonly wasted on the ceiling. Combines the intensity of the arc-lamp with a uniform and effective distribution of the light. Also has a clear glass chimney (with opal ventilating top) which serves as a spark arrester, thus making a complete fitting for Arc Lamps in store or show windows.

Does not interfere with the trimming of the lamp.

Approved by New York and Chicago underwriters.

Code Word.	List No.	List Price. Each.
<i>Sambo</i>	21055 Complete.....	\$5.00



No. 21056.


Cutter's Globe Holder.

For T.-H. Arc Lamps.

‘A Time Saver and a Globe Saver.’

Takes the place of the sliding tube and set-screw formerly used. It has no tube to dent and crack, and no screw to jam or bend. A quarter turn of the ring allows the globe to be lowered or raised, and another quarter turn removes it entirely. It is simple, strong and positive in its action. The globe is held securely when raised, yet can be instantly lowered without the use of tools.

<i>Sambuke</i>	21056 Rod and Ring complete	.30
----------------	-----------------------------------	-----



No. 21057.

Pattee Lamp-Hour Recorder.

“A Common Sense Meter for Arc Lamps.”

(PATENTED.)

Has a fifteen day clock movement which is controlled by an electro-magnet so as to keep an accurate count of the burning hours. Needs re-winding but once a month (when the readings are taken). The magnets consume an inappreciable amount of energy and the reading is easily checked by comparison with a watch, so that there can be no complaints from the consumer.

It is simple, well built and practical.

<i>Sameness</i>	21057 Complete.....	12.00
-----------------	---------------------	-------



No 626.

Arc Lamp Globes.

Our Arc Globes are of the best quality of glass and uniform in appearance. They are carefully packed, but shipped only at owner's risk. Two dozen globes are packed in regular size cask, for which we charge \$1.50 extra net.

Clear.

Code Word.	List No.	Diameter. Inches.	Height. Inches.	Top Open- ing. Inches.	Bottom Open- ing, Outside Diam Inches.	List Price Per Dozen
<i>Kissed</i>	626	12	12	6	2½	\$11.00
<i>Kissing</i>	627	12	12	8	3½	11.00
<i>Kitchen</i>	628	12	12	8	5	11.00
<i>Kite</i>	629	12	12	7½	3½	11.00
<i>Kitling</i>	630	12	10	8	4	11.00
<i>Kitten</i>	631	12	12	8	5	11.00
<i>Knack</i>	632	12	12	8	2½	11.00
<i>Knackish</i>	633	12	11	9	4½	11.00
<i>Knave</i>	634	11	12	8	4½	11.00
<i>Knavery</i>	635	11	12	8	4½	11.00

Opal.

<i>Knarish</i>	636	12	12	6	2½	12.00
<i>Knarishly</i>	637	12	12	8	3½	12.00
<i>Knarishness</i>	638	12	12	8	5	12.00
<i>Knee</i>	639	12	12	7½	3½	12.00
<i>Kneel</i>	640	12	10	8	4	12.00
<i>Kneeled</i>	641	12	12	8	5	12.00
<i>Kneeler</i>	642	12	12	8	2½	12.00
<i>Kneeling</i>	643	12	11	9	4½	12.00
<i>Kneelingly</i>	644	11	12	8	4½	12.00
<i>Kneepan</i>	645	11	12	8	4½	12.00


Ground.

<i>Knell</i>	646	12	12	6	2½	12.00
<i>Knelt</i>	647	12	12	8	3½	12.00
<i>Knight</i>	648	12	12	8	5	12.00
<i>Knighted</i>	649	12	12	7½	3½	12.00
<i>Knighthood</i>	650	12	10	8	4	12.00
<i>Knighting</i>	651	12	12	8	5	12.00
<i>Knightless</i>	652	12	12	8	2½	12.00
<i>Knightly</i>	653	12	11	9	4½	12.00
<i>Knit</i>	654	11	12	8	4½	12.00
<i>Knitter</i>	655	11	12	8	4½	12.00

Arc Lamp Globes.—(Continued.)

Globes for Western Electric Arc Lamps.

Arc Light Globes can be furnished in colors, but prices are governed by the quantity. In handling Arc Light Globes extra charge is made for packing when orders are less than original packages.



No. 21033.


No. 21034.

Clear.

Code Word.	List No.	Diam. in ins.	Height inches.	Top Opening in ins.	Bottom Opening in ins.	List Price. Per doz.
<i>Salutiferous</i>	21033	10½	10	8	4¾	\$11.00
<i>Salcability</i>	21034	12	12	8	4¾	11.00
<i>Salcable</i>	21035	12	14	7¾	3½	14.00
<i>Salcableness</i>	21036	12¼	14	7¾	3¾	14.00

One-Quarter or One-Half Ground.

<i>Salcage</i>	21037	10½	10	8	4¾	12.00
<i>Salcatella</i>	21038	12	12	8	4¾	12.00
<i>Salcation</i>	21039	12	14	7¾	3½	16.00
<i>Salcatory</i>	21040	12¼	14	7¾	3¾	16.00



No. 21035.

No. 21036.

Full Ground or Opal.

<i>Salce</i>	21041	10½	10	8	4¾	13.00
<i>Salcer</i>	21042	12	12	8	4¾	13.00
<i>Salcershaped</i>	21043	12	14	7¾	3½	18.00
<i>Sali</i>	21044	12¼	14	7¾	3¾	18.00

Alabaster.

<i>Salcipe</i>	21046	7	10	7	7	20.00
<i>Salco</i>	21047	7	4½	7	7	20.00

No. 21033 is for the old style, low tension Western Electric Arc Lamps.

No. 21034 is for both the wide and narrow frame Western Electric Standard Lamps; also for either the Monitor or Duplex Lamps, both wide and narrow frame, and the old style double Carbon lamps.


No. 21035 is for the ornamental series lamps and the ornamental constant potential lamps.

No. 21036 is for the encased single lamps and new style double Carbon lamps, narrow frame.


No. 21046 is for ornamental series single Carbon lamp fitting above the regular globe.

No. 21047 is for the ornamental constant potential lamp fitting above the regular globe.

Both No. 21046 and 21047 act in a measure as spark arresters, as all of the working parts, the carbons and carbon rods are within an enclosed space. The use of these globes meets the approval of the underwriters,



No. 21046.




No. 21047.

Arc Light Globes—(Continued.)

Globes for Western Electric Arc Lamps—(Continued.)

Code Word	List No.	Diam. in ins.	Height in ins.	Top Opening in ins.	Bottom Opening in ins.	List Price per doz.
<i>Silly</i>	23076	12½	12	8	4¾	16.00

Above Globe for Western Electric Focusing Chain Lamp.




No. 23076.

No. 2843.



No. 21353.



No. 21354.

Globe Nets.

<i>Eagerness</i>	2843	Arc Globe Net, copper, each.....	.40
------------------	------	----------------------------------	-----

Static Arresters.

Electric discharge from belts will often perforate the insulating material of a dynamo or of cables connected thereto. Our arresters form a high resistance path for the electrical discharge from the frame of the dynamo to ground. They are made in two styles, No. 1 Graphite, No. 2 Liquid.

<i>Sarcodern</i>	21353	Graphite, each	1.40
<i>Sarcoid</i>	21354	Liquid "	1.70


Improved Adjustable Lamp Hanger.

This Hanger is designed for use with any form of arc lamp, either high or low tension, and is well adapted for operation of arc lamps upon incandescent circuits.

The important features in connection with this hanger are the suspension of the lamps by the conducting cords direct, insuring perfect electrical contacts and adequate support. The ratchet and arm are so combined with the rope used in raising and lowering the lamp, that breakage of the rope or careless handling cannot cause the lamp to fall. The automatic switch is so constructed that when the lamp is lowered it is completely disconnected from the circuit and when raised to the proper height it is again placed in circuit—this being done automatically insures absolute safety for the attendant and avoids interference with other lamps on the same circuit.

These Hangers are mounted upon slate bases, equipped with brass terminals having perfect electrical connection with the roller mechanism and switch. The roller is made of cast iron and coated with glazed enamel, then covered with sheet asbestos, thus forming a positive insulation. An enameled iron cover is provided which adds to the appearance and serves as a protection to the cords and working parts. Conducting cords of any desired length within the capacity of the roller will be supplied, adapting the hanger for use on ceilings varying in height twenty-five feet down, or to be readily adjusted to different heights as circumstances may require.

This hanger has been approved by the Board of Underwriters.




No. 21360.

Showing Lamp attached.

<i>Sarcology</i>	21360	Complete, with cord.....	30.00
------------------	-------	--------------------------	-------

Bell Hanger.




No. 23077.

The use of "Bell Hangers" for Arc Lamps used outside is becoming general, and is quite necessary when Arc machines of from 60 to 125 lights capacity are used. The ordinary form of lamp suspension has not sufficient insulation where such high voltages are used, and we have designed this type of hanger with a view to overcoming such troubles as are caused by poor insulation, insufficient support and contact at connections to circuit.

Code Word.	List No.	List Price. Each.
<i>Silure</i>	23077 Bell Hanger	\$1.40


Cut-Off Switch.



No. 21358.

The complete Cut-off Switch is mounted on slate, and contacts are so arranged that no arc can be made in throwing on or off. The lamp is suspended from the hook in center, and is not in any manner dependent on the circuit wires for support, connection being made with circuit by means of plugs and suitable spring jacks, enabling the removal of the lamp from the circuit in less time than one-half minute, and with no personal danger. The casing and bell covering insulator are of metal, and render all the contacts thoroughly water-proof.

<i>Sarcologic</i>	21358 Complete, with plugs and cords.....	8.00
-------------------	---	------



No. 21359.

Bell Hanger and Cut-Off Switch Combined.

It is advisable in case of high voltage to use the Bell Hanger in connection with the Cut-off Switches to insure perfect safety. This combination is shown in illustration No. 21359.

<i>Sarcologist</i>	21359 Complete, with bell hanger... ..	9.40
--------------------	--	------



No. 8703.

Fletcher Insulating Arc Lamp Hangers.

(PATENTED.)

Are not only convenient for attaching lamps to their fastenings in all positions, but save loss of current from any and all conditions to which lamps may be subjected.

Code Word.	List No.	List Price Each.
<i>Ecliptic</i>	8703 Each.....	\$0.35



No. 20895.

Fletcher Insulating Lamp Hanger.

Three Knobs.

(PATENTED.)

Same as No. 8703, with the addition of a knob on each side, to which current wires may be attached before entering binding posts of arc lamps. Especially useful where commercial lamps are placed in front of or inside stores, hotels, theatres, etc.

<i>Salicme</i>	20895 Complete.....	.40
----------------	---------------------	-----



No. 20777.

Cutter Revolute Insulator.

For Arc Lamps.

Has the insulating knob mounted on a porcelain base so as to turn freely, and is secured to the ceiling by two screws. Makes a firm support with a double insulation between the wire and the ceiling.

The insulating knob can be easily removed and the wire placed above it, taking the weight off the tie wire.

<i>Safeconduct</i>	20777 Complete, each	.12
--------------------	----------------------------	-----



No. 20896.

Cutter Ceiling Hook.

For Arc Light Wiring.

A simple, compact and strong insulator for supporting indoor arc lamps. The shell and hook are of malleable iron, while the porcelain is solid at the back so as to exclude moisture. The hook is so shaped that the lamp cannot be accidentally lifted off it in trimming.

<i>Salicomia</i>	20896 Complete	.30
------------------	----------------------	-----




No. 20776.

Cutter Arc Insulator.

It will insulate the frame of the lamp from the hoisting rope or suspension hook.

Made with a double petticoat hard rubber bell, which forms an effective watershed.

Code Word.	List No.	List Price. Each.
<i>Safe</i>	20776 Complete.....	\$.40




No. 20897.

Cutter Trimmer's Snap Rope.

Consists of a 30-foot length of half-inch rope with a snap-hook at one end and six rings clamped to the rope near the other end. This is used with hoisting ropes ending in a ring at the pole lock, and is carried by the trimmer on his rounds. The rings on the rope can readily be set at any desired points so as to vary the length of the "snap rope" to suit the varying height of lamps at different crossings.

<i>Salicylic</i>	20897 Complete.....	1.25
------------------	---------------------	------



No. 20898.

Cutter Pole Lock.

(PATENT APPLIED FOR.)

A weather-proof lock for securing the end of the hoisting rope, as used with arc or incandescent suspension lamps. Is quickly put up and prevents tampering with the rope.

Has the back curved to fit the pole, is strong and perfectly weather-proof. The only pole lock adapted for electric light suspensions.

<i>Salicylous</i>	20898 Complete ...	.40
-------------------	--------------------	-----



No. 20899.

Fletcher Improved Pole Padlock.

Very necessary for use where flexible iron cord is used with ring attachment at end. By using this Padlock the trimmer needs only a bridle-snap and piece of rope of sufficient length to lower his lamps.

<i>Salience</i>	20889 Complete	30
-----------------	----------------------	----



No. 2852.

Lamp Cross Arm.

Code Word.	List No.	List Price.
<i>Economy</i>	2852 Each	\$ 0.25



No. 20778.

Cutter Combination Cross Arm.

Combines the fine and weatherproof Cutter's Arc Insulator, with a spreader cross-arm for the line wires. The cross-arm is of enameled wood, tipped with metal ferrules to prevent splitting.

<i>Safeguard</i>	20778 Complete	.60
------------------	----------------------	-----



No. 20879.

Fletcher Insulated Cross-Arm.

<i>Salvatus</i>	20879 Each.....	.60
-----------------	-----------------	-----




No. 20779.

Cutter Featherweight Spreader.

For Arc Light Wires.

Is readily fastened to the wires running to suspension lamps so as to keep them at a distance of seventeen inches from each other. Made of enameled wood, metal tipped with porcelain insulators. Weighs less than eight ounces.

<i>Safekeeping</i>	20779 Complete, per 100	15.00
--------------------	-------------------------------	-------




No. 20880.


Cutter Brace Arm.

This Brace Arm consists of an insulating arm securely bolted to a specially designed plate which fits the pole. It is more easily and more quickly put on than the ordinary cross arm with its pins and insulators, besides making a much neater job.

<i>Sallalberg</i>	20880 Complete	Each. .35
-------------------	----------------------	--------------




No. 20865.



No. 20868 and No. 20869.



No. 8802.



No. 20870.

Windlasses.

Western Electric.

The Western Electric Windlass was designed for a quick-raising, self-locking and absolutely safe windlass. The drum is large and entirely enclosed, except a slot at the top for the wire to pass through, and it is thoroughly sleet-proof.

The self-locking device on the side makes it impossible to release without the aid of the special crank.

It is light, compact and durable, and is easy to put in service and will fit any size of pole.

Code Word.	List No.	List Price. Each.
<i>Sake</i>	20865 Complete	\$3.10
<i>Sacker</i>	20866 Without handle.....	2.50
<i>Sackeret</i>	20867 Handle only.....	.60

Cutter Combination.

Combines the extra leverage of a geared windlass with the safety of a locking windlass, and the low cost of a plain windlass. The pinion is detachable, and is secured to the light handle, which also operates the locking cam. One of these pinion handles is sufficient for all the windlasses on a trimmer's route.

You can use this device as a plain windlass for quick lowering, and then use the gearing in raising the lamp. This windlass will take fifty feet of five-sixteenth inch cable, or forty feet of three-eighth inch.

<i>Saki</i>	20868 Without Handle	2.75
<i>Sal</i>	20869 Pinion Handle.....	1.00

The Fletcher Safety.

For Wood Poles.

With Lock and Key.

<i>Edda</i>	8802 Fletcher's Safety Windlass (takes 35 feet iron flexible cord).....	2.50
<i>Eddy</i>	8803 Fletcher's Safety Windlass (takes 75 feet flexible iron cord, or 40 feet rope)	3.00
<i>Eden</i>	8804 Handle (or Crank) for either above Windlasses.	1.00

For Iron Poles.

<i>Salaam</i>	20870 Windlass (takes 35 feet iron flexible cord).....	3.50
<i>Salable</i>	20871 Windlass (takes 75 feet iron cord or 35 feet half-inch rope).....	4.00
<i>Salably</i>	20872 Handle (or crank) for above.....	1.00



No. 8805.

Fletcher Sleet-proof Pulleys.

Code Word.	List No.	List Price. Each.
<i>Edgar</i>	8805 Medium, for 1½-inch rope.....	\$.75
<i>Edge</i>	8806 Midget, " ¼-inch rope.....	.50
<i>Edgewise</i>	8807 Jumbo, " 1-inch rope.....	1.00



Fig. 1.

Shows position of cord when lamp is being drawn into suspension.



Fig. 2.

Shows position of cord when lamp is in suspension, with Fletcher's Insulating Lamp Hanger attached. Lamp Hanger is not a requisite part of the arrangement, and is only furnished when specially ordered.

No. 960.

Edible

Fletcher "Sure Grip" Sleet-proof Pulley.

The danger and expense incident to the falling of arc lamps from defects in pulleys used with rope or cord suspension, has suggested the need of a good sustaining pulley which, when lamp is drawn up, would hold it rigidly in position. The Fletcher "Sure Grip" Sleet-proof Pulley does this in a simple, effective manner.

No care is required on the part of the trimmer, nor is any extra weight added to weight of lamp when going into suspension; when lamp is in place high winds cannot release it, and trimmer is required to use only the ordinary amount of exertion in lowering it.

960	Fletcher "Sure Grip" Sleet-proof Pulley (takes 1½-inch rope).....	1.50
	Includes everything necessary except rope.	



No. 20886.



No. 20887.




No. 20888.

<i>Salubrious</i>	20886 Automatic Suspension Pulley.. .. .	1.00
<i>Salary</i>	20887 Automatic Traveling and Suspension Pulley..	1.35
<i>Sale</i>	20888 Automatic Mast Arm Pulley.....	1.10

Fletcher Automatic Pulleys.


Fletcher "Safety Lamp Support."

Designed especially to be used where Pulleys are already up; can be used with any Pulley, either Sleet-proof or open, and saves the lamp from falling should ropes become worn or otherwise imperfect.



No. 958.


<i>Salubrious</i>	958 Fletcher's Safety Lamp Support.....	.75
	(Above price does not include Pulley.)	



No. 8808.

Fletcher Sleet-proof Pole Pulley.

Code Word.	List No.	List Price. Each.
<i>Edict</i>	8808 Jumbo (takes 1-inch rope).....	\$0.75
<i>Edifice</i>	8809 Sleet-proof Pole Pulley (takes ½ inch rope)....	.35



No. 20884.

Fletcher Swivel Pole Pulley.

<i>Salumangu</i>	20884 Each.....	.35
------------------	-----------------	-----



No. 8810.

Fletcher Double Wheel Sleet-Proof Pole Pulleys.

<i>Edify</i>	8810 Takes ½-inch rope	.75
<i>Edifying</i>	8811 Jumbo (takes 1-inch rope)	1.00



No. 8704.

Fletcher Duplex Sleet-proof Pulley.

With Two Wheels.


<i>Edit</i>	8704 Takes ½-inch rope	1.00
-------------	------------------------------	------



No. 20885.

Fletcher Twin Sleet-proof Pulley.

<i>Salumstone</i>	20885 Takes ½-inch rope	1.00
-------------------	-------------------------------	------



No. 20889.

Cutter Lamp Supporting Pulley.

A really weatherproof pulley for arc lamps. Entirely automatic, with no cams or pawls to get out of order. Catches the lamp when raised, releases it when about to be lowered, and never fails. There is a dead stop to the rope in each case so that you cannot pull it too far.

Code Word.	List No.	List Price. Each.
<i>Salep</i>	20889½ Complete, with Hook Knob.....	\$.80




No. 20890.

Cutter Swivel Pole Pulley.

Is swiveled so that it can swing sideways and keep in line with the hoisting rope. The supporting plate is made of malleable iron and curved to fit the pole. This pulley avoids all chafing of the rope on the edge of the casing and thus saves the wear on the rope.

<i>Saleman</i>	20890 Complete	.40
----------------	----------------------	-----




No. 20891.


Cutter Mast Arm Pulley.

This is a form of the lamp-supporting pulley with a special clamp to fit iron pipe 1¼ or 1½ in. inside diameter, as commonly used for mast arms.
Has all the good feature of the regular lamp supporting pulley, and has holes in the head-piece so that the strain rods can be run direct to this.


<i>Salework</i>	20891 Complete	.90
-----------------	----------------------	-----




No. 20892.



No. 20893.



No. 20894.



Cutter Interchangeable Pulley.

(PATENT APPLIED FOR.)

A thoroughly weatherproof pulley which will fit anything from a 3-16 inch suspension wire to an 8 inch pole. Has a double-grooved clamp to fasten it to the suspension wire, when it is used as a center pulley. By opening out the clamp it forms a pole-plate which fits the carved surface of the pole and which makes a fine swivel pole pulley.

Strongly made with malleable iron clamp.

Code Word.	List No	List Price Each.
<i>Saliant</i>	20892 Center Pulley, complete.....	\$.40
<i>Salic</i>	20893 Pole Pulley, "	.40

Cutter Running Pulley.

(PATENTED.)


The only safety pulley made for use over trolley wires. Holds the lamp securely when raised and allows it to be lowered close to the pole without interfering with the trolley or guard wires.

Furnished complete with covered "traveler" sheave, malleable iron hook knob and adjustable clamp stop.

<i>Salicacous</i>	20894 Complete	1.20
-------------------	----------------------	------

Arc Light Supplies.—(Continued).

Cutter Outrigger.




No. 20881.

Has a head-piece of malleable iron with a double petticoat hard rubber bell insulating the lamp from the outrigger. This head-piece forms a cap for the wrought iron outrigger, which can be shortened by removing the cap and cutting off the extra length.

The wood cross-arms carrying the line wire insulators are waterproofed with a baked enamel, and tipped with metal ferrules to prevent splitting. The inner one is supported by a malleable iron sleeve which can be clamped at any desired point so as to clear signs or projections in the building.

Code Word.	List No	List Price. Each.
<i>Salamander</i>	20881	Complete as per cut (6 foot overhang) \$1.50




No. 20882.

Cutter Pole Arc Fixture.

Supports the lamp three feet from the pole, so as to bring it out of the line of the shade trees. Can be fastened at any desired height from the top of the pole, fits any size of pole and is more easily put up than a poletop fixture.

Is built of wrought iron with malleable iron fittings, making a very strong, firm and neat fixture. This is assembled before shipping so as to be readily bolted in place. Furnished with "combination cross-arm" for insulating the live wires from the fixture and from the lamp frame.

<i>Salamandine</i>	20882	Complete.....	2.50
--------------------	-------	---------------	------



No. 20883.


Cutter Swinging Arc Fixture

Consists of the Pole Arc Fixture with an extension to bring the lamp five feet from the pole. The extension arm is pivoted so that it will swing down within reach of the pole when the lamp is to be trimmed. After trimming the extension is drawn back to place by the wire rod which hooks into a special socket bolted to the pole (but not shown in the cut).

Wrought iron tubing, malleable iron fittings and steel strain rods give the fixture ample strength and firmness, while the "combination cross-arm" insures proper insulation.


<i>Salamandroid</i>	20883	Complete	3.50
---------------------	-------	----------------	------

The Brady Mast Arm.



No. 2849.


Ear **2849** 15 Foot Extension, each..... \$14.00
Each additional foot 75



No. 2848.

Eagle **2848** 15 Foot Extension, each..... \$14.00
Each additional foot..... .75

Western Electric Mast Arm.




No. 23086.

Silverless **23086** 10 Foot Mast Arm, including
two covered pulleys..... \$12.00
Each additional foot..... .75

Windlass for Mast Arm extra.

Cutter Mast Arm.



No. 23087.

Silverly **23087** 12 Foot Cutter Mast Arm com-
plete with lamp supporting pulley at
outer end and covered pulley at pole, \$12.00
Each additional foot..... .75

Windlass for Mast Arm extra,

Incandescent Arc Lamps.

For Continuous Current.


The advantages of operating arc lamps on incandescent circuits as a matter of convenience, has of late years been fully realized.

The lamps are placed two in series on a circuit of 110 volts, and are adjusted to consume 10 amperes of current. Each lamp requires 45 volts to maintain a nominal 2000 candle power and the necessary amount of resistance is placed in circuit to compensate for the volts above the number used by the two lamps in series.


By dispensing with the ordinary series magnet in the lamp, and providing the feed magnet with cut-out device adapted to switch the feed magnet out of circuit automatically when the carbons are consumed to a certain point, any possibility of a burn out in a lamp is avoided.

The electrical and mechanical arrangement of the lamp is such that the carbons cannot become short-circuited while the lamp is in operation. Thus when a number of lamps are operated in series on the same circuit, they must necessarily be of the same candle power.


The resistance used with the lamp is connected directly to it as shown in the illustrations, and obviates the disfigurement of the lamp structure. It also facilitates the hanging of the lamp, and overcomes the objections made by the Fire Underwriters to the ordinary form of resistances which are inclosed in boxes placed upon the wall. This resistance may be varied according to the volts lost in the wiring. When it is not convenient to have the resistance connected directly to the lamp we can furnish resistance boxes in place of the coils.



No. 21085.



No. 21087.




No. 21090.

Code Word.	List No.	List Price. Each.
<i>Sauvesson</i>	21085	Plain, with resistance coils..... \$34.00
<i>Sauvignon</i>	21086	Plain, without resistance coils..... 30.00
<i>Sa</i>	21087	Ornamented, with resistance coils..... 48.00
<i>Sauerkraut</i>	21088	Ornamented, without resistance coils..... 44.00
<i>Saul</i>	21089	Resistance Box, only 22.00

Hood for Incandescent Arc Lamp.

With Resistance.

<i>Saulie</i>	21090	Complete 10.00
---------------	-------	----------------------



No. 20873.



No. 20875

The Kreuger Theater Arc Lamps.

This lamp was designed and is especially adapted for use in theaters, halls and public buildings, and is without question the best means for obtaining brilliant lighting effects for stage work. It takes the place of the calcium light, and is far superior to it in many respects. It is easier to transport, is less dangerous, more reliable, and far more economical.

In the accompanying cut the lamp is shown attached to its supporting stand, equipped with a silvered parabolic reflector, but the lamp is so arranged that the reflector can be quickly and easily removed, and a lens box or Boomerang substituted for it, making it possible to use a single lamp for varied effects.

The illuminating power of the lamp is equal to 3,000 candles, and owing to the simple but ingenious regulating mechanism, the light is maintained at a very constant strength. The lamp is practically noiseless in its operation, and owing to the entire absence of any devices depending upon gravitation in the regulating mechanism, the lamp can be inclined to any desired angle without interfering with its operation and without re-adjustment.

In operating the lamp, connection can be made direct to the supply wires of a 110 volt constant potential lighting system, observing that the current passes downward through the carbons, and under these conditions the rheostat in the perforated cone at the base of the lamp will restrict the current passing through the lamp to the proper strength.

Attachments for Kreuger Theater Lamp.

The lens box is used when it is desired to concentrate the rays of light more or less according to adjustment. It is very useful in cases where it is desired to throw a strong stream of light upon a moderate sized object upon the stage, or to follow an object in its movements.

The Boomerang is used when a uniform dispersion of light over a considerable area is desired, which result is secured by means of a ground glass front. In front of the ground glass is provided a color frame, open at both sides so that frames can be slid through in succession and the colors changed without showing the white light.

These lamps and attachments are carried in stock and can be supplied promptly on receipt of order.

Code Word.	List No.	List Price. Each.
<i>Salacious</i>	20873	Lamp, Stand and Rheostat \$90.00
<i>Salaciously</i>	20874	Portable Lamp Rheostat..... 25.00
<i>Salacity</i>	20875	Lens Box 24.60
<i>Salad</i>	20876	Single Boomerang..... 80.00
<i>Salade</i>	20877	Double Boomerang..... 140.00
<i>Salading</i>	20878	Glass Lined Reflector..... 48.00
<i>Saucily</i>	21082	Enameled Copper Reflector..... 10.00
<i>Sauciness</i>	21083	Reflector Front..... 2.10
<i>Saucisse</i>	21084	Set of 5 Colors 12.60
<i>Saintologist</i>	20862	Plugs and Receptacle..... 3.20



Adapted for Outdoor Use.



Adapted for Indoor Use.

Western Electric Long-Burning Enclosed Arc Lamp.

The first illustration shows the lamp arranged for outdoor use. The bell which encloses the rheostat is turned down. The position of the bell can be changed to that shown in the illustration of lamp for indoor use. The stem of the lamp can be made any length to suit the height of the ceiling.

The third illustration shows the manner in which the globe is handled and the lamp trimmed. The globe is lowered and is held in position as shown by the construction of the lower portion of the carbon holder or side arm.

The lamp requires half-inch carbons, one 12 inches long and one 5 inches long.

The fourth illustration shows the mechanism in plain view, and in order to get at this mechanism all that is necessary is to slip the shell down. The switch is of a quick break pattern and can be reached and manipulated easily from the ground with a pole. The switch handle is just above the name plate as shown in the illustration. The lower carbon holder and enclosing globe are made removable, simplifying the trimming. The clutch mechanism requires the least amount of energy to operate it, roller bearings being used to lessen the friction.


There is no shadow cast by the globes. They are a true sphere in shape and closed at the bottom.

The lamps can be operated singly on 110 volts, two in series on 220 volts, or five in series on 550 volts. They distribute light uniformly, burn steadily, are noiseless, and the mechanism is simple and strong.


The standard lamps are of a dark or oxidized copper finish.

An ornamental brass lamp can be furnished and also other finishes upon special orders.

Prices on Arc Lamps quoted on Application.




Showing Globe lowered ready for trimming.



Showing Mechanism.

The Rushmore Projectors and Search-Lights.

Type "A" Projector.



Type "A."

This is a high power Projector, possessing all the advantages of the best lights formerly used in the Navies, giving an intensity estimated at one million candle power per ampere in the arc, and is entirely free from the complicated mechanism which has made it necessary for every warship to carry a corps of "Search Light Experts" to keep them in working order. The apparatus consists essentially of a cylinder which is entirely empty except for the slender carbon holders which cast no shadow, and the lamp is placed in a small case below the cylinder. In the rear cover is mounted the new lens mirror, and the arrangement, as will be seen by the following illustrations, is such that all the light from the carbons is thrown upon it. There is no light lost, and by reason of the central position of the carbons it is possible with the new lens to cause the light to be projected in a narrow beam, spreading to but 100 feet at a mile distance, or to spread it out as wide as desired for making landings, etc., which is accomplished by simply turning a small hand wheel shown on the lower lamp case. This device dispenses with the heavy and costly double diverging lenses placed in the front of the old navy lights, which are a constant expense and annoyance by breaking.

This type projector is designed particularly for the largest steamships, but is made in all sizes down to the smallest yacht light, as will be seen by price list.

Diam-eter. inches	Amperes.	Plain Iron Japanned	Iron Frame Polished Brass Cylinder	Black Brass Frame Polished Cylinder	All Brass Polished All Over,	Height to Center of Cylinder Inches.	Weight Com- plete. Lbs
10	5 to 10	...	\$375 00	\$405.00	\$445.00	18	55
14	10	\$375 00	400 00	440 00	490.00	27	80
14	20	385.00	410.00	450.00	500.00	27	80
14	25	395 00	420 00	460 00	510 00	27	80
18	35	470 00	505 00	565 00	625.00	30	165
18	45	495.00	530 00	590 00	650.00	30	165
26	60	900 00	960 00	...	...	58	365
26	80	975 00	1095 00	...	...	58	365
34	100	1500 00	1600 00	...	...	58	450



Type "D,"

Pilot House Projector. Type "D."

This apparatus is the same as the Type "A" Projector just described, but mounted in a special U frame, adapting it for use on the roof of the pilot house. A controlling shaft arrangement, as shown, extends below, by means of which the light is readily thrown in any direction by the man at the wheel. With this arrangement it may be controlled with even greater ease than can the deck lights, as the operator is away from the glare of the intense beam, and the light being overhead can be directed with perfect accuracy.

The Rushmore Projectors and Search-Lights. (Continued.)

Pilot House Projector. Type "D."—(Continued.)

Illustration shows the projector with front and back doors opened, and it will be readily seen that anyone can place the carbons in the holders, and should they not be of proper length for focus of the light, the lamp may be instantly shifted to bring it to focus, and thus it is not necessary to have the carbons of an exact length. This will be appreciated by those who have used the old style search lights which it was necessary to take to pieces to replace the carbons and which could never be trimmed in the dark as is often required where the apparatus has been neglected by day.

Other forms of this projector have means of controlling the light when placed away from the pilot house.



Type "D."—Open.

Diam-eter. inches.	Amperes	Plain Iron Japanned	Plain Iron Polished Brass Cylinder	All Brass Polished Cylinder	All Brass Polished All Over	Height to Center of Cylinder Inches.	Weight Complete Lbs
10	5 to 10	...	\$475 00	\$505 00	\$545 00	18	65
14	10	\$475 00	500 00	540 00	590 00	27	100
14	20	485 00	510 00	550 00	600 00	27	100
14	25	495 00	520 00	560 00	610 00	27	100
18	35	570 00	605 00	665 00	725 00	33	190
18	45	595 00	630 00	690 00	750 00	33	190
26	60	1000 00	1060 00	...	...	38	325
26	80	1075 00	1195 00	...	...	38	325
34	100	1600 00	1700 00	...	...	40	480

The Lens.

An important feature of the projectors is the new corrective Aplanatic Lens which differs from all other lenses previously used, in that it has a corrective principle which compensates for the area of the carbons. In the common mirror the actual focus is an infinite point, but as the large carbons have a crater of considerable area, such lenses cannot give a perfectly straight beam. By the new design this difficulty is largely overcome. The lenses are of wonderfully strong focus. They are made of a special grade of glass and the latest type machinery is used for their finishing.

The Concentric Lamp.

The new Concentric Lamp has but a single spool magnet and two gear wheels. It feeds with a power of over thirty pounds at all angles or vertically and its adjustment is permanent and simple.

Projectors in the Fog.

The light is concentrated to a single narrow beam which causes very little reflection to annoy the pilot, but in real fog a light, no matter how powerful, if thrown horizontally, is worse than useless, as it can penetrate but a short distance, and by its reflection serves only to blind those on watch. It is well known that fog lies close to the water and, to take advantage of this fact, the projectors are constructed to throw a light in a vertical direction when required. In this way the beam easily



The Rushmore Projectors and Search-Lights.
(Continued.)

Projectors in the Fog.—(Continued.)

penetrates the layer of mist and throws a bright, round spot on the sky which is readily seen by other vessels, and by a suitable switch the light may be flashed to give any signals desired.

Search Lights for Electric Railways.

As an advertising device there is nothing so successful as the Electric Search Light, particularly where the object is not to attract people merely by curiosity, but for the purpose of viewing the effects at a distance.

Nearly all electric railways have extended their lines to some popular resort, or have established parks of their own. These are usually on high ground, and in such cases one of the most attractive features that could be added is a powerful search light. This apparatus when so ordered, is built to work on the regular power circuits and is not affected by fluctuations in the voltage common at the end of trolley lines. It has been found that where this apparatus has been installed for this purpose it has in a short time more than paid for itself by increased receipts.

Plain Reflector Lights. Type "B."


Old style common reflector search light. It is radically different from the projectors, as it has a silver-plated sheet copper reflector of the locomotive type. The construction is very simple. The lamp movement is similar to that used in the projectors and has permanent adjustment. It is easily cleaned and supplied with new carbons and is intended for rough service and short range work.

Diam-eter. inches.	Amperes	Plain Iron Japanned	Plain Iron Polished Brass Cylinder	All Brass Polished Cylinder	All Brass Polished All Over	Height to Center of Cylinder Inches	Weight Complete Lbs.
18	10 to 25	\$260 00	\$300 00	\$360 00	\$420.00	30	150
26	30 to 40	370 00	430 00	5 5		38	250

Plain Pilot House Reflector Light. Type "C."

This apparatus is the same as Type "B," mounted in a special U frame, adapting it for use on top of pilot house. See description of Type "D."

Diam-eter inches	Amperes	Plain Iron Japanned	Plain Iron Polished Brass Cylinder	All Brass Polished Cylinder	All Brass Polished All Over	Height to Center of Cylinder Inches	Weight Com- plete Lbs.
18	10 to 25	\$340 00	\$390 00	\$450 00	\$510.00	33	180
26	30 to 40	448 00	510 00			38	280



The Columbian Street Lamp Post.

PATENTED.

For supporting arc lights for street illumination a demand has arisen for a post which, in addition to filling the well-known electrical and mechanical requirements, shall present a symmetrical and pleasing appearance to the eye. A glance at the accompanying illustration will show the success that has attended our efforts in this direction.


The lower part of this post, which is of cast-iron, has a broad circular base, which, when bolted to the sidewalk, gives the post great stability. Above the base the post assumes a hexagonal form and arises in graceful curved faces, paneled and ornamented in a tasteful manner. One of the panels is hinged so that it may be opened to give access to the switch. The wooden portion of the post extends downward through the cast-iron base to the sidewalk, and above the base is provided with neat malleable iron steps, while at its upper extremity is carried a single side-arm lamp support equipped with switchboard and hood. The cover of the hood can be placed at any angle so that the street names will be parallel with the intersecting streets. The height over all is about 21 feet.

There are about 1,500 posts similar to this now in use on the Electric Light plant of the city of Chicago.

We manufacture these posts with ornamental supporting arm for the lamp in place of the ordinary street hood, for boulevards and parks.

In addition to the Columbian Lamp Posts we are prepared to furnish posts of special designs to suit the purchaser. We will submit drawings on application.

Code Word.	List No.	List Price. Each.
<i>Sandalid</i>	21168	Post, complete, without lamp \$110.00
<i>Sandaliform</i>	21169	Extra Switches..... 4.50
<i>Sandarac</i>	21170	Extra Doors and Locks..... 4.50
<i>Sandarack</i>	21171	Extra Steps, without ring..... .40



Boulevard Lamp Post.

For boulevard street lighting we manufacture an ornamental lamp post as shown in the accompanying cut.

This post is thoroughly made, electrically and mechanically, and is graceful in design. It is provided with a cast iron pedestal similar to that furnished with the Columbian lamp post. The cast iron top for supporting the lamp extends over the street in order to afford a good distribution of light, but at the same time the lamp is easily reached from the post for trimming. The wooden portion of the post, which supports the steps, is made to extend through the cast iron pedestal to the ground giving a substantial construction. The post is also made with a top that curves out more than the one shown in the cut, making a post desirable for alley lighting. A switch is placed in the pedestal and is accessible by a hinged panel.

Prices on application.

MARINE.




No. 8815.




No. 50965.

No. 50966.



No. 50973.



No. 20858.

Glass Fuses.

Code Word.	List No.	List Price.
<i>Harm</i>	8815 1 Ampere, each.....	\$0.50
<i>Harmed</i>	8816 2 " "	.50
<i>Harmful</i>	8817 3 " "	.50
<i>Harmfully</i>	8818 5 " "	.50
<i>Harming</i>	8819 8 " "	.50
<i>Harmless</i>	8820 10 " "	.50

Marine Sockets.

<i>Catholical</i>	50965	Keyless, Edison Base, each.....	60
<i>Cutken</i>	50966	Key, Edison Base, each.....	.75


Junction Boxes.

<i>Lounger</i>	50972	Search-light Junction Box, each.....	6.00
<i>Locable</i>	50973	Feeder Junction Box, each.....	8.00
<i>Loreless</i>	50967	Four-way Branch Junction Box, each.	8.00
<i>Lovetily</i>	63766	Key for Removing Covers of Catalogue Nos. 50972, 50973 and 50967, each.....	.80

Bryant Waterproof Marine Switch.

This Switch is designed for marine work or for use in damp places. The wires enter through stuffing boxes having soft rubber packing. They are extensively used on transatlantic steamers.

<i>Saintism</i>	20858	10 Ampere, Single Pole, each	\$5.00
-----------------	-------	------------------------------------	--------



No. 63758.



No. 63764.




No. 50974.




No. 50970.



No. 50971.



No. 64109.



No. 9121.

Marine Switches.


Code Word.	List No.	List Price
<i>Loveliness</i>	63758	Water-tight Switch and Receptacle, capacity 5 amperes, each. \$6.50
<i>Lovelorn</i>	63759	Water-tight Switch Receptacle and Junction Box, each..... 10.00
<i>Lovely</i>	63756	Single Pole Water-tight Switch, capacity 5 amperes, each..... 5.00
<i>Lover</i>	63763	Double Pole Water-tight Switch, capacity 25 amperes, each..... 7.00
<i>Lovesome</i>	63764	Double Pole Water-tight Switch, capacity 40 amperes, each..... 14.00
<i>Lower</i>	63757	Single Pole, not Water-tight Switch, capacity 25 amperes, each..... .60

Deck Tubes.

<i>Lowered</i>	50974	Protective Deck Wire Stuffing Tube, each..... 8.00
<i>Lowering</i>	50970	Main Deck Wire Stuffing Tube, each..... 6.00
<i>Lowland</i>	50971	Bulkhead Deck Wire Stuffing Tube, each..... 1.00
<i>Mildew</i>	64109	Water-tight Receptacle, with Attaching Plug, capacity 5 amperes, each..... 5.00
<i>Mileage</i>	64110	Attaching Plug for No. 64109, each..... 1.10
<i>Military</i>	64111	Not Water-tight Receptacle, each..... 30
<i>Militia</i>	64112	Attaching Plug for No. 64111, each 5.00
<i>Milk</i>	64113	Search-light Receptacle, with Plug, each..... 19.00

Portable Lamp Guards.


<i>Lotion</i>	9121	Portable Lamp, each..... 6.00
---------------	------	-------------------------------



No. 4974.

Portable Lamp Guards—(Continued).

Code Word.	List No.	List Price.
<i>Lottery</i>	4974 Portable Lamp Guard, safety hand key socket, each,.....	\$1.25
<i>Lotus</i>	4975 Portable Lamp Guard, safety hand keyless socket, each,.....	1.00



No. 8913.

<i>Loud</i>	8913 Brewer's Portable Lamp Guard, each,.....	2.50
-------------	---	------




No. 9118.

<i>Miff</i>	9118 Battle Lantern, without Shield, each,.....	12.00
-------------	---	-------



No. 9119.


<i>Miffer</i>	9119 Battle Lantern, with Shield, each,.....	12.00
---------------	--	-------



No. 9123.

Fixtures.

Code Word.	List No.	List Price.
<i>Might</i>	9123	Half Wire Guard, each.....\$4.50




No. 9124.

<i>Mighty</i>	9124	Full Wire Guard, each..... 7.00
---------------	------	---------------------------------



No. 9122.


<i>Loudly</i>	9122	Steam-tight Globe, each..... 6.50
---------------	------	-----------------------------------



No. 9125.

Fixtures—(Continued).

Code Word.	List No.	List Price.
<i>Loudness</i>	9125	Steam-tight Globe, with Guard, each.....\$7.00



No. 9120.

<i>Lounge</i>	9120	Navy Signal Lantern, each:..... 30.00
---------------	------	---------------------------------------




No. 9140.

<i>Mesh</i>	9140	Ceiling Fixture, each..... 8.00
<i>Lactern</i>	8821	Shade, each..... 1.00
<i>Lactic</i>	8822	Rubber Gasket, each..... .50



No. 9141.

<i>Meshed</i>	9141	Ceiling Fixture. each 11.00
<i>Lactine</i>	8823	Shade, each..... 1.00
<i>Lactic</i>	8822	Rubber Gasket, each..... .50



No. 9126



No. 9136.



No. 9134.



No. 9135.



No. 9137.

Fixtures—(Continued).

Code Word.	List No.	List Price.
<i>Meshing</i>	9126	Portable Guarded Freight or Cargo Lantern, with Guard, each \$35.00
<i>Ladder</i>	8824	Portable Guarded Freight or Cargo Lantern, no Guard, each. 27.50
<i>Merry</i>	9136	Ceiling Fixture, complete, no Lamp, each. 4.00
<i>Merriness</i>	9134	Ceiling Fixture, complete, no Lamp, each. 3.50
<i>Migrate</i>	9135	Wall Bracket, each. 7.50
<i>Migrating</i>	9137	Wall Bracket, each. 7.50



No. 9138.

Fixtures—(Continued).

Code Word.	List No.	List Price.
<i>Mild</i>	9138	Wall Bracket, each.....\$10.00



No. 9130.

<i>Migration</i>	9130	Desk Lamp, each.....12.00
------------------	------	---------------------------



No. 9129.

<i>Meriting</i>	9129	2 Light Electrolier, with Oil Lamp, each..... 35.00
-----------------	------	---



No. 9131.

<i>Mermaid</i>	9131	2 Light Electrolier, with Oil Lamp, each..... 30.00
----------------	------	---

Fixtures—(Continued).



No. 9138.

Code Word.	List No.	List Price.
<i>Merrily</i>	9128	6 Light Electrolier, each.....48.00



No. 9127

<i>Merriment</i>	9127	6 Light Electrolier, with Oil Lamp, each..... 60.00
------------------	------	---



No. 9132.

<i>Milder</i>	9132	3 Light Electrolier, each 6.00
---------------	------	--------------------------------------



No. 9133.


<i>Mildest</i>	9133	2 Light Electrolier, with Oil Lamp, each..... 26.00
----------------	------	---

SHADES.

Porcelain Shades.




No. 2700.



No. 2704.




No. 2709.



No. 2714.



No. 2719.



No. 2720.

Code Word.	List No.	List Price. Per doz.
<i>Dealing</i>	2700	5 inch, Fan Shaped, Flat \$ 2.25
<i>Deanery</i>	2701	6 " " " " 2.50
<i>Deborah</i>	2702	7 " " " " 2.75
<i>Delia</i>	2703	8 " " " " 3.10
<i>Simony</i>	23104	10 " " " " 3.60
<i>Simoon</i>	23105	12 " " " " 7.80

<i>Absalom</i>	2704	5 inch, Plain, Flat 2.00
<i>Abscess</i>	2705	6 " " " " 2.00
<i>Abscond</i>	2706	7 " " " " 2.25
<i>Absconded</i>	2707	8 " " " " 2.50
<i>Absolutely</i>	2708	10 " " " " 2.75
<i>Absoluti</i>	2725	12 " " " " 5.50
<i>Absolve</i>	2726	14 " " " " 6.25
<i>Absolver</i>	2727	16 " " " " 8.75
<i>Absolving</i>	2728	18 " " " " 15.00
<i>Simious</i>	23106	20 " " " " 17.00
<i>Simper</i>	23107	22 " " " " 26.00
<i>Simperer</i>	23108	24 " " " " 32.00


<i>Denis</i>	2709	5 inch, Deep, Fan Shape 2.25
<i>Depress</i>	2710	6 " " " " 2.50
<i>Depression</i>	2711	7 " " " " 2.75
<i>Deprive</i>	2712	8 " " " " 3.00
<i>Depriving</i>	2713	10 " " " " 6.00

<i>Deadness</i>	2714	5 inch, Plain, Deep 2.00
<i>Deaf</i>	2715	6 " " " " 2.25
<i>Deafen</i>	2716	7 " " " " 2.50
<i>Deafness</i>	2717	8 " " " " 2.75
<i>Deal</i>	2718	10 " " " " 5.00

From No. 2714 to No. 2718, made in both plain and beaded edge. In ordering state plain or beaded edge as desired.

<i>Liquite</i>	2719	Melon, Opal, for 2 1/4 inch Holder 3.00
----------------	------	---

<i>Absorant</i>	2720	5 inch, Scalloped 2.00
<i>Absorb</i>	2721	6 " " " " 2.25
<i>Absorbent</i>	2722	7 " " " " 2.50
<i>Absorbing</i>	2723	8 " " " " 2.75
<i>Absorption</i>	2724	10 " " " " 5.00



No. 2731.

Porcelain Shades —(Continued).


Code, Word.	List No.	List Price.
<i>Lighter</i>	2729 $\frac{1}{2}$ 8 inch, White Porcelain, Deep Cone, per dozen...	\$3.75
<i>Lighterage</i>	2730 10 " " " " " " ..	4.00
<i>Lightness</i>	2731 7 " Green " " " " ..	11.25
<i>Lightly</i>	2732 10 " " " " " " ..	22.50



No. 8712.

Etched Electric Globes—Glass.

<i>Livelihood</i>	8712 7 $\frac{1}{2}$ in. diam., 2 $\frac{1}{2}$ in. high, 2 $\frac{1}{2}$ in. holder, per doz...	10.00
-------------------	--	-------



No. 8878.

<i>Litmus</i>	8878 7 $\frac{1}{2}$ in. diam., 3 $\frac{1}{2}$ in. high, 2 $\frac{1}{2}$ in. holder, per doz...	4.00
---------------	--	------



No. 8770.

<i>Liturg</i>	8770 5 in. diam., 4 in. high, 2 $\frac{1}{2}$ in. holder, per dozen	4.75
---------------	---	------



No. 8771.

<i>Litter</i>	8771 5 $\frac{1}{2}$ in. diam., 4 in. high, 2 $\frac{1}{2}$ in. holder, per dozen	3.75
---------------	---	------



No. 8772.

<i>Littoral</i>	8772 Per dozen.....	3.50
-----------------	---------------------	------



No. 8773.

Etched Electric Globes—Glass—(Continued).

Code Word.	List No.	List Price.
<i>Littleness</i>	8773	Per dozen..... \$3.50



No. 8825.

<i>Littering</i>	8825	Per Dozen 375
------------------	------	---------------------



No. 8765.

<i>Lusterless</i>	8765	5½ in. diameter, 4 in. high, 2¼ in. holder, per doz.. 6.50
-------------------	------	--



No 8766.

<i>Luster</i>	8766	5 in. diameter, 4 in. high, 2¼ in. holder, per doz.. 7.50
---------------	------	---



No. 8767.

<i>Lustrousness</i>	8767	5½ in. diameter, 4 in high, 2¼ in holder, per doz.. 8.00
---------------------	------	--



No. 8768.

Etched Electric Globes—Glass—(Continued).

Code Word.	List No.	List Price.
<i>Lusciously</i>	8768 5½ in. diameter, 4 in. high, 2¼ in. holder, per doz	\$8.50



No. 8769.

<i>Luscious</i>	8769 5 in. diameter, 4 in. high, 2½ in. holder, per doz..	15.00
-----------------	---	-------



No 8826.

<i>Coruscate</i>	8826 Per dozen.....	4.00
------------------	---------------------	------



No. 8827.

<i>Lurch</i>	8827 5 in. diameter, 3½ in. high, 2¼ in. holder, per doz	12.50
--------------	--	-------



No. 8828.

<i>Lurching</i>	8828 5 in. diameter, 4 in. high, 2¼ in. holder, per doz..	15.00
-----------------	---	-------



No. 8829.

<i>Lurid</i>	8829 5½ in. diameter, 4½ in. high, 2¼ in. holder, per doz,	4.75
--------------	--	------



No. 8876.

Etched Electric Globes—Glass—(Continued).

Code Word.	List No.	List Price.
<i>Lurking</i>	8876 5½ in. diameter, 4 in. high, 2½ in. holder, per doz..	\$2.25



No. 8877

<i>Luring</i>	8877 6 in diameter, 4 in. high, 2½ in. holder, per doz..	5.00
---------------	--	------



No. 8857.


Colored Electric Globes—Glass.

			Inch Diam.	Inch High.	Inch holder.	Per Doz.
<i>Liveliness</i>	8857	Pink opalescent,	5½	4½	2½	7.50
<i>Lively</i>	8858	Ruby "	5½	4½	2½	7.50
<i>Livery</i>	8859	Light blue "	5½	4½	2½	3.75
<i>Livid</i>	8860	Flint "	5	4½	2½	3.75
<i>Lividness</i>	8861	Amber "	5½	4½	2½	3.75




No. 8862.

<i>Living</i>	8862	Pink opalescent,	4½	5	2½	7.50
<i>Lizard</i>	8863	Ruby "	4½	5	2½	7.50
<i>Loadstone</i>	8864	Flint "	4½	5	2½	3.50
<i>Loafer</i>	8865	Light blue "	4½	5	2½	3.50
<i>Loafing</i>	8866	Amber "	4½	5	2½	3.50



No. 8867.

<i>Loam</i>	8867	Flint opalescent,	5	3½	2½	4.38
<i>Loathful</i>	8868	Ruby "	5	3½	2½	8.75
<i>Loathness</i>	8869	Flint "	6	3½	2½	3.75
<i>Loathsome</i>	8870	Ruby "	6	3½	2½	7.50
<i>Locality</i>	8871	Flint "	7	3½	2½	4.90
<i>Locally</i>	8872	Ruby "	7	3½	2½	9.25



No. 8873.

			Inch Diam.	Inch Long	Inch holder	
<i>Loate</i>	8873	Ruby opalescent,	4	6½	3½	12.00
<i>Lowly</i>	8874	Flint "	4	6½	3½	5.63
<i>Lowness</i>	8875	Crystal "	4	6½	3½	5.00



No. 23109.



No. 23110.



No. 23111.



No. 23112.



No. 23113.



No. 23114.



No. 23115.

New Patterns in Standard Shades.

W. A. Fluted Etched Shade.

Code Word.	List No.	List Price. Per Doz.
<i>Simple</i>	23109 Shade 4 x 4 in. for 2½ in. holder...	\$5.30

W. A. Electric.

<i>Simpleness</i>	23110 3¾ in. high, 4½ in. wide, for 2½ in. holder.....	5.00
-------------------	--	------

Diamond Etched.

<i>Simpler</i>	23111 4 in. high, 5½ in. wide, for 2½ in. holder.....	9.00
----------------	---	------

<i>Simpleness</i>	23112 4 in. high, 4½ in. wide, for 2½ in. shade holder.....	9.00
-------------------	---	------

<i>Simplerian</i>	23113 4½ in. high, 4½ in. wide, for 2½ in. shade holder.....	9.00
-------------------	--	------

<i>Simplify</i>	23114 4½ in. high, 5 in. wide, for 2½ in. shade holder.....	9.00
-----------------	---	------

Rough Etched Maple Leaf.

<i>Simplest</i>	23115 4¾ in. high, 5½ in. wide, for 2½ in. shade holder.....	7.00
-----------------	--	------

The black background on shades represents clear glass.

Shades

Etched Shades.



No. 21729.

Code Word	List No.		List Price. Per Doz.
<i>Segregate</i>	21729	Etched	\$3.00



No. 21730.

<i>Segneurial</i>	21730	Pearl Etched	4.50
-------------------	-------	--------------------	------



No. 21731.

<i>Seignior</i>	21731	Pearl Etched	4.50
-----------------	-------	--------------------	------



No. 21732.

<i>Seigniory</i>	21732	Pearl Etched, ribbed	4.50
------------------	-------	----------------------------	------



No. 21733.

<i>Seine</i>	21733	Pearl Etched	4.50
--------------	-------	--------------------	------



No. 21734.

<i>Seize</i>	21734	Pearl Etched	4.50
--------------	-------	--------------------	------

Shades



No. 21735.



No. 21736.



No. 21737.

Roughed Inside.

Code Word.	List No.		List Price. Per Doz.
<i>Seldom</i>	21735	4½ in. diam. 5½ in. high, crimped top	\$7.50
<i>Select</i>	21736	4½ " 5½ "	7.00
<i>Selectman</i>	21737	3¾ " 5¼ "	6.00

Silver Etched.



No. 21739.



No. 21740.



No. 21743.

<i>Self</i>	21738	3¾ in. diam. 5¼ in. high, scalloped top,	18.00
<i>Selfish</i>	21739	3¾ " 5¼ " plain top	15.00
<i>Selframe</i>	21740	4½ " 5½ " scalloped top,	18.00
<i>Seleage</i>	21741	4½ " 5½ " plain top	15.00
<i>Semaphone</i>	21742	3¾ " 5¼ " twist ruby ...	9.00
<i>Semblance</i>	21743	3¾ " 5¼ " twist flint op.	
		alescent	6.00



No. 21744.



No. 21745.



No. 21746.

<i>Seminary</i>	21744	5¼ in. diam. 4 in. high, etched pan ...	5.00
<i>Semitic</i>	21745	4¾ " 4¾ " silver etched, plain top	9.00
<i>Semitone</i>	21746	5¼ in. diam. 4 in. high, etched pan ...	5.00

Crimped.



No. 21747.



No. 21748.



No. 21749.

<i>Sempstress</i>	21747	5 in. diam. 4¾ in. high, etched	7.50
<i>Senate</i>	21748	5½ " 4¾ " "	5.00
<i>Senator</i>	21749	5 " 4¾ " roughed inside	7.00



No. 21750.



No. 21751.



No. 21752.

<i>Senatorial</i>	21750	4¾ in. diam. 5½ in. high, silver etched scalloped top	12.00
<i>Senile</i>	21751	4¾ in. diam. 4 in. high, rich cut	14.00
<i>Senility</i>	21752	4¾ " 5½ " silver etched plain top	16.00

Rich Cut.



No. 21753.



No. 21754.



No. 21755.

<i>Senior</i>	21753	4½ in. diam. 5½ in. high	54.00
<i>Senoirity</i>	21754	4½ " 5½ "	60.00
<i>Sensation</i>	21755	4½ " 5 "	44.00

All Shades on this page for 2½ in. holder.



No. 21756.



No. 21757.

Silver Etched, Scalloped Top.

Code Word	List No.	List Price. Per Doz.
<i>Sense</i>	21756 5 in. diam., 3½ in. high.....	\$17.00

Silver Etched and Cut, Beveled Top.

<i>Sensibility</i>	21757 5½ in. diam., 4 in. high	20.00
--------------------	--------------------------------------	-------




No. 21758.



No. 21759.

Silver Etched, Plain Top.

<i>Sensible</i>	21758 4½ in. diam., 4½ in. high.....	17.00
<i>Sensitive</i>	21759 5 " 4½ "	18.00



No. 21760.



No. 21761.

Silver Etched and Rich Cut, Scalloped Top.

<i>Sensorial</i>	21760 5½ in. diam. 4 in. high.....	24.00
<i>Sensorium</i>	21761 5½ " 4 "	24.00



No. 21762.



No. 21763.

Cut and Etched.

<i>Sensory</i>	21762 Scalloped Top, 6 in. diam. 4 in. high...	24.00
<i>Sentence</i>	21763 " 5½ " 3½ "	14.50
<i>Sententious</i>	21764 Plain Top, 5½ " 3½ "	12.50

No. 21764 is the same in finish as No. 21763.



No. 21765.



No. 21766.

Cut and Etched.

<i>Sentient</i>	21765 Melon Beaded Top, 5 in. diam. 4 in. high,	32.00
<i>Sentiment</i>	21766 Corrugated, Scalloped Top, 5 in. diam., 3½ in. high.....	32.00



No. 21767.



No. 21768.

Rich Cut, Scalloped Top.

<i>Sentimental</i>	21767 5 in. diam., 4½ in. high.....	50 00
<i>Sentinel</i>	21768 4½ " 4½ "	30.00




No. 21769.




No. 21770.

Rich Cut, Scalloped Top.

Code Word.	List No.	List Price.
<i>Sentry</i>	21769	4 in. diam., 5 in. high, per doz. \$55.00
<i>Separable</i>	21770	Melon, 5 in. diam., 5 in. high, per doz. ... 28.00



No. 21771.



No. 21772.

Rich Cut, Scalloped Top.

<i>Separatist</i>	21771	4¾ in. diam., 4 in. high, per doz. 56.00
<i>Septuagint</i>	21772	4½ " 4½ " " 48.00

Rich Cut and Etched Ball.

<i>Septennial</i>	21773	6-inch, 3¼ inch holder, each 6.25
<i>Sepulcher</i>	21774	7-inch, 3¼ " " " 7.50
<i>Sepulchral</i>	21775	8-inch, 3¼ " " " 8.50
<i>Sepulture</i>	21776	10-inch, 3¼ " " " 13.00
<i>Sequeacious</i>	21777	12-inch, 3¼ " " " 20.00



No. 21773.



No. 21778.

Rich Cut Bulb.

<i>Sequel</i>	21778	5½ in. diam., 5½ in. length, 3¼ in. holder, per doz. 120.00
---------------	-------	--



No. 21779.



No. 21780.

Rich Cut Bulbs

<i>Sequence</i>	21779	4 in. diam., 5½ in. length, 3¼ in. holder, per doz. 75.00
<i>Sequester</i>	21780	4 in. diam., 5½ in. length, 3¼ in. holder, per doz. 60.00



No. 21781.



No. 21782.

Rich Cut.

<i>Sequestrate</i>	21781	Bulb, 4 in. diam., 5½ in. length, 3¼ in. holder, per doz. 50.00
<i>Sequestration</i>	21782	Stalactite, 4 in. diam., 5½ in. length, 3¼ in. holder, per doz. 45.00



No. 21819.



No. 21821.

Shades

Twist Stalactites.

Code Word.	List No.	Price List. Per doz
<i>Severely</i>	21819 Flint Opalescent, 7 in. diam., 9 in. length, 5 in. holder.....	\$12.00
<i>Sever</i>	21820 Crystal, 7 in. diam., 9 in. length, 5 in. holder.....	12.00

Plain Stalactite, Roughed Inside.

<i>Serile</i>	21821 7 in. diam., 10 in. length, 4 in. holder,	24.00
---------------	---	-------



No. 21822.



No. 21824.

Rich Cut Bulb.

<i>Serlon</i>	21822 Large, 4 3/4 in. diam., 6 in. length, 3 1/4 in. holder.....	50.00
<i>Shabby</i>	21823 Small, 4 in. diam., 5 1/2 in. length, 3 1/4 in. holder.....	45.00
<i>Shackle</i>	21824 4 in. diam., 5 1/2 in. length, 3 1/4 in. holder,	52.00



No. 21825



No. 21826.

Rich Cut Stalactite.

<i>Shadow</i>	21825 4 in. diam., 8 in. length, 3 1/4 in. holder,	60.00
<i>Shaft</i>	21826 4 " 8 " 3 1/4 "	75.00



No. 21827.



No. 21828.

Rich Cut Stalactite.

<i>Shag</i>	21827 Silver Etched, 4 1/4 in. diam., 8 1/4 in. length, 3 1/4 in. holder.....	21.00
<i>Shaggy</i>	21828 4 1/2 in. diam., 8 3/4 in. length, 3 1/4 in. holder,	75.00

Shades—



No. 21783.



No. 21784.

Code Word. List No.

Seraph

21783

Rich cut, 4½ in. diam., 6½ in. length, 3¼ in. holder.....

List Price.
Per doz.

\$ 22.00

Seraglio

21784

Stalactite, 4½ in. diam., 6½ in. length, 3¼ in. holder.....

9.00

Etched.

Etched Stalactite.



No. 21785.



No. 21786.

Seraphic

21785

Rich cut, 5 in. diam., 6½ in. length, 3¼ in. holder.....

32.00

Seraphim

21786

Melon, 5 in. diam., 6½ in. length, 3¼ in. holder.....

10.00

Etched Stalactite.



No. 21787.



No. 21788.

Serapis

21787

Melon, 5 in. diam., 6½ in. length, 3¼ in. holder.....

12.00

Serenade

21788

Rich cut, 4½ in. diam., 6½ in. length, 3¼ in. holder.....

20.00

Twist Melon Bulb.



No. 21787.



No. 21788.

Serene

21789

Flint Opalescent, 5½ in. diam., 6½ in. length, 3¼ in. holder.....

8.00

Serenity

21790

Crystal, 5½ in. diam., 6½ in. length, 3¼ in. holder.....

7.50

Twist Bulb.



No. 21789.



No. 21793.

Serf

21792

Ruby, 5½ in. diam., 6½ in. length, 3¼ in. holder.....

13.00

Sergeant

21793

Flint Opalescent, 5½ in. diam., 6½ in. length, 3¼ in. holder.....

6.00

Seriel

21794

Crystal, 5½ in. diam., 6½ in. length, 3¼ in. holder.....

5.50



No. 21795.



No. 21796.

Serious

21795

Bulb, 5 in. diam., 6½ in. length, 3¼ in. holder.....

22.00

Serjeant

21796

Stalactite, 4½ in. diam., 6½ in. length, 3¼ in. holder.....

28.00

Rich Cut.




No. 21797.




No. 21798.

*Code Word.	List No.	Price List.
<i>Sermon</i>	21797	4 in. diam. 8 in. length, 3½ in. holder, per doz. \$26.00
<i>Serous</i>	21798	with dish, 4 in. diam. 8 in. length, 3½ in. holder, per doz. 120.00
<i>Serpentine</i>	21799	without dish, 4 in. diam. 8 in. length, 3½ in. holder, per doz. 70.00



No. 21800.



No. 21801.

<i>Serrate</i>	21800	4½ in. diam. 8½ in. length, 3½ in. holder, per doz. 62.50
<i>Serum</i>	21801	4½ in. diam. 8½ in. length, 3½ in. holder, per doz. 90.00

Rich Cut Stalactites.

Silver Etched Ball.

<i>Servant</i>	21802	6-inch, per doz. 17.00
<i>Serve</i>	21803	7-inch, " 24.00
<i>Service</i>	21804	8-inch, " 30.00
<i>Servile</i>	21805	10-inch, " 40.00
<i>Servitor</i>	21806	12-inch, " 70.00
<i>Servitude</i>	21807	14-inch, " 100.00
<i>Session</i>	21808	16-inch, " 150.00



No. 21802.

Crackle. Rich Cut Ball.

<i>Sesspool</i>	21809	6-inch, each. 5.50
<i>Setaceous</i>	21810	7 inch, " 7.50
<i>Sete</i>	21811	8-inch, " 10.00
<i>Settee</i>	21812	10-inch, " 16.00
<i>Setor</i>	21813	12-inch, " 22.00



No. 21809.

Crackle, No Cutting.

<i>Settler</i>	21814	6-inch, each. 2.50
<i>Sever</i>	21815	7-inch, " 3.00
<i>Severat</i>	21816	8-inch, " 3.75
<i>Severally</i>	21817	10-inch, " 6.00
<i>Severe</i>	21818	12-inch, " 9.00



No. 21829.

Silver Etched Bowl.

Code Word.	List No.	List Price.
<i>Shah</i>	21829 12½-inch, each	\$10.00
<i>Shake</i>	21830 14-inch, "	12.50
<i>Shale</i>	21831 15-inch, "	17.50
<i>Shallop</i>	21832 16-inch, "	25.00
<i>Shallow</i>	21833 18 inch, "	40.00




No. 21834.

Rich Cut Bowl, "Jewel."

<i>Sham</i>	21834 10-inch, each	18.00
<i>Shamble</i>	21835 12½-inch, "	30.00
<i>Shame</i>	21836 14-inch, "	45.00
<i>Shammy</i>	21837 16-inch, "	75.00

Aluminum Lined Reflectors.



PAT. APPLIED FOR.

No. 23079.



PAT. APPLIED FOR.

No. 23081.

These Reflectors are made of tin, japanned a dark green on the outside, and lined with a sheet of polished aluminum. The tin forms a strong, stiff support for the thin aluminum, the two being wired or seamed together at the top and bottom edges.

The aluminum is very highly polished, and being almost chemically pure, it will not tarnish by exposure to the atmosphere and moisture. It therefore forms an ideally perfect reflecting surface of the highest efficiency and durability.

The Reflectors are fluted by an improved method, the curvature of the flutings in each style being carefully calculated so as to produce a uniform intensity of light over the area to be lighted, without wasting any portion of it by double reflection, or by throwing it where it will be of no use.

These Reflectors are unbreakable, and they are much lighter in weight than glass.

<i>Silca</i>	23079	No. 101	10-inch, to fit 2½ holder, each	.90
<i>Silcanite</i>	23081	No. 201	10-inch, " 2½ " " "	.80

“X Ray” Silvered Glass Reflectors.


Aluminum Finish on Backs.



No. 21838.



Code Word.	List No.	List Price. Per Doz.
<i>Shampoo</i>	21838 5½ in. diam. 2 in. deep.....	\$10.00



No. 21839.



<i>Shank</i>	21839 6½ in. diam. 2½ in. deep	10.00
--------------	--------------------------------------	-------




No. 21840.



<i>Shant</i>	21840 7 in. diam. 1½ in. deep	11.25
--------------	-------------------------------------	-------

Adapted for ceiling and wall lighting.




No. 21841.




<i>Shatter</i>	21841 8 in. diam	13.35
<i>Shave</i>	23842 10 in. diam.....	17.50

<i>Shaver</i>	21843 6 in. diam. 3¾ in. deep	10.00
<i>Shawl</i>	21844 7 “ 4 “	11.25
<i>Sheaf</i>	21845 8 “ 5 “	13.25
<i>Shear</i>	21846 10 “ 5½ “	17.50





No. 21843.





Flat Reflectors.

With Twist or Straight Ribs.


<i>Sheirs</i>	21847 10 in. diam. 2½ in. holder	13.75
<i>Sheath</i>	21848 12 “ 2½ “	16.25
<i>Sheathe</i>	21849 14 “ 2½ “	20.00
<i>Shekinah</i>	21850 16 “ 3½ “	27.50
<i>Sheen</i>	21851 18 “ 3½ “	35.00



No. 2355.



No. 2363.



No. 2366.

Silvered Glass Reflectors.

Flat Spiral Corrugated.


Code Word.	List No.	List Price.
<i>Logical</i>	2355 8 inch diameter, 2½ inch holder, per dozen.....	\$8.00
<i>Logically</i>	2356 10 " " 2½ " " "	9.00
<i>Logician</i>	2357 12 " " 2½ " " "	13.75
<i>Logwood</i>	2358 14 " " 2½ " " "	17.50
<i>Loin</i>	2359 16 " " 2½ " " "	20.00
<i>Loiter</i>	2360 18 " " 2½ " " "	26.25
<i>Loneliness</i>	2361 20 " " 2½ " " "	37.50
<i>Lonely</i>	2362 22 " " 2½ " " "	45.00

Scalloped Silvered Shade.

<i>Lonesome</i>	2363 7 inch diameter, 2½ inch holder, per dozen.....	9.00
<i>Looming</i>	2364 8 " " 2½ " " "	10.00
<i>Loom</i>	2365 10 " " 2½ " " "	12.00

Radial Fluted.

<i>Loose</i>	2366 7 inch diameter, 2½ inch holder, per dozen	9.00
<i>Loosely</i>	2367 8 " " 2½ " " "	10.00
<i>Loosen</i>	2368 10 " " 2½ " " "	12.00




No. 2369.

Silvered Glass Reflectors—(Continued).

Deep Spiral Corrugated.

Code Word.	List No.	List Price.
<i>Looseness</i>	2369	7 inch diameter, 2½ inch holder, per dozen \$8.00
<i>Loosening</i>	2370	10 " " 2½ " " " " 12.00



No. 2733.

McCreary Standard Reflector Shade.


<i>Lintel</i>	2733	7 inch Shade ; size of opening at top, 2½ inches ; requires a 3½ inch holder ; will take a 16, 20 or 24 candle-power lamp, per dozen 18.00
<i>Lioness</i>	2734	8 inch shade ; size of opening at top, 2½ inches ; requires a 3½ inch holder ; will take a 16, 20 or 24 candle-power lamp, per dozen 21.00
<i>Lionize</i>	2735	9 inch Shade ; size of opening at top, 3½ inches ; requires a 4 inch holder ; will take a 32 candle-power lamp, per dozen 33.00
<i>Liquidate</i>	2736	12 inch Shade ; size of opening at top, 3½ inches ; requires a 4 inch holder ; will take a 50 candle-power lamp, per dozen 51.00

In ordering, state kind of lamp to be used and candle-power.



No. 3997.

<i>Liquidated</i>	2779	Shade Holder for Standard Shade, Edison Socket, per dozen 2.25
<i>Liquidating</i>	2779B	Shade Holder for Standard Shade, Westinghouse Socket, per dozen 3.00
<i>Liquor</i>	2780	Mica Dust Protector for 7 and 8 inch Standard Shades, per dozen 75
<i>Lisbon</i>	2781	Mica Dust Protector for 9 and 12 inch Standard Shades, per dozen 1.50
<i>Lightening</i>	3997	Opaque Green, with Ground Glass Bottom, 3½x8 inches, per dozen 21.00



No. 2737.

McCreary Half Reflector Shade.

For 16 Candle-Power Lamps.


Code Word.	List No.	List Price.
<i>Lingo</i>	2737 Opal, per dozen.....	\$6.00
<i>Lingual</i>	2738 Silvered "	8.00
<i>Linguist</i>	2739 Colored "	7.00
<i>Liniment</i>	2740 Aluminum "	8.00

Including Metal Tops.

For 32 Candle-Power Lamps.

<i>Linking</i>	2741 Opal, per dozen.....	7.00
<i>Linnet</i>	2742 Silvered "	10.00
<i>Linseed</i>	2778 Colored "	8.00

Including Metal Tops.




No. 2777.

"Cartwright" Paper Waterproof Lamp Shade.

For Any Socket.

These are made with the white and green surface, and can be washed in either cold or lukewarm water without destroying the texture of the fibre, the fibre being thoroughly impregnated with a waterproof material. Any dust or fly specks that can be removed from any surface can be removed from this Lamp Shade without injury to the surface or fibre of same.

<i>Lingering</i>	2777 "Cartwright" Paper Shades, per dozen.....	4.80
------------------	--	------



No. 8731.


Utility Shades.

Made of Celluloid or Cardboard.

<i>Hastiness</i>	8731 10 inch, Cardboard, per dozen.....	2.00
<i>Hasty</i>	8732 8 inch, Cardboard, per dozen.....	1.80
<i>Hatchway</i>	8734 8 inch, Celluloid, single sheet, polished two sides, per dozen.....	4.80
<i>Hateful</i>	8735 8 inch, Celluloid, opaque, white lined, per dozen	7.20
<i>Hatefully</i>	8736 8 inch, Celluloid, transparent, white lined, per dozen ..	7.80



No. 8732.



No. 8737.




No. 8747.



No. 2798.



No. 2792.



No. 2793.

Utility Shades—(Continued).

Code Word.	List No.	List Price.
<i>Hatefulness</i>	8737	10 inch, Cardboard, per dozen \$2.00
<i>Hated</i>	8739	10 inch, Celluloid, single sheet, polished two sides, per dozen 5.00
<i>Hattock</i>	8740	10 inch, Celluloid, opaque, white lined, per dozen..... 8.00
<i>Haughtiness</i>	8741	10 inch, Celluloid, transparent, white lined, per dozen..... 8.50
<i>Haughty</i>	8747	12 inch, Cardboard, per dozen..... 3.00
<i>Haunt</i>	8748	12 " Celluloid, opaque, white lined, per dozen 13.00

Prices include Shade Holder.

FULL CONE.

<i>Accomplishment</i>	25484	8 inch, Cardboard.....	2.00
<i>Account</i>	25485	8 " Celluloid, white lined, green	7.50
<i>Accoutrements</i>	25486	10 inch, Cardboard	2.50
<i>Acquy</i>	25487	10 " Celluloid, green, white lined	10.00

Miscellaneous Metal Shades.

Bowling Alley Shade.

This Shade is suspended from a fixed point by the incandescence conducting cord, as shown in the cut. The cord, after leaving the socket, passes around the edge and through a metal slide which travels from center of Shade to the upper edge on the wire strip. By moving this slide either to the right or left the position of the Shade is regulated.


<i>Lignitic</i>	2798	Japanned Green, each.....	1.25
-----------------	------	---------------------------	------

Billiard Shades.

<i>Likoliness</i>	2792	Extra Deep, each.....	.70
<i>Likeness</i>	2797	" with Combination Holder (see No. 2743), each	.80

Metal Half Shades.

<i>Likening</i>	2793	Japanned Green Outside, White Enamel Inside, each	.40
-----------------	------	---	-----




No. 2794.

Miscellaneous Metal Shades—(Continued).

Metal Half Shades—With Wire Guard.

Code Word.	List No.	List Price.
<i>Likewise.</i>	2794	Japanned Green Outside, each.....\$0.50



No. 2800.

Metal Half Shade—With Combination Holder.

<i>Liking</i>	2800	Japanned Green, per dozen.....	5.00
<i>Lilac</i>	2801	“ “ with Wire Guard, per dozen...	8.00


See cut of Shade No. 2743, which shows manner in which it is used.

Only one set-screw used. Saves time in adjusting socket.

Metal Shades and Reflectors.

“Marten” Combination Shade and Holder.

(Patented.)




No. 2743.

<i>Abyss</i>	2743	6 inch, Flat, Green and White Enamel, per doz.	2.35
<i>Accede</i>	2744	7 “ “ “ “ “ “ “	2.35
<i>Acceded</i>	2745	8 “ “ “ “ “ “ “	2.35
<i>Criminal</i>	2746	10 “ “ “ “ “ “ “	2.85
<i>Criminate</i>	2747	12 “ “ “ “ “ “ “	3.60
<i>Criminating</i>	2748	14 “ “ “ “ “ “ “	4.35
<i>Cuthbert</i>	2749	16 “ “ “ “ “ “ “	5.60
<i>Cynthia</i>	2750	18 “ “ “ “ “ “ “	6.60
<i>Acceding</i>	2751	8 in., Half Deep, Green and White Enamel, per doz.	2.35
<i>Accelerate</i>	2752	10 “ “ “ “ “ “ “	2.85
<i>Accession</i>	2753	12 “ “ “ “ “ “ “	3.60
<i>Cricketer</i>	2754	14 “ “ “ “ “ “ “	4.35
<i>Crier</i>	2755	16 “ “ “ “ “ “ “	5.60
<i>Crime</i>	2756	18 “ “ “ “ “ “ “	6.60
<i>Accidental</i>	2757	8 in., Full Cone, Green and White Enamel, per doz.	2.85
<i>Acclaim</i>	2758	10 “ “ “ “ “ “ “	3.60
<i>Acclamation</i>	2759	12 “ “ “ “ “ “ “	4.60

Only one set-screw used instead of (4) four, as in ordinary Holders heretofore sold.

Metal Shades and Reflectors—(Continued).



No. 2760.

Flat Tin Shades.


Code Word.	List No.	List Price.
<i>Abstain</i>	2760	6 inch, Japanned Green Outside, Enameled White Inside, per dozen. \$1.75
<i>Absterge</i>	2761	7 inch, Japanned Green Outside, Enameled White Inside, per dozen. 1.75
<i>Abstract</i>	2762	8 inch, Japanned Green Outside, Enameled White Inside, per dozen. 1.75
<i>Absurd</i>	2763	10 inch, Japanned Green Outside, Enameled White Inside, per dozen. 2.25
<i>Absurdity</i>	2764	12 inch, Japanned Green Outside, Enameled White Inside, per dozen. 3.00
<i>Harmlessly</i>	2765	14 inch, Japanned Green Outside, Enameled White Inside, per dozen. 3.75
<i>Harmlessness</i>	2766	16 inch, Japanned Green Outside, Enameled White Inside, per dozen. 5.00
<i>Harmonic</i>	2767	18 inch, Japanned Green Outside, Enameled White Inside, per dozen. 6.00

Fitted for 2½ inch and 3½ inch Holders, and Edison Holder. Other sizes to order.

Any of the above Shades fitted with ⅝ x ⅝ inch pipe connections for bracket work at 10 cents each, net, extra.

Half Deep Tin Shades.

SIMILAR TO NO. 2760, BUT A LITTLE DEEPER.




No. 2763.

<i>Absurdly</i>	2768	8 inch, Japanned Green Outside, Enameled White Inside, per dozen. 1.75
<i>Abundance</i>	2769	10 inch, Japanned Green Outside, Enameled White Inside, per dozen. 2.25
<i>Abusing</i>	2770	12 inch, Japanned Green Outside, Enameled White Inside, per dozen. 3.00
<i>Abusive</i>	2771	14 inch, Japanned Green Outside, Enameled White Inside, per dozen. 3.75
<i>Castellated</i>	2772	16 inch, Japanned Green Outside, Enameled White Inside, per dozen. 5.00
<i>Castle</i>	2773	18 inch, Japanned Green Outside, Enameled White Inside, per dozen. 6.00

Fitted for 2½ inch and 3½ inch Holders, and Edison Holder. Other sizes to order.

We can also furnish any of the above Japanned White Enamel both sides.

Cone Tin Shades.



No. 2774.

<i>Abut</i>	2774	8 inch, Japanned Green Outside, Enameled White Inside, per dozen. 2.25
<i>Abutment</i>	2775	10 inch, Japanned Green Outside, Enameled White Inside, per dozen. 3.00
<i>Abutting</i>	2776	12 inch, Japanned Green Outside, Enameled White Inside, per dozen. 4.00

Fitted for 2½ inch and 3½ inch Holders. Other sizes to order.

Silver-Plated Mirror Reflectors.

Deep Cone.


To concentrate a powerful light on a small space.
Lined with silver-plated mirror-plate glass. Increases the light from twelve to fifteen times. Most valuable in show windows and over machines, work benches, type cases, etc., etc.



Code Word.	List No.		Price List Each.
<i>Sherbet</i>	21862	No. 121 7-inch, to fit 2½ holder.....	\$ 1.00
<i>Sheriff</i>	21863	No. 122 10-inch, " " "	1.05
<i>Sherry</i>	21864	No. 123 12 inch, " " "	1.25

Flat Cone.

For use where it is desired to spread the light. Its silver-plated mirror-plate lining makes it most effective and pleasing, and always as good as new.




<i>Shew</i>	21865	No. 131 10-inch, to fit 2½ holder	.90
<i>Shewn</i>	21866	No. 132 12-inch, " " "	1.00
<i>Shibboleth</i>	21867	No. 133 14 inch, " " "	1.25
<i>Shield</i>	21868	No. 134 16 inch, " " "	1.65
<i>Shiftless</i>	21869	No. 135 18 inch, " " "	2.10

Convex.

Reflecting slightly below the horizontal in all directions.

Used in stores, etc., for general illumination.



<i>Shilling</i>	21870	No. 141 10-inch, to fit 2½ holder	.90
<i>Shilby</i>	21871	No. 142 12-inch, " " "	1.00
<i>Shilly</i>	21872	No. 143 14-inch, " " "	1.25
<i>Shimmer</i>	21873	No. 144 16 inch, " " "	1.65
<i>Shin</i>	21874	No. 145 18-inch, " " "	2.10

For Incandescent Clusters.

Style No. 158.




<i>Shingle</i>	21875	No. 151 20-in. Reflector only, fits ¾ iron pipe	3.00
<i>Shinney</i>	21876	No. 152 24-in. Reflector only, fits 1 iron pipe	4.50
<i>Shinto</i>	21877	No. 153 30-in. Reflector only, fits 1 iron pipe	7.00
<i>Shire</i>	21878	No. 154 35-in. Reflector only, fits 1 iron pipe.....	10.00
<i>Shirk</i>	21879	No. 155 20-in. complete, 3 lights, wired	6.00
<i>Shirred</i>	21880	No. 156 24-in. " 4 " " "	7.75
<i>Shirting</i>	21881	No. 157 30-in. " 6 " " "	10.75
<i>Shive</i>	21882	No. 158 35-in. " 8 " " "	14.00

Frink's Patent Reflectors,

For Electric Lights in Churches, Halls, Banks, Stores, Store Windows, Schools, Hospitals, Office Buildings, Factories, Etc.

Frink's Deep Reflecting Shade.

Enameled dark green outside, lined with Silvered Corrugated, mirror or opal glass. To throw the light downward. Adapted for stores, store windows, desks and places where a number of lamps are scattered over the ceiling or in clusters; the shade reflects the light down where needed, and greatly increases the light at a minimum of expense.



No 25498.

Code Word.	List No.	F No	Diam. in In.	Glass	For Holder	List Price Each.
<i>Accrue</i>	25498	2495	8.....	Mirror	2½ inch.....	\$1.35
<i>Accrument</i>	25499	2496	8.....	Corrugated.....	2½ "	1.45
<i>Accubation</i>	25500	2397	10.....	Mirror	2½ "	1.50
<i>Accubitus</i>	25501	2396	10.....	Corrugated.....	2½ "	1.70
<i>Accumb</i>	25502	2445	12.....	Mirror	2½ "	1.80
<i>Accumbency</i>	25503	2446	12.....	Corrugated.....	2½ "	2.00

Frink's Flat Reflecting Shade.

For stores, factories, workshops, ceiling lights and general use.




No. 25504.

<i>Accumbent</i>	25504	2399	10.....	Mirror	2½ inch.....	1.00
<i>Accumulation</i>	25505	2398	10.....	Corrugated.....	2½ "	1.10
<i>Accumulative</i>	25506	2459	12.....	Mirror	2½ "	1.30
<i>Accumulatively</i>	25507	2460	12.....	Corrugated	2½ "	1.60
<i>Accumulator</i>	25508	2463	14.....	Mirror	2½ "	1.60
<i>Accurately</i>	25509	2464	14.....	Corrugated.....	2½ "	1.80
<i>Accursed</i>	25510	2465	14.....	Mirror	3½ "	1.60
<i>Accusable</i>	25511	2466	14.....	Corrugated.....	3½ "	1.80
<i>Accusat</i>	25512	2467	16.....	Mirror	2½ "	2.25
<i>Accusative</i>	25513	2468	16.....	Corrugated.....	2½ "	2.60
<i>Accusatively</i>	25514	2469	16.....	Mirror	3½ "	2.25
<i>Accusatorial</i>	25515	2470	16.....	Corrugated.....	3½ "	2.60
<i>Accusatory</i>	25516	2473	18.....	Mirror	3½ "	2.75
<i>Accuse</i>	25517	2474	18.....	Corrugated.....	3½ "	3.15
<i>Accentric</i>	25518	2497	20½.....	Mirror	3½ "	3.50
<i>Accephal</i>	25519	2498	20½.....	Corrugated.....	3½ "	4.00

Lined with opal glass, when ordered, at same price as for mirror.

Ten inch flat and deep shades furnished for Edison sockets without holders when so ordered.

Frink's Convex Reflecting Shade.



No. 25520.

<i>Accephalan</i>	25520	2475	10.....	Mirror	2½ inch.....	1.25
<i>Accephali</i>	25521	2476	10.....	Corrugated.....	2½ "	1.40
<i>Accephulist</i>	25522	2479	12.....	Mirror	2½ "	1.50
<i>Accephulous</i>	25523	2480	12.....	Corrugated.....	2½ "	1.70
<i>Accepoint</i>	25524	2483	14.....	Mirror	2½ "	1.80
<i>Acer</i>	25525	2484	14.....	Corrugated.....	2½ "	2.00
<i>Acerb</i>	25526	2485	14.....	Mirror	3½ "	1.80
<i>Acerbata</i>	25527	2486	14.....	Corrugated.....	3½ "	2.00
<i>Aceric</i>	25528	2489	16.....	Mirror	3½ "	2.25
<i>Acerose</i>	25529	2490	16.....	Corrugated.....	3½ "	2.60
<i>Acerous</i>	25530	2493	18.....	Mirror	3½ "	2.75
<i>Acerente</i>	25531	2494	18.....	Corrugated.....	3½ "	3.15

Frink's Combination Cluster Reflector.

Length, 30 inches, wired, without sockets or lamps.

Code Word.	List No.	F. No.	Diam. Reflector in In.	Entire Spread in In.	Glass	List Price Each.
<i>Acerration</i>	25532	2524	20½.....	23.....	Silvered Corrugated.	\$13.50
<i>Acerrrose</i>	25533	2525	20½.....	23.....	Best Mirror.....	13.00
<i>Acerrcene</i>	25534	2526	20½.....	23.....	Opal	13.00

The above are with four gas burners and wired for four sockets; if ordered for more or less sockets, add or deduct fifteen cents, each.



No. 25532.

Frink's Sectional Glass Electric Cluster Reflectors.

With 3 to 8 lights, lined with Frink's silver-plated corrugated glass. Should be generally used for lighting stores, banks, waiting-rooms, depots, hospitals, schools, offices, factories, etc.

To obtain best results from cluster lights, use 20½-inch reflectors.

Reflector with cluster and stem 18 inches long, wired, but without sockets,

<i>Acerrcene</i>	25535	2500	18.....	Silvered Corrugated.....	\$6.75
<i>Acerrtable</i>	25536	2501	20½.....	" "	7.50

Reflector only, with four-lighted cluster, nipples and holder to receive ¼-inch iron or ½-inch brass pipe.

<i>Acerrtable</i>	25537	2502	18.....	Silvered Corrugated.....	4.75
<i>Acerrtal</i>	25538	2503	20½.....	" "	5.50

Reflector with cluster and stem 18 inches long, wired, without sockets.

<i>Acerrtated</i>	25539	2504	18.....	Silvered Corrugated.....	8.00
<i>Acerrtify</i>	25540	2505	20½.....	" "	9.00

Reflector only, with four-light cluster, nipples and holder to receive ¼-inch iron or ½-inch brass pipe.

<i>Acerrtometer</i>	25541	2506	18.....	Silvered Corrugated.....	6.00
<i>Acerrtimetry</i>	25542	2507	20½.....	" "	7.00

Reflector with cluster and stem 18 inches long, wired, without sockets.

<i>Acerrtyle</i>	25543	2508	18.....	Best Mirror.....	6.25
<i>Acerrtain</i>	25544	2509	20½.....	" "	7.00

Reflector only, with four-light cluster, nipples and holder to receive ¼-inch iron or ½-inch brass pipe.

<i>Acerrtate</i>	25545	2510	18.....	Best Mirror.....	4.25
<i>Acerrtates</i>	25546	2511	20½.....	" "	5.00

Wired for four sockets; if ordered for more or less sockets, add or deduct fifteen cents each, list.

These reflectors have solid metal frames, and are lined with silver-plated corrugated, mirror or opal glass in sections, rigidly held in place.


Reflector with cluster and stem 18 inches long, wired, without sockets.



No. 25535.



No. 25540.



No. 25544.

Frink's Sectional Glass Electric Cluster Reflectors.
—Continued.

Code Word.	List No.	F No.	Diam. in ins	Glass.	Price List. Each.
Achean	25547	2512	18.....	Best Mirror	\$7.50
Acheenese	25548	2513	20½.....	" "	8.00

Reflector only, with four-light cluster, nipples and holder to receive ¼-inch iron or ½-inch brass pipe.

Acherset	25549	2514	18.....	Best Mirror	5.50
Achievement	25550	2515	20½.....	" "	6.50

Reflector with cluster and stem 18 inches long, wired, without sockets.

Achiever	25551	2516	18.....	Opal	6.25
Achiote	22552	2517	20½.....	"	7.00

Reflector only, with four-light cluster, nipples and holder to receive ¼-inch iron or ½-inch brass pipe.

Achor	25553	2518	18.....	Opal	4.25
Achromatic	25554	2519	20½.....	"	5.00

Reflector with cluster and stem 18 inches long, wired, without sockets.

Acidiferous	25555	2520	18.....	Opal	7.50
Acidifiable	25556	2521	20½.....	"	8.00

Reflector only, with four-light cluster, nipples and holder to receive ¼-inch iron or ½-inch brass pipe.

Acidification	25557	2522	18.....	Opal	5.50
Acidifier	25558	2523	20½.....	"	6.50


Wired for four sockets; if ordered for more or less sockets, add or deduct 15 cents each, list.

Frink's Suspended Reflecting Chandelier.

Double cone silver-plated corrugated glass, brass frame reflecting chandelier for electric light, for lighting churches, halls, theatres and public buildings. Trimmed with one row cut glass prisms, finished with brass crown bands and having outside lights.

Code Word.	List No.	Diam in Inches.	Number of Electric Lamps.	Price with Prisms.	Price without Prisms.
Acidulate	25563	25.....	10.....	\$60.00	50.00
Acidulated	25564	30.....	14.....	75.00	62.00
Acidulous	25565	35.....	16.....	95.00	80.00
Aciform	25566	40.....	18.....	115.00	95.00
Acinaceous	25567	50.....	27.....	145.00	115.00
Acinaces	25568	60.....	36.....	190.00	150.00
Acinaciform	25569	72.....	45.....	250.00	200.00
Aciniform	25570	84.....	60.....	325.00	265.00

These reflectors will be made up in opal, instead of silver-plated corrugated glass, if preferred, at same price.
Price includes wiring, but no sockets or lamps.



Store Window Lighting.

Ninety-nine per cent, of store windows are imperfectly lighted, and especially so where electric lamps are used. Most of the lamps are scattered on the bottom and at the sides of the windows where they can be seen and where they attract more attention to themselves than to the goods they are imperfectly lighting. The ideal window light should light the goods and not be seen while doing so.


Frink's Special Patent Window Reflector,

for Electric Light, lined with silver-plated Corrugated Glass, is placed in top of window near the front glass, reflecting the light inward and downward. This makes a very desirable window reflector, as the reflectors are out of the way and concealed from view, at the same time concealing the direct light from the eyes of the observer, and giving a strong, even light where wanted, thus doing away with the annoyance of a dazzling light in the eyes. It is used also largely for lighting art galleries, pictures, stock exchange boards, border lights, telephone switch boards, etc.


To get best results, reflectors should be used entire width of window with lamps 9 or 12 inches apart, as desired.

These fixtures are wired but do not include sockets and lamps—these are extra.


Suspended from ceiling with one or more stems as required.




No. 25559.



No. 25560.



No. 25560.
With loops to attach to ceiling with chain.




No. 25561.
With brackets to attach to the transom bar.


Code Word.	List No		List Price per Running Foot.
Acidify	25559	2415 Lined with silver-plated Corrugated Glass	\$4.00
Acidmeter	25560	2415A Lined with silver-plated Corrugated Glass	4.00
Acidimetry	25561	2415B Lined with silver-plated Corrugated Glass	4.00

To get the best results, reflectors should be used the entire width of windows, with lamps 9 or 12 inches apart as desired. When ordering please state if style No. 25559, No. 25560 or No 25561 is desired.

Frink's Special Patent Single Lamp Window Reflector.



Acidness	25562	2499 Lined with silver-plated corrugated glass, ready for sockets and lamps ...	Each \$3.00
----------	-------	---	-------------



No. 21883.

Silver-Plated Mirror Reflectors.

For Incandescent Cluster.

Style No. 168.



No. 21891.

Code Word.	List No.	List Price Each.
<i>Shiver</i>	21883 No. 161 20 in. reflector only (fits $\frac{3}{8}$ iron pipe).	\$5.75
<i>Shoal</i>	21884 No. 162 24-in. " " " $\frac{1}{2}$ " ..	7.50
<i>Shoar</i>	21885 No. 163 30-in. " " " $\frac{1}{2}$ " ..	10.50
<i>Shoat</i>	21886 No. 164 35-in. " " " $\frac{1}{2}$ " ..	14.00
<i>Shock</i>	21887 No. 165 20-in. complete, 3 light wired	8.75
<i>Shoddy</i>	21888 No. 166 24-in. " 4 " "	10.75
<i>Shone</i>	21889 No. 167 30-in. " 6 " "	14.25
<i>Shook</i>	21890 No. 168 35-in. " 8 " "	18.00

Green Outside. Glossy Enamel White Inside.

		Per doz.
<i>Shoot</i>	21891 No. 319 7-in. diam., height 6 $\frac{1}{2}$ ins., per doz ...	4.00




No. 21892.

Foot Light Reflector.

Green Outside. Bright Tin Inside.

<i>Shore</i>	21892 For 2 $\frac{1}{4}$ inch holder, per doz.....	6.00
--------------	---	------



No. 21893.

Pulpit Hood.

Bronze outside. White Enamel Inside.

<i>Shote</i>	21893 For 2 $\frac{1}{4}$ inch holder, each, ...	3.00
--------------	--	------



No. 21894.

Billiard Reflector.

Green outside. White Enamel inside.

<i>Shout</i>	21894 For 2 $\frac{1}{4}$ inch holder, per doz.....	6.00
--------------	---	------




No. 21852.

The Crescent Shade.

This Shade has been designed to meet all the requirements of the users of Tin Shades. It is made of heavy tin, and the corrugation and shape are so arranged as to give the greatest reflecting power.

Code Word.	List No.		List Price. Per Doz.
Sheep	21852	Enameled White inside, Green outside...	\$2.00
Sheepish	21853	Bright Tin inside. Imitation Brass "	1.50

Aluminum Half-Shape Shade.



No. 21854.

The shape of this half shade is such as to reflect the greatest possible light. The new patented holder also shown on the above cut, in which only one set screw is used, can be furnished when desired.

We have a new process of treating aluminum which gives it a silver finish, making it very much more beautiful in effect and softening the reflector. This new treatment of aluminum in electric shade, to the best of our knowledge and belief, has been discovered by us, and from all that we can learn, has never been used heretofore on any electrical shades. The shades can be furnished green outside, polished inside or polished both sides, or with the new process of treating aluminum, called silvereen finish.




No. 21857.

Sheer	21854	Complete with Collar, Green outside, polished inside	8.00
Sheet	21855	Complete with Collar, polished both sides, ...	10.00
Sheik	21856	Complete with Collar, Silver finish.....	10.00
Shekel	21857	Patent Shade Holder, with collar for Shade per doz.	.60

Parabolic Reflector.


Aluminum.

Green outside, polished inside. Fits lamp without shade holder.



No. 21858

Shelter	21858	For 16 c. p. lamp.....	7.50
Shelve	21859	For 32 c. p. lamp.....	11.50



Deep Cone Form,
No. 21860.

Shool

Cutter Combination Shades.

Deep Cone Form.

Save the cost of a shadeholder. Grip the socket squarely and firmly. Throw the light where it is wanted. 25,000 now in use.
Green on top, white or bright inside.
Fit the standard socket shells.
For use in offices, factories and shops.

21860 Per doz. \$3.00




No. 21861.

Shepherd

Flat Form.

Has an improved clamp which grips any beaded socket, so that no shadeholder is required. Is quickly put on or taken off, and has no fingers to bend out of shape or break off.
Always hangs level and firm, and is the most durable reflector made for halls, shops or stores.
Green on top, bright tin or white enameled inside.


21861 Per doz.:..... 1.80




No. 23075.

Cutter "Always Level" Suspension Streethood.

It is the only suspension streethood that will stay level in windy weather. The two wires leading to the hood make up one side of the suspension, while cords passing over covered pulleys form the other side so that the hood is supported from four points.
Both the wires and the cords are insulated from the cross arm by means of the special spreader tips. The pulleys are mounted on a wrought iron bracket, while a wrought iron brace arm is used at the other pole. These parts are assembled before shipment so that they can be quickly screwed in place. Then an adjusting clamp is placed near the end of each cord so that these cords can be independently drawn up taut and then locked together.




Streethood Nozzle.



"Always Level" Spreader Tip.

Silt 23075 Complete with multiple socket.. 3.00




Nos. 20773 and 20773.

Cutter Petite Pulley and Hood.

Is a smaller form of the lamp supporting pulley, adapted for use with streethoods. This style of suspension is still a favorite with many stations, and the cross arm for this purpose has a special knob bolted securely to it.

Code Word.	List No	List Price. Each.
<i>Sadiron</i>	20772	Hood with cross arm, socket and pulley..... \$1.75
<i>Sadly</i>	20773	Petite Pulley 50




No. 20774.

Cutter Boulevard Streethood.

Is an ornamental form designed for use on fine residence streets. The cut shows this as made with a five-foot bracket arm; other lengths and special designs will be furnished on short notice.

<i>Sadness</i>	20774	Complete with socket 3.00.
----------------	-------	----------------------------------




No. 20775.

Cutter Standard Streethood.

Is the outcome of an eight years' experience in designing and building incandescent street fixtures. The hood proper is seamless and bell-shaped for neatness and strength. The reflector has a white enamel paint baked on it so as to resist the weather, and is so curved as to scatter the light evenly over a wide area. The receptacle socket furnished with the hood for use on multiple circuits can be more quickly wired than any other socket.

The iron supporting bracket or "gooseneck" is extra heavy, and fits a special pole-plate which is bolted to the pole

No. 20775.
Hood Opened.*Sadr*

20775	Complete with brace arm and socket 2.25
-------	---

Metal Hoods.

The New Suburban Hood.

This fixture excels in simplicity of construction. The iron canopy is made with slots to take wires, and linemen can easily and quickly adjust the hoods by this method, thus saving vexatious delays. Any size Hoods made to order at small advance.



Code Word.	List No.	List Price
<i>Lisp</i>	2799 Each	\$3.00
Price includes Bracket.		

The Tidnam Hood.

JAPPANED GREEN ON TOP, WHITE ENAMEL REFLECTOR.



<i>Lisped</i>	2782	16 Inch, each	1.60
<i>Lisping</i>	2783	18 " "	2.25
<i>Lispingly</i>	2784	20 " "	2.50

Adapted for Weather-proof Globe. In ordering, state size of socket— $\frac{1}{2}$ inch or $\frac{3}{4}$ inch.


The Marten Hood.

ALL PARTS INTERCHANGEABLE.



<i>Listen</i>	2785	16 Inch, each	2.00
Socket protected by the Reflector, the Lamp only being exposed.			

The Chapin Hood.



<i>Listened</i>	2786	16 Inch, each	1.25
Socket protected by the Reflector, the Lamp only being exposed.			

The Columbian Hood



<i>Listening</i>	2787	18 Inch, each	1.50
Socket protected by the Reflector, the Lamp only being exposed.			



No. 2060.
No. 2069.

Weather-proof Globes.

Weather-proof, for 16 Candle-power Lamp.

Code Word.	List No.	List Price.
<i>Lillian</i>	2060	Crystal, with Cap, each.....\$1.00
<i>Lily</i>	2061	" Globe only, " 50
<i>Limber</i>	2062	Blue, with Cap, " 1.25
<i>Limberness</i>	2063	" Globe only, " 75
<i>Limekiln</i>	2064	Green, with Cap, " 1.25
<i>Limestone</i>	2065	" Globe only, " 75
<i>Limit</i>	2066	Ruby, with Cap, " 1.88
<i>Limitable</i>	2067	" Globe only " 1.38
<i>Limitation</i>	2068	Cap only for above " 50

Weather-proof, for 32 Candle-power Lamp.

SAME PATTERN AS No. 2060.

<i>Limited</i>	2069	Crystal, with Cap, each..... 1.88
<i>Limitless</i>	2070	" Globe only, " 88
<i>Limpid</i>	2071	Blue, with Cap, each 2.50
<i>Limpidity</i>	2072	" Globe only, " 1.50
<i>Limpidness</i>	2073	Green, with Cap, " 2.50
<i>Limpsy</i>	2074	" Globe only " 1.50
<i>Linch</i>	2075	Ruby, with Cap, " 3.13
<i>Linchpin</i>	2076	" Globe only " 2.13
<i>Lineage</i>	2077	Caps only for above, each..... 1.00



No. 2078.

Weather-proof, for 16 Candle-power Lamp.


<i>Lineal</i>	2078	Crystal, with Cap, each..... 1.00
<i>Lineality</i>	2079	" Globe only, " 50
<i>Lineament</i>	2080	Blue, with Cap, each. 1.25
<i>Linear</i>	2081	" Globe only " 75
<i>Lineation</i>	2082	Green, with Cap " 1.25
<i>Linen</i>	2083	" Globe only, " 75
<i>Loftiness</i>	2084	Ruby, with Cap, " 1.88
<i>Lofty</i>	2085	" Globe only, " 1.38
<i>Logic</i>	2086	Cap only for above, each..... .50



No. 2087.

Vapor-proof, for 16 Candle-power Lamp.


<i>Locating</i>	2087	Crystal, with Cap, each..... 1.88
<i>Locket</i>	2088	" Globe only, " 88
<i>Locksmith</i>	2089	Blue, with Cap, each 2.88
<i>Lodge</i>	2090	" Globe only, " 1.88
<i>Lodged</i>	2091	Green, with Cap, " 2.88
<i>Lodging</i>	2092	" Globe only, " 1.88
<i>Lodgment</i>	2093	Ruby, with Cap, " 3.50
<i>Loft</i>	2094	" Globe only, " 2.50
<i>Loftily</i>	2095	Cap only for above, each..... 1.00



No. 2803

Code Word.	List No.	List Price
<i>Deaconess</i>	2803	Polished Brass, per dozen... ..\$1.75
<i>Deuden</i>	2804	Tinned, per dozen..... 1.50


Wire Guards.



No. 2806.


<i>Deadly</i>	2806	Tinned, per dozen..... 1.75
---------------	------	-----------------------------

For 3½ inch Holder only.



No. 2807.


<i>Acclamatory</i>	2807	Polished Brass, per dozen..... 2.00
<i>Acclivity</i>	2808	Tinned, per dozen..... 1.50



No. 2809

<i>Accompany</i>	2809	Galvanized Iron, each..... .20
------------------	------	--------------------------------

For 3½ inch Holder only.




No. 2058.

<i>Linger</i>	2058	Guard No. 2809, Complete with Handle, Hook and Holder, each .45
---------------	------	--

<i>Restate</i>	8725	Handle, with Hook, each..... .20
----------------	------	----------------------------------

The "Perfection" Guard.

The "Perfection" Guard is made of bright tinned wire, silver finish. It is easily clamped to socket. When attached it is firm and rigid and will protect the lamp from breakage when subjected to the roughest usage. It is made in two styles, one plain and one which opens, as shown in illustration, for removing the lamp without removing the guard.



Duplex.

DETACHED

<i>Accrescence</i>	25490	Perfection Plain Lamp Guard per doz.	1.25
<i>Acinous</i>	25572	" Duplex " "	1.50

Station, Testing and Measuring Instruments



No. 2281.

Voltmeter.

A voltmeter specially designed for use on dynamo switchboards. It has no springs nor permanent magnets, is practically dead beat and reliable within one per cent.

The instrument is protected by a substantial bronze case fastened to its base by sealed serews so that it cannot be removed without showing the fact.

Code Word.	List No.		List Price.
<i>Mazy</i>	2281	120 Volts, each.	\$50.00
<i>Mead</i>	2282	150 " "	55.00
<i>Meadow</i>	2283	200 " "	60.00
<i>Meager</i>	2284	220 " "	65.00
<i>Meagerness</i>	2285	250 " "	65.00
<i>Meal</i>	2286	400 " "	70.00
<i>Mealiness</i>	2287	500 " "	75.00
<i>Mean</i>	2288	600 " "	75.00

Ammeter.

Our improved Magnetic Vane Ammeter has no springs or permanent magnets, is a purely gravity instrument, nearly dead beat, and yet sensitive to small changes of current. Made in sizes varying in range up to a maximum of 600 amperes.

A heavy bronze case with sealed fastenings is used, so that the instrument cannot be tampered with without showing it.

This instrument is adapted to be placed directly in a circuit, no shunts or other devices being used in connection with it.



No. 3375.

<i>Meander</i>	2289	5 Amperes, each.	16.50
<i>Meaning</i>	2290	10 " "	18.00
<i>Meaningly</i>	2291	20 " "	18.00
<i>Meanly</i>	2292	30 " "	18.00
<i>Meanness</i>	2293	50 " "	20.00
<i>Measles</i>	2294	90 " "	20.00
<i>Lampoon</i>	3373	120 " "	20.00
<i>Lampooned</i>	3374	150 " "	21.00
<i>Lance</i>	3375	200 " "	21.00
<i>Lanced</i>	3376	300 " "	21.00
<i>Laneet</i>	3377	400 " "	22.00
<i>Land</i>	3378	500 " "	24.00
<i>Landau</i>	3379	600 " "	30.00
<i>Landed</i>	3380	750 " "	30.00
<i>Landholder</i>	3381	1000 " "	40.00
<i>Landlady</i>	3382	1500 " "	45.00
<i>Landlock</i>	3383	2000 " "	55.00

Weston Standard Portable Direct Reading Voltmeters.

The following is a list of the Standard Voltmeters kept in stock. Calibrating coils and contact keys are attached to instruments only when so stated. The scales for these instruments are of uniform length, and are divided into 120 or 150 parts, the value of each division being the proportional part of the maximum scale value.

Instruments provided with contact key can be kept permanently in circuit by depressing the key and giving it a quarter turn. All instruments are provided with rubber-covered binding posts.

Code Word.	List No.	List Price.
<i>Betrayal</i>	2609 No. 1. Scale 0 to 150 volts by single volt divisions, readable to tenths, each.....	\$55.00
<i>Betrayed</i>	2610 No. 2. Scale 0 to 150 volts by single volt divisions, readable to tenths; contact key and calibrating coil, each.....	60.00
<i>Betraying</i>	2611 No. 3. Scale 0 to 150 volts and 0 to 5 volts; scale of double values with a ratio of 30. Each division on upper scale values is one volt, readable to tenths; each division on lower scale values $\frac{1}{30}$ of a volt, readable to $\frac{1}{300}$; contact key, each.....	75.00
<i>Betsy</i>	1179 No. 3½. Scale 0 to 150 volts and 0 to 3 volts; scale of double values with a ratio of 50. Each division on upper scale values is one volt, readable to tenths; each division on lower scale values $\frac{1}{50}$ of a volt, readable to $\frac{1}{500}$; contact key, each	75.00
<i>Betroth</i>	2612 No. 4. Scale 0 to 150 volts and 0 to 15 volts; scale of double values with ratio of 10. Each division on upper scale values is one volt, readable to tenths; each division on lower scale values is $\frac{1}{10}$ of a volt, readable to $\frac{1}{100}$; contact key, each.....	75.00
<i>Betrothal</i>	2613 No. 5. Scale 0 to 300 volts by 2 volt divisions, readable to $\frac{1}{2}$ volt; circuit key and calibrating coil, each.....	65.00
<i>Betrothing</i>	1178 No. 6. Scale 0 to 450 volts by 3 volt divisions, readable to $\frac{1}{3}$ volt; contact key and calibrating coil, each.....	70.00
<i>Admiralty</i>	3045 No. 7. Scale 0 to 600 volts by 5 volt divisions, readable to $\frac{1}{2}$ volt, each	65.00
<i>Admiration</i>	3046 No. 8. Scale 0 to 600 volts by 5 volt divisions, readable to $\frac{1}{2}$ volt; contact key and calibrating coil, each	70.00



No 3046.

Weston Standard Portable Direct Reading
Voltmeters—(Continued).

Code Word.	List No.	List Price.
<i>Bespeaking</i>	1180 No. 9. Scale 0 to 600 volts and 0 to 150 volts; scale of double values with ratio of 4, reading by 4 volt divisions, readable to $\frac{1}{2}$ volt on upper scale values, and by single volt divisions readable to $\frac{1}{10}$ on lower scale values; contact key, each.....	\$80.00
<i>Bespoke</i>	1193 No. 9½. Scale 0 to 750 volts and 0 to 150 volts; scale of double values with ratio of 5, reading by 5 volt divisions, readable to $\frac{1}{2}$ volt on upper scale values, and by single volt divisions readable to $\frac{1}{10}$ volt on lower scale values; contact key, each.....	80.00
<i>Bestain</i>	1194 No. 10. Scale 0 to 600 volts and 0 to 300 volts; scale of double values with ratio of 2, reading by 4 volt divisions, readable to $\frac{1}{2}$ volt on upper scale values, and by 2 volt divisions, readable to $\frac{1}{2}$ volt on lower scale values; contact key, each.....	80.00
<i>Bestir</i>	1195 No. 11. Scale 0 to 750 volts by 5 volt divisions, readable to $\frac{1}{2}$ volt, each.....	70.00
<i>Bestow</i>	1196 No. 12. Scale 0 to 1,500 volts by 10 volt divisions, readable to single volts, each.....	80.00

Voltmeters of other ranges, with one or more scale values, will be made on special order.

High Range Voltmeters

In which part of the resistance is contained in a separate box specially designed to obtain high insulation. No calibrating coil or contact key.

<i>Bestowing</i>	1197 No. 13. Range 0 to 2,250 volts and 0 to 150 volts. No. 1 Voltmeter, with scale from 0 to 150 volts and a special resistance box multiplying the value of the scale divisions by 15, each.....	100.00
<i>Bestride</i>	1198 No. 14. Range 0 to 3,000 volts and 0 to 150 volts. No. 1 Voltmeter, with scale from 0 to 150 volts and a special resistance box multiplying the value of the scale divisions by 20, each.....	105.00
<i>Bestriding</i>	1199 No. 15. Range 0 to 3,750 volts and 0 to 150 volts. No. 1 Voltmeter, with scale from 0 to 150 volts and a special resistance box multiplying the value of the scale divisions by 25, each.....	115.00
<i>Betake</i>	1183 No. 16. Range 0 to 4,500 volts and 0 to 150 volts. No. 1 Voltmeter, with scale from 0 to 150 volts and a special resistance box multiplying the value of the scale divisions by 30, each.....	125.00

High Range Voltmeters—(Continued).

Code Word.	List No.	List Price.
<i>Betaken</i>	1184	No. 17. Range 0 to 5,250 volts and 0 to 150 volts. No. 1 Voltmeter, with scale from 0 to 150 volts and a special resistance box multiplying the value of the scale divisions by 35, each..... \$135.00
<i>Betray</i>	3047	No. 18. Range 0 to 6,000 volts and 0 to 150 volts. No. 1 Voltmeter, with scale from 0 to 150 volts and a special resistance box multiplying the value of the scale divisions by 40, each 145.00

The above listed High Range Voltmeters graduated to read in lamps, in addition to the graduation in volts, showing by simple inspection the number of are lamps burning on the circuit, additional, each, \$5.00.

Reversing Keys.

For the convenience of those who have occasion to make many and rapid tests of the distribution of potential on electric circuits of unknown polarity, a Reversing Key may be applied, when specially ordered, to any of our voltmeters. This Key enables the user to open the circuit by turning the milled head through an angle of 45 degrees, or to reverse the direction of the current in the instrument by an additional movement of 45 degrees. An arrow cut on the head of the Key points towards the side of the instrument at which the current enters, when the needle is deflected over the scale. Price, extra, \$2 50.

Milli Voltmeters.

A. Low Resistance Instruments, Wound with Copper Wire.

<i>Clarion</i>	2594	No. 1. Scale 0 to $\frac{1}{100}$ volt by 100 divisions, each readable to tenths, each 50.00
<i>Clarinet</i>	2595	No. 2. Scale 0 to $\frac{1}{100}$ volt, right and left, by 100 divisions, each division representing $\frac{1}{10000}$ of a volt, each..... 50.00
<i>Clarissa</i>	2596	No. 3. Scale 0 to $\frac{1}{100}$ volt, right and left, by 100 divisions; supplied with contact key, reducing sensibility 10 times, each..... 55.00

B. High Resistance Instruments, Wound with Special Alloy, Compensated for Temperature.

<i>Commute</i>	3677	No. 4. Scale 0 to .2 volts in 100 divisions, readable to .0002 of a volt, each..... 50.00
<i>Commuted</i>	3678	No. 5. Scale 0 to .3 volts in 150 divisions, readable to .0002 of a volt, each 50.00

Volt Ammeters.

It is frequently of great advantage to be able to determine the amount of current used, as well as the voltage employed, as is the case when testing incandescent lamps or in determining the internal resistance of telegraph batteries. Where the current is small it is quite possible to combine the two instruments in one with excellent results, provided the proper care is taken to avoid making a wrong connection when using the instrument.


Code Word.	List No.	List Price.
Clash	2597 No. 1. Scales 0 to 150 volts and 0 to 1.5 amperes, reading to 150 volts by single volt divisions, or to 1½ amperes by $\frac{1}{100}$ ampere divisions, each..	\$75.00

Other combinations will be made on special order, but they are not recommended in connection with high voltage or heavy currents.

Weston Standard Direct Reading Mil Ammeters and Ammeters.

Mil Ammeters.


Clashing	2598 No. 0. 150 mil ammeter scale; single scale divisions 1 mil ampere, readable to $\frac{1}{10}$ mil ampere, each.	50.00
Class	2599 No. 1. 300 mil ampere scale; single scale divisions 2 mil amperes, readable to $\frac{1}{5}$ mil ampere, each.....	50.00
Classed	2600 No. 2. 600 mil ampere scale; single scale divisions 5 mil amperes, readable to $\frac{1}{2}$ mil ampere, each....	50.00
Classic	2601 No. 3. 1,000 mil ampere scale; single scale divisions 10 mil amperes, readable to mil amperes, each.....	50.00
Classical	2602 No. 4. 1,500 mil ampere scale; single scale divisions 10 mil amperes, readable to mil amperes, each.....	55.00




No. 2598.
One-quarter Size.

Ammeters.

Classify	2603 No. 1. 5 ampere scale; single scale divisions $\frac{1}{5}$ of an ampere, readable to $\frac{1}{200}$ of an ampere, each.....	65.00
Clutter	2604 No. 2. 15 ampere scale; single scale divisions $\frac{1}{10}$ of an ampere, readable to $\frac{1}{100}$ of an ampere, each.....	65.00
Clutterer	2605 No. 3. 25 ampere scale; single scale divisions $\frac{1}{4}$ of an ampere, readable to $\frac{1}{40}$ of an ampere, each ...	65.00
Claude	2606 No. 4. 50 ampere scale; single scale divisions $\frac{1}{2}$ of an ampere, readable to $\frac{1}{20}$ of an ampere, each..	65.00
Claudia	2607 No. 5. 100 ampere scale; single scale divisions 1 ampere, readable to $\frac{1}{10}$ of an ampere, each...	70.00
Clause	2608 No. 6. 150 ampere scale; single scale divisions 1 ampere, readable to $\frac{1}{10}$ of an ampere, each...	75.00
	No. 7. 200 ampere scale, each.....	80.00
	No. 8. 250 " " "	80.00
	No. 9. 300 " " "	80.00
	No. 10. 400 " " "	90.00
	No. 11. 500 " " "	90.00



No. 2607.
One-quarter Size.




No. 304

Leather Cases for Weston Portable Volt and Ammeters.

For those electricians who have occasion to travel and carry an instrument with them, a very neat and convenient Sole Leather Case, stiffened, lined with velvet, and supplied with shoulder strap, lock and key, has been devised, and is recommended as giving increased protection against accidental injury to the instrument. Price, when ordered instead of the usual wooden case, extra, \$3.50.

Code Word.	List No.	List Price.
Admittance	3047 1/2 Each	\$4.00



Weston Illuminated Dial Station Ammeters.

We furnish the cases in two different styles, as follows :
No. 2 Finish.—Border of case and face of letters nickel plated and polished ; background of letters, and back case dead black japan. This is a neat and durable finish, and one we highly recommend for general use.
No. 3 Finish.—Border of front and face of letters nickel plated and polished ; background of letters dead nickel matt ; all parts of back case in sight nickel plated and polished.
Each instrument has attached to it a lamp socket and binding posts for connecting the scale lamp to the circuit. It is also provided with a pair of thin wire leads, with suitable terminals for connecting the instrument to the main or shunt. With each instrument there is sent a pair of detachable mirror supports and detachable mirrors.

Combined Instruments and Shunts.

Adducible	3067	Finish No. 2, 0 to	200 amp. in	2 amp. divisions	79.50
Adept	3068	" " 3, 0 "	200 "	2 "	84.00
Commenteri	2120	" " 2, 0 "	250 "	2 "	79.50
Comminted	2121	" " 3, 0 "	250 "	2 "	84.00
Comb	2104	" " 2, 0 "	300 "	2 "	79.75
Combat	2105	" " 3, 0 "	300 "	2 "	84.25
Adhesive	3070	" " 2, 0 "	400 "	4 "	80.00
Adipose	3071	" " 3, 0 "	400 "	4 "	84.50
Combustible	2110	" " 2, 0 "	500 "	5 "	81.00
Comedian	2111	" " 3, 0 "	500 "	5 "	85.50
Adjective	3073	" " 2, 0 "	600 "	5 "	82.00
Adjoin	3074	" " 3, 0 "	600 "	5 "	86.50
Comfort	2116	" " 2, 0 "	750 "	5 "	83.00
Comfortable	2117	" " 3, 0 "	750 "	5 "	87.50
Adjudgment	3076	" " 2, 0 "	1,000 "	10 "	84.00
Adjudicate	3077	" " 3, 0 "	1,000 "	10 "	88.50
Command	2122	" " 2, 0 "	1,200 "	10 "	85.00
Commander	2123	" " 3, 0 "	1,200 "	10 "	89.50
Commence	2125	" " 2, 0 "	1,500 "	10 "	90.75
Commencing	2126	" " 3, 0 "	1,500 "	10 "	95.25

Weston Illuminated Dial Station Ammeters—
(Continued)

Code Word.	List No.		List Price.
<i>Adjunction</i>	3079	Finish No. 2, 0 to 2,000 amp. in 20 amp. divisions	\$95.25
<i>Adjunctive</i>	3080	" " 3, 0 " 2,000 " 20 "	99.75
<i>Commission</i>	2134	" " 2, 0 " 2,500 " 20 "	96.75
<i>Commit</i>	2135	" " 3, 0 " 2,500 " 20 "	101.25
<i>Committal</i>	2137	" " 2, 0 " 3,000 " 20 "	99.00
<i>Committed</i>	2138	" " 3, 0 " 3,000 " 20 "	103.50
<i>Commandant</i>	2140	" " 2, 0 " 3,500 " 20 "	102.00
<i>Commitable</i>	2141	" " 3, 0 " 3,500 " 20 "	106.50
<i>Commix</i>	2143	" " 2, 0 " 4,000 " 30 "	106.50
<i>Commixtion</i>	2144	" " 3, 0 " 4,000 " 30 "	111.00
<i>Commodious</i>	2146	" " 2, 0 " 4,500 " 40 "	114.00
<i>Commodity</i>	2147	" " 3, 0 " 4,500 " 40 "	118.50
<i>Commoner</i>	2149	" " 2, 0 " 5,000 " 50 "	121.50
<i>Commonly</i>	2150	" " 3, 0 " 5,000 " 50 "	126.00
<i>Categorize</i>	1128	" " 2, 0 " 6,000 " 50 "	129.00
<i>Category</i>	1129	" " 3, 0 " 6,000 " 50 "	133.50
<i>Catenary</i>	1130	" " 2, 0 " 7,000 " 50 "	136.50
<i>Catenarian</i>	1137	" " 3, 0 " 7,000 " 50 "	141.00
<i>Clayed</i>	1138	" " 2, 0 " 8,000 " 100 "	151.50
<i>Careful</i>	1139	" " 3, 0 " 8,000 " 100 "	156.00
<i>Colde</i>	1138½	" " 2, 0 " 10,000 " 100 "	166.50
<i>Colery</i>	1239½	" " 3, 0 " 10,000 " 100 "	171.00

Weston Illuminated Dial Station Ammeters.

Combined Instruments and Shunts—Flush Pattern.



No. 2197.

<i>Comical</i>	2120½	Finish No. 2, 0 to 200 amp. in 2 amp. divisions	79.50
<i>Comically</i>	2121½	" " 3, 0 " 200 " 2 "	84.00
<i>Come</i>	3068½	" " 2, 0 " 250 " 2 "	79.50
<i>Coming</i>	3067½	" " 3, 0 " 250 " 2 "	84.00
<i>Commanding</i>	2124	" " 2, 0 " 300 " 2 "	79.75
<i>Comment</i>	2127	" " 3, 0 " 300 " 2 "	84.25
<i>Commerce</i>	2130	" " 2, 0 " 400 " 5 "	80.00
<i>Commercial</i>	2131	" " 3, 0 " 400 " 5 "	84.50
<i>Commingle</i>	2132	" " 2, 0 " 500 " 5 "	81.00
<i>Commissary</i>	2133	" " 3, 0 " 500 " 5 "	85.50
<i>Commitment</i>	2136	" " 2, 0 " 600 " 5 "	82.00
<i>Committer</i>	2139	" " 3, 0 " 600 " 5 "	86.50
<i>Committing</i>	2142	" " 2, 0 " 750 " 5 "	83.00
<i>Commode</i>	2145	" " 3, 0 " 750 " 5 "	87.50
<i>Commodore</i>	2148	" " 2, 0 " 1,000 " 10 "	84.00
<i>Conspire</i>	2194	" " 3, 0 " 1,000 " 10 "	88.50
<i>Conspiringly</i>	2197	" " 2, 0 " 1,200 " 10 "	85.00
<i>Constancy</i>	2200	" " 3, 0 " 1,200 " 10 "	89.50
<i>Constantly</i>	2203	" " 2, 0 " 1,500 " 10 "	90.75
<i>Constituent</i>	2206	" " 3, 0 " 1,500 " 10 "	95.25


Weston Illuminated Dial Station Ammeters—
(Continued).

Code Word	List No.		List Price.
<i>Colloquial</i>	2160	Finish No. 2, 0 to 2,000 amp in 20 amp. divisions	\$95.25
<i>Collusive</i>	2163	" " 3, 0 " 2,000 " 20 "	99.75
<i>Colonist</i>	2166	" " 2, 0 " 2,500 " 20 "	96.75
<i>Colony</i>	2169	" " 3, 0 " 2,500 " 20 "	101.25
<i>Colorless</i>	2172	" " 2, 0 " 3,000 " 20 "	99.00
<i>Claying</i>	2173	" " 3, 0 " 3,000 " 20 "	103.50
<i>Careless</i>	2176	" " 2, 0 " 3,500 " 20 "	102.00
<i>Carelessly</i>	2179	" " 3, 0 " 3,500 " 20 "	106.50
<i>Curessed</i>	2182	" " 2, 0 " 4,000 " 30 "	106.50
<i>Dialogue</i>	2185	" " 3, 0 " 4,000 " 30 "	111.00
<i>Diameter</i>	2188	" " 2, 0 " 4,500 " 40 "	114.00
<i>Diamond</i>	2189	" " 3, 0 " 4,500 " 40 "	118.50
<i>Luckily</i>	2190	" " 2, 0 " 5,000 " 50 "	121.50
<i>Luckiness</i>	2191	" " 3, 0 " 5,000 " 50 "	126.00
<i>Luckless</i>	2192	" " 2, 0 " 6,000 " 50 "	129.00
<i>Lucklessly</i>	2193	" " 3, 0 " 6,000 " 50 "	133.50
<i>Lucky</i>	470	" " 2, 0 " 7,000 " 50 "	136.50
<i>Luerative</i>	471	" " 3, 0 " 7,000 " 50 "	141.00
<i>Litigant</i>	472	" " 2, 0 " 8,000 " 100 "	151.40
<i>Litigate</i>	473	" " 3, 0 " 8,000 " 100 "	156.00
<i>Litu</i>	472½	" " 2, 0 " 10,000 " 100 "	166.50
<i>Litudone</i>	473½	" " 3, 0 " 10,000 " 100 "	171.00

Extra Shunts for Illuminated Dial
Station Ammeters.

<i>Andiron</i>	9400	½ 0 to 200 amp. in 2 amp. divisions.....	3.00
<i>Andesen</i>	9400½	0 " 250 " 2 "	3.00
<i>Anemone</i>	9402	0 " 400 " 5 "	3.50
<i>Angel</i>	9403	0 " 500 " 5 "	4.50
<i>Angling</i>	9404	0 " 600 " 5 "	5.50
<i>Angry</i>	9405	0 " 750 " 5 "	6.50
<i>Angular</i>	9406	0 " 1,000 " 10 "	7.50
<i>Angus</i>	9407	0 " 1,200 " 10 "	8.50
<i>Ann</i>	9408	0 " 1,500 " 10 "	14.25
<i>Announcee</i>	9410	0 " 2,000 " 20 "	18.75
<i>Lubrication</i>	9411	0 " 2,500 " 20 "	20.25
<i>Lucid</i>	9412	0 " 3,000 " 20 "	22.50
<i>Lucidity</i>	9413	0 " 3,500 " 20 "	25.50
<i>Lucifer</i>	9414	0 " 4,000 " 30 "	30.00
<i>Lumping</i>	9415	0 " 4,500 " 40 "	37.50
<i>Lumpish</i>	9416	0 " 5,000 " 50 "	45.00
<i>Lumpishly</i>	9417	0 " 6,000 " 50 "	52.50
<i>Literature</i>	9418	0 " 7,000 " 50 "	60.00
<i>Lithograph</i>	9419	0 " 8,000 " 100 "	75.00
<i>Litugun</i>	9419½	0 " 10,000 " 100 "	90.00


Weston Illuminated Dial Station Voltmeters.




No. 2164.

Style "A," or Smaller Sized.

Code Word.	List No.	Scale 0 to	85 volts in single volt divisions, finish	No. 2	List Price.
<i>Collided</i>	2152				\$55.00
<i>Collier</i>	2153	" 0 "	85 "	" 3	57.50
<i>Collision</i>	2155	" 0 "	100 "	" 2	56.00
<i>Collocate</i>	2156	" 0 "	100 "	" 3	58.50
<i>Colloquy</i>	2158	" 0 "	125 "	" 2	58.00
<i>Collusion</i>	2159	" 0 "	125 "	" 3	60.50
<i>Colon</i>	2161	" 0 "	135 "	" 2	60.00
<i>Colonel</i>	2162	" 0 "	135 "	" 3	62.50
<i>Colonizing</i>	2164	" 0 "	150 "	" 2	62.00
<i>Colonnade</i>	2165	" 0 "	150 "	" 3	64.50
<i>Color</i>	2167	" 0 "	250 "	two " 2	64.00
<i>Colorable</i>	2168	" 0 "	250 "	" 3	66.50
<i>Colossal</i>	2170	" 0 "	300 "	" 2	66.00
<i>Colt</i>	2171	" 0 "	300 "	" 3	68.50



No. 3043—Front.



No. 3043—Rear.

Style "B," or Larger Sized.

<i>Emersion</i>	2174	Scale 0 to 125 volts in single volt divisions, finish	No. 2	75.00
<i>Emetic</i>	2175	" 0 "	125 "	" 3 79.50
<i>Emigrant</i>	2177	" 0 "	150 "	" 2 76.00
<i>Emigrate</i>	2178	" 0 "	150 "	" 3 80.50
<i>Emigration</i>	2180	" 0 "	175 "	" 2 77.00
<i>Emile</i>	2181	" 0 "	175 "	" 3 81.50
<i>Embossed</i>	2183	" 0 "	250 "	two " 2 78.00
<i>Embossment</i>	2184	" 0 "	250 "	" 3 82.50
<i>Embottle</i>	2186	" 0 "	300 "	" 2 79.00
<i>Embottled</i>	2187	" 0 "	300 "	" 3 83.50
<i>Adjured</i>	3040	" 0 "	600 "	five " 2 80.00
<i>Adjurer</i>	3041	" 0 "	600 "	" 3 84.50
<i>Adjust</i>	3043	" 0 "	750 "	" 2 81.00
<i>Adjusted</i>	3044	" 0 "	750 "	" 3 85.50

NOTE—For higher ranges, extra multipliers are furnished.
Prices quoted on application. In placing order, please give style of lamp socket.

Weston Illuminated Dial Station Voltmeters.



No. 2118.

Flush Pattern.

Code Word.	List No.	Scale	List Price.
<i>Columbine</i>	2100	Scale 0 to 125 volts in single volt divisions, finish No. 2	\$75.00
<i>Column</i>	2101	" 0 " 125 " " " " " 3	79.50
<i>Coma</i>	2102	" 0 " 150 " " " " " 2	76.00
<i>Comatose</i>	2103	" 0 " 150 " " " " " 3	80.50
<i>Combatant</i>	2106	" 0 " 175 " " " " " 2	77.00
<i>Combinable</i>	2107	" 0 " 175 " " " " " 3	81.50
<i>Combination</i>	2108	" 0 " 250 " two " " 2	78.00
<i>Combine</i>	2109	" 0 " 250 " " " " " 3	82.50
<i>Comedy</i>	2112	" 0 " 300 " " " " " 2	79.00
<i>Comet</i>	2113	" 0 " 300 " " " " " 3	83.50
<i>Cometary</i>	2114	" 0 " 600 " five " " 2	80.00
<i>Comfit</i>	2115	" 0 " 600 " " " " " 3	84.50
<i>Comforted</i>	2118	" 0 " 750 " " " " " 2	81.00
<i>Comic</i>	2119	" 0 " 750 " " " " " 3	85.50

NOTE—For higher ranges, extra multipliers are furnished. Prices quoted on application. In placing order, please give style of lamp socket.

Weston Potential Indicators.

In the Potential Indicator a modification is made in the interior part of the instrument for the purpose of securing a much larger movement of the index for a single volt. In an instrument having a range of 130 volts we can secure a movement of the index equal to about one-third of an inch for a change of one volt in pressure; but this instrument would only begin to read at 90 volts. The instruments are so constructed that the index will be very near the centre of the scale for the normal voltage. The scale is figured in two ways: (1) in volts only, or (2) two sets of figures are given, one set giving the actual voltage, and the other set indicating the number of volts above or below the normal voltage, which is marked zero. The prices for these instruments are the same as for corresponding ranges of Style "B" Illuminated Dial Station Voltmeters.



ILLUMINATED DIAL, FLUSH PATTERN.



ILLUMINATED DIAL, STANDARD.

Weston Railway, Isolated Plant and Feeder Voltmeters.

FOR DIRECT CURRENT CIRCUITS ONLY.

Round Pattern.

Code Word.	List No.	List Price.
<i>Herbert</i>	1185 No. 1, 3 Volt Scale. Scale of 150 divisions, each division equal to .02 of a volt and readable to tenths of a division, or .002 volts in any part of the scale, each.....	\$25.00
<i>Horatio</i>	1187 No. 2, 6 Volt Scale. Scale of 120 divisions, each division equal to .05 of a volt and readable to tenths of a division, or .005 volts in any part of the scale, each.....	25.00
<i>Hardness</i>	1188 No. 3, 15 Volt Scale. Scale of 150 divisions, each division equal to .1 of a volt and readable to tenths of a division, or .01 volt in any part of the scale, each.....	25.00
<i>Hardship</i>	1189 No. 4, 25 Volt Scale. Scale of 125 divisions, each division equal to .2 of a volt and readable to tenths of a division, or .02 volt in any part of the scale, each.....	26.00
<i>Harelip</i>	1190 No. 5, 50 Volt Scale. Scale of 100 divisions, each division equal to .5 of a volt and readable to tenths of a division, or .05 volt in any part of the scale, each.....	26.50
<i>Harelipped</i>	1940 No. 6, 75 Volt Scale. Scale of 150 divisions, each division equal to .5 of a volt and readable to tenths of a division, or .05 volt in any part of the scale, each.....	27.25
<i>Harem</i>	1941 No. 7, 125 Volt Scale. Scale of 125 divisions, each division equal to 1 volt and readable to tenths of a division, or .1 volt in any part of the scale, each.....	28.25
<i>Harecot</i>	1942 No. 8, 150 Volt Scale. Scale of 150 divisions, each division equal to 1 volt and readable to tenths of a division, or .1 volt in any part of the scale, each.....	29.50
<i>Haircat</i>	1942½ 250 Volt Scale. Scale of 125 Divisions, each division equal to 2 volts and readable to tenths of a division or .1 volt in any part of the scale, each.....	31.50
<i>Harlequin</i>	1943 No. 9, 300 Volt Scale. Scale of 150 divisions, each division equal to 2 volts and readable to tenths of a division, or .2 volt in any part of the scale, each.....	32.50
<i>Adjuster</i>	3050 No. 10, 600 Volt Scale. Scale of 120 divisions, each division equal to 5 volts and readable to tenths of a division, or .5 volt in any part of the scale, each.....	35.00
<i>Adjustive</i>	3051 No. 11, 750 Volt Scale. Scale of 150 divisions, each division equal to 5 volts and readable to tenths of a division, or .5 volt in any part of the scale, each.....	37.00



No. 1942.

Weston Railway, Isolated Plant and Feeder
Ammeters.

FOR DIRECT CURRENT CIRCUITS ONLY.

		Round Pattern.		
Code Word.	List No.			List Price.
<i>Hosea</i>	1944	No. 1, 1 Ampere Scale. Instrument combined with shunt. Scale of 100 divisions, each division equal to .01 of an ampere, readable to tenths of a division, or .001 ampere in any part of the scale, each.....		\$25.00
<i>Hugh</i>	1945	No. 2, 5 Ampere Scale. Instrument combined with shunt. Scale of 100 divisions, each division equal to .05 of an ampere, readable to tenths of a division, or .005 ampere in any part of the scale, each.....		25.00
<i>Huldan</i>	1946	No. 3, 10 Ampere Scale. Instrument combined with shunt. Scale of 100 divisions, each division equal to .1 of an ampere, readable to tenths of a division, or .01 ampere in any part of the scale, each.....		25.00
<i>Humphrey</i>	1947	No. 4, 15 Ampere Scale. Instrument combined with shunt. Scale of 150 divisions, each division equal to .1 of an ampere, readable to tenths of a division, or .01 ampere in any part of the scale, each.....		25.00
<i>Bigot</i>	1999	No. 5, 25 Ampere Scale. Instrument combined with shunt. Scale of 125 divisions, each division equal to .5 of an ampere, readable to tenths of a division, or .05 ampere in any part of the scale, each.....		25.00
<i>Bigoted</i>	2000	No. 6, 50 Ampere Scale. Instrument combined with shunt. Scale of 100 divisions, each division equal to .5 of an ampere, readable to tenths of a division, or .05 ampere in any part of the scale, each.....		25.50
<i>Bigotry</i>	1080	No. 7, 75 Ampere Scale. Instrument combined with shunt. Scale of 150 divisions, each division equal to .5 of an ampere, readable to tenths of a division, or .05 ampere in any part of the scale, each.....		26.00
<i>Adjutage</i>	2678	No. 8, 100 Ampere Scale. Instrument with separate shunt. Scale of 100 divisions, each division equal to 1 ampere, readable to tenths of a division, or .1 ampere in any part of the scale, each.....		26.50
<i>Adjutant</i>	3081	No. 9, 150 Ampere Scale. Instrument with separate shunt. Scale of 150 divisions, each division equal to 1 ampere, readable to tenths of a division, or .1 of an ampere in any part of the scale, each.....		27.00

Weston Railway, Isolated Plant and Feeder Ammeters—(Continued).



No. 3085.

Code Word.	List No.	List Price.
<i>Adjutrix</i>	3082	No. 10, 200 Ampere Scale. Instrument with separate shunt. Scale of 100 divisions, each division equal to 2 amperes, readable to tenths of a division, or .2 ampere in any part of the scale, each..... \$28.00
<i>Administer</i>	3083	No. 11, 250 Ampere Scale. Instrument with separate shunt. Scale of 125 divisions, each division equal to 2 amperes, readable to tenths of a division, or .2 ampere in any part of the scale, each..... 28.25
<i>Admirable</i>	3084	No. 12, 300 Ampere Scale. Instrument with separate shunt. Scale of 150 divisions, each division equal to 2 amperes, readable to tenths of a division, or .2 ampere in any part of the scale, each..... 28.25
<i>Admiral</i>	3085	No. 13, 400 Ampere Scale. Instrument with separate shunt. Scale of 80 divisions, each division equal to 5 amperes, readable to tenths of a division, or .5 ampere in any part of the scale, each..... 28.50
<i>Clausure</i>	1088	No. 14, 500 Ampere Scale. Instrument with separate shunt. Scale of 150 divisions, each division equal to 5 amperes, readable to tenths of a division, or .5 ampere in any part of the scale, each..... 29.50
<i>Clawed</i>	1089	No. 15, 600 Ampere Scale. Instrument with separate shunt. Scale of 120 divisions, each division equal to 5 amperes, readable to tenths of a division, or .5 ampere in any part of the scale, each..... 30.50
<i>Clawing</i>	1092	No. 16, 750 Ampere Scale. Instrument with separate shunt. Scale of 150 divisions, each division equal to 5 amperes, readable to tenths of a division, or .5 ampere in any part of the scale, each..... 31.50
<i>Clawless</i>	1093	No. 17, 1,000 Ampere Scale. Instrument with separate shunt. Scale of 100 divisions, each division equal to 10 amperes, readable to tenths of a division, or 1 ampere in any part of the scale, each..... 32.50
<i>Clay</i>	1094	No. 18, 1,200 Ampere Scale. Instrument with separate shunt. Scale of 120 divisions, each division equal to 10 amperes, readable to tenths of a division, or 1 ampere in any part of the scale, each..... 33.50

Weston Railway Isolated Plant and Feeder
Ammeters—(Continued.)

Code Word.	List No.	List Price. Each.
<i>Sarcoma</i>	21361	No. 19, 1500 Ampere Scale, instrument with separate shunt, scale with 150 divisions, each division equal to 10 amperes; readable to tenths of a division or 1 ampere in any part of the scale, each\$39.25
<i>Sarcomatus</i>	21362	No. 20, 2000 Ampere Scale instrument with separate shunt, scale with 100 divisions, each division equal to 20 amperes; readable to tenths of a division or 2 amperes in any part of the scale; each 43.75
<i>Sarcophgan</i>	21363	No. 21, 2500 Ampere Scale, instrument with separate shunt, scale with 125 divisions, each division equal to 20 amperes, readable to tenths of a division or 2 amperes in any part of the scale, each 45.25

Differential Volt Meters.

In order to obviate the observing of two independent instruments and the incidental reading errors when bringing up dynamos to the normal voltage for throwing in on bus bar, an illuminated dial differential voltmeter has been devised. There is a difference in construction in these instruments for either two wire or three wire systems.

Two Wire System.

<i>Sarcophagus</i>	21364	Scale 130-0-130 volts in 2 divisions, No. 2 finish,	85.00
<i>Sarcophay</i>	21365	" 500-0-500 " 10 " No. 2 "	90.00
<i>Sarcorampus</i>	21366	" 600-0-600 " 10 " No. 2 "	95.00

Three Wire System.

<i>Sarcosis</i>	21367	Scale 130-0-130 volts in 2 divisions, No. 2 finish,	85.00
<i>Sarcotic</i>	21368	" 500-0-500 " 10 " No. 2 "	90.00
<i>Sarculation</i>	21369	" 600-0-600 " 10 " No. 2 "	95.00

No. 2 finish is dead-black japan with nickel trimming.

No. 3 finish, which is all nickel plated, brass or copper finish, is \$4.50 extra.

Weston Portable Standard Direct Reading Volt-
meters for Alternating and Direct
Current Circuits.

Each instrument is enclosed in a leather case, supplied with shoulder strap, lock and key and furnished with a pair of flexible connecting cords, for both of which no extra charge is made.



No. 2614.

Single Scale Instruments.			List Price.
Code Word.	List No.		
Cleansed	2614	No. 1. Scale 1.5 to 7.5 volts, from 1.5 volt up in $\frac{1}{20}$ volt divisions; best range 2.5 to 6.5 volts, within that range readable to $\frac{1}{200}$ of a volt, each	\$60.00
Clearance	2615	No. 2. Scale 1.5 to 10 volts, from 1.5 volt up in $\frac{1}{10}$ volt divisions; best range 4 to 9 volts, within that range readable to $\frac{1}{100}$ of a volt, each	60.00
Cleared	2616	No. 3. Scale 2 to 12 volts, from 2 volts up in $\frac{1}{10}$ volt divisions; best range 5 to 11 volts, within that range readable to $\frac{1}{100}$ of a volt, each	60.00
Clearing	2617	No. 4. Scale 3 to 15 volts, from 3 volts up in $\frac{1}{10}$ volt divisions; best range 5.5 to 12 volts, within that range readable to $\frac{1}{100}$ of a volt, each	60.00
Clearness	2618	No. 5. Scale 3 to 20 volts, from 3 volts up in $\frac{1}{8}$ volt divisions; best range 7 to 18 volts, within that range readable to $\frac{1}{80}$ of a volt, each	60.00
Cleavage	2619	No. 6. Scale 10 to 60 volts, from 10 volts up in $\frac{1}{2}$ volt divisions; best range 25 to 55 volts, within that range readable to $\frac{1}{20}$ of a volt, each	60.00
Cleav	2620	No. 7. Scale 15 to 75 volts, from 15 volts up in $\frac{1}{4}$ volt divisions; best range 30 to 65 volts, within that range readable to $\frac{1}{20}$ of a volt, each	60.00
Cleared	2621	No. 8. Scale 20 to 120 volts, from 20 volts up in 1 volt divisions; best range 50 to 110 volts, within that range readable to $\frac{1}{10}$ of a volt, each	65.00
Cleave	2622	No. 9. Scale 30 to 150 volts, from 30 volts up in 1 volt divisions; best range 70 to 125 volts, within that range readable to $\frac{1}{10}$ of a volt, each	67.50
Clef	2623	No. 10. Scale 60 to 300 volts, from 60 volts up in 2 volt divisions; best range 140 to 250 volts, within that range readable to $\frac{1}{5}$ of a volt, each	70.00
Clement	2624	No. 11. Scale 100 to 600 volts, from 100 volts up in 5 volt divisions; best range 250 to 550 volts, within that range readable to $\frac{1}{5}$ of a volt, each	80.00

Weston Portable Standard Direct Reading Volt-
meters for Alternating and Direct
Current Circuits—(Continued)

High Range Voltmeters with Extra Multipliers.

Single Scale Instruments.			List Price.
Code Word.	List No.		
<i>Cleaved</i>	2625	No. 12. Scale 200 to 1,200 volts ; scale like No. 8 with ten times the value (10 volts) per division, each	\$ 90.00
<i>Cleanly</i>	2626	No. 13. Scale 300 to 1,500 volts ; scale like No. 9 with ten times the value (10 volts) per division, each	97.50
<i>Cleanness</i>	2627	No. 14. Scale 400 to 2,400 volts ; scale like No. 8 with twenty times the value (20 volts) per division, each	100.00
<i>Cleanse</i>	2628	No. 15. Scale 600 to 3,000 volts ; scale like No. 10 with ten times the value (20 volts) per division, each	110.00

Double Scale Instruments.

In ordering double scale instruments it is necessary to choose the ratio of the two scales, as 1 to 2 for self-contained instruments, since it is not feasible to have the temperature regulator answer for two scales of greater ratio. If a higher range is desired to be obtained by means of a separate multiplier the ratio is not compulsory, since the temperature regulator then answers for the range of the instrument self-contained, while the dimension of the wire in the multiplier is so chosen that temperature corrections for the multiplier are not necessary if the instrument is kept in circuit for only a short time. A self-contained instrument, with single or double scale, can thus be supplied with three or more scale values. For most practical and all laboratory purposes we recommend the double scale instruments as affording a wider range of greater accuracy.

<i>Clergy</i>	2636	No. 16. Scale 3 to 15 volts and 1.5 to 7.5 volts; upper scale like No. 4, lower scale like No. 1, each	70.00
<i>Clerical</i>	2637	No. 17. Scale 3 to 20 volts and 1.5 to 10 volts; upper scale like No. 5, lower scale like No. 2, each	70.00
<i>Client</i>	2638	No. 18. Scale 20 to 120 volts and 10 to 60 volts, upper scale like No. 8, lower scale like No. 6, each	70.00
<i>Cliff</i>	2639	No. 19. Scale 30 to 150 volts and 15 to 75 volts; upper scale like No. 9, lower scale like No. 7, each	75.00
<i>Climate</i>	2640	No. 20. Scale 30 to 200 volts and 15 to 100 volts, upper scale like No. 5, lower scale like No. 2, with ten times the value per division, each...	75.00
<i>Climatic</i>	2641	No. 21. Scale 60 to 300 volts and 30 to 150 volts, upper scale like No. 10, lower scale like No. 9, each	80.00
<i>Climax</i>	2642	No. 22. Scale 100 to 600 volts and 50 to 300 volts, upper scale like No. 11, lower scale like No. 10, each.....	90.00

Weston Portable Standard Direct Reading Volt-
meters for Alternating and Direct
Current Circuits—(Continued).



No. 3679.

Inspectors' Pattern Voltmeters.

Under the name of "Inspectors' Pattern" we furnish the Voltmeters in a highly polished mahogany box, into which the instrument is permanently fastened. All of these instruments are provided with a reversing key. Instead of the regular binding posts, contact pins are provided, on which contact is made by means of contact cups fastened to flexible cords. The flexible cord is either furnished with plain pins or it may be provided with a contact plug to fit our lamp adapters.


For Direct Current Circuits.



No. 3684.


Code Word.	List No.	List Price.
Community	3679	Style No. 1. Highly polished mahogany box, with lock and key, flexible connecting cord. Additional to listed price, each..... \$4.00
Flora	3684	Style No. 3. Highly polished mahogany box, with lock and key; compartment with set of four lamp adapters (Edison, Thomson-Houston, Westinghouse, Weston); flexible connecting cord with plug contact to fit lamp adapters. Additional to listed prices, each... 10.00

For Alternating Current Circuits.



No. 3683.


Fergus	3683	Style No. 1. Highly polished mahogany box, with compartment box with lock and key. The compartment is intended for the reception of the flexible connecting cord and one or more lamp adapters. Additional to listed price, each..... 2.50
--------	------	--



Plugs, Cords and Lamp Adapters.

The cut shows the flexible conductor, with plug contact for inserting in the Adapters and for quickly reversing the current. These Lamp Adapters are made in four styles—viz., for Edison, Thomson-Houston, Westinghouse and Weston sockets.

Code Word.	List No.	List Price.
Clayish	2629	Price of Single Lamp Adapters, each..... \$1.25
Claymore	2630	Flexible Connecting Cord, with plug contact, if ordered separately, each..... 1.25
Clean	2631	Flexible Connecting Cord, with plain contact, if ordered separately, each..... 1.25
Ferdinand	3685	Mahogany Box with set of 4 Adapters and Flexible Cord, each 7.50



No. 2296.

Whitney Electrical Measuring Instruments.

It is important in ordering instruments to state whether they are to be used in a vertical or horizontal position.

Whitney Voltmeters for Continuous Currents

Class A.


Measly	2295	No. 1.	Scale 0 to 15 volts in $\frac{1}{10}$ volt div., each	20.00
Measure	2296	" 9.	" 0 " 100 " 1 " "	23.00
Measured	2297	" 15.	" 0 " 150 " 1 " "	25.00

NOTE—These instruments will heat if left too long in circuit.

Class B.

Measuring	2298	No. 2.	Scale 0 to 15 volts in $\frac{1}{10}$ volt div., each	25.00
Meat	2299	" 10.	" 0 " 100 " 1 " "	28.00
Mechanic	2304	" 16.	" 0 " 150 " 1 " "	30.00
Mechanics	2305	" 21.	" 0 " 300 " 2 " "	40.00
Mechanism	2306	" 25.	" 0 " 600 " 5 " "	50.00
Medalet	2307	" 27.	" 0 " 750 " 5 " "	60.00


NOTE—These instruments may be left continuously in circuit by giving the contact button a quarter turn.



No. 2307 $\frac{1}{2}$

Whitney Voltmeters for Alternating Currents.

Medalist	2307 $\frac{1}{2}$	Scale 0 to 75 volts, reading from 15 to 20 volts in 1 volt divisions, from 20 to 75 volts in $\frac{1}{2}$ volt divisions, each.....	40.00
Medallion	2308	Scale 0 to 150 volts, reading from 30 to 40 volts in 2 volt divisions, from 40 to 150 volts in 1 volt divisions, each.....	45.00



No. 2309.

Whitney Ammeters for Continuous Currents.

Code Word.	List No.	No. 31.	Scale 0 to	10 amp. in	$\frac{1}{10}$ amp. div., each	List Price.
<i>Medicinal</i>	2309					\$21.00
<i>Medicine</i>	2310	" 39.	" 0 "	25	" $\frac{1}{8}$ "	23.00
<i>Meditat</i>	2311	" 43.	" 0 "	50	" $\frac{1}{2}$ "	24.00
<i>Meditated</i>	2312	" 47.	" 0 "	100	" 1 "	28.00
<i>Medium</i>	2313	" 51.	" 0 "	150	" 1 "	30.00
<i>Medley</i>	2314	" 55.	" 0 "	280	" 2 "	35.00
<i>Medusa</i>	2315	" 61.	" 0 "	400	" 5 "	45.00
<i>Meek</i>	2316	" 65.	" 0 "	500	" 5 "	50.00
<i>Meekly</i>	2317	" 66.	" 0 "	600	" 5 "	55.00
<i>Meekness</i>	2318	" 67.	" 0 "	700	" 7 "	60.00
<i>Meerschaum</i>	2319	" 68.	" 0 "	800	" 10 "	65.00
<i>Meeting</i>	2320	" 69.	" 0 "	1000	" 10 "	70.00

Whitney Ammeters for Alternating Currents.

<i>Mellow</i>	2321	Scale 0 to 5 amperes, from 1 to 5 amperes in $\frac{1}{10}$ ampere divisions, each.....	45.00
<i>Melody</i>	2322	Scale 0 to 25 amperes, from 5 to 25 amperes, in $\frac{1}{2}$ ampere divisions, each.....	50.00
<i>Melon</i>	2323	Scale 0 to 50 amperes, from 10 to 50 amperes, in $\frac{1}{2}$ ampere divisions, each	55.00
<i>Melt</i>	2324	Scale 0 to 100 amperes, from 10 to 100 amperes, in 1 ampere divisions, each.....	60.00
<i>Melted</i>	2325	Scale 0 to 150 amperes, from 15 to 150 amperes, in 1 ampere divisions, each.....	65.00
<i>Melting</i>	2326	Scale 0 to 200 amperes, from 20 to 200 amperes, in 2 ampere divisions, each.....	70.00
<i>Member</i>	2327	Scale 0 to 300 amperes, from 30 to 300 amperes, in 2 ampere divisions, each.	75.00
<i>Membrane</i>	2328	Scale 0 to 400 amperes, from 40 to 400 amperes, in 4 ampere divisions, each.....	80.00
<i>Memento</i>	2329	Scale 0 to 500 amperes, from 50 to 500 amperes, in 5 ampere divisions, each.....	85.00




No. 2330.

Carrying Cases for Whitney Instruments.

<i>Memoir</i>	2330	Wooden Carrying Case, with handle, each.....	1.00
<i>Memorial</i>	2331	Leather Carrying Case, with handle and shoulder strap, each	4.00



No. 2331.



No. 21370.

Bristol's Recording Ampere Meters.

For Direct Current.

<i>Sard</i>	21370	Working range to 12 amperes, 24-hour chart, total range 0 to 15 amperes.....	60.00
<i>Sardachute</i>	21371	Working range to 25 amperes, 24-hour chart, total range 0 to 30 amperes.....	60.00
<i>Sardun</i>	21372	Working range to 50 amperes, 24-hour chart, total range 0 to 60 amperes	60.00
<i>Sardel</i>	21373	Working range to 165 amperes, 24-hour chart, total range 0 to 180 amperes.....	60.00
<i>Sardine</i>	21374	Working range to 270 amperes, 24-hour chart, total range 0 to 300 amperes.....	80.00
<i>Sardins</i>	21375	Working range to 550 amperes, 24-hour chart, total range 0 to 600 amperes	80.00
<i>Satchel</i>	21425	Working range to 1100 amperes, 24-hour chart, total range 0 to 1200 amperes	80.00
<i>Sate</i>	21426	Working range to 2200 amperes, 24-hour chart, total range 0 to 2400 amperes.....	90.00
<i>Sateless</i>	21427	Working range to 3300 amperes, 24-hour chart, total range 0 to 3600 amperes.....	100.00


For Alternating Current.

<i>Satelite</i>	21428	For 8400 Alts. per minute, working range to 8 amperes, 24-hour chart, total range 0 to 10 amperes	60.00
<i>Satellites</i>	21429	For 15000 Alts. per minute, working range to 80 amperes, 24-hour chart, total range 0 to 100 amperes	60.00
<i>Acop</i>	25591	For 15000 Alternations per minute, working range to 20 Amperes 24 hours chart	60.00
<i>Acoptic</i>	25592	For 15000 Alternations per minute, working range to 50 Amperes, 24 hours chart	60.00
<i>Acorned</i>	25593	For 7200 Alternations per minute, working range to 130 Amperes, 21 hour chart.....	60.00

Ink and 100 charts with each instrument. Meters for other ranges made to order.



No. 21379.



No. 21893.

Bristol's Recording Voltmeters.

For Direct Current.

Code Word.	List No.		List Price, Each.
<i>Sardinian</i>	21376	Working range to 5 volts, 24-hour chart, total range 0 to 6 volts	\$60.00
<i>Sardoïn</i>	21377	Working range to 25 volts, 24-hour chart, total range 0 to 25 volts	60.00
<i>Sardonie</i>	21378	Working range to 55 volts, 24-hour chart, total range 0 to 60 volts	60.00
<i>Sardonyx</i>	21379	Working range to 110 volts, 24-hour chart, total range 0 to 120 volts	60.00
<i>Saree</i>	21380	Working range to 120 volts, 24-hour chart, total range 0 to 130 volts	60.00
<i>Sargasso</i>	21381	Working range to 130 volts, 24-hour chart, total range 0 to 140 volts	60.00
<i>Sari</i>	21382	Working range to 260 volts, 24-hour chart, total range 0 to 280 volts	60.00
<i>Sarigue</i>	21383	Working range to 275 volts, 12-hour chart, total range 0 to 300 volts	60.00
<i>Sark</i>	21384	Working range to 550 volts, 24-hour chart, total range 0 to 600 volts	60.00
<i>Sarlac</i>	21385	Working range to 550 volts, 12-hour chart, total range 0 to 600 volts	60.00
<i>Sarlyk</i>	21386	Working range to 600 volts, 24-hour chart, total range 0 to 650 volts	60.00

For Alternating Current.

<i>Sarking</i>	21387	Working range to 60 volts, 24-hour chart, total range 0 to 65 volts	60.00
<i>Sarmatic</i>	21389	Working range to 110 volts, 24-hour chart, total range to 120 volts	60.00
<i>Sarment</i>	21390	Working range to 120 volts, 24-hour chart, total range to 130 volts	60.00
<i>Sarmentacus</i>	21391	Working range to 150 volts, 24-hour chart, total range 0 to 160 volts	60.00

Bristol's Recording Watt Meters.

For Direct Current.

<i>Sarmentose</i>	21392	Working range to 5 K-W, all voltages, 24-hour chart, total range 0 to 6 Kilo Watts	70.00
<i>Sarn</i>	21393	Working range to 15 K-W, all voltages, 24-hour chart, total range 0 to 18 Kilo Watts	70.00
<i>Sarony</i>	21394	Working range to 25 K-W, all voltages, 24-hour chart, total range 0 to 30 Kilo Watts	70.00
<i>Saros</i>	21395	Working range to 75 K-W, all voltages, 24-hour chart, total range 0 to 90 Kilo Watts	85.00
<i>Sarplar</i>	21396	Working range to 150 K-W, all voltages, 12-hour chart, total range 0 to 180 Kilo Watts ..	85.00

Ink and 100 charts with each instrument. Meters for other ranges made to order.



No. 6843.

Thompson Recording Watt Meters.

The Thompson Recording Watt Meter is a motor meter and measures accurately the amount of power consumed in the circuit upon which it is placed. It is designed for use on both alternating and direct currents, and for the measurement of light or power energy in either large or small quantities. The following are the standard sizes and net prices:

TWO WIRE, 50 VOLTS.

Code Word.	List No.	Amperes.	Lamps 16 C. P.	List Price. Each.
<i>Nabob</i>	6843	10	10	25.00
<i>Nacre</i>	6540	15	15	30.00
<i>Nacrite</i>	6541	25	25	36.00
<i>Naiad</i>	6542	50	50	45.00
<i>Naidor</i>	6542½	75	75	55.00
<i>Nail</i>	6543	100	100	70.00
<i>Nailing</i>	6544	150	150	80.00
<i>Nailed</i>	6950	300	300	110.00
<i>Nairily</i>	6951	600	600	150.00
<i>Naked</i>	6964	1,200	1,200	250.00
<i>Nab</i>	6964½	2,500	2,500	330.00
<i>Nabit</i>	6965½	5,000	5,000	370.00
<i>Nablum</i>	6968½	8,000	8,000	400.00


Thirty Volt Meters for use in connection with Constant Potential Are Lighting Circuits will be furnished at the price of the same Ampere capacity of 50 Volt Meters.

TWO WIRE, 100 TO 110 VOLTS.

<i>Nankeen</i>	6935	5	10	27.50
<i>Nape</i>	6734	10	20	30.00
<i>Naptha</i>	6565	15	30	33.00
<i>Napkin</i>	6566	25	50	45.00
<i>Napless</i>	6567	50	100	50.00
<i>Nacarat</i>	6567 ½	75	150	70.00
<i>Nappy</i>	6568	100	200	80.00
<i>Narcissus</i>	6569	150	300	100.00
<i>Nach</i>	6569 ½	200	400	110.00
<i>Narcotic</i>	6954	300	600	130.00
<i>Nacker</i>	6954 ½	450	900	160.00
<i>Narrative</i>	6955	600	1,200	190.00
<i>Narrow</i>	6965	1,200	2,400	320.00
<i>Saprot</i>	6966	2,500	5,000	380.00
<i>Sapsogo</i>	6967	5,000	10,000	425.00
<i>Sapskull</i>	6968	8,000	16,000	460.00

THREE WIRE, 220 VOLTS.

<i>Narrowing</i>	6735	7½	33	35.00
<i>Narrower</i>	6563	15	66	50.00
<i>Nasal</i>	6597	25	110	60.00
<i>Natal</i>	6570	50	220	75.00
<i>Nacreous</i>	6570 ½	75	300	85.00
<i>Nation</i>	6571	100	440	100.00
<i>Native</i>	6572	150	60	125.00



No. 6948.

Thomson Recording Watt Meters—(Continued.)

For Power Service.

Two WIRE, 220 VOLTS.

Code Word.	List No.	Amperes.	Horse-power.	List Price, Each,
<i>Naticely</i>	6948	5	1½	\$ 36.50
<i>Nativity</i>	6538	15	3½	50.00
<i>Natural</i>	6555	25	7	60.00
<i>Naturalist</i>	6556	50	15	70.00
<i>Nadab</i>	6556½	75	20	85.00
<i>Naturalize</i>	6557	100	25	100.00
<i>Nature</i>	6558	150	40	120.00
<i>Nadir</i>	6558½	200	50	135.00
<i>Nausea</i>	6813	300	80	150.00
<i>Nadelstein</i>	6813½	450	125	190.00
<i>Nave</i>	6814	600	160	220.00
<i>Navigable</i>	6966 ¼	1,200	320	300.00
<i>Naeve</i>	6966½	2,500	700	425.00
<i>Naevease</i>	6970½	5,000	1,400	475.00
<i>Nafe</i>	6971½	8,000	2,200	520.00

Two WIRE, 500 VOLTS.

<i>Astride</i>	6949	3	1½	\$ 40.00
<i>Naff</i>	6950½	10	5	55.00
<i>Astringe</i>	6539	15	7½	60.00
<i>Astringency</i>	6559	25	15	65.00
<i>Astringent</i>	6560	50	30	85.00
<i>Nag</i>	6560½	75	50	100.00
<i>Astringing</i>	6561	100	60	110.00
<i>Astrology</i>	6562	150	100	125.00
<i>Naggy</i>	6562½	200	120	150.00
<i>Astronomer</i>	6815	300	200	175.00
<i>Nagor</i>	6815½	450	300	225.00
<i>Astute</i>	6816	600	400	275.00
<i>Astutely</i>	6967 ½	1,200	800	375.00
<i>Naiaut</i>	6973½	2,500	1,600	450.00
<i>Nais</i>	6974½	5,000	3,200	500.00
<i>Naif</i>	6975½	8,000	5,400	550.00

Primary Circuits

1,000 TO 2,000 VOLTS. PRICES INCLUDE TRANSFORMER.

		Amperes.	
<i>Nailball</i>	6572½	10.....	80.00
<i>Navigably</i>	6573	20.....	90.00
<i>Navigate</i>	6574	30.....	100.00
<i>Navigator</i>	6575	60.....	125.00
<i>Navigation</i>	6576	120.....	160.00
<i>Neel</i>	6577	300.....	210.00
<i>Nailbrush</i>	6577½	600.....	300.00

Portable Meters for Street Car Testing, Etc.


500 VOLTS.

<i>Nailer</i>	21000	1½ H. P., 3 Amp.....	55.00
<i>Naileress</i>	21001	7½ " 15 "	70.00
<i>Nailery</i>	21002	15 " 25 "	85.00
<i>Nailheaded</i>	21003	30 " 50 "	100.00

Thomson Recording Watt Meters—(Continued.)

Arc Circuit Meters.			
Code Word.	List No.		List Price. Each.
<i>Nainsook</i>	21004	4 lights, 6 ⁸ / ₁₀ Amp.....	65.00
<i>Naissant</i>	21005	4 " 10 "	65.00
<i>Naivel</i>	21006	8 " 6 ⁸ / ₁₀ "	75.00
<i>Naivete</i>	21007	8 " 10 "	75.00

Arc Circuit Station Meters.			
<i>Namelessly</i>	21008	35 lights, 6 ⁸ / ₁₀ Amp.....	110.00
<i>Nameplate</i>	21009	35 " 10 "	110.00
<i>Namingly</i>	21010	50 " 6 ⁸ / ₁₀ "	125.00
<i>Nan</i>	21011	50 " 10 "	125.00
<i>Nandor</i>	21012	65 " 6 ⁸ / ₁₀ "	135.00
<i>Nandu</i>	21013	65 " 10 "	135.00
<i>Nantes</i>	21014	80 " 6 ⁸ / ₁₀ "	150.00
<i>Nap</i>	21015	80 " 10 "	150.00



No. 21404.

The Scheeffer Recording Watt Meter.

For Alternating Circuits.

LIGHTS RATED ON A BASIS OF 50 WATTS PER LAMP.


50 Volts.			
<i>Sartorial</i>	21404	10 Lights, 10 Amperes.....	\$25.00
<i>Sartorious</i>	21405	15 " 15 "	30.00
<i>Sary</i>	21406	20 " 20 "	34.00
<i>Sash</i>	21407	30 " 30 "	37.00
<i>Sashorn</i>	21408	40 " 40 "	41.00
<i>Sasin</i>	21409	50 " 50 "	45.00
<i>Sassafras</i>	21410	75 " 75 "	55.00
<i>Sassanage</i>	21411	100 " 100 "	70.00
<i>Sasse</i>	21412	150 " 150 "	80.00
<i>Sassolin</i>	21413	300 " 300 "	110.00

100 to 110 Volts.			
<i>Sassoral</i>	21414	10 Lights, 5 Amperes.....	27.00
<i>Sassoralla</i>	21415	20 " 10 "	30.00
<i>Sassybark</i>	21416	30 " 15 "	33.00
<i>Sastra</i>	21417	40 " 20 "	41.00
<i>Sat</i>	21418	50 " 25 "	45.00
<i>Satan</i>	21419	60 " 30 "	47.00
<i>Satanic</i>	21420	70 " 35 "	48.00
<i>Satanical</i>	21421	100 " 50 "	50.00
<i>Satanism</i>	21422	150 " 75 "	70.00
<i>Satanist</i>	21423	200 " 100 "	80.00
<i>Satanophomy</i>	21424	300 " 150 "	100.00

The Shallenberger Meter.

For Alternating Current.

The meter is a direct reading instrument, recording the amount of current which has passed through it, on a dial (herewith illustrated) presenting much the same appearance as that of an ordinary gas meter. The unit of measurement is the "ampere hour."



Code Word.	List No.		List Price Each.
Sarplier	21397	5 Amperes.....	\$13.75
Sarrasin	21398	10 "	15.00
Sarsa	21399	20 "	18.75
Sarsaparilla	21400	40 "	22.50
Sarse	21401	80 "	31.25
Sarsenet	21402	120 "	43.75
Sart	21403	160 "	50.00

Duncan Alternating Current Recording Meters

For Lamp Hours or Ampere Hours.

For 50 Volt Lamps.


Code Word.	List No.		List Price Each.
Scom	21645	5 16 c. p. Lamps Capacity or 5 Amperes....	\$25.00
Scoml	21646	10 " " " 10 "	25.00
Scrabble	21647	15 " " " 15 "	30.00
Scrag	21648	20 " " " 20 "	33.00
Scramble	21649	25 " " " 25 "	36.00
Scrap	21650	30 " " " 30 "	38.00
Scrape	21651	40 " " " 40 "	41.00
Scratch	21652	50 " " " 50 "	45.00
Scrual	21653	60 " " " 60 "	50.00
Screak	21654	80 " " " 80 "	60.00
Scream	21655	100 " " " 100 "	70.00
Screch	21656	120 " " " 120 "	80.00
Screen	21657	160 " " " 160 "	100.00
Scribble	21658	200 " " " 200 "	120.00

For 100 Volt Lamps.

Scribe	21659	10 16 c. p. Lamps Capacity or 5 Amperes....	28.00
Scrimp	21660	20 " " " 10 "	30.00
Scrip	21661	30 " " " 15 "	33.00
Script	21662	40 " " " 20 "	37.00
Scripture	21663	50 " " " 25 "	41.00
Scrivener	21664	60 " " " 30 "	45.00
Scrofula	21665	80 " " " 40 "	50.00
Scroll	21666	100 " " " 50 "	55.00
Scrub	21667	120 " " " 60 "	60.00
Scruple	21668	160 " " " 80 "	75.00
Scrutiny	21669	200 " " " 100 "	85.00
Scrutoire	21670	240 " " " 120 "	95.00
Scud	21671	320 " " " 160 "	115.00
Scuffle	21672	400 " " " 200 "	135.00

Primary Meters for 1,000 or 2,000 Volt Currents.

Scull	21673	5 Amperes.....	26.50
Scullery	21674	10 "	30.00
Scullion	21675	15 "	36.00
Sculpture	21676	20 "	40.00
Scum	21677	25 "	43.00



Duncan Alternating Current Recording Meters
(Continued.)

Primary Meters for 1,000 or 2,000 Volt Currents—(Continued.)



Code Word.	List No.		Price List. Each.
<i>Scupper</i>	21678	30 Amperes.....	46.00
<i>Scurf</i>	21679	40 ".....	49.00
<i>Scurrilous</i>	21680	50 ".....	54.00
<i>Scurry</i>	21681	60 ".....	60.00
<i>Scutcheon</i>	21682	80 ".....	72.00
<i>Scuttle</i>	21683	100 ".....	84.00
<i>Scythe</i>	21684	120 ".....	96.00
<i>Sea</i>	21685	160 ".....	120.00
<i>Seaboard</i>	21686	200 ".....	144.00

Duncan Recording Wattmeters for Alternating
Currents.

Lamp Rating based upon 50 Watt Lamps.

For 50 Volt Circuits.

Seafarer	21687	5	16 c. p. Lamps Capacity or	5 Amperes....	\$25.00
Seal.	21688	10	" " " "	10 "	25.00
Seam	21689	15	" " " "	15 "	30.00
Seaman	21690	20	" " " "	20 "	33.00
Seamstress	21691	25	" " " "	25 "	36.00
Scar	21692	30	" " " "	30 "	38.00
Search	21693	40	" " " "	40 "	41.00
Season	21694	50	" " " "	50 "	45.00
Seaworthy	21695	60	" " " "	60 "	50.00
Seat	21696	80	" " " "	80 "	60.00
Seaboons	21697	100	" " " "	100 "	70.00
Seant	21698	120	" " " "	120 "	80.00
Seede	21699	160	" " " "	160 "	100.00
Seckel	21700	200	" " " "	200 "	120.00

For 100 Volt Circuits.


<i>Seclude</i>	21701	10	16 c. p. Lamps Capacity or	5 Amperes....	28.00
<i>Second</i>	21702	20	" " " " 10 "....	30.00	
<i>Secret.</i>	21703	30	" " " " 15 "....	33.00	
<i>Secretary</i>	21704	40	" " " " 20 "....	37.00	
<i>Secrete</i>	21705	50	" " " " 25 "....	41.00	
<i>Seet</i>	21706	60	" " " " 30 "....	45.00	
<i>Seetile</i>	21707	80	" " " " 40 "....	50.00	
<i>Section</i>	21708	100	" " " " 50 "....	55.00	
<i>Sector</i>	21709	120	" " " " 60 "....	60.00	
<i>Secular</i>	21710	160	" " " " 80 "....	75.00	
<i>Secure</i>	21711	200	" " " " 100 "....	85.00	
<i>Sedan</i>	21712	240	" " " " 120 "....	95.00	
<i>Sedute</i>	21713	320	" " " " 160 "....	115.00	
<i>Sedutice</i>	21714	400	" " " " 200 "....	135.00	

For Primary Circuits, 1,000 or 2,000 Volts.

(Price includes Transformer.)

<i>Sedentary</i>	21715	5 Amperes.....	75.00
<i>Sedge</i>	21716	10 ".....	80.00
<i>Sediment</i>	21717	15 ".....	85.00
<i>Sedition</i>	21718	20 ".....	90.00
<i>Seduce</i>	21719	25 ".....	95.00
<i>Sedulous</i>	21720	30 ".....	100.00
<i>Seed</i>	21721	40 ".....	110.00
<i>Seedg</i>	21722	50 ".....	118.00
<i>Seek</i>	21723	60 ".....	125.00
<i>Seem</i>	21724	80 ".....	140.00
<i>Seemly</i>	21725	100 ".....	150.00
<i>Seen</i>	21726	120 ".....	160.00
<i>Seer</i>	21727	160 ".....	175.00
<i>Seethe</i>	21728	200 ".....	190.00


Weston Portable Wattmeters.



No 3686

Code Word.	List No.					Maximum Current.	Maximum Voltage.		List Price.								
<i>Ladyism</i>	3686	No.	0 to 150 watts in 1 watt divisions, 2 amperes, 150 volts, each						\$70.00								
<i>Ladylike</i>	3687	{		"	1A	0	"	75	"	1/2	"	2	"	75	"	}	75.00
					"	0	"	150	"	1	"	2	"	150	"	}	
<i>Lacerta</i>	3688 1/2	No. 1B,	0 to 150 watts in 1 watt divisions, for inspectors, sales agents and manufacturers of incandescent lamps, especially designed for ready connections to any lamp socket of any system. In a highly polished carrying case of cherry are contained the Wattmeter, a set of four lamp adapters, etc., same as furnished with the No. 3683 Inspectors' Voltmeter.														85.00

The above prices include a Carrying Case of polished cherry. For all ranges from No. 3 upwards this Carrying Case contains a separate compartment for linen covered flexible cables furnished with the instrument. These cables are provided with special terminals to insure good contacts on the instruments, and are of sufficiently large cross-section to carry the maximum current for which the instrument is designed.




No. 6699.



No. 6970.




No. 6705.



No. 6968.

Meter Sealing Tools.

Code Word.	List No.	List Price.
<i>Atlantic</i>	6699 Large Size Sealing Tool, each.....	\$9.50
<i>Atlantis</i>	6970 Small Pocket Sealing Tool, each.....	2.75
<i>Atlas</i>	6705 Lead Seals and Wires for large tool, per 1,000.....	8.50
<i>Atmosphere</i>	6968½ Lead Seals and Wires for Pocket Tool, per 1,000.....	8.50
	Meter Reading Books, each.....	1.35
	Meter Rate Chart, each.....	1.85



No. 2254.

Post Office Bridge and Rheostat.

<i>Michael</i>	2255 Same, without galvanometer.....	100.00
----------------	--------------------------------------	--------



No. 2261.

Combination Bridge, Rheostat and Galvanometer.

Improved Form with Revolving Galvanometer.

This instrument consists of a sensitive Detector Galvanometer and an improved form of Wheatstone Bridge, with Rheostat, all arranged in one case so as to form a complete and perfect portable apparatus for measuring resistance.

We manufacture two sizes: No. 1 measures from one-hundredth of an ohm to 111,000 ohms. It has on each arm bridge coils of 10 ohms, 100 ohms and 1,000 ohms. The Rheostat consists of three rows of ten coils each, the first rows being coils of one ohm each, designated "units," the second of ten ohms each, designated "tens," and the third of 100 ohms each, designated "hundreds."

The case is of polished mahogany, measuring $8\frac{3}{4} \times 8\frac{3}{4} \times 5\frac{1}{2}$ inches.

Code Word.	List No.	List Price. Each.
<i>Midship</i>	2260 No. 1 Instrument.....	\$ 75.00
<i>Midst</i>	2261 No. 2 "	85.00

No. 2 measures from one hundredth of an ohm to 1,110,000 ohms. The construction is the same as No. 1, but there is an additional row of ten one thousand ohm coils in the Rheostat. The size of the same is $8\frac{3}{4} \times 10 \times 5\frac{1}{2}$ inches.

The arrangement of coils is such that one plug only is used to each row, thus avoiding the multiplicity of bad connections on account of ill-fitting plugs, and making the reading as simple as possible. If, for instance, in balancing the bridge, it is required to put the plug of the "hundreds" row into "seven," of "tens" row into "five," and of units row into "three," instead of adding up the coils, one reads direct 753 ohms.

Wheatstone Bridge.

Consisting of a detector galvanometer so constructed that it may be revolved independently of the case; Wheatstone Bridge and rheostat in case with hard rubber engraved face.

A card of instructions accompanies each instrument.

Code Word.	List No.	List Price.
<i>Somnific</i>	25076	Each..... \$80.00




No. 25076.

Adjustable Transformer.

This Transformer is for use where the alternating current alone is available. It will give an alternating current of one to twenty amperes up to 30 volts pressure, and is particularly well adapted for hospital and dental work, where heavy currents are frequently used for cauterizing and operating lamps.

Prices on application.





No. 23084.



No. 3680 with No. 3681.



No. 3446.



No. 9061.

The Queen Decade Testing Set

Code Word.	List No.	Price List. Each.
<i>Silverbush</i>	23084 T 464, Queen "Decade" Portable Testing Set.....	\$125.00
<i>Silverfur</i>	23085 T 465, Queen "Decade" Portable Testing Set, without Galvanometer and Battery	100.00

The above Testing Set is recommended to such electricians as prefer the "Decade" plan of resistance coils.

The Wheatstone Bridge, Rheostat, D'Arsonval Galvanometer and Battery are contained in a finely polished mahogany box with carrying strap. Outside dimensions, 12 x 6½ x 5¾ ins. Range .001 to 9,999,000 ohms.

"Acme" Portable Testing Set.

The component parts are Wheatstone Bridge, Rheostat, D'Arsonval Galvanometer, Battery, and Double Contact Key, in a mahogany case, having outside dimension 9 x 5½ x 5 ins., and weighing only seven pounds.

The bridge coils are six in number and admit of a ratio of one to one thousand on either arm.

The Rheostat has a total resistance of 11,110 ohms, hence the possible range of measurement is from .001 to 11,110,000 ohms.

Measurements can be made under all conditions of practical work close to dynamos, in large factories or on ship-board.

<i>Frances</i>	3680 T 460, "Acme" Portable Testing Set.....	100.00
<i>Francis</i>	3681 T 461, Leather Carrying Case, with shoulder strap.....	5.00
<i>Frederick</i>	3682 T 462, Flexible Contact Clutches for heavy conductors	5.00
<i>Detection</i>	3700 T 963, Tripod, with Clamp, to support in street work	7.50

Weston Circuit Tester and Ground Detector.

The Weston Ground Detector is an instrument for simply and quickly indicating the existence of grounds, and also for showing the insulation resistance of the circuits from hour to hour and day to day, and thus indicating any changes that may take place in the insulation resistance of the circuits.

<i>Coolly</i>	3446 Weston Circuit Tester and Ground Detector, for two-wire circuits, including computing device for quickly determining the insulation resistance without necessity of calculation	65.00
---------------	--	-------

Weston Portable Galvanometer.

<i>Negative</i>	9061 No. 1, giving 1 millimeter scale deflection with 1 volt through 500,000 ohms, resistance 250 ohms	35.00
<i>Neglect</i>	9063 Leather Carrying Case for same, velvet lined, with handle and shoulder strap, lock and key	3.50

Queen=Wirt Ammeters and Voltmeters.




Queen-Wirt Meters are calibrated for either direct or alternating current circuits. When ordering instruments for alternating current, state the product of the number of pole of the generator by the number of revolutions per minute.

All instruments are Dead-Beat and this enables them to follow continual changes in the current or voltage without constant swinging. The circuit may be rapidly made or broken without driving the pointer violently to one side and probably injuring the instrument or throwing it out of calibration.

The front is of bronze with bright letters and scroll raised on a dead black ground.

Voltmeters for constant potential circuits have their scale divisions wider at the normal running point. Scales on other meters are nearly uniform.



Range.		Ammeters.	Direct.	Alternating.
			List Price	Each.
1 to 10	amperes		\$22.00	\$24.00
2 to 15	"		22.00	24.00
3 to 30	"		22.00	24.00
5 to 50	"		22.00	24.00
8 to 75	"		22.00	24.00
10 to 100	"		22.00	24.00
12 to 125	"		24.00	26.00
15 to 150	"		24.00	26.00
20 to 200	"		26.00	28.00
25 to 250	"		26.00	28.00
30 to 300	"		26.00	28.00
40 to 400	"		28.00	30.00
50 to 500	"		28.00	30.00
60 to 600	"		28.00	30.00
100 to 1000	"		28.00	30.00

Range.		Voltmeters.	Direct.	Alternating.
			List Price	Each.
2 to 15	volts		24.00	26.00
3 to 25	"		24.00	26.00
8 to 75	"		24.00	26.00
80 to 130	"		24.00	26.00
15 to 150	"		24.00	26.00
30 to 300	"		26.00	28.00
60 to 600	"		28.00	30.00

Portable Instruments.

These instruments are light and small, weighing about three pounds each and measuring 6½ x 6½ x 3 inches over all. The cases are of mahogany. The instruments are dead-beat.

In ordering Portable Meters for alternate current circuits follow previous instructions given for switchboard meters.

Range.		Ammeters.	Direct.	Alternating.
			List Price	Each.
2 to 15	amperes		28.00	30.00
10 to 100	"		30.00	32.00
15 to 150	"		32.00	34.00


Range.		Voltmeters.	Direct.	Alternating.
			List Price	Each.
15 to 150	volts		30.00	32.00
30 to 300	"		32.00	34.00
60 to 600	"		35.00	37.00

Leather carrying case with shoulder-strap for Portable Voltmeter or Ammeter.....			5.00	
--	--	--	------	--

The prices on double instruments are governed by the combination selected and will be furnished on application.

Voltmeter Switches.

Western Electric Switch.



No. 8720.

This Switch is used for connecting a voltmeter across the mains of any number of dynamos or circuits without danger of reversing the polarity through the instrument. It is also provided with a ground test for each side of the different circuits, which measures with the voltmeter the number of volts lost to ground by simply pressing one of the buttons, from which reading the actual resistance in ohms to ground of the circuit may be determined. Switches of this design are made for any number of circuits or dynamos lettered and numbered as desired.

Code Word.	List No.		List Price
<i>Simion</i>	23098	4 Point, each..	\$13.00
<i>Similar</i>	23099	6 " " ..	14.50
<i>Simmer</i>	23100	8 " " ..	16.00
<i>Simmel</i>	23101	10 " " ..	18.00
<i>Simoniac</i>	23102	12 " " ..	20.00
<i>Simonist</i>	23103	14 " " ..	24.00
<i>Julia</i>	8720	16 " " ..	30.00





Diagram of Connections for a Western Electric Voltmeter Switch.

The size of the hard rubber base for a 2-point Voltmeter Switch is 2 x 5 ins. For a 4 to 14-point the base is round and is 6 1/4 in. diameter. For a 16 to 24-point switch it is 10 1/4 in. diameter. A similar instrument is also made for connecting polarity indicators, calibrating ammeters or other series instruments in arc circuits.

Speed Indicators.

The "Lightning" Speed Indicator.




No. 3673.

It registers as high as 1,000, as seen by the cut. The body constitutes the handle. Has a rubber tip on the spindle, and the face covered with a watch crystal. Will stand over 15,000 rotations per minute.

<i>Citron</i>	3673	Each.....	3.00
---------------	------	-----------	------


Speed Indicators—(Continued).



No. 3674.

Universal Speed Indicator.


Code Word.	List No.	List Price.
<i>Citizen</i>	3674 Single Indicator, each.....	\$1.00



No. 2051.

Heath Speed Indicator.

2051	Heath Self-Timing, Self-Registering Speed Indicator, each	20.00
------	--	-------



No. 2050.

Standard Portable Tachometer.

The scales on the dial are graduated as follows: 40 to 200, 120 to 600, and 600 to 3,000, which gives a maximum range of 40 to 3,000 turns per minute. Thus it is possible to measure directly both high and low speeds with the same instrument.

<i>Cited</i>	2050 Standard Portable Tachometer, range 40 to 3 000 revolutions, each.....	60.00
--------------	--	-------

FIXTURES.

Bracket Tubes.


		Code Word.	List No.		List Price. Per 100.
	No. 21895.				
	No. 21899.				
	No. 21900.				
	No. 21902.				
	No. 21903.				
	No. 21905.				
	No. 21906.				
	No. 21910.				
	No. 21914.				
	No. 21915.				
	No. 21916.				
	No. 21917.				
	No. 21918.				
	No. 21919.				
		<i>Shore</i>	21895	4 inch	\$14.00
		<i>Shorcer</i>	21896	6 "	16.00
		<i>Showery</i>	21897	8 "	20.00
		<i>Shred</i>	21898	10 "	23.00
		<i>Shreo</i>	21899	45 degree rigid, ball joint.....	17.00
		<i>Shreed</i>	21900	6 inch	26.00
		<i>Shrick</i>	21901	10 "	33.00
		<i>Shrill</i>	21902	Curve Nipple	10.00
		<i>Shrine</i>	21903	6 inch	36.00
		<i>Shrink</i>	21904	10 "	43.00
		<i>Shrinkage</i>	21905	Extends 8 inches	35.00
		<i>Shrinker</i>	21906	4 inches	14.00
		<i>Shrinkingly</i>	21907	6 "	16.00
		<i>Shrite</i>	21908	8 "	20.00
		<i>Shritely</i>	21909	10 "	23.00
		<i>Shrice</i>	21910	4 inch	14.00
		<i>Shricel</i>	21911	6 "	16.00
		<i>Shriever</i>	21912	8 "	20.00
		<i>Shricing</i>	21913	10 "	23.00
		<i>Shroff</i>	21914	Extends 3¾ inches	30.00
		<i>Shroffage</i>	21915	90 degree Bracket.....	16.00
		<i>Shrood</i>	21916	Turkey-neck Bracket.....	35.00
		<i>Shroud</i>	21917	Snake Bracket	35.00
		<i>Shrouding</i>	21918	Swan Bracket.....	35.00
		<i>Shroudless</i>	21919	Duck neck Bracket.....	35.00

Nos. 21899, 21902 and 21915 are of the same size tubing as the other brackets listed.

Fixtures.—(Continued.)

Electric Brackets.


Screw Bracket.



No. 21921.

Code Word.	List No.	List Price.
<i>Shroudplate</i>	21920	Rough brass, per 100 \$11.00
<i>Shroudy</i>	21921	Polished brass, lacquered, per 100..... 22.00

This is a short screw bracket, very strong, makes a convenient bracket for window lighting, border or ceiling work. Extends from wall one and five-eighths inches.



No. 21922.

Partition Bracket.

For attaching to back of partitions, etc., includes flange. The socket, shade and shade-holder are extra.

<i>Shrove</i>	21922	Partition Bracket, polished brass, each.....	.70
---------------	-------	--	-----



No. 21923.

Shelf Bracket,

With wall plate, has six inch drop to socket nozzle. The socket, shade and shade holder are extra.

<i>Shrovetide</i>	21923	Shelf Bracket, polished brass, each.....	.75
-------------------	-------	--	-----



No. 21924.

Special Shelf Bracket.

For attaching underneath a shelf, furnished with wall plate. Socket, shade and shade holder extra.


<i>Shroving</i>	21924	Special Shelf Bracket, polished brass, each	.60
-----------------	-------	--	-----



No. 21928.



No. 21931.



No. 21932.



No. 21933.



No. 21934.



No. 21935.

Fixtures.—(Continued.)

Almond Flexible Bracket.

These prices include bracket only

Code Word.	List No.		List Price. Each.
<i>Shrow</i>	21925	6 inches long	\$0.54
<i>Shroud</i>	21926	9 " "	.60
<i>Shrub</i>	21927	12 " "	.75
<i>Shrubberg</i>	21928	15 " "	.90
<i>Shrubbiness</i>	21929	18 " "	1.11
<i>Shrubby</i>	21930	24 " "	1.50

Electric Wall Brackets.

<i>Shrubless</i>	21931	1 light, with canopy and crowfoot	2.00
<i>Shruff</i>	21932	2 " " "	3.00

Socket, shade and shade holder are extra.

Switchboard Bracket.

Includes canopy and nuts for attaching. The socket, shade and shadeholder are extra.

<i>Shrug</i>	21933	1 light.....	1.25
<i>Shrunken</i>	21934	2 "	1.75

Hall Bracket.

Including canopy and crowfoot. Socket, shade and shadeholder are extra.

<i>Shru</i>	21935	1 light bracket.....	1.50
-------------	-------	----------------------	------



No. 21949.



No. 21950.

No. 21951.

Fixtures—(Continued.)

Ornamental Brackets.

Brass Brackets.

With Husks.

Code Word.	List No.	List Price. Each.
<i>Shunti</i>	21949 2 light, polished brass or rich gilt	\$18.00
<i>Shut</i>	21950 1 light, polished brass or rich gilt	7.00
<i>Shute</i>	21951 1 light, polished brass or rich gilt	10.00


Iron Brackets.

For Interior or Exterior Use.


<i>Shutter</i>	21952 1 light bracket, black iron finish, with flint opalescent ball.....	10.00
<i>Shuttered</i>	21953 1 light bracket, black iron finish, with flint opalescent ball.....	8.00




No. 21952.



No. 21953.



No. 21954.



No. 21955.

<i>Shuttle</i>	21954 1 light bracket, black iron finish, flint opalescent glass cylinder.....	27.00
<i>Shuttlebox</i>	21955 1 light bracket, black iron finish, flint opalescent glass stalactite	20.00

Fixtures—(Continued.)

Swing Brackets.

Shades, shade holders and sockets are not included in the price of the brackets. Canopy and crow foot are furnished with each bracket. Brackets are polished brass.




No. 21941.

Code Word.	List No.	List Price Each.
<i>Shuffleboard</i>	21941	1 light Electric Swing Bracket..... \$4.00




No. 21942.

<i>Shufflecap</i>	21942	1 light single swing, extends 12 inches...	1.20
<i>Shuffler</i>	21943	1 light double swing, extends 24 inches..	1.70



No. 21944.

<i>Shuffling</i>	21944	1 light single swing, extends 12 inches...	1.20
<i>Shug</i>	21945	1 light double swing, extends 24 inches..	2.40



No. 21946.

<i>Shumac</i>	21946	1 light Electric single swing bracket, extends 12 inches.....	1.50
<i>Shun</i>	21947	1 light Electric double swing bracket, extends 24 inches	3.00



No. 21948.

<i>Shunless</i>	21948	2 light Electric bracket.....	5.50
-----------------	-------	-------------------------------	------

Two-Light Electric Bracket.

Two arms, single swing, spread 24 inches.



No. 21936.

Fixtures—(Continued.)

Electric Brackets.

Sockets, shades and shadeholders are extra.

Code Word.	List No.	List Price. Each.
<i>Shuck</i>	21936 1 light Bracket with wall plate... Extends 10 inches.	\$1.80



No. 21937.

Two=Light Wall Brackets.


Including canopy and crowfoot.

<i>Shudder</i>	21937 2-light bracket, polished brass.....	3.50
----------------	---	-------------



No. 21938.

<i>Shade</i>	21938 2-light bracket, polished brass.....	2.50
--------------	---	-------------



No. 21940.

Swing Standards.


Standards are furnished without shade, shadeholder or socket.

<i>Shuffle</i>	21939 1-light, single swing standard	3.25
<i>Shuff</i>	21940 2-light, " " "	4.75

The arms extend 12 inches.

This fixture is well adapted for banks and counting houses.

The Standards will be furnished wired for 25 cents extra for each arm.



No. 759.



No. 21960.

Fixtures—(Continued.)

Desk Portables.

Code Word.	List No.	List Price. Each.
<i>Fanny</i>	759 Extension Portable.....	\$4.00
	Height, 24 inches. Extension 12 inches.	

The arm can be moved up and down, in and out, and from side to side.



No. 21961.



No. 21962.

Plain Standard Portable.

Brass finish. Height, 24 inches.

<i>Shyly</i>	21960	Portable, only, without shade.....	3.00
<i>Shyness</i>	21961	" " " "	3.00
<i>Syn</i>	21962	Portable, only.....	1.50

Flexible Portable.

<i>Depth</i>	8689	With Brass Stand.....	3.00
		Attachment plugs, cord, shade and socket are extra.	



No. 8689.





No. 21963.

Adjustable Portable and Bracket.

Is furnished with a key switch at the base, and has an adjustable attachment at the top so that the socket may be moved from side to side.

<i>Si</i>	21963	Complete, as shown in cut.....	10.00
-----------	-------	--------------------------------	-------



Fixtures.—(Continued.)

Combined Portable and Bracket.

This is an ornamental and convenient desk lamp. It is furnished complete with six feet of cotton covered lamp cord, a special Bryant attachment plug, a socket for a T.H. or Westinghouse base lamp, and a paper or celluloid shade. The Portable is of polished brass and, including the lamp, stands about 13 inches high.

When used as a bracket it extends about 8 inches.

Code Word.	List No.	List Price. Each.
<i>Equalness</i>	2371	Polished Brass, complete..... \$5.00
<i>Equation</i>	2372	Old Copper, " 6.00
<i>Equinox</i>	2373	Oxidized Silver " 7.00
<i>Equity</i>	2374	Shade only, Green..... 1.00
<i>Equivalent</i>	2375	" Red 1.00
<i>Equivocal</i>	2376	" Blue 1.00
<i>Eradicate</i>	2377	" White 1.00
<i>Eradicated</i>	2378	" Yellow 1.00
<i>Eradicating</i>	2379	" Pink..... 1.00

The Kinsman Desk Light.

This Desk Light is clamped on the desk as shown, without marring or interfering with the desk in any way; has an adjustable arm by which the cylinder can be pulled back or drawn forward as desired. The inner glass cylinder is so arranged that it will give a bright light, or by a slight touch it can be modified to suit.

<i>Errand</i>	2386	Each, nickel plated.....	6.00
<i>Side-sad</i>	22044	Each; dark Green, enamel	3.75

Kinsman Portable.

<i>Side-man</i>	22045	Kinsman No. 1, Portable, nickel.....	8.00
<i>Side-table</i>	22046	" No. 1, " dark Green, enamel	5.00
<i>Side-taking</i>	22047	Kinsman No. 2, Portable, nickel.....	7.00

Polished brass can be furnished instead of nickel if specified.

Specify style of socket when ordering.

Ornamental Electric Portables.


One light, finished in rich gilt or polished brass.

<i>Shuttlerace</i>	21958	Portable, without shade.....	6.70
<i>Shy-</i>	21959	" with opal shade.....	17.00


Fixtures.—(Continued.)

Ornamental Ceiling Fixtures.


Husks.



Code Word	List No.	List Price. Each.
<i>Sialogue</i>	21964 1 light, polished brass or rich gilt.....	\$3.50
<i>Siamese</i>	21965 1 “ “ “ “	3.50



<i>Sib</i>	21966 1 light, polished brass	4.50
<i>Siberian</i>	21967 1 “ “ “	11.25



Ceiling Globes and Balls.

<i>Siberite</i>	21968 1 light, Black iron, Flint Opalescent Globe,	17.00
<i>Sibilance</i>	21969 1 “ Polished brass, “ “ Ball,	6.00




<i>Sibilant</i>	21970 1 light, Polished Brass, Flint Opalescent Ball,	10.00
<i>Sibilation</i>	21971 1 “ “ “ “ Inside Roughed Ball,	17.00

Fixtures—(Continued.)


Ornamental Ceiling Clusters.

With Husks.



No. 21972.

Code Word.	List No.	List Price. Each.
<i>Sibilate</i>	21972 3 lights, Polished or Rich Gilt.....	\$13.40
<i>Sibiltory</i>	21973 3 " " "	16.00




No. 21975.

With Husks.

<i>Sibilous</i>	21974 3 light, Polished Brass or Rich Gilt.....	12.00
<i>Sibyl</i>	21975 4 " " " "	13.40
<i>Sibylline</i>	21976 5 " " " "	14.70

A Flint Opalescent Ball is included with Fixtures Nos. 21977, 21975 and 21976.



No. 21979.

Without Husks.

<i>Sibylst</i>	21977 2 light, Rich Gilt or Polished Brass.....	6.35
<i>Sic</i>	21978 3 " " " "	7.70
<i>Sicamore</i>	21979 4 " " " "	9.00

Shades for Fixtures Nos. 21977, 21978 and 21979 are extra.



No. 21980.

With Husks.

<i>Sicra</i>	21980 6 light, Polished Brass or Rich Gilt.....	47.00
<i>Sicrate</i>	21981 8 " " " "	60.00
<i>Sircution</i>	21982 12 " " " "	74.00



No. 21984.

With Husks.

<i>Sicative</i>	21983 3 light, Polished Brass or Rich Gilt.....	30.00
<i>Sicrife</i>	21984 4 " " " "	35.00
<i>Siccety</i>	21985 5 " " " "	43.50
<i>Sice</i>	21986 6 " " " "	50.00

Fixtures—(Continued.)

W. E. Clusters.

These clusters, owing to their construction, are a handy and neat device. Fig. 2 is a detachable base, so that the cluster is open at both ends. The piece shown at the top of the cluster is made for a shade holder, and will hold the shade firmly and rigidly to its proper place.



These clusters are furnished in polished brass. An additional charge of 20 cents will be made for Nickel or Baure Barf finish. The following prices are for the Cluster Balls only. Shades, pendants, canopies and crowfoots extra.

Concave Style.


Code Word.	List No.		List Price, Each.
<i>Sickishly</i>	22001	3 light Cluster.....	\$1.12
<i>Sickishness</i>	22002	4 " "	1.18
<i>Sickle</i>	22003	5 " "	1.24
<i>Sickled</i>	22004	6 " "	1.28
<i>Sickleman</i>	22005	8 " "	1.40
<i>Sickler</i>	22006	10 " "	1.80
<i>Sickless</i>	22007	12 " "	2.70

Convex Style.



<i>Sicklewort</i>	22008	3 light Cluster.....	1.35
<i>Sicklied</i>	22009	4 " "	1.40
<i>Sickliness</i>	22010	5 " "	1.45
<i>Sicklist</i>	22011	6 " "	1.50
<i>Sickly</i>	22012	8 " "	1.62



Concave Style.



Convex Style.



Dale Detachable Ceiling Cluster with Switch.


Cluster Body is detachable, so that the porcelain reflector may be put up or removed without interfering with the wiring or taking down the fixture.

A switch is placed in the bottom of the cluster body to turn off and on the lights, thus avoiding running wires from the ceiling outlet to the side wall.

Wired complete, excepting shade and sockets.

- A Switch to turn off and on lights.
- E Holder for Reflector.
- B Cluster Body.
- F Brass Stem.
- C Connecting Plug.
- G Canopy covering Crowfoot.
- D Receptacle for Plug C.

<i>Sickeringly</i>	21996	2 light	4.00
<i>Sicker</i>	21997	3 "	4.40
<i>Sickerly</i>	21998	4 "	4.80
<i>Sickerness</i>	21999	5 "	5.20
<i>Sickish</i>	22000	6 "	5.60



No. 21989.

No. 21994.

Fixtures.—(Continued.)

Electric Pendants.

Plain straight Pendants made of polished brass, with crowfoot and canopy, as per the following list:

Sockets, shades and shade holder extra.


K. W. bracket cut out, which can be used instead of canopy and crowfoot will be furnished if specified.

Code Word.	List No.		List Price, Each.
<i>Sich</i>	21987	Pendant 1 foot long	\$.60
<i>Sicilian</i>	21988	" 2 "	.90
<i>Sick</i>	21989	" 3 "	1.20
<i>Sq</i>	21990	" 4 "	1.50
<i>Sickboy</i>	21991	" 5 "	1.80
<i>Sickbed</i>	21992	" 6 "	2.10

Ornamental Pendants.

Finished in black iron, and includes canopy, crowfoot and flint opalescent ball. An extra charge is made for the socket.

<i>Sickberth</i>	21993	Pendant 2 feet long	30.00
<i>Sickbrained</i>	21994	" 3 "	31.00
<i>Sicken</i>	21995	" 4 "	32.00



No. 22013.

Hall Fixtures, Plain.

Polished Brass. Crowfoot and canopy furnished with fixture.

Shade, shadholder and socket extra.

Code Word	List No.		List Price, Each.
<i>Sickness</i>	22013	2 light	\$5.60
<i>Sickroom</i>	22014	3 "	7.25
<i>Sicle</i>	22015	4 "	9.00



No. 22016.

Bed Room Fixtures, Ornamental.

Polished brass, rich gilt, including canopy and crowfoot.

Sockets, shades and shadholders extra.

<i>Siddow</i>	22016	2 light	14.75
---------------	-------	---------------	-------

Fixtures—(Continued.)


Electroliers.

Length 40 inches. Spread 24 inches.


Code Word.	List No.	List Price. Each.
<i>Side</i>	22017 2 light	\$3.50
<i>Sidearm</i>	22018 3 "	4.00
<i>Sideboard</i>	22019 4 "	4.50

Length 36 inches. Spread 24 inches.

<i>Sidebox</i>	22020 2 light	7.00
<i>Sidecut</i>	22021 3 "	9.00
<i>Sided</i>	22022 4 "	11.00
<i>Sidefly</i>	22023 5 "	13.00
<i>Sideglance</i>	22024 6 "	15.00



No. 22019.



No. 22022.


Length 40 inches. Spread 24 inches.

<i>Sidehead</i>	22025 2 light	6.75
<i>Sidehill</i>	22026 3 "	8.00
<i>Sideling</i>	22027 4 "	9.40


Length 36 inches. Spread 24 inches.

<i>Sidelever</i>	22028 2 light	7.25
<i>Sidelong</i>	22029 3 "	9.00
<i>Sidepipe</i>	22030 4 "	10.60

These Fixtures are polished brass.
Shades, shadeholders and sockets are extra.



No. 22026.



No. 22029.

Fixtures—(Continued.)


Electroliers—(Continued.)

These Electroliers are of polished brass or rich gilt, handsome in design and of the finest workmanship.


They are furnished without sockets or shades.

Electrolier, with Husks.

Code Word.	List No.		Price List. Each.
<i>Sidposts</i>	22031	3 light.....	\$41.50
<i>Sider</i>	22032	4 "	49.50
<i>Sideral</i>	22033	6 "	67.50




No. 22032.




No. 22036.

Electroliers, without Husks.

<i>Siderated</i>	22034	2 light.....	18.00
<i>Sideration</i>	22035	3 "	20.00
<i>Siderate</i>	22036	4 "	26.00
<i>Siderograph</i>	22037	6 "	34.00
<i>Siderography</i>	22038	2 light.....	17.30
<i>Sideroman</i>	22039	3 "	19.80
<i>Sideromet</i>	22040	4 "	22.40
<i>Siderox</i>	22041	2 light.....	13.40
<i>Siderscope</i>	22042	3 "	16.00
<i>Sidesaddle</i>	22043	4 "	18.80




No. 22039.



No. 22043.

We are prepared to furnish other designs in Fixtures than those shown in this Catalogue.



No. 3491.

Clusters.

Cluster Balls.

Code Word.	List No.		List Price. Each.
<i>Alabaster</i>	3489	2 Light, each.....	.40
<i>Alacrity</i>	3490	3 " "	.50
<i>Alarm</i>	3491	4 " "	.60
<i>Alas</i>	3492	5 " "	.70
<i>Albatros</i>	3493	6 " "	.80



No. 6790.

Box Clusters.

<i>Erecting</i>	6786	Standard Box Cluster, Brass, 2 light, each...	1.00
<i>Ermine</i>	6787	" " " " 3 " " ...	1.10
<i>Erode</i>	6788	" " " " 4 " " ...	1.25
<i>Eroded</i>	6789	" " " " 5 " " ...	1.40
<i>Eroding</i>	6790	" " " " 6 " " ...	1.50
<i>Erosion</i>	6791	" " " " 8 " " ..	1.75



No. 23092.


Separable Box Clusters.

<i>Silcarn</i>	23088	2 Light, each	.50
<i>Silvery</i>	23089	3 " "	.60
<i>Sima</i>	23090	4 " "	.70
<i>Simagre</i>	23091	5 " "	.80
<i>Sinitr</i>	23092	6 " "	.90
<i>Sinure</i>	23093	8 " "	1.00

Separable Ball Cluster.

Diameter, 3 inches.

Bottom ornament is removable, and may be replaced by a nipple, so that another light may be added. We furnish an extra nipple for this purpose.




No. 617.



<i>Landlord</i>	613	2 Light, each	1.25
<i>Landman</i>	614	3 " "	1.35
<i>Landmark</i>	615	4 " "	1.55
<i>Landroll</i>	616	5 " "	1.85
<i>Landscape</i>	617	6 " "	2.00
<i>Landslide</i>	618	7 " "	2.35
<i>Landsman</i>	619	8 " "	2.55
<i>Landspring</i>	620	9 " "	2.85
<i>Landward</i>	621	10 " "	3.25
<i>Lane</i>	622	11 " "	3.65
<i>Languige</i>	623	12 " "	3.90
<i>Languid</i>	624	14 " "	4.75
<i>Languidly</i>	625	16 " "	6.55




No. 604.




No. 873.




No. 25496.



No. 23094.



No. 2380.



No. 2382.

Cluster Fixture Complete.

Prices given are for stem up to 12 inches in length.
Prices for extra lengthening, 40 cents per foot list.

Code Word.	List No.		Price List Each.
<i>Lugger</i>	600	2 Light, each.....	\$2.50
<i>Lugging</i>	601	3 " ".....	2.60
<i>Lair</i>	602	4 " ".....	2.80
<i>Laily</i>	603	5 " ".....	3.10
<i>Lamb</i>	604	6 " ".....	3.25
<i>Lambkin</i>	605	7 " ".....	3.60
<i>Lamblike</i>	606	8 " ".....	3.80
<i>Lament</i>	607	9 " ".....	4.10
<i>Lamentable</i>	608	10 " ".....	4.50
<i>Lamentably</i>	609	11 " ".....	4.90
<i>Lamentation</i>	610	12 " ".....	5.25
<i>Lamented</i>	611	14 " ".....	6.10
<i>Lamenting</i>	612	16 " ".....	7.90

Bottom ornament on cluster is detachable. We furnish with each fixture a brass nipple to take the place of the ornament, so that another light may be added on the bottom.

Bracket Cut-Outs.

Both the K. W. and B. E. Rosettes are made in the form of Bracket Cut-Outs for fixture work, and are adapted for use with any standard bracket made from 3/8 inch brass tubing. Both styles of caps are interchangeable, and will fit any of their respective bases.

The cut shows a very neat Fixture, made of No. 873 Bracket Cut-Out, No. 9392 Canopy and No. 21910 tube. It can also be used without the Canopy.

K. W. Bracket Cut-Out.

Patented July 16, 1889, and July 1, 1890.

Type "A," with Brass Face Plates.

Code Word.	List No.	B. E. List No.	List Price.
<i>Erratic</i>	873	873	For Concealed Work.....\$0.32
<i>Accrescent</i>	25491	1176	For Cleat Work......32
<i>Accretion</i>	25492	1177	Square Base for Moulding Work. .32

Type "B," with Brass Thimble.

<i>Vagraney</i>	23094	1073	For Concealed Work..... .24
<i>Accrete</i>	25493	1178	For Cleat Work......24
<i>Accretive</i>	25494	1179	Square Base for Moulding Work .24

B. E. Bracket Cut-Outs.

Patented September 13, 1887; April 30, 1889, and April 23, 1895.

<i>Accrimation</i>	25495	1130	For Cleat Work;..... .20
<i>Areroach</i>	25496	1131	For Concealed Work......20
<i>Areroachmen</i>	25497	1132	Square Base for Moulding Work .20

Wall Plates or Electric Bracket Backs.

Also made with Male Thread for Direct Attachment to Socket.

<i>Eracement</i>	2382	2 inch, Female Thread, each	.65
<i>Erasing</i>	2383	2 " Male " ".....	.65
<i>Erasure</i>	2384	2 1/2 " Female " ".....	.75
<i>Erect</i>	2385	2 1/2 " Male " ".....	.75
<i>Erase</i>	2380	3 " Female " ".....	.50
<i>Erased</i>	2381	3 " Male " ".....	.50

Turned Brass Fittings.

Polished and Lacquered.



No. 23135.

Nipple. (Brass Tubing Size.)

Code Word.	List No.	List Price Per 100.
<i>Sinored</i>	23135	$\frac{3}{8}$ x $\frac{3}{16}$ \$ 4.00



No. 23136.

Secret Nozzle.


<i>Sineitous</i>	23136	$\frac{5}{8}$ brass to burner size..... 15.00
------------------	-------	---



No. 23137.

Acorn Cap. (Iron Pipe Sizes.)

<i>Sincery</i>	23137	$\frac{1}{2}$ inch..... 15.00
<i>Sinful</i>	23138	$\frac{1}{4}$ "..... 15.00
<i>Sing</i>	23139	$\frac{3}{8}$ "..... 15.00



No. 23140.

Straight Nozzle. (Brass Tubing Sizes.)

<i>Singe</i>	23140	$\frac{3}{8}$ x $\frac{3}{16}$ 6.00
<i>Singer</i>	23141	$\frac{1}{2}$ x $\frac{3}{16}$ 10.00
<i>Single</i>	23142	$\frac{3}{4}$ x $\frac{3}{16}$ 10.00
<i>Singlin</i>	23143	$\frac{3}{8}$ x $\frac{3}{8}$ 12.50



No. 23144.

Elbow Nozzle. (Brass Tubing Sizes.)


<i>Singlo</i>	23144	$\frac{3}{8}$ x $\frac{3}{16}$ 12.50
<i>Singly</i>	23145	$\frac{1}{2}$ x $\frac{3}{16}$ 12.50
<i>Singsong</i>	23146	$\frac{1}{2}$ x $\frac{3}{8}$ 12.50



No. 23147.

Brass Bushing. (Iron Pipe Sizes.)


<i>Singstar</i>	23147	$\frac{1}{4}$ x $\frac{1}{4}$ 5.00
<i>Singular</i>	23148	$\frac{3}{8}$ x $\frac{1}{4}$ 6.50
<i>Singult</i>	23149	$\frac{1}{2}$ x $\frac{3}{16}$ 8.70
<i>Sinical</i>	23150	$\frac{3}{4}$ x $\frac{1}{2}$ 15.65
<i>Sinister</i>	23151	1 x $\frac{3}{4}$ 24.35



No. 8882.

Kerosene Lamp Attachment.


Code Word.	List No.	List Price.
<i>Erected</i>	8882 Plain, each.....	\$0.70
<i>Eminence</i>	8883 Insulated, each.....	.70



Split Canopy

Canopies.

We carry in stock a large variety of Fixture Canopies, finished in polished brass. Other finishes will be furnished when specified.



No. 23095.

Split Canopies.

Canopies of any style illustrated in this catalogue will be furnished split, at double the printed list prices, subject to regular discounts.

Extension Ring.

For Canopies 4 inches in diameter.

<i>Simblat</i>	23095	1 inch deep	.30
<i>Simia</i>	23096	1½ "	.35
<i>Simile</i>	23097	2 "	.40

Extension rings of greater depth or for canopies larger in diameter made to order.



No. 9388.

Canopies.

<i>Nemesis</i>	9388	5/8 inch, Ring and Set Screw, each.....	.24
<i>Nerve</i>	9293	3/4 " " " "	.24
<i>Nervdless</i>	9389	7/8 " " " "	.26
<i>Ntrcine</i>	9391	1 " " " "	.26



No. 9386.

<i>Nercous</i>	9386	5/8 inch, Ring and Set Screw, each	.24
<i>Nervously</i>	9107	3/4 " " " "	.24
<i>Nest</i>	9328	7/8 " " " "	.26
<i>Nestle</i>	9387	1 " " " "	.26

Polished and Lacquered, 50 per cent. extra.



No. 9392.

Canopies—(Continued).

Code Word.	List No.	List Price.
<i>Netting</i>	9392 $\frac{3}{8}$ inch, Ring and Set Screw, each.....	\$0.24
<i>Nettle</i>	9393 $\frac{3}{4}$ " " " "	.24
<i>Neural</i>	9394 $\frac{7}{8}$ " " " "	.26
<i>Neuralgia</i>	9395 1 " " " "	.26



No. 9290.

<i>Neuter</i>	9290 $\frac{3}{8}$ inch, Ring and Set Screw, each.....	.28
<i>Neutral</i>	9634 $\frac{3}{4}$ " " " "	.28
<i>Neutralize</i>	9683 $\frac{7}{8}$ " " " "	.30
<i>Neut</i>	9383 $\frac{1}{2}$ 1 " " " "	.30



No. 9568.

<i>Next</i>	9568 $\frac{3}{8}$ inch, Ring and Set Screw, each.....	.24
<i>Nibble</i>	9569 $\frac{3}{4}$ " " " "	.24
<i>Nibbler</i>	9570 $\frac{7}{8}$ " " " "	.26
<i>Nice</i>	9571 1 " " " "	.26



No. 9530.

<i>Nicely</i>	9530 $\frac{3}{8}$ inch, Ring and Set Screw, each.....	.26
<i>Nicety</i>	9531 $\frac{3}{4}$ " " " "	.26
<i>Niche</i>	9532 $\frac{7}{8}$ " " " "	.28
<i>Nick</i>	9533 1 " " " "	.28


Polished and Lacquered, 50% extra,



No. 9537.

Canopies—(Continued)

Code Word.	List No.		List Price.
<i>Nickel</i>	9537	$\frac{5}{8}$ inch, Ring and Set Screw, each	\$0.28
<i>Nicknacks</i>	9538	$\frac{3}{4}$ " " " "	.28
<i>Nickname</i>	9539	$\frac{7}{8}$ " " " "	.30
<i>Nictate</i>	9540	1 " " " "	.30



No. 9542.


<i>Nictitate</i>	9542	$\frac{1}{2}$ inch, Ring and Set Screw, each	.30
<i>Nictation</i>	9543	$\frac{3}{4}$ " " " "	.30
<i>Nictitation</i>	9544	$\frac{7}{8}$ " " " "	.32
<i>Nidification</i>	9545	1 " " " "	.32



No. 9547.

<i>Nicce</i>	9547	$\frac{5}{8}$ inch, Ring and Set Screw, each.	.32
<i>Niggard</i>	9548	$\frac{3}{4}$ " " " "	.32
<i>Niggardly</i>	9549	$\frac{7}{8}$ " " " "	.34
<i>Nigh</i>	9550	1 " " " "	.34


Polished and Lacquered, 50% extra.



No. 9557.

Canopies—(Continued).

Code Word.	List No.	List Price.
Nighness	9557 $\frac{3}{8}$ inch, Ring and Set Screw, each.....	\$0.42
Night	9558 $\frac{3}{8}$ " " " "	.42
Nightcap	9559 $\frac{7}{8}$ " " " "	.44
Nightfall	9560 1 " " " "	.44



No. 9552.

Nighthawk	9552 $\frac{5}{8}$ inch, Ring and Set Screw, each.....	.38
Nightingale	9553 $\frac{3}{4}$ " " " "	.38
Nightly	9554 $\frac{7}{8}$ " " " "	.40
Nightmare	9555 1 " " " "	.40





No. 9562.


Nightshade	9562 $\frac{5}{8}$ inch, Ring and Set Screw, each.....	.46
Nightwatch	9563 $\frac{3}{4}$ " " " "	.46
Nihilility	9564 $\frac{7}{8}$ " " " "	.48
Nimble	9565 1 " " " "	.48

Polished and Lacquered, 50% extra.

Sunbeam Incandescent Lamps.



Hair Pin Filament.



Coiled Filament.

We are the exclusive agents for the Sunbeam Incandescent Lamp. This lamp was selected by us after very careful investigation on account of its high quality. The Sunbeam Lamp was first made in 1889, and during that whole period has had a most excellent reputation. It is a low-priced lamp if one is not blind to the question of quality. No better lamp can be purchased at the same price.

The frosted lamps have a smooth, satin finish.

The superficially colored (dipped) lamps can hardly be distinguished from the natural colored glass, and for most purposes are quite equal to them.

Particular attention is called to the 2 and 4 C. P. lamps for sign and decorative work, and which are also useful in residence lighting on account of the small amount of energy consumed. These lamps can be connected in multiple on the regular lighting circuits.

Special prices will be quoted according to quantity.

Pear Shape, Hair Pin Filament.

Furnished regularly for voltages from 45 to 90. Will be furnished for any voltage from 90 to 130 when specified.

Code Word.	List No.		Price List. Each.
<i>Sideview</i>	22048	6 c. p., 25 watts	\$ 0.45
<i>Sidewalk</i>	22049	8 " 32 "	.40
<i>Sideways</i>	22050	10 " 37 "	.40
<i>Sidewind</i>	22051	16 " 56 " (long life)	.40
<i>Sidewise</i>	22052	16 " 50 " (high efficiency)	.40
<i>Siding</i>	22053	16 " 62 " (very long life)	.40
<i>Sidele</i>	22054	20 " 62 "	.40
<i>Siege</i>	22055	25 " 75 "	.45
<i>Siente</i>	22056	32 " 92 "	.60
<i>Sientic</i>	22057	50 " 145 "	1.00

Furnished in clear glass, frosted, opal, all natural colored glass and superficially colored.

NOTE.—Specify the base and voltage.


Pear Shape, Coiled Filament.

Furnished for any voltage from 90 to 120.


<i>Sienna</i>	22058	8 c. p., 32 watts	.40
<i>Siennese</i>	22059	10 " 37 "	.40
<i>Sierra</i>	22060	16 " 56 " (long life)	.40
<i>Siesta</i>	22061	16 " 50 " (high efficiency)	.40
<i>Sieur</i>	22062	16 " 62 " (very long life)	.40
<i>Sieve</i>	22063	20 " 62 "	.40
<i>Sift</i>	22064	25 " 75 "	.45
<i>Sifter</i>	22065	32 " 92 "	.60

Furnished in clear glass, frosted, opal, all natural colored glass and superficially colored.

NOTE.—Specify the base and voltage.



High Voltage Lamp



Electric Street Railway Lamp.



Decorative Lamp.

Incandescent Lamps--(Continued.)

High Voltage Lamp.

Voltage 200 to 250.

Code Word.	List No.	List Price Each.
<i>Sig</i>	22066 16 c. p., 56 watts.....	\$0.50
Furnished in clear glass, frosted and superficially colored.		
Specify base and voltage.		

Electric Street Railway Lamp.

Has a tough filament and will stand a variation in voltage from 105 to 120. Will have a long life and excellent maintenance of candle power throughout its entire life. Electric cars will be found better lighted with this lamp than where others are used.

<i>Signallum</i>	22067 16 c. p.	.40
Furnished in clear glass, frosted, opal, all natural colored glass and superficially colored.		
Specify base and voltage.		

Decorative Lamp, Coiled Filament.

This lamp is offered for use in those places where a strong light is not required. The principal use for this lamp is in sign and decorative lighting; also in residence lighting.

The bases fit the standard sockets and the lamps are to be connected in multiple. The saving in energy over the lamp ordinarily used in sign work will amount to several times the cost of the lamp. For example: the saving in energy during its life of a 4 e. p. lamp over a 16 c. p. lamp will amount to \$2.00 or more.

<i>Sigh</i>	22068 2 c. p., 10 watts, voltage from 50 to 60.....	.60
<i>Sighborn</i>	22069 4 " 20 " " " 50 to 120.....	.55
<i>Sigher</i>	22070 10 " 37 " " " 50 to 120.....	.50
<i>Sighingly</i>	22071 16 " 56 " " " 50 to 120.....	.50


Furnished in clear glass, frosted and superficially colored.
Specify base and voltage.



French Etched Lamp.



Engraved Lamp.



Candle Lamp.

Incandescent Lamps—(Continued.)

Fancy Lamps, French Etched.

For residences, clubs, hotels and such other places where handsome fixtures are used. Many of the shades now used with incandescent lamps will exclude from 30 to 50 per cent. of the light. These etched globes will pass all but 5 per cent of the light. The French etched lamp is artistic, surpassing in beauty anything heretofore produced.

We have ten different designs.

Add to the list price of regular lamps, 30 cents each.

Fancy Lamps, Engraved.

For residences, show windows, and other places where it is desired to have something more fancy than the plain lamp, our engraved lamps find favor.

We have ten different designs.

Add to the list price of regular lamps 15 cents each.

It is important that the style of base should be specified and the voltage given.

Candle Lamps.

Furnished in any voltage from 48 to 120.

Furnished in clear glass, frosted, opal and superficially colored.

Code Word.	List No.	List Price. Each
Sight	22072 10 c. p., 37 watts.....	.60
Sighted	22073 16 " 56 "	.60

Specify the base and voltage.

Incandescent Lamps—(*Continued.*)

Porcelain Base for T. H. Lamps.

One of the recent developments in Incandescent Lamps is a base made entirely from porcelain, as shown by the illustration. It is artistic in finish, reasonable in price, and of high insulation.

On fine fixtures it adds greatly to the general effect, and always presents a neat appearance, as it can be cleaned whenever the lamp itself is polished.

An advantage claimed for a base of this description is that no metal extends beyond the edge of the socket, and consequently there is no danger of accidental contact with the lamp base. This is of importance where lamps are used in damp places as moisture may make a contact between the outer shell of the socket and the lamp base, thus causing a slight ground on the line.

This porcelain base is specially adapted for marine work, breweries, stock yards, refrigerators, basements, mines, or any other place where considerable moisture exists or gases and acid fumes of an injurious nature prevail. Moisture and gas attack metal and cause it to corrode, and in consequence in time to deteriorate. A hard, vitreous glazed porcelain, such as these bases are made of, is much less liable to the action of the atmosphere and noxious gases and does not cause any leak of current due to the accumulation of moisture.

The high degree of insulation makes it very desirable for out of door work, for 220 volt systems and street railway work.

These Bases are made for T. H. Base Lamps only.

Our standard lamps are all supplied with regular metal bases, as illustrated on other pages of this catalogue.

The Porcelain Base is furnished only when specified in the order.

We do not sell the Bases separately but only on the lamp.

Prices quoted upon application for lamps of standard sizes with porcelain bases.





Edison.



Thomson-Houston



Sawyer-Man.



Brush-Swan.



Perkins.



English-Swan.



United States.



Hawkeye.



Schaefer.

Incandescent Lamps—(Continued.)

Bases.

Lamps are furnished with bases suitable for all sockets, as shown below:

Packages.

All lamps furnished in standard packages containing the following quantities: 12, 25, 50, 100, 150, 200, 250. A full barrel will contain 250 16 c. p.; 200 25 c. p.; 175 42 c. p.

Packages will be charged at cost, or as follows: 25 lamps or less, one box, 15c.


Over 25 to 50 lamps, two boxes, 30c.

More than 50 lamps put in barrels are charged at 35c. for each barrel.

Lamps in heavy pasteboard box, without the separating partitions, no charge for package; shipments in this shape must be entirely at customer's risk of breakage.

The weights, including packages, of lamps from 6 to 20 c. p., are approximately as follows: 50 lamps, 28 lbs.; 100 lamps, 42 lbs.; 200 lamps, 55 lbs.; 250 lamps, 60 lbs.

Miniature Incandescent Lamps.



The range of our Lamps is: From $\frac{1}{3}$ to 8 candle power, from 1 to 3 watts per c. p., from 2 to 60 volts, from .07 to 2.0 amperes.

They can be lit in series or in multiple, from batteries or on dynamo circuits. Following is an abridged table of c. p. voltage and current of our Lamps:

$\frac{1}{2}$ c. p.	2 volts, 1.5 amp.	1 c. p.	4 volts, .7 amp.	3 c. p.	6 volts, 1.2 amp.
3	" .8 "	6	" .4 "	4 c. p.	8 " 1.0 "
4	" .5 "	8	" .25 "		15 " .4 "
6	" .3 "	10	" .2 "		20 " .25 "
8	" .2 "	2 c. p.	4 " 1.5 "	6 c. p.	10 " .8 "
10	" .1 "	6	" .8 "		25 " .4 "
20	" .07 "	8	" .5 "	8 c. p.	40 " .4 "
1 c. p.	3 " 1.0 "	10	" .3 "		60 " .25 "
		20	" .1 "		

Miniature Incandescent Lamps—(Continued.)

Battery Lamps.

Code Word.	List No.		List Price Each.
<i>Sightful</i>	22074	½ c. p., with platinum loop terminals	\$ 0.75
<i>Sightfulness</i>	22075	1 " " "	.75
<i>Sightless</i>	22076	2 " " "	.75
<i>Sightlessly</i>	22077	3 " " "	.75
<i>Sightly</i>	22078	4 " " "	.75
<i>Sightseeing</i>	22079	6 " " "	.75
<i>Sightseer</i>	22080	½ " without platinum loop terminals	.70
<i>Sightshop</i>	22081	1 " " "	.70
<i>Sightsman</i>	22082	2 " " "	.70
<i>Sigel</i>	22083	½ " pear lamp	.85
<i>Siggillative</i>	22084	1 " " "	.85
<i>Sigla</i>	22085	2 " " "	.85
<i>Sigma</i>	22086	½ " grain lamp	1.00
<i>Sigmoid</i>	22087	1 " " "	1.00
<i>Sigmoidal</i>	22088	½ " pearl lamp	1.25

Mounting on Screw Bases, 10 cents extra.

NOTE.—All our large sizes of Lamps of every kind, when not mounted on screw bases, are provided with platinum loop terminals, to which copper wires are fused on. This effectively prevents breaking off of wires.

Special Series Lamps.

Mounted on either Edison, T.-H., or Sawyer-Man Standard Bases.

6 to 8 c. p. 20 to 30 volts.

<i>Sigmoidally</i>	22089	Accumulator Lamp, mounted	1.00
<i>Sigmoiding</i>	22090	Spherical Lamp	1.00

Specify candle power when ordering Nos. 22089 and 22090.

Mounted on Candelabra and Miniature Bases.

½ to 8 c. p.

<i>Sign</i>	22091	½ to 4 c. p., 2 to 20 volts	80
<i>Signal</i>	22092	4 c. p., 20 volts	.80
<i>Signalfire</i>	22093	4 " 30 "	.80
<i>Signalist</i>	22094	6 " 30 "	.80
<i>Signality</i>	22095	8 " 40 "	80
<i>Signally</i>	22096	9 " 60 "	80

Specify candle power and voltage when ordering No. 22091.

With Coiled Carbons.

<i>Signalment</i>	22097	4 to 8 c. p., 15 to 60 volts	.85
<i>Signation</i>	22098	Kinetoscope 20 volt lamp	1.00
<i>Signatory</i>	22099	Stereopticon Lamp, 20 volts, 20 c. p.	1.25

Specify candle power and voltage when ordering Nos. 22097, 22098 and 22099.

Mounting on Screw Bases, 10 cents extra.

Miniature Incandescent Lamps—(Continued.)




No. 23000.




No. 23006.



No. 23020.



No. 23014.



No. 23025.



No. 23030.

Candle Lamps.

For Decorative Lighting.

Code Word.	List No.		List Price. Each.
<i>Signator</i>	23000	2 c. p., 10 volts, without screw base.....	\$.70
<i>Signature</i>	23001	3 " 10 " " "	.80
<i>Signaturist</i>	23002	4 " 20 " " "	.70
<i>Signboard</i>	23003	5 " 30 " " "	.70
<i>Signer</i>	23004	6 " 50 " " "	.70
<i>Signet</i>	23005	8 " 60 " " "	.70
<i>Signed</i>	23006	2 " 10 " " "	.70
<i>Signetring</i>	23007	3 " 10 " " "	.80
<i>Signifer</i>	23008	4 " 20 " " "	.70
<i>Significance</i>	28009	5 " 30 " " "	.70
<i>Significancy</i>	23010	6 " 50 " " "	.70
<i>Significant</i>	23011	8 " 60 " " "	.70

Any other voltage furnished to suit requirements.

Mounting on Screw Bases, 10 cents extra.

Candle Flame Lamps.

<i>Significantly</i>	23012	2 c. p., 10 volts, without screw base.....	.70
<i>Significate</i>	23013	3 " 10 " " "	.70
<i>Signification</i>	23014	4 " 20 " " "	.70
<i>Significative</i>	23015	5 " 30 " " "	.70
<i>Significator</i>	23016	6 " 50 " " "	.70
<i>Significavit</i>	23017	8 " 60 " " "	.70

Ellipse Lamps.

<i>Signify</i>	23018	2 c. p., 10 volts, without screw base.....	.70
<i>Signior</i>	23019	3 " 10 " " "	.70
<i>Signiorize</i>	23020	4 " 20 " " "	.70
<i>Signiorship</i>	23021	5 " 30 " " "	.70
<i>Signiory</i>	23022	6 " 50 " " "	.70
<i>Signimant</i>	23023	8 " 60 " double carbon lamp.....	1.50

Any other voltage furnished to meet requirements.

Mounting on Screw Bases 10 cents extra.

Bend Flame Lamps.

<i>Signor</i>	23024	2 c. p., 10 volts, without screw base.....	.90
<i>Signpost</i>	23025	3 " 10 " " "	.90
<i>Sike</i>	23026	4 " 20 " " "	.90
<i>Siker</i>	23027	5 " 30 " " "	.90
<i>Sikerness</i>	23028	6 " 50 " " "	.90
<i>Sikhs</i>	23029	8 " 60 " " "	.90

Straight Flame Lamps.

<i>Sile</i>	23030	2 c. p., 10 volts, without screw base.....	.80
<i>Silence</i>	23031	3 " 10 " " "	.80
<i>Silene</i>	23032	4 " 20 " " "	.80
<i>Silent</i>	23033	5 " 30 " " "	.80
<i>Silentiary</i>	23034	6 " 50 " " "	.80
<i>Silently</i>	23035	8 " 60 " " "	.80

Other voltages furnished when specified.

Mounting on Screw Bases, as shown in cut, 10 cents extra.

Miniature Incandescent Lamps—(Continued.)



No. 23037.



No. 23038.


Prism Lamps.

Style No. 23037 is made in sizes ranging from 2 to 8 c. p., and 20 to 60 volts.
When ordering specify candle power and voltage.

Code Word.	List No.	Price List. Each.
<i>Silentaess</i>	23036 Not mounted	\$0.90
<i>Silesia</i>	23037 Mounted.....	1.00

Style No. 23038 is broader and shorter than Style No. 23037. Can be made from ½ to 8 c. p., 2 to 60 volts. Coiled carbon taking the place of straight one for the higher pressures.
Specify candle power and voltage when ordering.

<i>Silesion</i>	23038. Not mounted	.90
<i>Siler</i>	23039 Mounted.....	1.00



No. 23040.



No. 23042.

Lance Tip Lamps.

Voltage same as that of Battery Lamps.
Made in sizes from ½ to 8 candle power.
Specify candle power and voltage when ordering.

<i>Silhouette</i>	23040 Not mounted.....	.70
<i>Silica</i>	23041 Mounted	.80

Corrugated Cylinder Lamps.

From ½ to 8 candle power. 2 to 40 volts.
Specify candle power and voltage when ordering.

<i>Silicate</i>	23042 Mounted on screw base	1.00
<i>Silicated</i>	23043 Not mounted.....	.90



No. 23044.



No. 23046.

Corrugated Cone Lamps.

From ½ to 8 candle power. The voltage the same as any other series or battery lamps as required.
Specify candle power and voltage when ordering.

<i>Silice</i>	23044 Mounted on screw base	1.00
<i>Siliceous</i>	23045 Not mounted	.90
<i>Silicious</i>	23046 With straight stem.....	1.00

Miniature Incandescent Lamps—(Continued.)

Corrugated Cone Lamps—(Continued.)

From ½ to 8 candle power. Voltage the same as any other series or battery lamps as required.

Specify candle power and voltage when ordering.



No. 22049.



No. 23047.



No. 23051.

Code Word	List No.	List Price, Each.
<i>Silicic</i>	23047	Plain platinum wire terminal..... \$.90
<i>Silicify</i>	23048	Loop terminals 90
<i>Silicite</i>	23049	With hooked stem..... 1.00

Corrugated Sphere Lamps.

½ to 8 candle power. 2 to 40 volts.

Specify candle power and voltage when ordering.



No. 23052A.



No. 23052B.



No. 23056C.



No. 23056D.



No. 23057.

<i>Silicited</i>	23050	Mounted on screw base	1.00
<i>Silicle</i>	23051	Not mounted.....	.90

Tricolor Lamps.

Cone.

Globes striped red, blue and white (natural).

½ to 8 candle power. Voltage up to 60 volts.

Specify candle power and voltage when ordering.

<i>Silicon</i>	23052	Mounted	1.10
<i>Silicule</i>	23053	Not mounted.....	1.00
<i>Siliqua</i>	23054	With stems.....	1.10

The stripes are made in two styles as shown in the cuts, style A and style B.

Sphere.

½ to 8 candle power. Voltage up to 20 volts.

Specify candle power and voltage when ordering.


<i>Silique</i>	23055	Mounted	1.10
<i>Silk</i>	23056	Not mounted.....	1.00
<i>Silkcotton</i>	23057	With stems.....	1.10

Miniature Incandescent Lamps—(Continued.)

Lens Lamps.

The lenses are fused on the globe during the process of blowing. They are able to quadruple the amount of light emitted by a lamp through concentration into a beam. They can be used in microscopes, models, and for stage effects.

½ to 6 candle power. 2 to 20 volts. No higher voltage is possible on account of the small size of the globe.



Code Word.	List No.	List Price. Each.
<i>Silken</i>	23058 Single Lens Lamp.....	\$ 1.25
<i>Silkgrass</i>	23059 Two " "	1.50
<i>Silkiness</i>	23060 Three " "	2.00
<i>Silkman</i>	23061 Single " "	1.00


Same Lamps with coiled carbons 25 cents extra.
Mounting on Screw Bases or Glass Stems 10 cents extra.

Zone Lamps.

These Lamps are especially suitable for such kinds of illumination where movable lights of constantly varying colors are required.

The Bulbs of these Lamps are made of combination of two or three of the following kinds of glass:

Crystal, Milk, Blue, Amber,
Ruby Green, Violet,
All colors are natural.



<i>Silkcell</i>	23062 Lamps of two kinds of glass.....	1.50
<i>Silkness</i>	23063 " three " "	2.00


These Lamps can be furnished mounted for stage dress for 40 cents extra.

Lantern Lamps.

½ to 8 candle power. 2 to 60 volts.

Specify candle power and voltage when ordering.

These Lamps are suitable for Yacht, Carriage, Bicycle, Miners' and Doctors' Head and other Lanterns.



<i>Silkshag</i>	23064 Sphere Lamp with side connection.	1.25
<i>Silkweed</i>	23065 " " plain	.90
<i>Silkworm</i>	23066 Flat "	.90
<i>Silky</i>	23067 " "	1.25


Miniature Incandescent Lamps—(Continued)

Lantern Lamps—Continued.

½ to 8 candle power. 2 to 60 volts.
Specify voltage and candle power.




No. 23068.



No. 23069.

Code Word.	List No.		Price List. Each.
<i>Sill</i>	23068	Flat Lamp.....	\$.90
<i>Silly</i>	23069	" "	1.50



No. 23070.


From 2 to 20 volts only.

½ to 8 candle power.


Specify voltage and candle when ordering.

<i>Sillock</i>	23070	Lantern Lamp.....	.75
<i>Sillon</i>	23071	Condenser Lamp	.85

No. 23071 Condenser Lamp is same pattern as No. 23070, but larger in size with a U shaped filament.



No. 23072.



No. 23074.

<i>Silly</i>	23072	Condenser Lamp	1.50
<i>Sillyhore</i>	23073	Railroad Lamp, single filament.....	1.50
<i>Silo</i>	23074	" " double "	2.00

Colored Lamps.

All lamps here illustrated can be furnished in the following natural colors:

- | | |
|---|--|
| 1. Milk white; Opaque, superior to frosted glass. | 5. Violet. |
| 2. Ruby; Chloride of gold glass. | 6. Amber. |
| 3. Blue. | 7. Greenish-Yellow; Uranium, phosphorescing glass. |
| 4. Green. | |

For colors, 20 cents additional for each lamp.

Frosting, 10 cents additional per lamp.




No. 13580.

Receptacles for Candelabra Lamps.

Standard Round Candelabra Receptacle.


Code Word.	List No.	List Price. Each.
<i>Lanesboro</i>	13580	\$.30



No. 13581

Standard Flat-Base Candelabra Receptacle.

<i>Langdon</i>	13581	.30
----------------	-------------	-----



No. 13582.

Candelabra Shade-Holder Receptacle.

<i>Langford</i>	13582	.75
-----------------	-------------	-----



No. 13583.

Star Shades with Colored Edging.

<i>Lansing</i>	13583	1.00
----------------	-------------	------

Receptacles for Miniature Lamps.



No. 13585.

Round Miniature Lamp Receptacle.

Code Word.	List No.	List Price, Each.
<i>Lansingburg</i>	13585	\$.30



Square Miniature Lamp Receptacle.

<i>Lions</i>	13586	.50
--------------	-------------	-----



Miniature Shade-Holder Receptacle.

<i>Lapeer</i>	13587	.75
---------------	-------------	-----



No. 13588.

Shades for Miniature Lamps.

<i>Laramie</i>	13588	.30
----------------	-------------	-----

Electric Cooking and Heating Apparatus.

General Instructions as to installation and use of Cooking and Heating Devices.

In wiring for Electric Heating and Cooking Appliances, the capacity of conductors should be the same as for electric lights or motors using the same current.

Installations must be made in accordance with the rules of the Local Board of Underwriters applying to Electric Light, Heat and Power.

Special Plug Switches should be used, and the receptacle properly fused. Ordinary attaching plugs for lamp sockets must not be used; nor any appliances connected to a lamp socket, unless expressly specified.

Flexible Conductor Cord furnished with the apparatus should be used. This cord is made expressly for the purpose; is water and fire-proof, and has been specifically approved by the Board of Underwriters.

In ordering always state voltage required. All our apparatus will work on either the direct or alternating current.

All articles are marked for the volts required; under no circumstances should the apparatus be used on circuits of different voltage.

In the event of failure of any article to operate properly, notify the agent from whom you purchased the device, explaining the nature of the failure as you understand it, but do not take the article apart.

When using the cooking utensils always prepare the

food before turning on the electricity; and if the vessel is to hold a liquid, be sure that some liquid is in it before the current is turned on, and that the supply is not exhausted while the utensil is in use.

Never empty a vessel while the current is turned on.


Articles should never be taken apart nor immersed in water, unless intended for that purpose.

Appliances for heating water in which the heating apparatus is enclosed in a coiled copper tube, should be always kept supplied with sufficient water to cover the coil.

Always turn the current off when the apparatus is not in use. As this rule is observed, it is cheaper or dearer than coal.

Suspend the conductor cords of laundry irons by spiral springs or rubber bands over the work tables. This will keep the wires away from the work. Smoothing irons heat rapidly when on the stand with the current on. Don't pull the utensils around by the connecting cords.

Smoothing irons, portable stoves and similar apparatus require from four to ten minutes to heat to their working temperature. Devices for boiling, such as tea kettles, chafing dishes, farina boilers, glue pots, etc., require from ten to twenty minutes to boil. Large urns, from thirty to forty minutes.



No. 23152.

Electric Chafing Dish.

The use of a Chafing Dish has become well-nigh universal, but how frequently does it happen that when the guests are gathered at the table it is discovered that the alcohol is exhausted. The Electric Chafing Dish requires no alcohol, but is always ready for use. It is furnished in a graceful pattern, in the conventional form, of spun copper, highly finished in silver or nickel. A most acceptable present for any one. Adapted to any lighting circuit. Mention voltage.

Code Word.	List No.		Amperes at 110 volts.	List Price, Each.
<i>Sinisterly</i>	23152	Two quarts, nickel plated,	4	\$15.00
<i>Sinistral</i>	23153	Two quarts, silver plated,	4	20.00

Electric Cooking and Heating Apparatus (Continued.)



No. 23154.

Farina Boiler.

This very useful device has proved to be the most convenient for a great variety of uses. The outer vessel is of heavy copper, nickel plated, the inner being made entirely of porcelain, the heating coil (also nicked) is in a water bath surrounding the porcelain pot in which the cooking is done. It is so constructed that all parts are easily separated.

Any little article of food prepared and served in an attractive manner is always more palatable, and this adds much to its enjoyment whether one is ill or well. For the many uses to which this boiler may be applied it is ideal. It is so designed that three divisions of heat may be obtained—the maximum, to quickly heat up the vessel; then a less amount may be used to do the cooking, or a still less amount to keep the contents of the vessel warm.

Made for direct or alternating current, the usual voltages used for lighting.

Code Word.	List No.		Amperes at 110 Volts.	Price List. Each.
<i>Sinistrous</i>	23154	One quart, 3 heats,	4—2—1	12.00
<i>Sink</i>	23155	Two quarts, 3 heats,	6—3—2	13.50

“Five O’clock Tea.”

With this very handsome combination one can complete the furnishing of a tea table in keeping with its dainty silver, china and linen. The silent electric current quickly supplies the necessary heat without the use of alcohol, matches and flame, and also provides a stove (when the kettle is removed), on which to warm the wafers or crackers. It is artistic in design, highly finished in silver or nickel plate.

Made for any electric lighting circuit.

			Amperes at 110 Volts.	
<i>Sinker</i>	23156	One quart, nickel plated,	4	15.00
<i>Sinkhole</i>	23157	“ “ silver “	4	20.00

Electric Stew Pan.

This is a universal utensil, very attractive in appearance, and one of the most salable of electric heating devices. The heater consists of a 4½ inch disc, to which is fitted an (removable) Aluminum Stew Pan, with capacity of ¾ of a quart. Just the thing to use in light-housekeeping, exactly what is wanted in a physician’s office, drug store, hospital, the nursery, or where a little food is to be cooked, a hot drink made, or hot water used. Quick, clean and inexpensive. Connects to any lamp socket. Packed complete with cord and plug.

			Amperes at 110 Volts.	
<i>Sinless</i>	23158	Heater and Aluminum Stew Pan,	2	5.00




No. 23156.



No. 23158.

Electric Cooking and Heating Apparatus
(Continued.)

Electric Curling Iron Heaters.



No. 23159.

This simple device has become a necessity in many homes, apartment houses, hotels, steamers, etc., where the incandescent lamp has displaced gas or lamps. It may be attached to any lamp socket, heats quickly, uses less current than a 16 c. p. lamp, and renders unnecessary candles or other more or less dangerous heating devices in the dressing room. The use of an always clean iron is of no little importance when just finishing the toilet. They are quite ornamental. The current is automatically cut off when the iron is removed. Made for direct or alternating current—52, 100 or 110 volts. Mention whether for Edison, Westinghouse or T. H. Sockets. One in a package, complete, ready for use.

Code Word.	List No.	Amperes of 110 Volts.	List Price. Each.
<i>Sinner</i>	23159	Automatic, $\frac{1}{10}$	\$3.00

Special Electric Heating Devices to order.

Electric Heating Pad.

The perfection of this device is a very important step in electrical development. By its use heat may be applied in an ideal way to the body. In form it is similar to that of a piece of thick, soft felt. It is light (weighing but a few ounces), clean, safe, and free from all objectionable features of hot water bottles, poultices or other hot applications, and far more effective. It is always ready for use, wherever electric lights are used, costs very little to operate, is so constructed that it will last for many years, and the first cost is moderate. Its great value in the hospital and cases where hot applications are necessary to sustain life is evident. It is extremely useful as a foot warmer for invalids or elderly people, and proves to be a household necessity wherever used. Operates on any incandescent lighting circuit. State voltage and kind of lamp socket when ordering.

One-half amperes at 110 volts.

<i>Sinologue</i>	23160	12 x 15 inches, complete, with cord and plug....	5.00
------------------	-------	--	------

Electric Cooking and Heating Apparatus
—(Continued.)



No. 23162.

Portable Stove.

This Electric Stove is 4½ inches in diameter, is mounted on enameled slate base, has five feet of flexible cord, with plug connection for lamp socket. The stove is “hot” in about two minutes from the time current is turned on. It is just the thing for warming milk, boiling an egg, quickly making a hot drink of any kind, and for a physician’s office.

Code Word,	List No.	List Price. Each.
<i>Sinter</i>	23162 Complete, 4 in. diam., ready for use.....	\$4.00
<i>Sintoe</i>	23163 “ 7 in. “ “ “	7.00

The current required is 2 amperes at 110 volts. Made for 50, 100, 110 volts direct or alternating current.

Immersion Coil Heater.



No. 23171.

This useful form of heater has many applications. It may be used for heating liquids contained in almost any kind of vessel, and has the advantage over any other form of liquid heater of communicating all the heat generated to the liquid. While shown coiled in cylindrical form, they can be furnished in flat coils or to conform to the shape of vessels in which they are to be used. These heaters are also made for three divisions of heat, controlled with a switch on the coil. The amounts are maximum, one-half and one quarter. By having this arrangement the highest economy is obtained in operation. The maximum being used to quickly heat up, and the minimum to maintain the temperature.

The coils consist of copper tubes, and are furnished either plain or nickeled. They are made for 52 or 110 volts, alternating or direct current, of such capacity as desired.

			Price 1 heat.	If with 3 heats.
<i>Sipid</i>	23171	Capacity, 100 to 440 Watts.....	\$ 6.00	\$ 7.00
<i>Sipper</i>	23172	“ 440 “ 660 “	7.50	8.50
<i>Sipper</i>	23173	“ 700 “ 880 “	8.50	9.50
<i>Sippling</i>	23174	“ 900 “ 1100 “	10.00	11.00

State voltage when ordering

Electric Cooking and Heating Apparatus
(Continued.)

Electric Glue Pot.



No. 23164.

No fire, no smoke, no dirt, no gases, no danger.

It is made entirely of burnished copper, and will last indefinitely. The water bath contains a relatively small amount of water, which is automatically replenished from a reservoir, heated by coil heater, arranged to give three divisions of heat. The maximum is used to quickly heat the glue, and the minimum is usually sufficient to maintain the glue at the proper consistency. Absolutely no fire risk as with pots heated by gas or gasoline. This advantage alone is enough to justify a change from the old to the new. Pots are made for 52, 100 or 110 volt circuits, either direct or alternating.

			Amperes at 110 volts.			
			Max.	Med.	Min.	
<i>Sinuate</i>	23164	1 pint	3	1.5	$\frac{3}{4}$	13.00
<i>Sinnation</i>	23165	1 quart	4	2.	1	14.00
<i>Sinuose</i>	23166	2 quarts	6	3	1½	16.00
<i>Sinuons</i>	23167	1 gallon	10	5	2½	18.00

Other sizes to order. State voltage when ordering.

In addition to the special glue pot shown in cut, we also furnish them without the reservoir. The entire pot is of heavy copper, with coiled copper heater, being in every way as substantial and durable as is possible to construct such a device. With this pot it requires from 16 to 20 minutes to have the glue ready for use, starting with everything cold. Much less time is required for the special type. In no other particular are they superior, while the price is less. In all glue pots the minimum current is sufficient to maintain the glue in proper condition for work.

			Amperes at 110 volts.			
			Max.	Med.	Min.	
<i>Sip</i>	23168	1 pint	4	2.	1	10.00
<i>Sipe</i>	23169	1 quart	6	3.	1½	11.00
<i>Siphon</i>	23170	2 quarts	8	4	2	12.50

Electric Cooking and Heating Apparatus
(Continued.)

Electric Smoothing Irons.

Unlike all others, except in form, are always clean, polished, and permit of continuous use. No time is lost in changing, cleaning, or useless rubbing with a cold iron, for they produce a "live heat" which is continuous throughout the period of use. A greater amount of work can be done by an operator in a given time with more ease and comfort than is possible with any other iron. The ordinary iron when first taken from the stove is frequently scorching hot, and gradually cools until repeated rubbing is necessary, where one stroke would suffice if the iron was "just right." Electric irons remain "just right," and no hot coal or gas stoves are required. These irons have proven of great value in sewing rooms, laundries and manufacturing establishments, and are deemed indispensable by those who have them.

We call particular attention to the Small Seaming Iron, No. 23175, for apartment house use, as it is specially suitable for laces, handkerchiefs and all similar light goods. Can be attached to any lamp socket.

Each iron is supplied with a suitable stand on a slate base; also five feet of duplex conductor. For additional length add 15 cents per foot to cost of iron. Special forms for factory use, 50, 100 or 110 volts as required.



No. 23177.

Code Word	List No.		Amperes at 110 Volts.	List Price. Each.
<i>Sir</i>	23175	4½ lbs., Small Seaming,	2 Amp	\$5.00
<i>Sire</i>	23176	6½ " Light Domestic,	4 "	7.00
<i>Siren</i>	23177	7½ " Domestic,	5 "	7.50
<i>Sirene</i>	23178	9 " Heavy Laundry, 5 or 6 "		8.00



No. 23179.

Polishing Irons.

Regular Standard Sizes.

These irons have the regular polisher bottom and are usually installed where the electric sad iron is adopted. Made in one weight, about four pounds.

Volts.	Amp. Consumpt.	Fuse required.
50	3, 4, 4½, 5,	5 amp.
110	1½, 2, 2½,	3 "

<i>Sirenical</i>	23179	50 Volts	6.00
<i>Sirenize</i>	23180	110 "	6.00

Electric Cooking and Heating Apparatus (Continued.)

Goose Irons.



No. 23181.

These are essentially an industrial appliance. Their adoption has been so general that they may now be considered a fixture which no manager, seeking the most economical operation of his factory, can afford to overlook. Four people will easily do the work of five who use any other form of iron. One iron to each person is all that can be used. It is always ready for use and at hand; no walking half the length of the building to a stove to exchange irons with its consequent loss of time.

	Volts.	Amp. Consumpt.	Fuse Required.
12 and 18 lbs. {	50	7, 8, 9, 10	10 amp.
	110	3½, 4, 4½, 5	5 "
25 lbs. {	50	10, 12, 14, 16	16 "
	110	5, 6, 7, 8	8 "

Siriusis
Siritch
Sirius

23181	12 lb. Goose.....	10.00
23182	18 lb. "	11.00
23183	25 lb. "	12.00

State voltage when ordering.



No. 23161.

Electric Foot Warmer.

This device appeals at once to many who suffer with their head bursting from heat in a vain endeavor to keep warm. Improper distribution of heat, floor draughts, the temperature difference between the floor and a higher level, all combine to produce cold feet and, as a sequence, an uncomfortable condition generally. The electric foot warmer exactly supplies the remedy by producing a little heat just where it is wanted, and a high temperature in the room is unnecessary. It is made of cast-iron, in form to constitute a most desirable foot rest, finished in black japan, is guaranteed to last for many years, and may be left in circuit indefinitely—packed complete with cord and plug ready to connect to lamp socket. The current required is the same as for the usual (16-candle power) incandescent lamp. State voltage and kind of socket when ordering. Made for all incandescent lighting circuits.

Simple

23161	Foot Warmer, size 9 x 12 ins.	Amperes at 110 volts. 16		6.00
-------	-------------------------------	--------------------------------	------	------

Electric Cooking and Heating Apparatus
(Continued.)



No. 23188.

Disc Heaters.

The cut represents Disc Heater. The heating plate is 6½ inches in diameter and mounted on a cast iron base, neatly japanned.

An intense heat is made by turning the switch to the extreme right, when boiling, frying, etc. When switch is placed on middle contact the temperature is reduced one-half, where it may be maintained indefinitely. This feature makes the utensil valuable in the kitchen, sick room or nursery, where water may be heated or food quickly and easily prepared. This serviceable utensil is now in use in private families, hotels, restaurants, physicians' offices, match factories, furniture factories, printing offices, laboratories, smelting works, sugar refineries, etc.; etc.

Disc Heaters 8 and 9 inches in diameter will be made to order in lots of not less than one half dozen. Apply for prices.


Volts.	Amp. Consumption.	Fuse required.
50	6, 8, 10,	10 amp.
110	4,	4. "

Code Word.	List No.	List Price. Each.
<i>Sirupf</i>	23188 Disc Heater, 6 in. diameter.....	\$7.50

Pancake Griddles.

Griddles for Domestic use are made with one or with three polished circular heating plates on a cast iron frame or stand, neatly japanned. Their action is very quick, being ready to bake cakes within two minutes from the time the current is turned on.

The restaurant griddle, having one polished plate 12 x 18 in., is the largest size made. Three, four or more of these griddles side by side, may be operated at once or in units of one, two or three, according to the amount of work to be done, by which you pay for the actual amount of work done, instead of heating up a large griddle to do a small amount of work.



No. 23187.

	Volts.	Amp. Consumpt.	Fuse Required.
1 Sec. {	50	4, 5, 6,	6 amp.
	110	2, 2½, 3,	3 "


12 x 18 {	50	30,	30 "
	110	15,	15 "

<i>Sirname</i>	23185	One Section, for Domestic Use (Polished Surface),	7.50
----------------	-------	---	------

<i>Sirragh</i>	23187	Restaurant Size, 12 x 18 (Polished Surface)	15.00
----------------	-------	---	-------

Electric Air Heaters.

Western Electric Company's Heater.



No. 23189.

Unless electricity is produced at very low cost, it is not commercially practicable to heat residences or large buildings. While this is true, the electric heater still has a wide field of application in heating small offices, bath rooms, snuggeries, cold corners of rooms, street railway waiting rooms, the summer villa on cool evenings, and in mild climates a still wider range. It has the peculiar advantage of being instantly available, and the amount of heat is regulated at will. The heaters are perfectly clean, do not vitiate the atmosphere, and are portable. No definite rule can be given to determine the amount of electricity necessary for heating a given space though approximate estimates can be made by allowing from 1 to 2 watts for each cubic foot of air space to be heated. The latter amount for well constructed buildings in cold weather, or for quickly heating a bath room. The electric heater is extremely valuable in the late spring, when furnace fires are not in use, and a sudden raw spell comes on—the electric current is immediately available and takes the chill from the rooms at a minimum expense and trouble.

The Western Electric Company's Heater, made in the shape of a small steam radiator is 14½ inches long, 3½ inches thick, and stands in height 12½ inches, is finished in black enamel or Japan. It is made for two adjustments, half capacity and full capacity; the switch indicates when the current is off, when half of the heater is used and when it is all in use.

Made for 50 or 100 volts. Specify in your order the voltage, and whether direct or alternating current.

Volts.	Amp. Consumption:	Fuse required.
100	14	20 amp.

Code Word.	List No.	List Price. Each.
<i>Servente</i>	23189 Western Electric Heater.....	\$18.00

American Heaters.

The Heaters are finished in Black Japan, and are usually arranged to give three different adjustments of heat. They are made for any circuit. State whether for direct or alternating, and voltage when ordering.

Code Word.	List No.	Length.	Height.	Width.	Max. Watt Capacity.	List Price. Each.
<i>Sisalgrass</i>	23190	26 in.	x 22 in.	x 2 in.	2,000	\$25.00
<i>Sisery</i>	23191	26 "	x 22 "	x 4 "	4,000	30.00
<i>Siskin</i>	23192	26 "	x 22 "	x 7 "	6,000	45.00
<i>Siskinit</i>	23193	26 "	x 10½ "	x 2 "	1,200	15.00
<i>Siss</i>	23194	26 "	x 10½ "	x 4 "	2,400	20.00
<i>Sissoo</i>	23195	26 "	x 10½ "	x 7 "	3,500	30.00
<i>Sist</i>	23196	26 "	x 10½ "	x 10 "	4,500	40.00

Made in Gold Bronze or White Enamel for \$10.00 additional to List Prices.

Electric Air Heaters—(Continued.)


Atmospheric Heater.

Double.


This Heater is constructed with two heating plates, each 7 x 8 inches, supported on a neat base four inches high. In setting up, it can be so arranged that one or both plates may be used at the same time, and will be found very serviceable in small rooms or for other light work.

Volts.	Amp. Consumption.	Fuse Required.
50	17	18 amp.
110	8½	9 "


Code Word.	List No.	List Price. Each.
<i>Sister</i>	23197 Atmospheric Heater	\$12.00



No. 23107.



No. 25589.



No. 25590.

Stationary Electric and Car Heater.

Each Heater consumes 1 ampere on 500 volts circuit, giving a temperature of 220 deg. Fahrenheit at Grate Opening.

Size Type B, 31 inches long, 10½ inches high, 2½ inches deep, Weight 22 pounds.


Aconite 25589 Type B, Car Heater 15.00

Type C panel heater for side seat cars heating coils and current consumption same as type B.

Avonline 25590 Type C car heater, 15.00




No. 23199.



No. 23400.

Heater with Jacket removed
Will work on either direct or
alternating current.



No. 25588.

Portable Electric Heater.

The smaller heater contains ten heating coils, each coil consuming .5 of 1 ampere on 110 volt circuit.

The larger heater contains twenty heating coils, each coil consuming .75 of 1 ampere on 110 volt circuit.

To determine the heating capacity of these heaters figure 1 watt of electric energy to every two cubic feet of air space

This rule will hold good in well constructed buildings, with the outside temperature at 32 degrees Fahrenheit

Code Word	List No.	G No	List Price, Each
<i>Sisterly</i>	23199	500	Height 19½ inches, diameter, 14 inches, weight, 28 pounds \$20.00
<i>Sistrum</i>	23400	601	Height, 26 inches, diameter, 14 inches, weight 35 pounds 30.00

Electric Broiler.

Size 9 x 11 broiler, weight, 27 pounds, 8 amperes, 110 volts.

Broils steaks, chops or chickens in six minutes.


There is no odor or smoke from this Broiler, as the heat is applied from the top. The juices of the meat are retained and a rich flavor imparted, which it is impossible to obtain by any other method.

Can be used in windows or on lunch counters by simply attaching to any electric light circuit.

Cannot be appreciated without a trial.

Acolythist 25588 Electrical Broiler..... 20.00

When ordering please state voltage.



No. 25473

No. 25474

Electric Heating Irons.


These laundry irons, tailors' irons and curling iron heaters are noted for their excellent mechanical, as well as electrical design and they possess no parts that will easily get out of order.

The heating coils are made of the very best material obtainable, and will last for years when properly used. When ordering always state voltage.

Three Lb. Oval Shape Nursery Iron.

This iron is intended only for small and fine work, such as lace collars, fine handkerchiefs, baby dresses, etc.

It is wound for any voltage up to 125, direct or alternating, and can be attached to any ordinary lamp socket. Will get hot in less than 10 minutes.



No. 25475

No. 25476

Accordion

25473 Consumes 240 watts..... \$6.00

Five Lb. V Shape Laundry Iron.

This size is best adapted for ordinary laundry work, where the iron is used constantly on the same grade of goods. It is not intended for heavy ironing.


Wound for any voltage up to 125, direct or alternating.

Accordianist

25474 Consumes 300 watts..... 7.00

Six and One-Half Lb. V Shape and Oval Shape Household Irons.

These two sizes will meet all requirements for regular household ironing. They will give sufficient heat for the heavy work, and are not too heavy for the small work. Wound for any voltage up to 250, direct or alternating.



No. 25477

No. 25478

Accorporate
Accost

25475 Consumes 600 watts..... 8.00

25476 Consumes 600 watts..... 8.00

Eight Lb. V Shape Laundry Iron.

This iron is constructed for constant heavy ironing and will give sufficient heat for the heaviest material.

Wound for any voltage up to 250, direct or alternating.


Accosted

25477 Consumes 700 watts..... 10.00

Twelve and Sixteen Lb. Tailor Irons.

The electric tailors' irons can be depended on to give a steady uniform heat, and will always remain clean.

Wound for any voltage up to 250, direct or alternating.



No. 25480

Accountability

25478 12 lb consumes 530 watts, 9½ inches long; 3¼ inches wide..... 15.00

Accountableness

25479 16 lb consumes 600 watts; 9½ inches long; 3 inches wide..... 16.00

Twenty Lb. Tailor Iron.

This is the size mostly used by custom tailors. It is constructed on the same principle as the 12 and 16 lb. irons.

When ordering always state whether for custom tailors, or manufacturing clothiers use.

Wound for any voltage up to 250, direct or alternating.

Accountably

25480 Consumes 700 watts, length 11 in., width 3½ in. 18.00

Curling Iron Heater.

The heater is finished in bronze and made in shape of a dog, with opening at the mouth to admit curling iron. It is mounted on a handsome marbleized base, always ready for use, giving out no odor or smoke.

Wound for any voltage up to 125.



No. 25481

Accountant

25481 Consumes 100 watts, large, with socket, lamp, and curling iron rest..... 6.00

Accountantship

25482 Small..... 4.00

Electric Soldering Iron.

The advantages of an electric soldering iron over those heated by gas, gasoline, or charcoal, are numerous. The heat is constantly applied, the copper remains tinned much longer, and the operator can work right along with one iron, thus saving considerable time. In hot weather it is a great boon to discard the old time soldering-iron stove or furnace, and use an iron that emits no heat except at the point where wanted.

The irons are made in different sizes to meet all requirements. When ordering specify what kind of work the iron is to do.

Special irons made to order. Always state voltage.

No. 2 Light.

This iron is made for very light work. It is a great time saver and a very convenient tool. Can be attached to an ordinary lamp socket. Wound for any voltage up to 125, direct or alternating.



No. 25469

Code Word.	List No	Price
<i>Accomptable</i>	25469 Weight, 1 lb. 6 oz.; length 13 in.; tip $\frac{1}{8}$ in. diameter. Consumes 135 watts....	\$6.00

No. 2 Regular.

This size will do for any work requiring a medium hot iron, such as light tinsmith's work, lead glazing, soldering commutator connections and bands on small armatures, wire joints in ceilings, and places where the marks from a flame would be objectionable, etc. It is not intended for heavy work.



No. 25470

<i>Accomptant</i>	25470 Weight, 1 lb. 10 oz.; length 13½ in.; tip 1 in. diameter, either chisel shape or pointed. Consumes 155 watts.....	6.00
-------------------	--	-------------

No. 3 Regular.

The iron is recommended for all-around work. It is heavy enough to do any ordinary soldering, and is not too heavy to be used on light work.

Will be found well adapted for banding armatures of of any size, electrotype soldering, regular tinsmith's work, etc.

It is also made with a straight pointed tip, $\frac{5}{8}$ inch diameter, known as No. 3 light. If anchored to the work bench, leaving both hands of the operator free to handle the work, it can be used to great advantage on toys, lamp cases, fuse plugs, etc., and will save time.



No. 25471

<i>Accordable</i>	25471 Weight, 2 lbs. 8 oz.; length 14 in.; tip 1½ in. diameter, either chisel shape or pointed. Consumes 320 watts....	7.00
-------------------	---	-------------

No. 4 Regular.

This size is intended only for extra heavy work, and will get very hot. It is constructed on the same principal as the other sizes.

Wound for any voltage up to 250, direct or alternating.



No. 25472

<i>Accordancy</i>	25472 Weight, 4 lbs. 4 oz.; length 15 in.; tip 1½ in. diameter, either chisel shape or pointed. Consumes 550 watts.....	10.00
-------------------	--	--------------

Conduit and Conduit Fittings.

Interior Conduit.


Iron Armored Conduit.

For Direct and Alternating Currents.

The Iron Armored Conduit possesses all the qualities of gas or water pipe, and can be installed with equal ease by the use of tools for cutting, threading, etc. In combination with the brass armored conduit it can be advantageously employed in construction work under concrete, tiled or mosaic floors, and other like places, without the expensive precautions for protection that are necessary in the use of plain or brass armored conduit.

Thickness of armor, $\frac{1}{8}$ inch. All sizes supplied in ten foot lengths, each length having a coupling attached to one end. Tubes have straight threads at both ends, and in making joints these ends should be firmly butted in center of coupling to secure continuity of insulation.

Prices on all Iron Armored Conduit and fittings are subject to change, on thirty days' notice, on account of the fluctuation in prices of iron piping. Contractors are advised to obtain from us latest quotations before placing their orders.



Cross Section.

Code Word.	List No.						List Price Per 100 ft.
<i>Needle</i>	6710	$\frac{1}{2}$	in. inside diam.	.84	in. outside diam.		\$10.25
<i>Needless</i>	6711	$\frac{7}{16}$	"	"	1.05	"	 13.00
<i>Needlessly</i>	6712	$\frac{3}{4}$	"	"	1.315	"	 18.00
<i>Needlework</i>	6713	1 $\frac{1}{4}$	"	"	1.66	"	 28.00
<i>Neglected</i>	6714	1 $\frac{1}{10}$	"	"	1.90	"	 36.00
<i>Negotiate</i>	6715	1 $\frac{8}{10}$	"	"	2.375	"	 50.00
<i>Negro</i>	6716	2 $\frac{1}{4}$	"	"	2.875	"	 67.00
<i>Negus</i>	6717	2 $\frac{8}{10}$	"	"	3.50	"	 84.00

All elbows, nipples and special couplings, as well as tools necessary for use with Iron Armored Conduit, can be furnished by us, and prices on same may be had on application.

Interior Conduit—(Continued.)

Iron Amored Conduit—(Continued.)

No. 519 Iron Covered S Elbow.



No. 6728.

Code Word.	List No.						List Price. Per 100.
Nomadic	6728	$\frac{1}{2}$ inch, inside diam.,	14 inches offset...				\$41.00
Nomenclature	6729	$\frac{7}{16}$ " " "	17 " " "				62.00
Nominal	6730	$\frac{9}{16}$ " " "	19 " " "				76.00
Nominate	6731	$1\frac{1}{4}$ " " "	23 " " "				96.40
Nonage	6732	$1\frac{4}{16}$ " " "	28 " " "				182.00
Nonconformist	6833	$\frac{1}{2}$ " " "	16 " " "				42.70
Nondescript	6834	$\frac{7}{16}$ " " "	19 " " "				64.25
Noncs	6835	$\frac{9}{16}$ " " "	21 " " "				79.10
Nonparcil	6736	$1\frac{1}{4}$ " " "	25 " " "				100.40
Nonplus	6737	$1\frac{4}{16}$ " " "	30 " " "				187.00
Nonsense	6738	$\frac{1}{2}$ " " "	18 " " "				44.40
Nook	6739	$\frac{7}{16}$ " " "	21 " " "				66.50
Noon	6740	$\frac{9}{16}$ " " "	23 " " "				82.20
Noonday	6741	$1\frac{1}{4}$ " " "	27 " " "				104.40
Normal	6742	$1\frac{4}{16}$ " " "	32 " " "				192.00



No. 6743.

No. 512 Iron Covered Corner Elbow.

Northerly	6743	$\frac{1}{2}$ inch, inside diam.,	14 inches offset			41.00
Northern	6744	$\frac{7}{16}$ " " "	17 " " "			62.00
Northward	6745	$\frac{9}{16}$ " " "	19 " " "			76.00
Nosegay	6746	$1\frac{1}{4}$ " " "	23 " " "			96.40
Nosology	6747	$1\frac{4}{16}$ " " "	28 " " "			182.00
Nostrum	6748	$\frac{1}{2}$ " " "	16 " " "			42.70
Notable	6749	$\frac{7}{16}$ " " "	19 " " "			64.25
Notably	6750	$\frac{9}{16}$ " " "	21 " " "			79.10
Notarial	6751	$1\frac{1}{4}$ " " "	25 " " "			100.40
Notary	6752	$1\frac{4}{16}$ " " "	30 " " "			187.00
Notation	6753	$\frac{1}{2}$ " " "	18 " " "			44.40
Notch	6754	$\frac{7}{16}$ " " "	21 " " "			66.50
Note	6755	$\frac{9}{16}$ " " "	23 " " "			82.20
Notebook	6756	$1\frac{1}{4}$ " " "	27 " " "			104.40
Noted	6757	$1\frac{4}{16}$ " " "	32 " " "			192.00

No. 416 Long Insulating Elbows.

No. 416 Elbow corresponds in style with No. 116 Brass' Armored Elbow.

INSIDE DIAMETER.		$\frac{1}{2}$	$\frac{7}{16}$	$\frac{9}{16}$	$1\frac{1}{4}$	$1\frac{4}{16}$	OFF-SET.	
Length, 10 inches	Per 100	\$23 00	\$28 00				$\frac{1}{2}$ inch Elbow,	$6\frac{3}{8}$ inches.
" 12 "	"	25 00	30 50	\$40 00			$\frac{7}{16}$ " "	7 "
" 14 "	"	27 00	33 00	44 00	\$58 00		$\frac{9}{16}$ " "	$8\frac{1}{2}$ "
" 16 "	"	29 00	35 50	48 00	63 00	\$106 00	$1\frac{1}{4}$ " "	$10\frac{1}{2}$ "
" 18 "	"	31 00	38 00	52 00	68 00	114 00	$1\frac{4}{16}$ " "	12 "

Interior Conduit—(Continued.)

Iron Armored Conduit—(Continued.)

No. 414 Short Insulating Elbows.



No. 6718.

Code Word.	List No.		List Price, Per 100.
Nocturnal	6718	$\frac{1}{2}$ inch, inside diameter.....	\$18.00
Nod	6719	$\frac{7}{10}$ " " "	23.00
Noddle	6720	$\frac{9}{10}$ " " "	30.00
Noddy	6721	1 $\frac{1}{4}$ " " "	35.00
Node	6722	1 $\frac{4}{10}$ " " "	60.00
Nodule	6723	1 $\frac{8}{10}$ " " "	165.00
Noggin	6724	2 $\frac{1}{4}$ " " "	240.00
Noise	6725	2 $\frac{8}{10}$ " " "	350.00



No. 21475.

No. 418 Insulating Outlet Elbows.

Sauci	21475	$\frac{1}{2}$ inch	22.00
Saucy	21476	$\frac{7}{10}$ "	30.00
Sauerk	21477	$\frac{9}{10}$ "	40.00



No. 21478.

No. 419 Insulating Outlet Elbows.

Saupt	21478	$\frac{1}{2}$ inch inside diameter.....	20.00
Sawx	21479	$\frac{7}{10}$ " " "	27.00
Sauri	21480	$\frac{9}{10}$ " " "	35.00



No. 21481.

No. 580 Insulating Elbow Outlets.


Sausa	21481	$\frac{1}{2}$ inch inside diameter	25.00
Savab	21482	$\frac{7}{10}$ " " "	30.00
Sava	21483	$\frac{9}{10}$ " " "	38.00
Savagl	21484	1 $\frac{1}{4}$ " " "	50.00



No. 21585.

No. 581 Insulating Elbow Outlets.

Savagen	21485	$\frac{1}{2}$ inch inside diameter.....	25.00
Savager	21486	$\frac{7}{10}$ " " "	30.00
Savagis	21487	$\frac{9}{10}$ " " "	38.00
Savanna	21488	1 $\frac{1}{4}$ " " "	50.00



No. 284.

Interior Conduit—(Continued.)

Iron Amored Conduit—(Continued.)

No. 284 Insulating Nipples.

List Prices.

INSIDE DIAM.	LENGTH IN INCHES						PRICE, EACH		PRICE, EACH, OF EXTRA LONG.							
	Inches.	Close.	Short	Long			Close or Short.	Long.	5 in.	6 in.	7 in.	8 in.	9 in.	10 in.	11 in.	12 in.
$\frac{1}{2}$	$1\frac{1}{8}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	\$0 07	\$0 10	\$0 18	\$0 19	\$0 20	\$0 21	\$0 22	\$0 23	\$0 25	\$0 27
$\frac{7}{10}$	$1\frac{3}{8}$	2	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	09	11	20	21	22	23	25	27	29	31
$\frac{9}{10}$	$1\frac{1}{2}$	2	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	10	15	22	24	27	29	31	33	36	40
$1\frac{1}{4}$	$1\frac{3}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	14	20	29	31	33	35	38	40	43	46
$1\frac{4}{10}$	$1\frac{3}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	17	25	36	38	40	42	45	48	51	55
$1\frac{8}{10}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	25	35	44	49	54	59	64	69	74	79
$2\frac{1}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	56	75	75	80	85	91	1 00	1 10	1 20	1 30
$2\frac{8}{10}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	75	95	95	1 00	1 06	1 15	1 24	1 34	1 44	1 55



No. 21489.

No. 104 Couplings.

Code Word.	List No.	List Price.
Savan	21489	$\frac{1}{2}$ inch inside diameter, per 100. \$7.00
Sav	21490	$\frac{7}{10}$ " " " " 10.00
Savem	21491	$\frac{9}{10}$ " " " " 13.00
Savi	21492	$1\frac{1}{4}$ " " " " 17.00
Savingo	21493	$1\frac{4}{10}$ " " " " 21.00
Savingne	21494	$1\frac{8}{10}$ " " " " 28.00
Savo	21495	$2\frac{1}{4}$ " " " " 40.00
Satori	21496	$2\frac{8}{10}$ " " " " 60.00

No. 104 Right and Left Couplings.

Savorl	21497	$\frac{1}{2}$ inch inside diameter, per 100 11.00
Savoryl	21498	$\frac{7}{10}$ " " " " 15.00
Sawl	21499	$\frac{9}{10}$ " " " " 20.00
Sawdust	21500	$1\frac{1}{4}$ " " " " 25.00
Sawmill	21501	$1\frac{4}{10}$ " " " " 30.00
Sawpit	21502	$1\frac{8}{10}$ " " " " 50.00
Sawset	21503	$2\frac{1}{4}$ " " " " 85.00
Sawyer	21504	$2\frac{8}{10}$ " " " " 120.00



No. 21505.

No. 582 Caps.

Saxifrage	21505	$\frac{1}{2}$ inch inside diameter, per 100 5.00
Saxon	21506	$\frac{7}{10}$ " " " " 8.00
Saxonism	21507	$\frac{9}{10}$ " " " " 11.00
Scab	21508	$1\frac{1}{4}$ " " " " 15.00
Scabbard	21509	$1\frac{4}{10}$ " " " " 22.00
Scabbed	21510	$1\frac{8}{10}$ " " " " 30.00
Scabiness	21511	$2\frac{1}{4}$ " " " " 50.00
Scabby	21512	$2\frac{8}{10}$ " " " " 80.00

No. 583 Plugs. Cast Iron.

Scabious	21513	$\frac{1}{2}$ inch, each..... .04
Scabrous	21514	$\frac{7}{10}$ " " 05
Skeaback	24058	$\frac{9}{10}$ " " 06
Skeubridge	24059	$1\frac{1}{4}$ " " 10
Skewer	24060	$1\frac{4}{10}$ " " 13
Skewery	24061	$1\frac{8}{10}$ " " 20
Skiff	24082	$2\frac{1}{4}$ " " 35
Skidder	24063	$2\frac{8}{10}$ " " 50



No. 21514.

Conduit and Conduit Fittings.

INTERIOR CONDUIT.

New Iron Armored Insulating Conduit.


For Direct and Alternating Currents.

The New Iron Armored Insulating Conduit consists of the well-known insulation still further improved within a wrought iron pipe, the thickness of the armor being about 1-16 inch. The outside diameters of commercial wrought iron gas pipe are maintained in the new system; a reduction in the thickness of the wall giving greater inside diameter. It is impossible to draw or force the insulating lining out of the pipe as it is placed there under high pressure, filling up the interstices, and leaving absolutely no air space between the insulation and the iron. The flexibility of the system is maintained by the use of junction boxes, fittings, etc.

The New Iron Armored Insulating Conduit possesses all the qualities of gas or water pipe, and can be installed with equal ease by the use of tools for cutting, threading, etc.

In combination with the Brass Armored Conduit it can be advantageously employed in construction work, under concrete, tiled or mosaic floors, and other like places, without the expensive precautions for protection that are necessary in the use of plain or Brass Armored Conduit.

A saving in labor is effected in installing the New Iron Armored Conduit, inasmuch as it can be installed in advance of the mason work, at the most advantageous time during the construction of a building, without fear of accident to it by masons, mechanics or other workmen.



Code Word.	List No.					List Price, Per 100 ft.
<i>Site</i>	24003	$\frac{7}{16}$ in.	inside diam.	.675 in.	outside diam.	\$ 9.25
<i>Sited</i>	24004	$\frac{5}{8}$ "	"	.84 "	"	 11.50
<i>Sitfast</i>	24005	$\frac{3}{4}$ "	"	1.05 "	"	 15.00
<i>Sith</i>	24006	1 "	"	1.315 "	"	 21.00
<i>Sitology</i>	24007	1 $\frac{1}{4}$ "	"	1.66 "	"	 27.00
<i>Sitta</i>	24008	1 $\frac{1}{2}$ "	"	1.90 "	"	 34.00
<i>Sitter</i>	24009	2 "	"	2.375 "	"	 47.00
<i>Sitting</i>	24010	2 $\frac{1}{2}$ "	"	2.875 "	"	 67.00

All sizes supplied in ten-foot lengths, with a coupling for each length.

Tubes have slightly tapering threads at both ends, and in making joints these ends should be firmly abutted in center of coupling to secure continuity of insulation. Wherever the tube is cut the burr should be removed by using Butt Reamer.

Prices on all New Iron Armored Conduit and Fittings are subject to change without notice, on account of the fluctuation in prices of iron piping. Contractors are advised to obtain from us latest quotations before placing their orders.

Interior Conduit—(Continued.)

New Iron Armored Conduit—(Continued.)

No. 1519 Iron Covered S Elbow.



No. 24027.

Code Word.	List No.		List Price. Per 100.
<i>Sized</i>	24027	$\frac{7}{16}$ inch, inside diam., 14 inches offset.....	\$ 33.00
<i>Sizel</i>	24028	$\frac{9}{16}$ " " 17 "	41.00
<i>Sizer</i>	24029	$\frac{11}{16}$ " " 19 "	62.00
<i>Siziness</i>	24030	1 " " 23 "	76.00
<i>Sizing</i>	24031	$1\frac{1}{4}$ " " 28 "	96.00
<i>Sizy</i>	24032	$\frac{7}{8}$ " " 16 "	34.50
<i>Sizzle</i>	24033	$\frac{9}{8}$ " " 19 "	42.70
<i>Sizzling</i>	24034	$\frac{4}{2}$ " " 21 "	64.00
<i>Skain</i>	24035	1 " " 25 "	79.00
<i>Skald</i>	24036	$1\frac{1}{4}$ " " 30 "	100.00
<i>Skate</i>	24037	$\frac{7}{8}$ " " 18 "	35.00
<i>Skater</i>	24038	$\frac{9}{8}$ " " 21 "	44.40
<i>Skayless</i>	24039	$\frac{4}{2}$ " " 23 "	66.00
<i>Skcan</i>	24040	1 " " 27 "	82.00
<i>Sked</i>	24041	$1\frac{1}{4}$ " " 32 "	104.00



No. 24042.

No. 1512 Iron Covered Corner Elbow.

<i>Skest</i>	24042	$\frac{7}{16}$ inch inside diam., 14 inches offset.....	33.00
<i>Skeg</i>	24043	$\frac{9}{16}$ " " 17 "	41.00
<i>Skegger</i>	24044	$\frac{11}{16}$ " " 19 "	62.00
<i>Skein</i>	24045	1 " " 23 "	76.00
<i>Skelatal</i>	24046	$1\frac{1}{4}$ " " 28 "	96.00
<i>Skeleton</i>	24047	$\frac{7}{8}$ " " 16 "	34.50
<i>Skelly</i>	24048	$\frac{9}{8}$ " " 19 "	42.70
<i>Sken</i>	24049	$\frac{4}{2}$ " " 21 "	64.00
<i>Skehp</i>	24050	1 " " 25 "	79.00
<i>Skep</i>	24051	$1\frac{1}{4}$ " " 30 "	100.00
<i>Skeptie</i>	24052	$\frac{7}{8}$ " " 18 "	35.00
<i>Skeptical</i>	24053	$\frac{9}{8}$ " " 21 "	44.40
<i>Skepticism</i>	24054	$\frac{4}{2}$ " " 23 "	66.00
<i>Skeptieize</i>	24055	1 " " 27 "	82.00
<i>Skerry</i>	24056	$1\frac{1}{4}$ " " 32 "	104.00

No. 1416 Long Insulating Elbows.

No. 1416 Elbow corresponds in style with No. 116 Brass Armored Elbow.

INSIDE DIAMETER.		$\frac{7}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	OFFSET.	
Length, 12 inches.	Per 100	\$22.50	\$25.50	\$32.80	\$43.50	\$52.00	$\frac{5}{8}$ inch Elbow,	7 inches.
" 14 "	"	24.00	27.50	35.30	47.00	56.50	$\frac{3}{4}$ " "	$8\frac{1}{2}$ "
" 16 "	"	25.50	29.50	37.80	50.50	61.00	1 " "	$10\frac{1}{2}$ "
" 18 "	"	27.00	31.50	40.30	54.00	65.50	$1\frac{1}{4}$ " "	12 "

Interior Conduit—(Continued.)


(New Iron Armored Conduit—Continued.)



No. 24011.

No. 1414 Short Insulating Elbows.

Code Word	List No.		List Price. Per 100.
<i>Situate</i>	24011	$\frac{7}{16}$ inch, inside diameter.....	\$16.00
<i>Situation</i>	24012	$\frac{5}{8}$ " " "	18.00
<i>Situated</i>	24013	$\frac{3}{4}$ " " "	23.00
<i>Situs</i>	24014	1 " " "	30.00
<i>Sivan</i>	24015	$1\frac{1}{4}$ " " "	35.00
<i>Siver</i>	24016	$1\frac{1}{2}$ " " "	60.00
<i>Sixfold</i>	24017	2 " " "	165.00
<i>Sixpence</i>	24018	$2\frac{1}{2}$ " " "	240.00



No. 21430.

No. 1418 Insulating Outlet Elbows.

<i>Situate</i>	21430	$\frac{7}{16}$ inch	21.00
<i>Situation</i>	21431	$\frac{5}{8}$ "	24.00
<i>Situetty</i>	21432	$\frac{3}{4}$ "	28.00




No. 21433.

No. 1419 Insulating Outlet Elbows.

<i>Sutin</i>	21433	$\frac{7}{16}$ inch inside diameter.....	18.00
<i>Satinet</i>	21434	$\frac{5}{8}$ " " "	20.00
<i>Satinflower</i>	21435	$\frac{3}{4}$ " " "	24.00


No. 1580 Insulating Elbow Outlets.



No. 21436.

<i>Satinspar</i>	21436	$\frac{7}{16}$ inch inside diameter	25.00
<i>Sattinstone</i>	21437	$\frac{5}{8}$ " " "	30.00
<i>Satinwood</i>	21438	$\frac{3}{4}$ " " "	38.00
<i>Sating</i>	21439	1 " " "	50.00
<i>Sixpenny</i>	24019	$1\frac{1}{4}$ " " "	70.00
<i>Sixscore</i>	24020	$1\frac{1}{2}$ " " "	85.00
<i>Sixshooter</i>	24021	2 " " "	110.00
<i>Sixthly</i>	24022	$2\frac{1}{2}$ " " "	150.00

No. 1581 Insulating Elbow Outlets.



No. 21540.

<i>Station</i>	21440	$\frac{7}{16}$ inch inside diameter.....	25.00
<i>Satire</i>	21441	$\frac{5}{8}$ " " "	30.00
<i>Satiric</i>	21442	$\frac{3}{4}$ " " "	38.00
<i>Satirical</i>	21443	1 " " "	50.00
<i>Sixthrate</i>	24023	$1\frac{1}{4}$ " " "	70.00
<i>Sixtieth</i>	24024	$1\frac{1}{2}$ " " "	85.00
<i>Sizable</i>	24025	2 " " "	110.00
<i>Sizar</i>	24026	$2\frac{1}{2}$ " " "	150.00



No. 1284.

Interior Conduit—(Continued.)

New Iron Amored Conduit—(Continued.)

No. 1284 Insulating Nipples.

List Prices.

INSIDE DIAM.	LENGTH IN INCHES.						PRICE, EACH		PRICE, EACH, OF EXTRA LONG.							
	Inches.	Close.	Short	Long.			Close or Short.	Long.	5 in.	6 in.	7 in.	8 in.	9 in.	10 in.	11 in.	12 in.
$\frac{7}{8}$	1	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	\$0 06	\$0 09	\$0 17	\$0 18	\$0 19	\$0 20	\$0 21	\$0 22	\$0 23	\$0 25
$\frac{1}{2}$	1 $\frac{1}{8}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	07	10	18	19	20	21	22	23	25	27
$\frac{3}{4}$	1 $\frac{1}{4}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	09	11	20	21	22	23	25	27	29	31
1	1 $\frac{3}{4}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	10	15	22	24	27	29	31	33	36	40
1 $\frac{1}{4}$	1 $\frac{7}{8}$	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	14	20	29	31	33	35	38	40	43	46
1 $\frac{1}{2}$	1 $\frac{3}{4}$	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	17	25	36	38	40	42	45	48	51	55
2	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	25	35	44	49	54	59	64	69	74	79.
2 $\frac{1}{2}$	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	5	56	75	75	80	85	91	1 00	1 10	1 20	1 30



No. 21444.

No. 1104 Couplings.

Code Word.	List No.		List Price.
Satirist	21444	$\frac{7}{8}$ inch inside diameter, per 100.....	\$6.00
Satirize	21445	$\frac{5}{8}$ " " " "	7.00
Satisfaction	21446	$\frac{3}{4}$ " " " "	10.00
Satisfactive	21447	1 " " " "	13.00
Satisfactorily	21448	1 $\frac{1}{4}$ " " " "	17.00
Satisfactory	21449	1 $\frac{1}{2}$ " " " "	21.00
Satisfiable	21450	2 " " " "	28.00
Satisfier	21451	2 $\frac{1}{2}$ " " " "	40.00

No. 1104 Right and Left Couplings.

Satisfy	21452	$\frac{7}{8}$ inch inside diameter, per 100.....	8.00
Sative	21453	$\frac{5}{8}$ " " " "	11.00
Satrap	21454	$\frac{3}{4}$ " " " "	15.00
Satrapal	21455	1 " " " "	20.00
Satrapess	21456	1 $\frac{1}{4}$ " " " "	25.00
Satrapical	21457	1 $\frac{1}{2}$ " " " "	30.00
Satrapy	21458	2 " " " "	50.00
Saturable	21459	2 $\frac{1}{2}$ " " " "	85.00



No. 21460.

No. 1582 Caps.

Saturant	21460	$\frac{7}{8}$ inch inside diameter, per 100.....	3.00
Saturate	21461	$\frac{5}{8}$ " " " "	5.00
Saturation	21462	$\frac{3}{4}$ " " " "	8.00
Saturity	21463	1 " " " "	11.00
Saturn	21464	1 $\frac{1}{4}$ " " " "	15.00
Saturnalia	21465	1 $\frac{1}{2}$ " " " "	22.00
Saturnalian	21466	2 " " " "	30.00
Saturnaliar	21466 $\frac{1}{2}$	2 $\frac{1}{2}$ " " " "	50.00

No. 1583 Plugs. Cast Iron.

Saturnian	21467	$\frac{7}{8}$ inch, each.....	.03
Saturnine	21468	$\frac{5}{8}$ " "	.04
Satyr	21469	$\frac{3}{4}$ " "	.05
Satyric	21470	1 " "	.06
Sauce	21471	1 $\frac{1}{4}$ " "	.10
Sauceboxy	21472	1 $\frac{1}{2}$ " "	.14
Saucerx	21473	2 " "	.20
Saucilyx	21474	2 $\frac{1}{2}$ " "	.35




No. 21469.

Iron Armored Insulating Conduit—(Continued.)

Single Tube System for Direct or Alternating Currents.

Main Junction and Terminal Box.

If installation is to be made before partition walls are erected, we place the Outlets to order, to clear the thickness of Terra Cotta wall. If orders for special Boxes do not specify "Brick" or "Lath and Plaster," we make them for Brick Work.



No. 32502.

Code Word List No List Price Each.

Sketcher **32502** Dimensions: Outside length, 6 inches, width, 3 $\frac{3}{8}$ inches, depth 3 inches..... **\$4.75**

We advise the use of Nipples, as they are fitted flush with inside of boxes before they are lined, thus keeping the insulating lining intact, which during installation, is liable to damage by screwing lengths of conduit too far into the Boxes.

Porcelain Cut-Out for No. 32502.

Sketchily **120 $\frac{1}{2}$** Two Circuit Cut-Out **1.80**

Covers for Box No. 32502.

DIMENSIONS OF BOXES OUTSIDE.	FINISH.	DESIGNS.	
		No. 32034.	No. 32036.
6 x 3 $\frac{3}{8}$	Bronze Polished.....	\$0 65	\$0 65
	Nickel ".....	55	60
	Galvanized.....	55	20
	Plain Iron.....	40	

Double Tube System for Direct Current Only.

Main Junction Boxes for Double Tube Mains and Double Tube Branches.

They are made so that covers can be used.

Junction Boxes for Brick or Terra Cotta Work have the upper rim of holes parallel with and $\frac{5}{16}$ inch from rim of box.

Junction Boxes for Lath and Plaster Work have the upper rim of holes parallel with and $\frac{3}{4}$ inch from rim of box.

Sketchy **32002** Two Circuit, Main Line, for Brick; length, 8 $\frac{5}{8}$ ins.; width, 3 $\frac{3}{8}$ ins.; depth, 3 ins **6.50**


Sketch **32011** Two Circuit, Main Line, for Lath and Plaster; length, 8 $\frac{5}{8}$ ins.; width, 3 $\frac{3}{8}$ ins.; depth, 3 $\frac{3}{4}$ ins. **6.75**

Porcelain Cut-Out for Nos. 32002 and 32011.

Sketcherch **128 $\frac{1}{2}$** Two-Circuit Cut-out..... **1.90**


Porcelain, 1 inch thick.

Metal Covers for Junction Boxes.




No. 32002.


DIMENSIONS OF BOXES INSIDE.	FINISH.	DESIGNS.	
		No. 32062.	No. 32064.
8 $\frac{5}{8}$ x 3 $\frac{3}{8}$	Bronze Polished.....	\$0 85	\$0 75
	Nickel ".....	70	70.
	Galvanized.....	75	25
	Plain Iron.....	55	55




No. 32590.




No. 32590—Right Hand.




No. 32591—Left Hand.



No. 32091.



No. 32091—Right Hand.



No. 32090—Left Hand.

Iron Armored Insulating Conduit—(Continued.)

Feeder Terminal Junction Boxes for Single Tube System.

These Boxes are manufactured on the plans shown for the various circuits as described below; prices include Nipples.

Two Wire System.

Dimensions of Boxes inside—Length, 7½ inches; width, 3¾ inches.

Code Word.	List No.		List Price. Each.
<i>Sky</i>	32590	Right Hand, for Brick Work or Terra Cotta, depth 3 inches	\$4.25
<i>Skyblue</i>	32591	Left Hand, for Brick Work or Terra Cotta, depth 3 inches	4.25
<i>Skycolor</i>	32592	Left Hand, for Lath and Plaster Work, depth 3½ inches	4.60
<i>Skyed</i>	32593	Right Hand, for Lath and Plaster Work, depth 3½ inches	4.60

Unless otherwise specified, Outlets are made for 1¼-inch Conduits for feeders, and 1-inch Conduits for distributors.

Porcelain Cut-Out for Above.

<i>Skyey</i>	6¼	Two-Wire Feeder Terminal	3.50
--------------	----	--------------------------------	------


Feeder Terminal Junction Boxes, Double Tube System.

Two Wire System.

Dimensions of Boxes inside—Length, 8½ inches; width, 3¾ inches.

<i>Skyhigh</i>	32090	Left Hand, for Brick Work, depth 3 inches	6.50
<i>Skylark</i>	32091	Right Hand, for Brick Work, depth 3 inches	6.50
<i>Slavedriver</i>	32092	Left Hand, for Lath and Plaster Work, depth 3¾ inches	6.75
<i>Slaveholder</i>	32093	Right Hand, for Lath and Plaster Work, depth 3¾ inches	6.75

Prices for Boxes include Nipples.
Unless otherwise specified, these Boxes are supplied with Nipples for Risers for 1-inch Conduit; Mains, for ¾-inch Conduit.




No. 32964.


Iron Armored Insulating Conduit—(Continued.)

Feeder, Splicing, or “Pulling-in” Boxes for Single Tube System.


Unless otherwise specified in orders, Feeder Junction Boxes are furnished for 1½-inch Conduit.



Nos. 32690, 32678, 32691 and 32675.



Nos. 32696, 32665, 32692 and 32666.



Nos. 32598, 32667, 32698 and 32668.

Two Wire System.

Code Word.	List No.		List Price. Each.
Slaver	32598	For Brick or Terra Cotta, 2 Outlet Nipples.....	4.10
Slaverer	32692	“ “ “ 3 “	4.75
Slaveringly	32696	“ “ “ 2 “	4.10
Slavery	32690	“ “ “ 3 “	4.75
Slaveship	32694	“ “ “ 2 “	4.10
Slavetrade	32698	“ “ “ 3 “	4.75

Nos. 32678, 32675, 32665, 32666, 32667, 32668 are for Lath and Plaster Work. For list prices of these add 50 cents to the above list.

Dimensions inside, for Brick or Terra Cotta Work: Length, 6½ inches; width, 6½ inches; depth, 2¾ inches. Nipples are placed to allow for ⅝ of an inch for Plaster.

Dimensions inside, for Lath and Plaster Work: Length, 6½ inches; width, 6½ inches; depth, 3¼ inches. Nipples are placed to allow for ¾ of an inch for Lath and Plaster.

Covers to fit these Boxes are listed on separate page, but are not included in these prices.

In ordering be careful to specify sizes of Conduit to be used, and if Cut-out will be required. Cut-outs for these Boxes are not carried in stock, but will be made to order at short notice, mounted on Marbleized Slate.

Intersection or Splicing Boxes.


Diameter inside, 3¼ inches. Depth for Brick Work 1½ inches. Depth for Lath and Plaster 1¾ inches. Thickness of Walls, ⅝ inch. This Box is not intended to be used with a Cut-out.

Price includes Nipples.

For Brick or Terra Cotta Work.



Nos. 32240. 32260. Nos. 32242. 32265.




Nos. 32252. 32266. Nos. 32250. 32267. Nos. 32273. 32274.



Code Word.	List No.	WITHOUT COVER.	List Price. Each.
Slavic	32252	3 Outlets, 2 Side, 1 Bottom	\$1.39
Slavonic	32273	2 “ 2 Bottom	1.18
Slavish	32240	2 “ 2 Side.....	1.18
Slavishly	32242	2 “ 2 “	1.18
Slavishness	32250	2 “ 1 “ 1 Bottom.....	1.18
Slavism	32266	3 Outlets, 2 Side, 1 Bottom.....	1.49
Slavocracy	32274	2 “ 2 Bottom	1.28
Slavonian	32260	2 “ 2 Side.....	1.28
Slav	32265	2 “ 2 “	1.28
Slay	32267	2 “ 1 “ 1 Bottom	1.28

Outlets are placed ⅝ inch below rim of Box for Brick or Terra Cotta and ¾ inch for Lath and Plaster Work.

Iron Armored Insulating Conduit—(Continued.)



Nos. 32172 and 32173.

Nos. 32196.
32165.Nos. 32192.
32166.Nos. 32098.
32167.Nos. 32198.
32174.Nos. 32194.
32175.Nos. 32190.
32174.

Splicing or "Pulling-in" Boxes.

Double Tube System.

Dimensions for Brick or Terra Cotta: length, $6\frac{1}{2}$ inches; width, $6\frac{1}{2}$ inches; depth, $2\frac{3}{4}$ inches. For Lath and Plaster: length, $6\frac{1}{2}$ inches; width, $6\frac{1}{2}$ inches; depth, $3\frac{1}{4}$ inches.

For Brick or Terra Cotta.

Code Word.	List No.		List Price. Each.
<i>Slayer</i>	32196	Two-wire System, without Cover	5.50
<i>Sleaziness</i>	32192	" " " "	7.00
<i>Sleazy</i>	32098	" " " "	5.50
<i>Sled</i>	32172	" " " "	8.50
<i>Sledding</i>	32194	" " " "	5.50
<i>Sleck</i>	32198	" " " "	5.50
<i>Sleckly</i>	32190	" " " "	7.00

For Lath and Plaster.

<i>Sleeky</i>	32165	Two-wire System, without Cover	5.75
<i>Sleckness</i>	32166	" " " "	7.25
<i>Sleckstone</i>	32167	" " " "	5.75
<i>Sleep</i>	32173	" " " "	8.75
<i>Sleeper</i>	32174	" " " "	5.75
<i>Sleepful</i>	32175	" " " "	5.75
<i>Sleepily</i>	32178	" " " "	7.25

Unless otherwise specified in orders, Feeder Junction Boxes for Double Tube System are furnished with Nipples.

Cut-outs for these Boxes are made only to order.

Branch Circuit Junction Boxes.

Large Size—Complete with Nipples.

Single Tube System.

For Brick or Terra Cotta.

<i>Sleepiness</i>	33132	3 Outlets, 1 Main, 2 Branch	\$3.75
<i>Sleeping</i>	33133	3 " 1 " 2 " R. or L.	3.75
<i>Sleepless</i>	33134	3 " 2 " 1 "	3.85
<i>Sleeplessly</i>	33136	4 " 2 " 2 "	4.35
<i>Sleepy</i>	33142	1 " 1 "	2.75
<i>Slect</i>	33144	2 " 2 "	3.15

For Lath and Plaster.

<i>Sleetch</i>	33138	3 Outlets, 1 Main, 2 Branch	4.00
<i>Slectiness</i>	33139	3 " 1 " 2 "	4.00
<i>Sleety</i>	33140	3 " 2 " 1 "	4.10
<i>Sleevefill</i>	33141	4 " 2 " 2 "	4.60
<i>Sleevehand</i>	33143	1 " 1 "	3.00
<i>Sleeveless</i>	33145	2 " 2 "	3.40

Dimensions for Brick or Terra Cotta Work, inside diameter, $4\frac{3}{8}$ inches; depth, $2\frac{1}{2}$ inches. For Lath and Plaster Work, inside diameter, $4\frac{3}{8}$ inches; depth, 3 inches.


D. P. Porcelain Cut-Out Blocks for Above.

<i>Sleild</i>	713 $\frac{1}{2}$	Round Pattern special binding posts	2.05
<i>Sleigh</i>	720 $\frac{1}{2}$	" " plain	1.35
<i>Sleighbing</i>	712 $\frac{1}{2}$	Square " " "	1.05
<i>Sleight</i>	722 $\frac{1}{2}$	" " special	1.20



Branch Circuit Junction Boxes.

Single Tube System.

Medium Size—Complete with Nipples.



No. 32256, 32259.

Nos. 32247.
32245.Nos. 32241.
32244.Nos. 32257.
32248.Right, Nos: 32258.
32253.
Left, Nos. 32254.
32255.

For Brick or Terra Cotta.

WITHOUT COVER.

Code Word.	List No.		List Price Each.
<i>Slid</i>	32241	3 Outlets, 2 Main, 1 Branch.....	1.39
<i>Slidden</i>	32247	4 " 2 " 1 "	1.64
<i>Slidder</i>	32257	3 " 1 " 2 "	1.30
<i>Slide</i>	32251	3 " 1 " 2 "	1.39
<i>Slidegroat</i>	32258	3 " 1 " 2 " Right	1.39
<i>Slider</i>	32254	3 " 1 " 2 " Left	1.39
<i>Sliderest</i>	32256	1 " 1 "	1.00
<i>Slidewalce</i>	32249	2 " 2 "	1.18

For Lath and Plaster Work.

<i>Slitter</i>	32244	3 Outlets, 2 Main, 1 Branch.....	1.49
<i>Slire</i>	32245	4 " 2 " 2 "	1.74
<i>Sliver</i>	32248	3 " 1 " 2 "	1.49
<i>Slookan</i>	32253	3 " 1 " 2 " Right.....	1.49
<i>Sloom</i>	32255	3 " 1 " 2 " Left.....	1.49
<i>Slood</i>	32259	1 " 1 "	1.10
<i>Slobber</i>	32075	2 " 2 "	1.28

Dimensions: For Brick or Terra Cotta Work, inside diameter, $3\frac{1}{4}$ inches; depth, $1\frac{1}{2}$ inches. For Lath and Plaster Work, inside diameter, $3\frac{1}{4}$ inches; depth, $1\frac{1}{8}$ inches.

The Threaded Outlets for both depth of Boxes are placed so as to allow for the embedding of Conduit $\frac{5}{16}$ of an inch under the surface of plaster for Terra Cotta or Brick work, and $\frac{3}{4}$ of an inch for Lath and Plaster.

Porcelain Cut-Outs for Above.

<i>Slobberer</i>	705½	Double Pole Cut-outs for Two Branch Circuits.	.90
<i>Sloberry</i>	706½	Double Pole for One Branch Circuit only.....	.65

Branch Circuit Junction Boxes.

Single Tube System.

Small Size—Complete with Nipples.

For Brick or Terra Cotta Work.

WITHOUT COVERS.


<i>Slack</i>	32134	3 Outlets, 2 Mains, 1 Branch	1.20
<i>Slol</i>	32136	4 " 2 " 2 "	1.45
<i>Slogan</i>	32132	3 " 1 " 2 "	1.20
<i>Sloke</i>	32133	3 " 1 " 2 " Right	1.20
<i>Sloo</i>	32137	1 " 1 " 2 " Left.....	1.20
<i>Sloom</i>	32046	1 " 1 "	.85
<i>Sloomy</i>	32048	1 " 2 "	1.10

Iron Armored Insulating Conduit—(Continued.)

Branch Circuit Junction Boxes—(Continued.)

Small Size—Complete with Nipples.—(Continued.)

For Lath and Plaster Work.




Code Word.	List No.		List Price, Each.
<i>Slothfully</i>	32140	3 Outlets, 2 Mains, 1 Branch	\$1.30
<i>Slothfulness</i>	32141	4 " 2 " 2 "	1.50
<i>Slothhound</i>	32138	3 " 1 " 2 "	1.30
<i>Slotted</i>	32139	3 " 1 " 2 " Right	1.30
<i>Slottery</i>	32142	3 " 1 " 2 " Left	1.30
<i>Slouch</i>	32072	1 " 1 "	.95
<i>Slouching</i>	32074	1 " 2 "	1.20

For Brick or Terra Cotta Work, inside diameter, 2½ inches; depth, 1½ inches. For Lath and Plaster Work, inside diameter 2¼ inches; depth, 1½ inches.

For Diagram of Outlets, see Branch Circuit Junction Boxes preceding page.

Porcelain Cut-Outs for Above.

These Boxes being of small diameter, do not admit of using a Double Pole Cut-out for more than one Branch Circuit.



<i>Slough</i>	710½	Double Pole for 1 Circuit, right or left or straight through	.40
<i>Sloughy</i>	707½	Double Pole for 1 Circuit, especially for right or left branches	.55

Branch Circuit Junction Boxes.


Double Tube System. Complete with Nipples.

For Brick or Terra Cotta.



Code Word.	List No.		List Price, Each.
<i>Sleightful</i>	32390	4 Outlets, 2 Main, 2 Branch	4.50
<i>Sleightily</i>	32392	4 " 2 " 2 "	4.50
<i>Sleightly</i>	32396	6 " 2 " 4 "	6.00
<i>Slender</i>	32400	6 " 2 " 4 "	6.00
<i>Slenderly</i>	32398	6 " 4 " 2 "	6.00
<i>Slenderness</i>	32402	6 " 2 " 4 "	6.00
<i>Slept</i>	32394	8 " 4 " 4 "	7.75

For Lath and Plaster.




<i>Slenth</i>	32391	4 Outlets, 2 Main, 2 Branch	4.65
<i>Slenthhound</i>	32393	4 " 2 " 2 "	4.65
<i>Slew</i>	32397	6 " 2 " 4 "	6.15
<i>Slewed</i>	32401	6 " 2 " 4 "	6.15
<i>Sley</i>	32399	6 " 4 " 2 "	6.15
<i>Slibber</i>	32403	6 " 2 " 4 "	6.15
<i>Slice</i>	32395	8 " 4 " 4 "	7.90

Inside Dimensions for Brick and Terra Cotta Work: length, 4¾ inches; width, 4¾ inches; depth, 2½ inches.


Inside Dimensions for Lath and Plaster Work: length, 4¾ inches; width, 4¾ inches; depth, 3 inches.

Porcelain Cut-Out for Above.


<i>Slicer</i>	717½	Complete with 6 Fuse Holders	2.05
<i>Slick</i>	716½	Fitted with Binding Screws, no Fuse Holders ..	.90
<i>Slicking</i>	695½	Fuse Holder, complete, extra heavy terminal, no fuse	.20
<i>Slickness</i>	690½	Fuse Holder, complete, regular terminal, no fuse	.20




Nos. 32016 and 32072.



No. 32246 and 32073.



No. 32075 and 32079.



No. 32478.

Iron Armored Insulating Conduit--(*Continued.*)

Outlet Boxes.

With Fixture Support for Electric Only--Single Tube System.

Small Size.

Code Word.	List No.	List Price. Each,
<i>Sloop</i>	32046 1/2 Outlet Box, 2 1/4 inches diameter, 1 1/2 inches deep, and Cover, No. 527	\$1.40
<i>Slop</i>	32072 1/2 Outlet Box, 2 1/4 inches diameter, and Cover, 524	1.40

For Lath and Plaster add 8c. on 2 1/4-inch and 10c. on 3 1/4 inch. Lath and Plaster Boxes are made 1 1/2 inches deep.

Porcelain Cut-Outs for Above.

<i>Slope</i>	710 1/2	Outlet or Tap Cut-out, without leads	.40
<i>Slopesness</i>	770 1/2	Double Pole Porcelain Cut-out, without leads	.65

Outlet Boxes. Large Size.

<i>Slopesness</i>	32246	Outlet Box, 3 1/4-inch diameter, and Cover, No. 528	1.60
<i>Sloping</i>	32073	Outlet Box, 3 1/4-inch diameter, and Cover, No. 525	1.60

Porcelain Cut-Outs for Above.

<i>Slopingly</i>	705 1/2	Double Pole Cut-Out for Two Branch Circuit	.90
<i>Sloppiness</i>	706 1/2	Double Pole for One Branch Circuit only, right or left	.65

Outlet Boxes.

<i>Sloppy</i>	32075 1/2	Outlet Box, 2 1/4 inches diameter, with Cover	1.40
<i>Slopy</i>	32079	Outlet Box, 3 1/4 inches diameter, with Cover	1.55

The Box is made for Brick Work. For Lath and Plaster Work add 10 cents to the above list. The ordinary form of "Bug" Cut-out can be used in these Boxes.

Outlet Boxes.


Outlet Box, Cover and Fixture Support--For Electric Only.

Double Tube System.

Dimensions of Boxes inside--Length, 3 1/4 inches; width, 3 1/4 inches.

<i>Slot</i>	32478	Outlet Box for Brick or Terra Cotta Work, depth 1 1/2 inches	2.15
<i>Slote</i>	32479	Outlet Box for Brick or Terra Cotta Work, depth 2 inches	2.25
<i>Sloth</i>	32480	Outlet Box for Lath and Plaster Work, depth 2 inches	2.20
<i>Slothful</i>	32481	Outlet Box for Lath and Plaster Work, depth 2 1/4 inches	2.30

The Fixture Support is threaded to receive a 3/8 inch (inside) Brass Insulating Joint. When necessary to fuse in this Box the regular Bug Cut-out can be employed. Covers are not included in above prices. Price of Cover 65 cents each.



No. 32496.

Iron Armored Insulating Conduit--(Continued.)

Outlet Boxes.

Outlet Box, Cover and Fixture Support—For Electric Only..
(Continued.)

Double Tube System.

Dimensions of Boxes inside—Length, 3½ inches, width, 2¼ inches.

Code Word.	List No		List Price Each
<i>Smarten</i>	32496	Outlet Box for Brick or Terra Cotta Work, depth 1½ inches.....	\$1.90
<i>Smartle</i>	32497	Outlet Box for Brick or Terra Cotta Work, depth 2 inches	2.00
<i>Smartly</i>	32498	Outlet Box for Lath and Plaster Work, depth 2 inches	1.95
<i>Smartness</i>	32499	Outlet Box for Lath and Plaster Work, depth 2½ inches	2.05

Extra Outlets for these Boxes will be supplied to order at the following list price: 22 cts. each.

Covers are not included in above prices. Price of Cover, 60 cts. Unless otherwise specified in orders, Cover is supplied with Threaded Nipple for ½-inch (Brass) Insulating Joint or Coupling.

Porcelain Cut-Outs for Above.

No. 770½, Porcelain Cut-Out, designed for a Ceiling Pendant, can be used in a side Outlet Box for Portable Fixture or Fan Motor. The Cut-Out is made in two parts. The base is supplied with heavy terminals, forming the contact pieces, into which are placed the Binding Screws. Fuse Leads are arranged on the Porcelain plug, which can be removed when fusing. Contacts are sliding, connections quickly and easily made, and the Cut-out is adapted to all 2½-inch boxes. The price does not include Box.

<i>Smartweed</i>	770½	Double Pole Porcelain Cut-out, without leads..	.65
<i>Smash</i>	710½	Outlet or Tap Cut-out.....	.40


Combination Gas and Electric Branch Circuit Box and Cut-Out.

Single Tube System.

This Box is designed especially for Hotels, Office Buildings, Apartment Houses and other Fire-proof Buildings, where the Feeders are run between the Terra Cotta and floor boards, direct from the Cut-out Cabinets or Junction Boxes, to a center of distribution. This center may be located at the largest or most convenient electrolier of a suite or section of rooms, and the Box attached thereto. It will then supply the electrolier and two branches which are run on ceiling for side lights. The box, being but five inches in diameter, admits the use of an ordinary size fixture shell.


Cut-out No. 715½ has Binding Posts for supply, that will carry Conductors up to No. 4 B. & S. Gauge. The Branch Terminals have been tested up to fifteen amperes.

If over ten lights are required for an electrolier, we supply Porcelain Fuse Holders No. 695½, having double the carrying capacity and fit any of the Fuse Terminals. The Cut-out will fuse two Branch Circuits, which may be taken out at either side, or at right angles; at the same time fusing fixture. Unless otherwise specified in order, we supply Fuse Holder No. 690½. Price includes Nipples.




Iron Box No. 30917.

Iron Armored Insulating Conduit—(Continued.)



No. 30913. No. 30914. No. 30915.



No. 30916. No. 30917.

Combination Gas and Electric Branch Circuit Box and Cut-out
Single Tube System.—(Continued.)

Iron Box—Lined.

Diameter, 5½ inches; depth, 2¼ inches. Diameter, Gas Outlet, 1½ inches.
Diameter, Electric Outlet (inside) 1½ inches.


Code Word.	List No.		List Price. Each.
<i>Slyboots</i>	30913	1 Main, 1 Outlet.....	\$1.75
<i>Styly</i>	30914	1 “ 2 “	2.25
<i>Slyness</i>	30915	1 “ 2 “	2.25
<i>Smack</i>	30916	1 “ 2 “	2.25
<i>Smacking</i>	30917	1 “ 3 “	2.75

Other sizes of Outlets and combinations made to order.


Porcelain Cut-Out.

Diameter, 4¾ inches. Height, with Adjustable Fuses, 1¾ inches.

<i>Smalluge</i>	715½	Complete, with 6 Fuse Holders	2.05
<i>Smallish</i>	700½	Copper-tipped Fuses, 3 or 6 amperes.....	.05



No. 32486. No. 32488. No. 32490.



No. 32492. No. 32494.

Combination Gas and Electric Branch Circuit
Box and Cut-Out.

Branch Junction Box.—Double Tube System.

Diameter, 5½ inches; depth, 2¼ inches. Diameter Gas Outlet, 1½ inches.

<i>Smallness</i>	32486	2 Mains, 2 Outlets	2.25
<i>Smallpor</i>	32488	2 “ 4 “	2.75
<i>Smallts</i>	32490	2 “ 4 “	2.75
<i>Smallly</i>	32492	2 “ 4 “	2.75
<i>Smallt</i>	32494	2 “ 6 “	3.25

Combination Gas and Electric Outlet Box
with Cut-Out.

Single Tube System.

This Box is designed to be used for side Outlets on walls or partitions The diameter being small, a 4-inch Fixture Shell will cover it. Cover admits of ready access to Box, and when in place it effectually closes the Outlet against moisture. Cut-out No. 718½ is designed to fuse two Branch Circuits, is fitted with the adjustable Fuse Holders, or will be supplied with Binding Screws only, so that the ordinary copper-tipped fuse may be employed.

If it is desired to fuse the fixture at which the box is located, the cover can be omitted, the ends of conduit sealed with compound, and the work thus made tight.


Specify in orders the size for Mains and Branches.

Iron Box and Cover.

<i>Smalltine</i>	30911	As illustrated. Dimensions: Diameter, 3½ inches depth, 1½ inches	1.60
<i>Smaraqline</i>	30912	Plain Iron Cover, Insulated Lining	.25

Porcelain Cut-Out.

<i>Smaraqdlite</i>	718½	Complete with four Adjustable Safety Fuses .	1.65
<i>Smart</i>	719½	Cut Out, without Adjustable Fuses, but having Binding Screws for Copper-tip Fuses	.85



No. 32495.

Iron Armored Insulating Conduit—(Continued.)

Combination Gas and Electric Outlet Box with Cut-Out.
—(Continued.)

Double Tube System.
Iron Box and Cover.


Code Word.	List No.		List Price. Each.
<i>Smasher</i>	30920	Diameter, 3 $\frac{3}{8}$ inches; depth, 1 $\frac{7}{8}$ inches. With six Nipples.....	\$2.25
<i>Smatch</i>	30912	Plain Iron Cover, Insulated Lining	.25

Porcelain Cut-Out.

<i>Smatter</i>	718 $\frac{1}{2}$	Complete, with four Adjustable Safety Fuses..	1.65
<i>Smatterer</i>	719 $\frac{1}{2}$	Cut-out, without Adjustable Fuses, but having Binding Screws for Copper-tipped Fuses.....	.85

Combination Gas and Electric Ceiling Outlet
and Branch Circuit Boxes.

Single Tube Iron—Double Tube Brass.



The Box is of Iron, Insulated and designed to be placed at a chandelier outlet, and fed from the floor above by a single tube of Iron Armored Conduit $\frac{3}{4}$ of an inch inside diameter or less. Owing to the position and necessity of sinking the Box into the Terra Cotta ceiling, no threaded joint can be made, but an iron sleeve one inch in height is provided, into which the Conduit is inserted. The Center or Gas Outlet will admit the use of $\frac{3}{4}$ inch (inside diameter) gas pipe. The short Iron Nipples are threaded for $\frac{3}{8}$ inch coupling, on to which can be screwed combination coupling for $\frac{5}{8}$ or $\frac{3}{4}$ inch Brass Armored Conduit.

Outside Dimensions—Diameter, 5 $\frac{1}{4}$ inches; depth, 2 $\frac{1}{4}$ inches. Diameter Gas Outlet, 1 $\frac{1}{8}$ inches. Diameter Electric Outlet (inside), 1 $\frac{3}{8}$ inches. Diameter Porcelain Cut-out, 4 $\frac{3}{8}$ inches; Height, with Adjustable Fuses, 1 $\frac{3}{4}$ inches.

<i>Smattering</i>	30504	1 Main, 1 Electric and 2 Branches.....	2.05
<i>Smear</i>	30505	1 " 1 " 4 "	2.75
<i>Smearab</i>	30506	1 " 1 " 4 "	2.75
<i>Smeary</i>	30507	1 " 1 " 4 "	2.75
<i>Smeath</i>	30508	1 " 1 " 6 "	3.45

Combination Gas and Electric Outlet Box and
Cut-Out.

Double Tube Iron—Double Tube Brass.
For Direct Current Only.
Iron Box and Cover.

<i>Smectite</i>	32920	With four $\frac{3}{8}$ inch Combination Nipples and two $\frac{3}{8}$ inch Iron Insulated Nipples without cover	2.65
		Dimensions: Diameter, 3 $\frac{3}{8}$ inch; depth, 1 $\frac{7}{8}$ inch.	
<i>Smatch</i>	30912	Plain Iron Cover, Insulated Lining.....	.25

Iron Armored Insulating Conduit—(Continued.)

Combination System.




Using Both Iron and Brass Armored Conduit.

Illustration showing the application of the Combination Coupling or "Connecting Link" between the two systems—Iron Armored Conduit and Brass Armored Conduit. The union if properly made, by the use of white lead on the iron threads and the crimping tool on the brass coupling, will be a perfect joint.

The illustration shows a Cross Section of Iron Armored Insulating Conduit and Brass Armored Conduit; the union being properly made. Both ends of insulation abut.

The demand for this system has arisen principally from its flexibility; also from the fact that the diameter of the Brass Armored Conduit is less than that of the Iron Armored. In modern fire-proof structures, the thickness of plaster ordinarily used on walls will always cover the $\frac{5}{16}$ -inch Brass Conduit, and usually the $\frac{3}{8}$ -inch, without having to channel the walls. This channeling being a considerable item in the general expense of the installation, the labor thus saved is an important consideration where the specifications do not provide for "Furring" or a sufficient thickness of plaster to cover the Iron Armored Conduit.


Combination Couplings are necessary in connecting the Brass Armored Double Tube System to the Single Tube Iron System, at Junction Boxes, Cut-out Cabinets, etc., and when the Feeders or Risers are run in separate Brass Armored Conduits on account of their size, or to avoid induction when the Alternating System is employed.




No. 205 $\frac{1}{2}$.
Combination Coupling.

Combination Coupling.


Code Word.	List No.		List Price. Each.
<i>Snod</i>	205 $\frac{1}{2}$	$\frac{3}{8}$ -inch Iron Nipple to $\frac{3}{8}$ -inch Brass Coupling	\$0.10
<i>Snood</i>	206 $\frac{1}{2}$	$\frac{5}{8}$ -inch " $\frac{5}{8}$ -inch "	.12
<i>Snook</i>	207 $\frac{1}{2}$	$\frac{3}{4}$ -inch " $\frac{3}{4}$ -inch "	.14
<i>Snooze</i>	208 $\frac{1}{2}$	1-inch " 1-inch "	.17
<i>Snore</i>	209 $\frac{1}{2}$	1 $\frac{1}{4}$ -inch " 1 $\frac{1}{4}$ -inch "	.21
<i>Snorer</i>	210 $\frac{1}{2}$	1 $\frac{1}{2}$ -inch " 1 $\frac{1}{2}$ -inch "	.27



No. 32640.



No. 32641.



No. 32642.

Angle and Corner Insulating Boxes.

Single Tube System.

For Splicing or "Pulling-in" Conductors.

<i>Snort</i>	32640	Iron Insulated Box, with Two Nipples, ...	\$1.85
<i>Snorter</i>	32641	Iron Insulated Box, " "	1.85
<i>Snout</i>	32642	Iron Insulated Box, " "	1.85

Above prices include Plain Iron Covers and Screws fitted; also Nipples. Specify size of Nipples.

Iron Armored Insulating Conduit—(Continued.)

Angle and Corner Insulating Boxes—(Continued.)

Single Tube System—(Continued.)

Dimensions.

No. 32640,	inside, each angle, length, 3 ins.; width, 2½ ins.; depth, 1½ ins.
No. 32642,	“ “ “ 3 “ “ 2½ “ “ 1½ “
No. 32641,	“ “ “ 3¼ “ “ 2½ “ “ 1½ “

The above Boxes are made for Brick or Terra Cotta Work, the Nipples being placed $\frac{5}{16}$ of an inch from rim of Box, to allow for plaster to cover Conduit. Covers are made of thin iron, and extend $\frac{1}{4}$ of an inch over rim of Boxes.

Double Tube System—Double Iron.

For Splicing or “Pulling-in” Conductors.

Code Word.	List No.		List Price. Each.
<i>Snouty</i>	32643	Iron Insulated Boxes, with four Nipples..	\$2.25
<i>Snow</i>	32644	“ “ “ “ “ “	2.25
<i>Snowball</i>	32645	“ “ “ “ “ “	2.25

The above prices include Plain Iron Cover and Screws fitted. These Covers extend $\frac{1}{4}$ inch over the rim of Box.

For Boxes with $\frac{3}{8}$ -inch Nipples, add 10 cents to above list prices for each Nipple.

Dimensions.

No. 32643	Inside each angle, length, 3 ins.; width, 2½ ins.; depth, 1½ ins. Same style as No. 32642.
No. 32644	Inside each angle, length, 3 ins.; width, 2½ ins.; depth, 1½ ins. Same style as No. 32640.
No. 32645	Inside each angle, length, 3¼ ins.; width, 2½ ins.; depth, 1½ ins. Same style as No. 32641.

These Boxes are made for Brick or Terra Cotta work, the Nipples being placed $\frac{5}{16}$ of an inch from rim of Box to allow plaster to cover Conduit.

Single Tube Iron—Double Tube Brass.

For Direct or Alternating Currents.

<i>Snowding</i>	30646	Iron Insulated Box, with one Iron and two Combination Couplings fitted. Same style as No. 32642	2.25
<i>Snowdeep</i>	30647	Iron insulated Box, with one Iron and two Combination Couplings fitted. Same style as No. 32640	2.25
<i>Snowdrift</i>	30648	Iron Insulated Box, with one Iron and two Combination Couplings fitted. Same style as No. 32641	2.25

The above prices include plain iron covers and screws—fitted.
If $\frac{5}{16}$ -inch brass Conduit is to be used please state so in ordering.

Iron Armored Insulating Conduit—(Continued.)

Angle and Corner Insulating Boxes—(Continued.)

Double Tube Iron—Double Tube Brass.

Code Word.	List No.	List Price. Each.
<i>Snowdrop</i>	30649	Iron Insulated Box, with two Iron and two Combination Couplings fitted. Same style as No. 32642 2.45
<i>Snowflake</i>	30650	Iron Insulated Box, with two Iron and two Combination Couplings fitted. Same as style No. 32640 2.45
<i>Snowfleck</i>	30651	Iron Insulated Box, with two Iron and two Combination Couplings fitted. Same style as No. 32641 2.45

The above prices include Iron Covers and screws fitted.
If $\frac{5}{16}$ -brass Conduit is to be used, please state so in ordering.
The above Boxes are made for Brick and Terra Cotta Work, Nipples being placed $\frac{5}{16}$ inch from Rim of Box.

Switch Box for Cutter and Other Flush Switches.

For Single Tube System.

The Box, as illustrated, is designed for a Single Pole Flush Switch. We manufacture these Boxes for all makes of Flush Switches, either Single Pole, Double Pole and for Three or Four Wires.
Where the installation is to be made before the partition walls are erected, we place the Outlets near the rear edge, on top, to clear the front wall of the terra cotta brick.

<i>Snowflood</i>	30981	Box with one Nipple.....	\$1.00
<i>Snowgoose</i>	30986	Gang Switch Boxes. Prices on application.	

For Double Tube System—Iron Armored.

<i>Snowless</i>	30983	Box, with two Nipples	1.25
<i>Snowplow</i>	30989	Gang Switch Box. Prices on application.	

For Double Tube System—Brass Armored.

<i>Snowshoe</i>	30984	Box with two Combination Nipples, ...	1.45
Outside Dimensions: Height, 4 inches; Width, $2\frac{1}{4}$ inches; Depth, $3\frac{1}{4}$ inches.			
<i>Snowstorm</i>	30987	Gang Switch Boxes. Prices on application.	


Outlets are placed $\frac{5}{16}$ of an inch from rim for Brick or Terra Cotta work and $\frac{3}{4}$ of an inch for Lath and Plaster.
Switches extra.



No. 30981.

Iron Armored Insulating Conduit—(Continued.)

Combination Gas and Electric Side Outlet Box.



Nos. 30682, 30683.


Single Tube System

Code Word.	List No.		List Price. Each.
<i>Snocwhite</i>	30681	1 Outlet for $\frac{5}{8}$ inch Conduit.....	\$1.50
<i>Snouty</i>	30683	2 " " $\frac{5}{8}$ " "	1.55

Unless otherwise specified all Boxes will be tapped for $\frac{3}{8}$ inch gas pipe.

These Boxes are designed to be used for side outlets on walls or partitions. The diameter being small, a $3\frac{1}{2}$ -inch fixture shell will cover them. The hole on back of Box is tapped to receive a $\frac{3}{8}$ -inch gas pipe. The thread on gas pipe must be cut back so that the pipe will project through the Box a sufficient length to allow an insulating joint to be screwed on. All Boxes of this type are porcelain lined.

Outlets are placed so as to leave $\frac{5}{16}$ of an inch for the hard finish of walls, between the outlets and front rim of Box for brick and terra cotta work, and $\frac{3}{4}$ of an inch for lath and plaster.



No. 32404 and 32407.

Outlet or Switch Box.

Double Tube System Complete with Nipples.

Code Word.	List No.		List Price. Each.
<i>Snub</i>	32404	Box for Terra Cotta or Brick work, 2 outlets...	\$1.15
<i>Snubnose</i>	32405	" " " " 4 " ...	1.70
<i>Snubpost</i>	32406	" " " " 4 " ...	1.70
<i>Snudge</i>	32407	" Lath and Plaster " 2 " ...	1.25
<i>Snuff</i>	32408	" " " 4 " ...	1.80
<i>Snuffbox</i>	32409	" " " 4 " ...	1.80

Inside dimensions for Brick or Terra Cotta: Length $2\frac{1}{2}$ in., width $2\frac{1}{2}$ in., depth $1\frac{3}{4}$ in.

Inside dimensions for Lath and Plaster: Length $2\frac{1}{2}$ in.; width $2\frac{1}{2}$ in., depth $2\frac{1}{4}$ in.

Outlets are placed $\frac{5}{16}$ of an inch from rim of Box for Brick and Terra Cotta work and $\frac{3}{4}$ of an inch for Lath and Plaster.


This Box, being but $2\frac{1}{2}$ inches square, is especially adapted for use with flush switches.




Nos. 32404, 32407. Nos. 32405, 32408. Nos. 32406, 32409.




No. 21515.




No. 21528.



No. 21534.



No. 21532.



No. 21530.



No. 21537.



No. 21540.

Interior Conduit—(Continued.)

Iron Armored Conduit—(Continued.)

Covers for Iron Armored Branch Junction or Outlet Boxes.

Code Word.	List No.	List Price. Each.
<i>Scaffold</i>	21515 537, Bronzed Polished Covers for 2½ in. Round Box,	\$0.35
<i>Scagliola</i>	21516 541, Nickeled " " 2½ " " "	.30
<i>Scalable</i>	21517 538, Bronzed " " 3½ " " "	.40
<i>Scalade</i>	21518 546, Nickeled " " 3½ " " "	.35
<i>Scald</i>	21519 547, Bronzed " " 2½ " " "	.55
<i>Scaldie</i>	21520 548, Nickeled " " 2½ " " "	.50
<i>Scale</i>	21521 549, Bronzed " " 3½ " " "	.60
<i>Scalene</i>	21522 551, Nickeled " " 3½ " " "	.55
<i>Scaliness</i>	21523 539, Bronzed " " 4½ " " "	.60
<i>Scall</i>	21524 543, Nickeled " " 4½ " " "	.55
<i>Scallion</i>	21525 521, Plain Cover for 2½ inch Round Box.....	.15
<i>Scallop</i>	21526 522, " " " 3½ " " "	.20
<i>Scalloped</i>	21527 536, " " " 4½ " " "	.30
<i>Sculp</i>	21528 524, Cover with Nipple, Female Thread, for 2½ inch Round Box.....	.55
<i>Scalpel</i>	21529 525, Cover with Nipple, Female Thread, for 3½ inch Round Box.....	.60
<i>Scaly</i>	21530 527, Cover with Nipple, Male Thread, for 2½ inch Round Box	.50
<i>Scamble</i>	21531 528, Cover with Nipple, Male Thread, for 3½ inch Round Box.....	.60
<i>Scambler</i>	21532 530, Cover with Rubber Bushing for 2½ in. Round Box.....	.35
<i>Scammony</i>	21533 531, Cover with Rubber Bushing for 3½ in. Round Box.....	.40
<i>Scamp</i>	21534 533, Cover for Receptacle for 2½ inch Round Box.	.20
<i>Scamper</i>	21535 534, " " " " 3½ " " " "	.25
<i>Sketch</i>	24057 912, Plain Iron Cover, insulated lining	.25

Covers for all Boxes have an Insulating Lining.

Tools for Iron Armored Conduit.

Comstock Pipe Cutters.

<i>Scandal</i>	21537	Cuts from ¾ inch to 1 inch.....	1.20
<i>Scandalize</i>	21538	" ¾ " 2 "	1.60
<i>Scandalous</i>	21539	" 1 " 2½ "	2.70

Butt Reamer.

This Reamer is fitted for use with ordinary brace. It should be used after a cut has been made to remove the "burr" from Iron Armor and to true up the end of Conduit. This operation should be performed before the thread is cut.

<i>Scandalously</i>	21540	Size of Conduit ¾ to 1½ inch	1.50
---------------------	-------	--	------



No. 1404.

Interior Conduit (Continued.)

Brass Armored Conduit (Continued.)

No. 114½ Brass Covered Short Elbow, with Attached Coupling.

Code Word.	List No.		List Price. Per 100.
Immoderate	1404	1 5⁄8 inch, inside diameter.....	\$ 18.70
Immodest	1405	1 3⁄4 " " "	21.50
Immodestly	1406	1 3⁄2 " " "	25.60
Immolute	1407	1 3⁄2 " " "	30.00
Immolated	1408	1 3⁄2 " " "	43.00
Immolating	1409	1 " " "	63.00

No. 116½ Brass Covered Long Elbow, with Attached Couplings.

Immovably	1417	1 5⁄8 inch, inside diameter.....	26.00
Immure	1418	1 3⁄4 " " "	28.75
Immuring	1419	1 3⁄2 " " "	31.75
Impair	1420	1 3⁄2 " " "	36.25
Impaired	1421	1 3⁄2 " " "	49.25
Impairer	1422	1 " " "	71.00

No. 117½ Brass Covered S Elbow, with Attached Couplings.

Inapartment	1430	1 5⁄8 inch, inside diameter.....	25.75
Impeach	1431	1 3⁄4 " " "	28.25
Impeached	1432	1 3⁄2 " " "	33.00
Impeacher	1433	1 3⁄2 " " "	38.50
Impeaching	1434	1 3⁄2 " " "	50.50
Impeachment	1435	1 " " "	64.00

No. 115½ Brass Covered T, with Attached Couplings.

Igniting	1443	Mains 1 3⁄2 inch, branch 1 5⁄8 inch.....	90.75
Ignition	1444	" 1 3⁄2 " " 1 3⁄4 "	95.00
Ignoble	1445	" 1 3⁄2 " " 1 3⁄4 "	100.00
Illbred	1446	" 1 3⁄2 " " 1 3⁄4 "	114.00
Illicit	1447	" 1 3⁄2 " " 1 3⁄4 "	132.00
Illicitly	1448	" 1 " " 1 3⁄4 "	167.00




No. 21556.

Interior Conduit—(Continued.)

Brass Armored Conduit—(Continued.)

No. 117 Brass Armored S Elbows.

Code Word.	List No.	Inside Diameter inches.	Outside Diameter inches.	Offset inches.	Length over all inches.	List Price Per 100.
<i>Scap</i>	21556	$\frac{5}{16}$	.495	4	9	15.75
<i>Scarred</i>	21557	$\frac{3}{8}$	.625	4	10 $\frac{1}{2}$	17.25
<i>Scarring</i>	21558	$\frac{1}{2}$	.730	4	11	20.00
<i>Scarce</i>	21559	$\frac{5}{8}$	.792	4	11	22.50
<i>Scarcely</i>	21560	$\frac{3}{4}$	1.000	4	11 $\frac{1}{2}$	27.50
<i>Scarceness</i>	21561	1	1.230	4	16	34.00
<i>Scarcity</i>	21562	1 $\frac{1}{4}$	1.540	4	17	50.00



No. 21563.

Terminal or Outlet Elbows.

These Elbows are made with a sharp bend and are especially adapted for Fixture Outlets. These Elbows are trimmed back $\frac{3}{8}$ of an inch; this trimming will be done without extra charge when so ordered, or can be readily accomplished by use of Universal Trimmer.

The radii of curves in these Elbows are much smaller than No. 21541, and they will be found better adapted for use at outlet.

No. 118 For Brick and Tile Work.

		Diameter inches.	Offset inches.	Length inches.	
<i>Scare</i>	21563	$\frac{1}{4}$	1 $\frac{1}{2}$	5 $\frac{3}{4}$	10.30
<i>Scarecrow</i>	21564	$\frac{5}{16}$	1 $\frac{1}{2}$	5 $\frac{3}{4}$	11.35
<i>Scarf</i>	21565	$\frac{3}{8}$	1 $\frac{1}{2}$	7	12.40
<i>Scarfed</i>	21566	$\frac{1}{2}$	1 $\frac{3}{4}$	8 $\frac{1}{4}$	12.60
<i>Scarfiging</i>	21567	$\frac{5}{8}$	2	9	13.70
<i>Scarfskin</i>	21568	$\frac{3}{4}$	2 $\frac{1}{4}$	10 $\frac{1}{2}$	15.30

No. 119 For Lath and Plaster.

		Diameter inches.	Offset inches.	Length inches.	
<i>Scarifier</i>	21569	$\frac{1}{4}$	3	5 $\frac{3}{4}$	10.30
<i>Scarify</i>	21570	$\frac{5}{16}$	3	5 $\frac{3}{4}$	11.35
<i>Scarlatina</i>	21571	$\frac{3}{8}$	3	7	12.40
<i>Scarlet</i>	21572	$\frac{1}{2}$	3 $\frac{1}{2}$	8 $\frac{1}{4}$	12.60
<i>Scarp</i>	21573	$\frac{5}{8}$	3 $\frac{1}{2}$	9	13.70
<i>Scath</i>	21574	$\frac{3}{4}$	4 $\frac{1}{4}$	10 $\frac{1}{2}$	15.30



No. 21569.



No. 21575.

Interior Conduit.—(Continued.)

Brass Armored Conduit—(Continued.)

Special Elbows.

No. 511.

Code Word	List No.	Diameter Inches.	Radius of Bend. Inches.	Offset, Inches.	List Price, Per 100
<i>Scathe</i>	21575	$\frac{5}{16}$	3	$8\frac{1}{2}$	\$13.20
<i>Scathful</i>	21576	$\frac{3}{8}$	3	9	16.00
<i>Scathless</i>	21577	$\frac{1}{2}$	4	$11\frac{1}{2}$	20.40
<i>Scatler</i>	21578	$\frac{5}{8}$	4	12	23.60
<i>Scattered</i>	21579	$\frac{3}{4}$	5	14	31.20
<i>Scattering</i>	21580	1	7	21	55.70
<i>Scarenger</i>	21581	$1\frac{1}{4}$	9	24	64.70

No. 518.

		Diameter Inches.	Radius of Bend. Inches.	Offset Inches.	
<i>Scene</i>	21582	$\frac{5}{16}$	3	$7\frac{1}{2}$	13.20
<i>Scenery</i>	21583	$\frac{3}{8}$	3	8	16.00
<i>Scenic</i>	21584	$\frac{1}{2}$	4	$10\frac{1}{2}$	20.40
<i>Scenicul</i>	21585	$\frac{5}{8}$	4	11	23.60
<i>Scenographir</i>	21586	$\frac{3}{4}$	5	$12\frac{1}{2}$	31.20
<i>Scenography</i>	21587	1	7	20	55.70
<i>Scent</i>	21588	$1\frac{1}{4}$	9	23	64.70



No. 21582.

List for Additional Length of Straight Run.

		Diameter, Inches.		Per Foot.
<i>Scentless</i>	21589	$\frac{5}{16}$		.05
<i>Scepter</i>	21590	$\frac{3}{8}$		.06
<i>Sceptered</i>	21591	$\frac{1}{2}$		.07
<i>Sceptic</i>	21592	$\frac{5}{8}$		.08
<i>Schedule</i>	21593	$\frac{3}{4}$		.09
<i>Schemation</i>	21594	1		.12
<i>Schematist</i>	21595	$1\frac{1}{4}$		.15




No. 21596.

Return Elbows.

No. 515.

		Diameter Inches.	Radius of Bend. Inches.	Distance between sides, Inches.	Per 100.
<i>Scheme</i>	21596	$\frac{5}{16}$	3	6	13.20
<i>Schemer</i>	21597	$\frac{3}{8}$	4	8	16.00
<i>Schemist</i>	21598	$\frac{1}{2}$	$4\frac{1}{2}$	9	20.40
<i>Schism</i>	21599	$\frac{5}{8}$	5	10	23.60
<i>Schismatic</i>	21600	$\frac{3}{4}$	6	12	31.20
<i>Schist</i>	21601	1	7	18	55.70
<i>Schitose</i>	21602	$1\frac{1}{4}$	9	22	76.70



No. 21604.

Interior Conduit—(Continued.)

Brass Armored Conduit—(Continued.)



No. 21604—After use of Coupling Tool.



No. 21612—Cross Section—Before using Coupling Tool.



No. 21612—After use of Coupling Tool.

Couplings.

No. 103½, Plain.

Code Word.	List No.		List Price. Per 100.
No. 21604—After use of Coupling Tool.			
Schistons	21603	$\frac{5}{16}$ inch Seamless Brass, 2½ inches long.....	\$2.00
Scholar	21604	$\frac{1}{4}$ " " " 2½ " "	2.00
Scholarly	21605	$\frac{1}{2}$ " " " 2½ " "	2.25
Scholastic	21606	$\frac{3}{8}$ " " " 2½ " "	2.35
Scholiast	21607	$\frac{1}{2}$ " " " 2½ " "	3.25
Scholium	21608	1 " " " 3¼ " "	4.45
School	21609	1¼ " " " 3¼ " "	7.35
Schooling	21610	1½ " " " 3¼ " "	12.00

No. 103, Insulated.

Schooner	21611	$\frac{5}{16}$ inch Seamless Brass.....	3.60
Schorl	21612	$\frac{3}{8}$ " " "	3.90
Sciatic	21613	$\frac{1}{2}$ " " "	4.30
Sciatica	21614	$\frac{5}{8}$ " " "	4.75
Science	21615	$\frac{3}{4}$ " " "	7.50
Scientific	21616	1 " " "	8.60
Scilicet	21617	1¼ " " "	12.50
Accountbook	25483	1½ " " "	49.00

Sizes given with above Couplings are those of the inside diameter of the Conduit Tubes for which they are intended.

Sheet Brass Clips for Conduits.



No. 1573.

Indent	1573	$\frac{1}{4}$ inch per gross.....	.50
Indented	1574	$\frac{5}{16}$ " "	.50
India	1575	$\frac{3}{8}$ " "	.65
Indian	1576	$\frac{1}{2}$ " "	.80
Indicate	1577	" "	.90
Indignant	1578	$\frac{3}{4}$ " "	1.00
Indignation	1579	1 " "	1.40
Indignity	1580	1¼ " "	2.00

Twisted Wire Clips for Conduits.



No. 1581.


Indirect	1581	Size A, 4 inches long, for tubes up to $\frac{5}{8}$ inch, inclusive, per 1,000.....	4.00
Indirection	1582	" B, 7 " " " 1 " " "	5.00

We recommend for use with these Wire Clips Flat Head Nails, which we will furnish at the following net prices:

1 inch. per pound	.08
1½ " "	.07


Interior Conduit—(Continued).

Branch Circuit Junction Boxes—Plain and Brass Covered.




No. 1449.

Code Word.	List No.	List Price.
<i>Illiterate</i>	1449 No. 46, $\frac{3}{8}$ inch branches, plain, each.....	\$0.30
<i>Illjudged</i>	1450 " 46, $\frac{1}{2}$ " " " "	.30
<i>Illogical</i>	1451 " 46, $\frac{3}{8}$ " " " " " " " " ..	.50
<i>Illude</i>	1452 " 46, $\frac{1}{2}$ " " " " " " " " ..	.50




No. 1453.

<i>Image</i>	1453 No. 40, $\frac{3}{8}$ inch branches, plain, each.....	.33
<i>Imaged</i>	1454 " 40, $\frac{1}{2}$ " " " " " " " "	.33
<i>Imbecile</i>	1455 " 40, $\frac{3}{8}$ " " " " " " " "	.33
<i>Imbecility</i>	1456 " 40, $\frac{3}{8}$ " " " " " " " " " " ..	.55
<i>Imbed</i>	1457 " 40, $\frac{1}{2}$ " " " " " " " " " " ..	.55
<i>Imbedded</i>	1458 " 40, $\frac{3}{8}$ " " " " " " " " " " ..	.55




No. 1459.

<i>Imbedding</i>	1459 No. 42, $\frac{3}{8}$ inch branches, plain, each.....	.33
<i>Imbiber</i>	1460 " 42, $\frac{1}{2}$ " " " " " " " "	.33
<i>Imbibing</i>	1461 " 42, $\frac{3}{8}$ " " " " " " " "	.33
<i>Imbitter</i>	1462 " 42, $\frac{3}{8}$ " " " " " " " " " " ..	.55
<i>Imbittering</i>	1463 " 42, $\frac{1}{2}$ " " " " " " " " " " ..	.55
<i>Imbittered</i>	1464 " 42, $\frac{3}{8}$ " " " " " " " " " " ..	.55



No. 1465.

<i>Imbody</i>	1465 No. 41, $\frac{3}{8}$ inch branches, plain, each.....	.35
<i>Imbosom</i>	1466 " 41, $\frac{1}{2}$ " " " " " " " "	.35
<i>Imbound</i>	1467 " 41, $\frac{3}{8}$ " " " " " " " "	.35
<i>Imbow</i>	1468 " 41, $\frac{3}{8}$ " " " " " " " " " " ..	.55
<i>Imbowed</i>	1469 " 41, $\frac{1}{2}$ " " " " " " " " " " ..	.55
<i>Imbowing</i>	1470 " 41, $\frac{3}{8}$ " " " " " " " " " " ..	.55




No. 1471

<i>Imbowment</i>	1471 No. 47, $\frac{3}{8}$ inch branches, plain, each.....	.38
<i>Imbox</i>	1472 " 47, $\frac{1}{2}$ " " " " " " " "	.38
<i>Imitable</i>	1473 " 47, $\frac{3}{8}$ " " " " " " " "	.38
<i>Imitate</i>	1474 " 47, $\frac{3}{8}$ " " " " " " " " " " ..	.60
<i>Imitation</i>	1475 " 47, $\frac{1}{2}$ " " " " " " " " " " ..	.60
<i>Imitating</i>	1476 " 47, $\frac{3}{8}$ " " " " " " " " " " ..	.60


Interior Conduit—(Continued).

Branch Circuit Junction Boxes—Plain and Brass Covered.




No. 1477.

Code Word.	List No.		List Price.
<i>Imitative</i>	1477	No. 49, $\frac{3}{8}$ inch branches, plain, each.....	\$0.40
<i>Imitator</i>	1478	" 49, $\frac{1}{2}$ " " " "	.40
<i>Immaculate</i>	1479	" 49, $\frac{5}{8}$ " " " "	.40
<i>Immanacle</i>	1480	" 49, $\frac{3}{8}$ " " brass covered, each...	.65
<i>Immature</i>	1481	" 49, $\frac{1}{2}$ " " " " " ...	.65
<i>Immatured</i>	1482	" 49, $\frac{5}{8}$ " " " " " ...	.65




No. 1483—Two Outlets.

<i>Immaturely</i>	1483	$\frac{1}{4}$ inch branches, plain, each	.35
<i>Immaturity</i>	1484	$\frac{5}{16}$ " " " "	.35
<i>Immemorial</i>	1485	$\frac{3}{8}$ " " " "	.35
<i>Immense</i>	1486	$\frac{1}{2}$ " " brass covered, each.....	.55
<i>Immensely</i>	1487	$\frac{5}{16}$ " " " " "	.55
<i>Immensity</i>	1488	$\frac{3}{8}$ " " " " "	.55




No. 1489—Four Outlets.

<i>Implacable</i>	1489	$\frac{1}{4}$ inch branches, plain, each.....	.40
<i>Implacably</i>	1490	$\frac{5}{16}$ " " " "	.40
<i>Implant</i>	1491	$\frac{3}{8}$ " " " "	.40
<i>Implicated</i>	1492	$\frac{1}{2}$ " " brass covered, each	.60
<i>Implicating</i>	1493	$\frac{5}{16}$ " " " " "	.60
<i>Implication</i>	1494	$\frac{3}{8}$ " " " " "	.60



No. 1495—Four Outlets.

<i>Implicative</i>	1495	$\frac{1}{4}$ inch branches, plain, each.....	.40
<i>Implicit</i>	1496	$\frac{5}{16}$ " " " "	.40
<i>Implicitly</i>	1497	$\frac{3}{8}$ " " " "	.40
<i>Implunge</i>	1498	$\frac{1}{2}$ " " brass covered, each	.60
<i>Imply</i>	1499	$\frac{5}{16}$ " " " " "	.60
<i>Implying</i>	1500	$\frac{3}{8}$ " " " " "	.60




No. 1501—Six Outlets.

<i>Impocket</i>	1501	$\frac{1}{4}$ inch branches, plain, each... ..	.45
<i>Impoison</i>	1502	$\frac{5}{16}$ " " " " "	.45
<i>Impoisoned</i>	1503	$\frac{3}{8}$ " " " " "	.45
<i>Impolicy</i>	1504	$\frac{1}{2}$ " " brass covered, each.....	.65
<i>Impolite</i>	1505	$\frac{5}{16}$ " " " " "	.65
<i>Impolitely</i>	1506	$\frac{3}{8}$ " " " " "	.65

Interior Conduit—(Continued).

Branch Circuit Junction Boxes—Plain and Brass Covered.



No. 1507—Eight Outlets.

Code Word.	List No.		List Price.
<i>Impolitic</i>	1507	$\frac{1}{4}$ inch branches, plain, each.....	\$0.50
<i>Impoliticy</i>	1508	$\frac{5}{16}$ " " " "	.50
<i>Import</i>	1509	$\frac{3}{8}$ " " " "	.50
<i>Importable</i>	1510	$\frac{1}{2}$ " " brass covered, each.....	.70
<i>Importance</i>	1511	$\frac{5}{16}$ " " " " "	.70
<i>Important</i>	1512	$\frac{3}{8}$ " " " " "	.70



No. 1513—Two Outlets.

<i>Importantly</i>	1513	$\frac{1}{4}$ inch branches, plain, each... ..	.33
<i>Importation</i>	1514	$\frac{5}{16}$ " " " "	.33
<i>Imported</i>	1515	$\frac{3}{8}$ " " " "	.33
<i>Importer</i>	1516	$\frac{1}{2}$ " " brass covered, each.....	.55
<i>Importing</i>	1517	$\frac{5}{16}$ " " " " "	.55
<i>Importune</i>	1518	$\frac{3}{8}$ " " " " "	.55

Metal Covers for Branch Boxes.




No. 60.
Fancy Cover,
Regular.



No. 597.
Fancy Cover,
With Rubber Bushing.

<i>Killing</i>	63	Dipped brass, each... ..	.10
<i>Kiln</i>	66	" "	.15
<i>Kilt</i>	60	" "	.20
<i>Kimbo</i>	597	" "	.25
<i>Kindle</i>	599	" "	.25
<i>Kindled</i>	857	" "	.35



No. 63.
Plain Cover,
Regular.




No. 66.
Plain Cover,
With Rubber Bushing.

<i>Kindlier</i>	1275	Polished Brass, each.....	.15
<i>Kindliest</i>	1276	" " "	.20
<i>Kindliness</i>	1277	" " "	.25
<i>Kindling</i>	1278	" " "	.30
<i>Kindness</i>	1279	" " "	.30
<i>Kindred</i>	1280	" " "	.40



No. 857
Fancy Cover,
With 2 1/2 inch Holder.



No. 599.
Fancy Cover,
With Nozzle for Sockets.


<i>Kingbird</i>	1273	Black Iron, each.	.06
<i>Kingcraft</i>	274	" " "	.11

Interior Conduit—(Continued.)

Plain Conduit.

Since the introduction of Armored Conduits there has been an increased demand for the plain conduit in making installations for electric bells, telephones, telegraph, district messenger and other systems employing low tension currents.

All tubes and elbows are cut squarely, thoroughly reamed and tested for obstructive matter by passing a test line through them, thus reducing labor of installation and waste material to a minimum.



Code Word.	List No.		List Price, Per 100 Ft.
Condemn	3971	$\frac{1}{4}$ inch, inside diameter, grade 1.....	\$2.25
Condemner	3972	$\frac{5}{16}$ " " " " 1.....	2.25
Condemning	3973	$\frac{3}{8}$ " " " " 1.....	2.75
Condensation	3974	$\frac{5}{8}$ " " " " 1.....	3.75
Condensate	3975	$\frac{3}{4}$ " " " " 1.....	4.25
Condense	3976	1 " " " " 1.....	5.25
Condensed	3977	$1\frac{1}{4}$ " " " " 1.....	8.00
Condescend	3978	$1\frac{1}{2}$ " " " " 1.....	12.50
Condiment	3979	2 " " " " 1.....	20.00
Condite	3980	$2\frac{1}{2}$ " " " " 1.....	32.00

$\frac{1}{4}$ inch size in six foot lengths; all other sizes in ten foot lengths.




No. 1338.

No. 110, Standard Short Elbow.

			Per 100.
Impearling	1338	$\frac{1}{4}$ inch inside diameter	5.50
Impede	1339	$\frac{5}{16}$ " " " "	5.50
Impeded	1340	$\frac{3}{8}$ " " " "	5.60
Impeding	1342	" " " "	7.50
Impeditive	1343	$\frac{1}{2}$ " " " "	10.00
Impel	1344	1 " " " "	13.00
Impelled	1345	$1\frac{1}{4}$ " " " "	25.00
Impellent	1346	$1\frac{1}{2}$ " " " "	47.00

Larger Sizes Furnished to Order.



No. 1354.

No. 112, Plain Long Elbow.

Impenned	1354	$\frac{1}{4}$ inch, inside diameter.....	15.50
Impenning	1355	$\frac{5}{16}$ " " " "	16.00
Imperceptible	1356	$\frac{3}{8}$ " " " "	17.75
Imperfection	1358	$\frac{5}{8}$ " " " "	19.75
Imperfectly	1359	$\frac{3}{4}$ " " " "	21.75
Imperfectness	1360	1 " " " "	25.00
Imperforate	1361	$1\frac{1}{4}$ " " " "	32.50



No. 1369.

Interior Conduit.—(Continued.)

Plain Conduit—(Continued.)

No. 113, Plain S Elbow.

Code Word.	List No.		List Price Per 100.
<i>Imperishably</i>	1369	$\frac{1}{4}$ inch, inside diameter.....	\$15.25
<i>Impersonate</i>	1370	$\frac{5}{16}$ " " "	15.75
<i>Impersonated</i>	1371	$\frac{3}{8}$ " " "	17.25
<i>Impertinent</i>	1373	$\frac{5}{8}$ " " "	22.50
<i>Impertinently</i>	1374	$\frac{1}{2}$ " " "	27.50
<i>Imperious</i>	1375	1 " " "	34.00
<i>Imperiously</i>	1376	$1\frac{1}{4}$ " " "	50.00



No. 1384.

No. 111, Plain T or Double Elbow.

<i>Impious</i>	1384	Mains $\frac{5}{16}$ inch, Branch $\frac{1}{4}$ inch.....	16.25
<i>Impiously</i>	1385	" $\frac{3}{8}$ " " $\frac{5}{16}$ "	16.50
<i>Impish</i>	1387	" $\frac{1}{2}$ " " $\frac{3}{8}$ "	18.75
<i>Immerge</i>	1388	" $\frac{3}{4}$ " " $\frac{1}{2}$ "	20.25
<i>Immerged</i>	1389	" $\frac{1}{2}$ " " $\frac{3}{8}$ "	25.00
<i>Immerging</i>	1390	" 1 " " $\frac{3}{4}$ "	35.00

No. 110 $\frac{1}{2}$, Plain Short Elbow, with Attached Couplings.

<i>Immeshing</i>	1397	$\frac{1}{4}$ inch, inside diameter.....	13.30
<i>Imminent</i>	1398	$\frac{5}{16}$ " " "	13.30
<i>Immingle</i>	1399	$\frac{3}{8}$ " " "	13.50
<i>Immix</i>	1401	$\frac{5}{8}$ " " "	18.50
<i>Immixed</i>	1402	$\frac{1}{2}$ " " "	22.00
<i>Immixing</i>	1403	1 " " "	30.00



No. 1110.

No. 112 $\frac{1}{2}$, Plain Long Elbow, with Attached Couplings.

<i>Immolation</i>	1410	$\frac{1}{4}$ inch, inside diameter.....	23.50
<i>Immoral</i>	1411	$\frac{5}{16}$ " " "	24.00
<i>Immortality</i>	1412	$\frac{3}{8}$ " " "	25.75
<i>Immortality</i>	1414	$\frac{1}{2}$ " " "	30.00
<i>Immortalize</i>	1415	$\frac{3}{4}$ " " "	34.00
<i>Immovable</i>	1416	1 " " "	41.00

No. 113 $\frac{1}{2}$, Plain S Elbow, with Attached Couplings.

<i>Impairing</i>	1423	$\frac{1}{4}$ inch, inside diameter.....	23.00
<i>Impale</i>	1424	$\frac{5}{16}$ " " "	23.60
<i>Impalement</i>	1425	$\frac{3}{8}$ " " "	25.50
<i>Impartial</i>	1427	$\frac{5}{8}$ " " "	31.00
<i>Impartible</i>	1428	$\frac{1}{2}$ " " "	39.75
<i>Imparting</i>	1429	1 " " "	50.00

No. 111 $\frac{1}{2}$, Plain T, with Attached Couplings.

<i>Impearl</i>	1436	Mains $\frac{5}{16}$ inch, Branch $\frac{1}{4}$ inch.....	26.25
<i>Impearled</i>	1437	" $\frac{3}{8}$ " " $\frac{5}{16}$ "	27.90
<i>Idolize</i>	1439	" $\frac{5}{8}$ " " $\frac{3}{8}$ "	29.50
<i>Igenous</i>	1440	" $\frac{3}{4}$ " " $\frac{1}{2}$ "	32.25
<i>Ignite</i>	1441	" $\frac{1}{2}$ " " $\frac{3}{8}$ "	34.50
<i>Ignited</i>	1442	" 1 " " $\frac{3}{4}$ "	41.00


Interior Conduit—(Continued).



No. 1583.

Staple Drivers.

Code Word.	List No.		List Price.
<i>Indispose</i>	1583	$\frac{1}{4}$ inch, each, net.....	\$0.10
<i>Indisposed</i>	1584	$\frac{5}{16}$ " "	.11
<i>Indisposing</i>	1585	$\frac{3}{8}$ " "	.12
<i>Indistinct</i>	1586	$\frac{1}{2}$ " "	.14
<i>Indistinctly</i>	1587	$\frac{5}{8}$ " "	.16
<i>Indorse</i>	1588	$\frac{3}{4}$ " "	.18
<i>Indorsed</i>	1589	1 " "	.20
<i>Indorsement</i>	1590	$1\frac{1}{4}$ " "	.24



No. 1591.

Coupling Tool.

<i>Indorser</i>	1591	$\frac{1}{4}$ inch, each, net.....	.90
<i>Induce</i>	1592	$\frac{5}{16}$ " "	.90
<i>Induct</i>	1593	$\frac{3}{8}$ " "	1.00
<i>Inducted</i>	1594	$\frac{1}{2}$ " "	1.20
<i>Inducting</i>	1595	$\frac{5}{8}$ " "	1.25
<i>Inductive</i>	1596	$\frac{3}{4}$ " "	1.50
<i>Inductor</i>	1597	1 " "	1.75
<i>Indulge</i>	1598	$1\frac{1}{4}$ " "	2.15

Miscellaneous.

<i>Indulgent</i>	1316	Staples, all sizes, per pound, net.....	.10
<i>Industry</i>	1317	Compound for Making Joints, per pound, net..	.20
<i>Inez</i>	1318	Powdered Soapstone, per pound, net	.04
<i>Infamous</i>	1319	Fishing Wire, per foot, net.....	.01

Finishing and Fitting Tools for Conduits.




No. 153—Outside Reamer.

<i>Infamy</i>	153	Outside Reamer, each.....	1.00
---------------	-----	---------------------------	------




No. 154—Inside Reamer.

<i>Infancy</i>	154	Inside Reamer, each.....	1.00
----------------	-----	--------------------------	------



No. 157—Combination Reamer.

<i>Infantile</i>	157	Combination Reamer each.....	1.90
------------------	-----	------------------------------	------



No. 156.

Trimmer for Metal Covered Conduit Tube.

<i>Infected</i>	156	Universal Trimmer for Brass Covered Conduit Tube, for all size conduits, each.....	4.25
-----------------	-----	--	------

Interior Conduit—(Continued.)

Instructions.

In ordering Tube and Fittings the proper amount of Fittings bears about the following ratio to the Tube:

Three Couplings to every ten feet of Brass Armored Tube.

Four Couplings to every ten feet of Iron Armored Tube.

Four Elbows to every thirty feet of Tube.

Fifteen Clips to every thirty feet of Plain or Brass Armored Tube.

The number of Main Line, Junction, Feeder and other Boxes can only be determined by actual count and the arrangement of the circuits.

Small quantities of Compound, for sealing Tubes in Junction Boxes, Soapstone and Fishing Wire, should always accompany every order.

Iron Armored Conduit is shipped in bundles, securely tied.

Packing Charges are as follows: Slats for Bundling Plain or Brass Armored Conduit, 7 cts. each; Six-foot Crates, 75 cts. each; Ten-foot Crates, \$1.00 each; Barrels, 25 cts. each; Small Boxes, 15 cts. and 25 cts. each.

We charge net cost of material only, and are not reimbursed for the labor expended in packing.

Flexible Conduit.

For Interior Wiring.



Code Word.	List No		List Price. Per foot.
Amidships	3925	$\frac{1}{4}$ inch inside diameter	\$0.06
Amiss	3926	$\frac{3}{8}$ " " "	.07
Ammunition	3927	$\frac{1}{2}$ " " "	.08
Amnesty	3928	$\frac{5}{8}$ " " "	.10
Among	3929	$\frac{3}{4}$ " " "	.12
Amorous	3930	1 " " "	.16
Amount	3931	1 $\frac{1}{4}$ " " "	.20

Shipped in coils unless specially ordered on reels.

Size of Coils and Weight.


	Feet per Coil.	Weight per 1000 Feet.
$\frac{1}{4}$ inch inside diameter	250	90
$\frac{3}{8}$ " " "	250	100
$\frac{1}{2}$ " " "	200	125
$\frac{5}{8}$ " " "	200	140
$\frac{3}{4}$ " " "	150	175
1 " " "	100	250
1 $\frac{1}{4}$ " " "	100	280



Two Duct.




Three Duct.



All Styles are made Six Feet Long.



Four Duct.



Six Duct.



This cut is taken from a photograph showing a four chamber Conduit, 8 x 8 inches, six feet long, distance between bearings five feet four inches, supporting seven tons of pig iron.



Cross section of six chamber Conduit, showing position of dowel pins in abutting joints.

The McRoy Vitrified Terra Cotta Conduit.

Manufactured from pure shale, finely ground, giving density and smoothness; is thoroughly and uniformly burned, affording good alignment and adding great bearing strength.

Made in lengths of 6 feet, and widths of $8\frac{1}{2}$ and 13 inches, this size alone commends it to general favor owing to the great surface bearing of each piece.

In cross section dimensions the outer walls are $\frac{3}{4}$ in. with partitions $\frac{1}{2}$ in. thick, and duct openings $3\frac{1}{4} \times 3\frac{1}{4}$ inches square, with rounded corners.

The interior and exterior of Conduit being thoroughly salt glazed, prevents the moisture from penetrating.

The ends of each piece have the duct openings beveled to avoid any possibility of cable coming in contact with sharp edges.

Being manufactured of shale places it foremost as a material not affected by electrolysis or any gases or acids in the earth, besides being entirely free from corrosion.

The large amount of duct area obtainable in the McRoy Conduit compared with the small cross section of Conduit is well worthy of consideration.

Being made in multiples of two, three, four and six ducts, any odd number of multiple Conduit can be constructed.

In making joint a simple Portland cement mortar coating around joint is generally used.

To make an airtight joint a strip of burlap 8 to 10 inches wide, saturated with hot liquid asphalt is wrapped several times around joint, adding to its rigidity and making joint waterproof. No cement mortar is needed for this joint.

It can be laid surrounded entirely by concrete, in which case the concrete on the sides necessarily need not be very thick.

It is considered practical to lay it on a concrete foundation, none on sides, but the top covered with concrete for protection against the users of picks.

Prices Quoted on Application.

Western Electric Fan Motors.

Fan Motors for Direct Current Incandescent Circuits.

In designing the W. E. Fan Motor for 1898, great attention has been given to the essential qualities of a Fan Motor, namely: Cost, Appearance, Economy of Operation and Durability, and we feel warranted in saying that this motor possesses all these requirements to a remarkable degree. The design of the Motor is artistic and graceful, and when running at the maximum speed the 16 inch motor consumes but little more current than an ordinary 16 candle power incandescent lamp and the 12 inch motor consumes less than any ordinary 16 candle power lamp. The motor is designed upon scientific principles, and drop-forged steel is used in the construction of the horseshoe field magnets—the most economical form of magnet known—all of which contributes to the extraordinary high efficiency obtained in the motor.

The armature is iron-clad and furnished with mica-insulated commutator, and is entirely encased by the metal of the motor, protecting it from dust and injury from external sources.

The brush holders are so designed as to automatically take up the wear of the carbons, without the necessity of manual adjustment, and to press the carbon brushes upon the commutator in the direction of rotation. This is a very essential feature for noiseless operation.

The Motor is furnished with self-oiling, self-aligning bearings and is silent in operation, the only noise to be detected being caused by the whirring of the fan through the air.

The utmost care in the selection of material and assembling of the Motors is maintained and every Motor is guaranteed.

These Motors have three speeds and are furnished with 16-inch and 12-inch Fan Blades.

The 16-inch Motor is wound for 110, 220 and 550 volts direct current. The 12-inch Motor is wound for 110 volts only.

The Ceiling Fan Motors have three speeds and are furnished with 60 inch Fan Blades. They are wound for 110, 220 and 550 volts, direct current.

The Column Fan Motors have two speeds.



Desk Fan Motor—12 inch

Direct Current Fan Motor—(Continued.)



Desk Fan Motor—12 inch.

Western Electric Desk Fan, 12-inch, 110 Volts.

List No.	List Price, Each
F-1	One-sixteenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz.: 1,875, 1,500 and 1,200 revolutions per minute at 110 volts, for constant potential circuits, up to 125 volts, self aligning, self oiling bearings, black enamel finish, complete with 12-inch black enamel fan and guard.....\$34.00
F-2.	With polished brass Fan and Guard, and all other outside brass fittings polished... 34.00
F-3	With nickel-plated Fan and Guard, and all other outside brass fittings nickel-plated... 34.00

Western Electric Desk Fan, 16-inch, 110 Volts.

A-4.	One-tenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz. 1,375, 1,000 and 750 revolutions per minute at 110 volts for constant potential circuits up to 125 volts, self aligning, self-oiling bearings, enamel finish, complete 16 inch black enamel Fan and Guard..... 43.00
A-5.	With polished brass Fan and Guard, and all other outside brass fittings, polished. 43.00
A-6	With nickel-plated Fan and Guard, and all other outside brass fittings nickel-plated 43.00


Western Electric Desk Fan, 16-inch, 220 Volts.

AA-13	One-tenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz. 1,375, 1,000 and 750 revolutions per minute at 220 volts, for constant potential circuits up to 240 volts, self-aligning, self oiling bearings, with polished brass Fan and Guard and all other outside brass fittings polished.... 50.00
-------	--


Western Electric Desk Fan, 16-inch, 500 Volts.

AAA-15	One-tenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz. 1,375, 1,000 and 750 revolutions per minute at 500 volts, for constant potential circuits, up to 550 volts, self-aligning, self-oiling bearings, with polished brass Fan and Guard and all other outside brass fittings polished. ... 55.00
--------	--

In ordering give List No. and Voltage.



Desk Fan Motor--16 inch.



Bracket Fan Motor
12-inch.

Direct Current Fan Motors—(Continued.)

Western Electric Bracket Fan, 12-inch, 110 Volts.

List No		List Price Each.
F 7	One-sixteenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz.: 1,875, 1,500 and 1,200 revolutions per minute at 110 volts, for constant potential circuits, up to 125 volts, self-aligning, self-oiling bearings, thumbscrew for adjusting direction of Fan; feet of base drilled for screws; black enamel finish; complete with 12-inch black enamel Fan and Guard.....	\$34.00
F-8	With polished brass Fan and Guard, and all other outside brass fittings polished.....	34.00
F-9	With nickel plated Fan and Guard, and all other outside brass fittings nickel-plated.....	34.00

Western Electric Bracket Fan, 16-inch, 110 Volts.

A 10	One-tenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz.: 1,375, 1,000 and 750 revolutions per minute at 110 volts, for constant potential circuits, up to 125 volts, self-aligning, self-oiling bearings, thumbscrew for adjusting direction of Fan; feet of base drilled for screws; black enamel finish; complete, with 16-inch Fan and Guard.....	43.00
A 11	With polished brass Fan and Guard, and all other outside brass fittings polished.....	43.00
A 12.	With nickel-plated Fan and Guard, and all other outside brass fittings nickel-plated.....	43.00


Western Electric Bracket Fan, 16-inch, 220 Volts.

AA-14	One-tenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz.: 1,375, 1,000 and 750 revolutions per minute at 220 volts, for constant potential circuits, up to 240 volts, self-aligning, self-oiling bearings, thumbscrew for adjusting direction of Fan, feet of base drilled for screws; polished brass Fan and Guard, and all other outside brass fittings polished.....	50.00
-------	---	-------

Western Electric Bracket Fan, 16-inch, 500 Volts.

AAA-16.	One-tenth H. P., Western Electric Fan Motor, with regulating switch, giving three speeds, viz.: 1,500, 1,200 and 800 revolutions per minute at 500 volts, for constant potential circuits, up to 550 volts, self-aligning, self-oiling bearings, thumbscrew for adjusting direction of Fan, feet of base drilled for screws; complete, with 16-inch Fan and Guard.....	55.00
---------	--	-------

In ordering give List No. and Voltage.



Bracket Fan Motor
16-inch.

Direct Current Fan Motors—(Continued.)

Western Electric Ceiling Fan, 110 Volts.

List No.

List Price,
Each.

- C-34. W. E. Ceiling Fan Motor, with regulating switch, giving three speeds, viz.: 175, 140 and 115 revolutions per minute, at 110 volts, for constant potential circuits, up to 125 volts, self-aligning, self-oiling bearings, polished brass, oxidized copper or nickel finish, four 60-inch blades, for ceilings from 10 to 12 feet in height, complete without chandelier attachments. \$45.00

For ceilings over 12 feet in height add 50 cents to the above list for each additional 6 inches.

Western Electric Ceiling Fan, 220 Volts.

- CC-35. W. E. Ceiling Fan Motor, with regulating switch, giving three speeds, viz.: 175, 140 and 115 revolutions per minute, at 220 volts, for constant potential circuits up to 240 volts, self-aligning, self-oiling bearings, polished brass, oxidized copper or nickel finish, four 60-inch blades, for ceilings from 10 to 12 feet in height, complete without chandelier attachments. 53.00

For ceilings over 12 feet in height add 50 cents to the above list for each additional 6 inches.

Western Electric Ceiling Fan, 500 Volts.

- CCC-36. W. E. Ceiling Fan Motor, with regulating switch, giving three speeds viz.: 175, 140 and 115 revolutions per minute, at 500 volts, for constant potential circuits, up to 550 volts, self-aligning, self-oiling bearings, polished brass, oxidized copper or nickel finish, four 60-inch blades, for ceilings from 10 to 12 feet in height, complete without chandelier attachments. 63.00

For ceilings over 12 feet in height add 50 cents to the above list for each additional 6 inches.

Special prices quoted for Ceiling Fans with two, three or more brackets arranged for Incandescent Electric Lights.


For chandelier attachment including four rigid ball joints, for T.-H. or Westinghouse sockets four shade holders and four crimped porcelain shades 6 inches diameter, the whole wired to socket, additional. 2.50

For the above with Edison sockets, instead of T.-H. or Westinghouse. 2.75

Hubs specially designed for two blades will be furnished if ordered.

Fan with two blades; three speeds, viz.: 210, 170 and 147 revolutions per minute.

In ordering give List No. and Voltage.



Direct Current Fan Motors—(Continued.)

**Western Electric Column Fan, 110 Volts.**

Height of Blades from floor, 7 ft. 4 in.

List No.

List Price.
Each.

M-37,

Western Electric Column Fan, with regulating switch, giving two speeds, viz.: 150 and 75 revolutions per minute, at 110 volts, for constant potential incandescent circuits up to 125 volts, self-oiling bearings, polished brass finish, 60-inch blades

60.00

This Fan will be arranged for chandelier lights under the blades when so desired.

Western Electric Column Fan, 220 Volts.

Height of Blades from floor, 7 ft. 4 in.

MM-38,

Western Electric Column Fan, with regulating switch, giving two speeds, viz.: 150 and 75 revolutions per minute, at 220 volts for constant potential incandescent circuits up to 240 volts, self-oiling bearings, polished brass finish, 60-inch blades

67.50

This Fan will be arranged for chandelier lights under the blades when so desired.

Western Electric Column Fan, 500 Volts.

Height of Blades from floor, 7 ft. 4 in.

MMM-39,

Western Electric Column Fan, with regulating switch, giving two speeds, viz.: 150 and 75 revolutions per minute, at 500 volts, for constant potential incandescent circuits up to 550 volts, self-oiling bearings, polished brass finish, 60-inch blades


80.00

This Fan will be arranged for chandelier lights under the blades when so desired.

Special prices quoted on Column Fans with two, three or more brackets arranged for incandescent lights.

We furnish Column Fans with round mahogany table around standard, for restaurants.

In ordering give List No. and Voltage.



Direct Current Fan Motor—(Continued.)

Prices of Parts of Western Electric Fan Motors.

12-Inch Fans.

List No.		List Price, Each.
F-17.	12-inch Brass Fan, polished.....	\$2.50
F-18.	12-inch Brass Fan, nickel-plated.....	2.50
F-19.	12-inch Black Enameled Fan.....	2.50

12-Inch Guards.

F-20.	12-inch Black Enameled Guard.....	3.00
F-21.	12-inch Brass Guard, polished.....	3.00
F-22.	12-inch Brass Guard, nickel-plated.....	3.00

16-Inch Fans.

F-23.	16-inch Brass Fan, polished.....	3.00
A-24.	16-inch Brass Fan, nickel-plated.....	3.00
A-25.	16-inch Black Enameled Fan.....	3.00

16-Inch Guards.

A-26.	16-inch Black Enameled Guard.....	3.25
A-27.	16-inch Brass Guard, polished.....	3.25
A-28.	16-inch Brass Guard, nickel-plated.....	3.25

Carbon Brushes.

A-29.	Carbon Brushes for 1-16 H. P. Motor, per pair.....	.10
A-30.	Carbon Brushes for 1-10 H. P. Motor, per pair.....	.10

Armatures.

A-31.	Armatures for 1-10 H. P. Motor, 110 volts.....	15.00
AA-32.	Armatures for 1-10 H. P. Motor, 220 volts.....	19.00
AAA-33.	Armatures for 1-10 H. P. Motor, 500 volts.....	23.00
F-34.	Armatures for 1-16 H. P. Motor, 110 volts.....	10.00

Parts of Western Electric Desk Fan Motors—(Continued.)


List No.		List Price.
F-54.	12-inch Rheostat for 110 volts.....	\$1.60
F-55.	16 " " " 110 "	1.60
F-56.	16 " " " 220 "	1.60
F-57.	16 " " " 550 "	1.60
F-58.	12 " Switch Base, 110 "	.90
F-59.	16 " " " 110 "	.90
F-60.	16 " " " 220 "	.90
F-61.	16 " " " 550 "	.90
F-62.	Oil Cup Complete, ...	.50
F-63.	" " Spring, ...	.10
F-64.	" " Wick, ...	.05
F-65.	Self aligning Journal, ...	.60

Parts of Western Electric Ceiling Fan Motors.

C-66.	110 volt Armature, ...	10.80
CC-67.	220 " "	14.80
CCC-68.	550 " "	20.00
C-69.	110 " Field Coil, (Two Sections).....	7.70
(Each Field Coil is made up of two sections.)		
CC-70.	220 volt Field Coil, ...	9.25
CCC-71.	550 " " "	11.70
C-72.	110 " Rheostat, ...	1.60
CC-73.	220 " "	1.60
CCC-74.	550 " "	1.60
C-75.	Carbon Brushes for 110, 220 and 550 volts.....	.10
C-76.	45 degree Ball joint for Chandelier attachment.....	.35
C-77.	Switch handle, ...	.12
C-78.	Blades per pair, ...	1.60
Note. (Always order blades in pairs as they have to be balanced in weight to prevent swaying.)		
C-79.	Oil Cups, complete, ...	.50
C-80.	Oil Cup Springs, ...	.10
C-81.	Oil Cup Wicks, ...	.05
C-82.	Self aligning Journal, ...	.60

Direct Current Fan Motor—(Continued.)

Battery Fan Motor, No. 1.




No. 2820.
No. 1 Battery Fan Motor.

List No.

List Price,
Each.

2820	Outfit complete with charge to run 125 hours.....	\$25.00
	Consisting of Edison battery motor with 9 inch Fan and Guard, battery cords, four Edison Lalande cells, type S, porcelain jars, in polished oak box 25 inches long, 8 inches wide, 15 inches high.	
2821	Battery motor with 9-inch Fan and Guard.....	12.00
	The motor with fan occupies a space 10 x 12 inches. It is absolutely noiseless.	
2822	Flexible battery cord connecting cord to battery.....	1.00
2823	Complete renewals for 4 cells, type S.....	4.76
2824	Zinc plates	.21
2825	Copper oxide plates.....	.25
2826	Caustic potash per can of 8 sticks.....	.96
2827	Heavy paraffine oil, per bottle	.21



No. 2828.
No. 2 Battery Fan Motor.

Iron Clad Fan Motor, No. 2.

2828	Outfit complete with charge to run motor 150 hours. .	17.50
	Consisting of iron clad motor with 7-inch Fan and Guard, battery, cords, 3 Edison Lalande cells, porcelain jars, type S in polished oak boxes 18 3/4 inches long, 8 inches wide, 15 inches deep.	
2829	Edison iron clad battery fan motor with 7-inch Fan and Guard. It is noiseless, has self-oiling bearings, and is entirely enclosed in iron clad case, being provided with glass window at rear for regulation of brushes.....	8.50
	When ordering renewals for this outfit always state for type S.	
2830	Complete renewals for 3 cells, type S.....	3.60
2831	Zinc plates.....	.21
2832	Copper oxide plates.....	.25
2833	Caustic potash per can of 6 sticks.....	.74
2834	Heavy paraffine oil, per bottle.....	.12

Alternating Current Desk Fan Motors.


Our Alternating Current Fan Motors are made for either 60 cycles or 125 cycles.

The Motors have a speed regulating device consisting of an inductive resistance operated by a three-point snap switch capable of giving full speed and half speed, the third position of the switch cutting the motor out of circuit. This controlling switch will be recognized as a great convenience, as it not only permits a change of speed but allows the motor to be wired directly to a circuit without the introduction of a lamp socket and plug connection.

The field core is a ring of iron punchings upon the inwardly projecting teeth of which the field coils are placed. The armature has no insulated wire, but consists of the customary laminated core through which, near the periphery, bare copper rods are run, their ends being riveted to copper disks at the ends of the core. As the rotation is produced by inductive action, no commutator or brushes are required. This permits the armature core to overhang the bearing to such a degree that, together with the fan, a balance is effected in the single bearing of the motor. This bearing is long and is provided with a self-oiling device so that it does not heat. By this method of lubrication the flying of oil is prevented.

The 12-inch motor is supported on trunnions which allow a vertical angular adjustment.

These motors are made in three styles.
10-inch diameter, with regulating switch, rigid base.
12-inch diameter, with regulating switch, with trunnion.
14 inch diameter, with regulating switch, rigid base.



10-inch and 14-inch Motor with rigid base.



12-inch Motor with adjustable base, or Trunnion


For 125 Cycles.

List No	Description.	List Price
G-40.	Alternating Current Fan Motor, 104 volts, 10-inch Fan, rigid base.....	\$25.00
GG-41.	Alternating Current Fan Motor, 52 volts, 10 inch Fan, rigid base.....	25.00
G-43.	Alternating Current Fan Motor, 104 volts, 12-inch Fan, adjustable base.....	30.00
GG-44.	Alternating Current Fan Motor, 52 volts, 12-inch Fan, adjustable base.....	30.00
G-83	Alternating Current Fan Motor, 104 volts, 14-inch Fan, rigid base ...	35.00
GG-84.	Alternating Current Fan Motor, 52 volts, 14-inch Fan, rigid base.....	35.00

For 60 Cycles.

G-45.	Alternating Current Fan Motor, 104 volts, 10-inch Fan....	25.00
GG-46.	Alternating Current Fan Motor, 52 volts, 10-inch Fan....	25.00
G-48.	Alternating Current Fan Motor, 104 volts, 12-inch Fan....	30.00
GG-49.	Alternating Current Fan Motor, 52 volts, 12 inch Fan....	30.00
G-85.	Alternating Current Fan Motor, 104 volts, 14-inch Fan, rigid base..	35.00
GG-86	Alternating Current Fan Motor, 52 volts, 14-inch Fan, rigid base.....	35.00

Tuerk Alternating Current Ceiling Fan Motor.



It is operated by induction and has no brushes or commutator, all bearings self-oiling, the Motor is supplied with a starting and stopping switch, and a blade adjuster, which admits of the blades being changed to any angle without stopping motor or changing speed. It is necessary to oil the motor only once a year.

The motors are furnished in the following finishes: bronze, nickel, bower-barff, polished brass and white and gold.

Each Fan has marked on a plate the voltage on which same should be run; a slight variation from this will make no difference.

Made for 60 cycles, 52 and 104 volts.

Made for 125 cycles, 52 and 104 volts.

Made for 140 cycles, 52 and 104 volts.

We can furnish them up to 120 volts when required.

T 50.	Bronze.....	\$50.00
T-51.	Bower-Barff.....	50.00
T-52.	Nickel.....	54.00
T-53.	Brass	60.00
	For white and gold finish, additional, net.....	2.50

For ceilings over 14 feet \$1.00 per foot extra will be charged. Without switch, \$2.00 less, net.

When ordering Alternating Ceiling Fans state number of cycles or number of alternations and give voltage. In case you can not determine the number of cycles or alternations state what systems are used, viz. General Electric, Westinghouse, Stanley or Fort Wayne

In ordering give List Number and Voltage.

Combined Exhaust Fans and Lundell Motors.


Direct Connected, Noiseless, Efficient, Variable Speeds.

The design of the Lundell Motor lends itself most readily in application to exhaust fan work. The motor, being iron clad, is almost wholly inclosed and easily permits of connection by radial arms, spider, or bolts to any of the many forms of exhaust fans now to be found in the market.

It has been the practice of manufacturers of exhaust fans to supply a bearing in front as well as in the back of the fan, but in our application we carry a shaft, which may be horizontal or vertical, in two bearings in the motor frame itself, not supporting the shaft in any sense from the fan ring. This course insures perfect alignment and noiseless running.

All exhaust fan outfits are made with horizontal shafts, unless otherwise ordered, and are invariably made so that the direction of the flow of air is from the motor toward the fan. If it is desired to operate the fan with a vertical shaft or to drive the air through the fan and over the motor, it should be specifically stated in the order. With all standard horizontal shaft fans, an adjustable thrust bearing is provided. When the flow of air is desired contrary to the standard direction, a button and thrust bearing is placed at the rear of the motor.

In all horizontal shaft fans, lubrication is effected by oil. In vertical shaft fans, lubrication is effected in an oil receptacle enclosing a step at the bottom of the shaft, and a graphite or other self-lubricating bearing (never a grease cup or oil bearing) at the upper end of the shaft. Particular care should be taken to see that the white line marked upon the motor be in a vertical position when the fan outfit is erected.



Catalogue No.	Size of fan. Inches.	Speed	Motor Horse-Power.	Amperes	Voltage.	Price.
990	18	1000	$\frac{1}{4}$	1.5	115	\$220.00
992	24	775	$\frac{1}{2}$	3.	115	300.00
994	30	650	1	5.	115	360.00
996	36	600	2	10.	115	490.00
998	42	550	4	20.	115	650.00
1000	48	500	5	25.	115	750.00
1002	60	400	10	30.	115	1200.00
1004	72	350	15	50.	115	1500.00

We attach our Lundell Motors to any of the standard makes of Ventilating or Exhaust Fans. A list of prices and the charge we make for attaching is given herewith.

Horse-Power.	*Price of Motor and attaching.	Size of Fan. Inches.	Price for attaching only.
$\frac{1}{4}$	132.00	18	\$42.00
$\frac{1}{2}$	180.00	24	50.00
1	220.00	30	60.00
2	320.00	36	70.00
4	505.00	42	80.00
5	565.00	48	90.00
10	820.00	60	120.00
15	1100.00	72	200.00

Combined Exhaust Fans and Lundell Motors—
(Continued.)

Motors are wound for 115, 230 and 500-volt circuits. $\frac{1}{4}$, $\frac{1}{2}$, and 1 H.P. Motors, wound for 500-volt circuits, \$5.00 net extra.

Purchaser will understand that, for example, a 2-horse-power motor whose standard speed is 1000 revolutions per minute is a 1-horse-power motor at 500 revolutions per minute, or in other words the power a motor exerts is directly proportional to its speed.

The prices on preceding page are for disc fans only. Centrifugal fans, prices on application.

Motors for direct-connected outfits are made special, and are different from the standard power motors, having extra length of shaft, extra heavy bearing next to fan, thrust bearing, etc.

*Customers to furnish fan and ring or frame.

Direct Connected Electric Blowers and Exhausters.




Table for Direct Connected Blowers.

SIZE NUMBERS					Pres- sure Limits	Sizes of Motors (These Vary According to Pressure of Air Required.) Horse-power.
B. F. Sturte- vant & Co. "Monogram."	Buffalo Forge Co. "B" Volume	Boston Blower Co.	American Blower Co. "Dixie"	J. F. Polsey "Exeter."		
00				AA	From 0 to 5 ounces.	$\frac{1}{8}$ - $\frac{1}{4}$
0	1B			A		$\frac{1}{8}$ - 1
1	2B	24		B		$\frac{1}{4}$ - 1
2	3B	27		C		$\frac{1}{4}$ - 2
3	4B	30	14			$\frac{1}{2}$ - 4
4	5B	35	18	D and E		1 - 5
5	6B	40	22	F		1 - 7 $\frac{1}{2}$
6	7B	45	26	G		2 - 10
7	8B	53	30			3 - 15
8	9B	63	34	H and I		7 $\frac{1}{2}$ - 15
9	10B		38	J		10 - 20
10	11B		42			20 - 25
36						25 - 35
37						-35


Prices upon application.

Lundell Motors and Dynamos.

Data and Prices.

Guaranteed Brake H P	Watts.	Amperes at 115 Volts.	Voltage	Approximate Speed	PULLEY		List
					Diam	Face	
$\frac{1}{16}$			4 Battery	1300	1	V	\$ 28 00
$\frac{1}{8}$			115	1050	1	V	28 00
$\frac{1}{4}$			8 Battery	1200	$1\frac{1}{2}$	V	32 00
$\frac{1}{2}$			115	1200	$1\frac{1}{2}$	V	40 00
$\frac{3}{4}$	250	2.2	*115, 230, 500	1640	$2\frac{3}{4}$	$1\frac{1}{2}$	90 00
$1\frac{1}{2}$	500	4.3	*115, 230, 500	1485	$3\frac{1}{2}$	2	130 00
1	1000	8.7	*115, 230, 500	1225	$4\frac{1}{2}$	$2\frac{3}{4}$	160 00
2	1920	16.7	115, 230, 500	1040	6	$3\frac{3}{8}$	250.00
3	2750	23.9	115, 230, 500	1480	6	$3\frac{3}{8}$	350.00
4	3675	32.	115, 230, 500	1150	7	$3\frac{3}{4}$	425 00
** 5	4525	39.4	115, 230, 500	1073	8	$4\frac{1}{2}$	473.00
** $7\frac{1}{2}$	6650	57.8	115, 230, 500	1060	9	5	600.00
**10	8750	76.1	115, 230, 500	878	11	6	700.00
**15	12700	118.7	115, 230, 500	785	13	$6\frac{1}{2}$	900 00
**20	16700	142.2	115, 230, 500	725	15	7	1100.00
**25	20650	179.5	115, 230, 500	770	17	8	1300 00
**35	28500	248.7	115, 230, 500	750	22	10	1800 00

* $\frac{1}{4}$, $\frac{1}{2}$ and 1 H.-P. motors, wound for 500-volt circuits, \$5.00 net, extra.
**4-Pole Type, all smaller sizes 2-Pole Type.




NOTICE.

Prices subject to change without notice
Boxing and cartage charged at cost.
Above prices include fire proof starting boxes.
Adjustable base, for tightening belt when re
quired, will be furnished with 2 H. P size anc
over without extra charge.
Machines are also wound for slower speeds witl
proportionately smaller outputs, and for any volt
age between 50 and 150 volts.
Regulating Rheostats capable of 50 per cent
reduction in speed furnished at a special quotation

Plating Dynamos.

Price List.




No. 1 Plating Dynamo.

	Silver per hour	Nickel.	H. P. required at full load.	Pulley	Speed, Approximate.	List Price.
No. 1	2 oz.	36 gal.	$\frac{1}{8}$	1½ x 1¼ in.	2,500	\$ 40.00
No. 3	6 "	100 "	$\frac{1}{4}$	2 x 1½ "	2,000	95.00
No. 4	12 "	200 "	$\frac{3}{8}$	3 x 2 "	1,750	140.00
No. 5	25 "	400 "	1	4 x 2 "	1,900	190.00
No. 6	53 "	825 "	2	5 x 3 "	1,750	250.00
No. 7	110 "	1,700 "	4	7 x 4 "	1,600	390.00
No. 8	160 "	3,600 "	5	8 x 5 "	1,400	425.00

With No. 6 and larger sizes are sent sub-base, sliding rails and belt-tightening gear.
Rheostat included in above prices.

Alternating Current Power Motor.




Alternating Current Power Motor.

This Motor is non-synchronous, and runs at a practically constant speed under any change of load up to its full capacity.
The armature and field are finely laminated. The winding on the armature consists of copper bars, which are inserted in holes near the periphery, and are connected at the ends by massive copper rings, thus furnishing a closed circuit winding of great capacity. The current in these conductors is produced by induction, hence no collector, commutator, nor connection with the outside circuit is needed. The winding of the fields and the arrangement of the iron in the pole pieces produces a starting torque equal to one-half that of the machine under full load.

In starting the motor the button on the back of the motor is pushed in for a few seconds until the armature comes up to speed, when it is released. The motor requires no further attention while running.

	List Price.
$\frac{1}{8}$ H. P., 52 to 104 volts, with grooved or flat pulley. . . .	\$40.00
$\frac{1}{4}$ H. P., 52 to 104 volts, with grooved or flat pulley. . . .	60.00

These motors are built for 52 or 104 volts, high or low frequency. In ordering be particular to state voltage and number of periods or cycles per second. Low frequency machines are only made to order.



**P. & S. All China Junction Box
and Motor Cut-Out.**

The illustration shows a form of motor cut-out and junction box that will meet the requirements of the average motor installation.

The fuse chamber is entirely surrounded by porcelain and is completely divided by means of projections on the plug, this gives plenty of room for the fuse.

A five (5) inch fuse is required in this cut-out.

The plug is held in the box by means of the **Knife Contacts** shown in the illustration and cannot drop out.

The connections will take a wire from No. 4 B & S to the smallest size.

This device should not be used on motors taking over 60 amperes of current on normal loads.


It can be used for motors,

On 110 volts up to	8 H. P.
On 220 " "	15 "
On 500 " "	25 "

For larger size motors the Bryant High Tension Service Switch and fuse box combined should be used.

On each corner of the P. & S. junction box is an eye, to these eyes service wires may be attached thus saving the expense of an extra insulator.

In addition to its use as a motor cut-out it may be used as a junction box for transformers, as a telephone cut-out and for outside work on service lines. It may be fastened to its supports by lag screws or wood screws.



Code Word.	List No	P. & S. No.	Each
Accredit	25488	139 White.....	\$1.00
Accredation	25489	139½ Black.....	.85

Furnished in black or white.
Two lag screws are furnished with each cut-out.

TOOLS.



No. 15005.

Carrying Hooks.


Code Word.	List No.	List Price.
<i>Merritt</i>	15005	Carrying hook, with swivel bearing, each \$ 5.00



No. 15010.

<i>Maro</i>	15010	Extra heavy, 7-foot handle.....	4.50
<i>Marquan</i>	15011	Heavy, 6-foot handle.....	4.00
<i>Marquette</i>	15012	Medium, 5-foot handle.....	3.50

These hooks are made with particular regard to construction work. They are not malleable iron. The swivel bolt is forged wrought iron; hooks steel, with special long prods. The handles are made especially for us.



No. 15007.

Cant Hooks.

<i>Merritt</i>	15007	Cant hook, 4 feet long, each.....	2.50
----------------	--------------	-----------------------------------	-------------



No. 14910

Digging Shovels.

<i>Meshoppen</i>	14910	Pole hole shovels, regular, 7-foot handle, each.....	1.25
<i>Metamora</i>	14911	Pole hole shovels, regular, 8-foot handle, each.....	1.40
<i>Metcalf</i>	14912	Pole-hole shovels, heavy, extra long straps, 7-foot handle, each.....	1.50
<i>Metropolitan</i>	14913	Pole hole shovels, heavy, extra long straps, 8-foot handle, each.....	1.60
<i>Meyers</i>	14915	Shovel handles, 7-foot, per dozen.....	5.50
<i>Miami</i>	14916	Shovel handles, 8-foot, per dozen.....	6.00



No. 3780.

Digging Spoons.

Code Word.	List No.	List Price.
<i>Beeswax</i>	3780	Pole hole spoons, regular, 7-foot handle, each..... \$ 1.60
<i>Beetle</i>	3781	Pole hole spoons, regular, 8-foot handle, each..... 1.75
<i>Befull</i>	3782	Pole hole spoons, heavy, 7-foot handle, each..With extra long straps..... 1.75
<i>Befit</i>	3783	Pole hole spoons, heavy, 8-foot handle, each..With extra long straps. 2.00
<i>Micanopy</i>	14917	Spoon handles 7-foot, per dozen..... 7.50
<i>Michigamme</i>	14918	Spoon handles, 8-foot, per dozen..... 7.50



No. 3860.

Grading Shovels.

<i>Binocular</i>	3860	Round point, per dozen..... 9.00
------------------	------	----------------------------------



No. 3870.

<i>Binocular</i>	3870	Square point, per dozen..... 9.00
------------------	------	-----------------------------------



No. 3622.

Eureka Post Hole Diggers.

<i>Anchorage</i>	3622	Each..... 2.50
------------------	------	----------------



No. 14920.

Vaughan's Patent Augers.

<i>Middleboro</i>	14920	10-inch, each..... 3.50
<i>Middleburg</i>	14921	12 " " 4.00
<i>Middlefield</i>	14923	14 " " 4.50




No. 3689.

Digging Bars.

<i>Beheaded</i>	3689½	Digging bar, round, 1½ inches diameter, 8 feet long, best steel, each..... 2.50
<i>Middleport</i>	3690½	Digging bar, octagon, 1½ inches diameter, 8 feet long, best steel, each..... 2.50


Crow Bars.



No. 3687.

Code Word.	List No	List Price.
		Each.
<i>Behavior</i>	3687 $\frac{1}{2}$	Crow bars, 4 feet long, ... \$ 2.50
<i>Behad</i>	3688	" 6 " " 3.00

Tamping Bars.



No. 1108

<i>Creey</i>	1108	Tamping bar, wood, 7 ft. long	2.25
<i>Crescing</i>	3075	Tamping bar, iron, 7 ft. long	2.00
<i>Cricket</i>	3078	Combined digging and tamping bar, iron	2.50


Raising Forks.



No. 14925.

<i>Millanville</i>	14925	Length, 12 feet	2.20
<i>Millanfield</i>	14926	" 14 "	2.30
<i>Millerville</i>	14927	" 16 "	2.40

Pike Poles.



No. 14928.

<i>Millerton</i>	14928	Pike pole, length, 12 feet . . .	1.20
<i>Millenburg</i>	14929	" " 14 " . . .	1.35
<i>Miller</i>	14930	" " 16 " . . .	1.50
<i>Millerburg</i>	14931	" " 18 " . . .	1.60



No. 14932.

Pole Supporters.

<i>Millerfield</i>	14932	Jenny pole supporter, height 6 feet.	8.00
<i>Millereau</i>	14933	Jenny pole supporter, height 7 $\frac{1}{2}$ feet.	8.50



No. 3693.

<i>Benignant</i>	3693 $\frac{1}{2}$	"Mule" pattern, height 4 $\frac{1}{2}$ ft.	7.00
<i>Benumb</i>	3694 $\frac{1}{4}$	" " " 6 " "	7.00
<i>Benumbed</i>	3695 $\frac{1}{2}$	" " " 7 $\frac{1}{2}$ " "	7.00



No. 2543.


Reels.

Code Word	List No.	List Price.
<i>Constricted</i>	2543	Take-up reel, each. \$ 15.00




No. 15015.

<i>Marvel</i>	15015	Improved take-up reel, each 17.50
---------------	-------	---



The improvement in this reel consists of a separate guard piece (shown in cut below) which is slipped on shaft and fastened with a flat key. To empty the reel, lift the spool out of buck, draw the key, and turn reel on end, the guard piece and coil will then come off together. This arrangement does away with the loose toggle guard irons of the old style reel and is much handier.



No. 2545.

<i>Constrictive</i>	2545	Pay-out and take-up reel, each. 16.50
---------------------	------	---



No. 2544.

<i>Constriction</i>	2544	Pay-out reel, each. 7.50
---------------------	------	----------------------------------

<i>Categorical</i>	2546	Reel straps, per set 5.00
--------------------	------	-------------------------------------



Nos. 14935 and 1109.

Vises—Stubs .

Code Word.	List No.		List Price. Each.
<i>Millergan</i>	14935	Stubs , 5½ inch.....	\$ 2.25
<i>Millington</i>	14936	“ 6 “ ..	3.00
<i>Millmont</i>	14937	“ 5½ “ copper face.....	3.50
<i>Millstadt</i>	14938	“ 6 “ “ “ ..	4.50

Vises—Vom Cleff's.

<i>Bilking</i>	2547	5½ inch.....	1.75
<i>Billbook</i>	2548	6 “ ..	2.00
<i>Billet</i>	2549	5½ “ copper face.....	2.50
<i>Millville</i>	2538	6 “ “ “ ..	3.00
<i>Milroy</i>	1109	Vise straps.....	.75



No. 14940.

“Come-Along” Eccentric.

<i>Milton</i>	14940	For No. 9 wire.....	.60
<i>Millwood</i>	14941	For No. 3 wire.....	1.25
<i>Milo</i>	14942	For No. 000 wire.....	1.50



No. 3705.

Klein's Plain Eccentric.


<i>Beauty</i>	3705	Brass.....	1.25
<i>Beautyspot</i>	3706	Steel.....	1.10



No. 3494.

Haven's Clamp.

<i>Blundering</i>	3494	Small size.....	1.75
<i>Blunt</i>	3495	Large size.....	3.50



No. 14945.

Code Word:	List No.	List Price. Each.
<i>Milipitus</i>	14945 Large size, for Trolley wire.....	\$ 4.00
<i>Milesburg</i>	14946 Small " " No. 6 and smaller	2.50
<i>Acosmism</i>	25594 Extra large grip.	6.00

Buffalo Grip, with pulley, 50 cents list additional.

The Buffalo Grip.




No. 15018.

Parallel Screw Clamp.	
For Trolley Wire.	
<i>Martinsburg</i>	15018 2.25

Parallel Screw Clamp.


For Trolley Wire.



No. 15020.

Ferdinand Wire Stretcher.	
<i>Martinsville</i>	15020 1.00


Ferdinand Wire Stretcher.



No. 106.

Fulford's Eccentric.	
<i>Discerned</i>	106 4.00
Will take No. 3 B. & S. bare wire.	


Fulford's Eccentric.



No. 15021.

Landee's Clamp.	
<i>Marville</i>	15021 1.50


Landee's Clamp.



The Parallel Wire Stretcher.

No Teeth. Direct Pull. All Steel.


Code Word.	List No.	List Price.
<i>Capna</i>	2265	Fine tool steel, per dozen..... 36.00
<i>Captured</i>	2542	Cast steel, arranged for hooks; suitable for electric light and trolley wires; carries any size up to No. 000, inclusive, per dozen..... 42.00



Klein's Compound Eccentrics.

Style A.


<i>Milford</i>	2525	Klein's Compound Eccentric clamp, brass, each.....	1.70
<i>Milard</i>	2526	Iron, large size, each.....	2.50



Style B.


For hard drawn copper wire. As both the upper and lower bearings of this clamp are made of brass, there is no danger of injuring the wire.

<i>Milboro</i>	2524	Each.....	2.50
----------------	------	-----------	------



Style C.

<i>Maryville</i>	15025	Light, for No. 4 B. & S. and finer, each	3.50
<i>Marquota</i>	15026	Heavy, for No. 0 and finer, each	5.00



No. 25088.

The Westfield Grip.

Carries any size Wire up to No. 4.

Code Word.	List No	List Price.
<i>Song</i>	- 25088	Each \$ 2.50



Improved Parallel Wire Stretcher.

<i>Songful</i>	25089	No. 0 Telephone size, small size, each.....	3.00
<i>Songish</i>	25090	No. 1 Telegraph, Electric Light and Trolley Wire, each.	3.50



No. 25091.

Cutter Lag Screw Wrench.

Made in two sizes, for $\frac{3}{8}$ inch and for $\frac{1}{2}$ inch lag screws. Is especially handy for putting up windlasses, pole pulleys, brackets, and the like.

<i>Songless</i>	25091	For $\frac{3}{8}$ inch Lag Screws, each....	.30
<i>Songster</i>	25092	For $\frac{1}{2}$ " " " each....	.30



No. 25093.

The Electric Spud.

The handles being made of crucible steel tubing, (especially for this purpose) and are as strong as a solid steel bar. The blades are forged from best open hearth crucible mining tool steel and tempered.

These Spuds are provided with tamper on upper end for tamping ground around pole, thus combining a Spud and tamping bar in one tool. Length 9 feet.


<i>Songstress</i>	25093	Each.....	3.00
-------------------	-------	-----------	------



Chicago Fuse Repair Kit.

Contains five sizes of fuse wire, also a good assortment of fuse links.

<i>Acquirer</i>	25598	Kit, complete.....	\$1.00
-----------------	-------	--------------------	--------




No. 15030.

Pulley Blocks with Eye

For Attaching Separate Clamp.

Code Word.	List No.	List Price.
Masonville	15030 4-inch, per pair.....	\$ 2.50
Magenma	15031 5 " "	4.00




No. 15032.

Pulley Blocks.

With Eccentric Attached.

Masclon	15032 4-inch, per pair.....	4.25
Matamoras	15033 5-inch, extra heavy, per pair.....	6.50



No. 15035.

Pulley Blocks.

With Eccentric Attached.

Matfield	15035 2¼-inch malleable galvanized iron. per pair.....	3.50
----------	---	------



No. 6810.

Pulley Blocks.

GALVANIZED IRON, WITH LOOSE HOOKS.

Single Iron Sheaves.

Dangerous	6807 Diameter of rope, ½ inch, per dozen.	7.20
Dangling	6808 " " ⅝ " " ..	10.80
Daniel	6809 " " ¾ " " ..	15.00

Double Iron Sheaves.

Dandy	6810 Diameter of rope, ½ inch, per dozen..	12.00
Dandle	6812 " " ⅝ " " ..	18.00
Danger	6817 " " ¾ " " ..	24.00

GALVANIZED IRON, WITH SWIVEL EYES.

Single Iron Sheaves.

Dapper	6818 Diameter of rope, ⅛ inch, per dozen..	.75
Dapple	6819 " " ¼ " " ..	1.00
Dare	6820 " " ⅝ " " ..	1.75
Daring	6821 " " ¾ " " ..	2.75
Darken	6822 " " 1½ " " ..	4.00

Double Iron Sheaves.

Darkness	6823 Diameter of rope, ⅛ inch, per dozen..	1.00
Darling	6824 " " ¼ " " ..	1.50
Dart	6825 " " ⅝ " " ..	2.25
Darted	8788 " " ¾ " " ..	3.50
Dash	8789 " " 1½ " " ..	5.00



No. 6818.



No. 3663.

Stubbs' Side Cutting Pliers.

Code Word.	List No.		List Price.
<i>Anarchist</i>	3663	4 inch, per doz.....	\$10.00
<i>Anarchy</i>	3664	4½ " "	10.00
<i>Anatomist</i>	3665	5 " "	10.00
<i>Anatomy</i>	3667	6 " "	11.00
<i>Anatron</i>	3668	7 " "	18.00
<i>Ancestor</i>	3669	8 " "	24.00
<i>Milbrook</i>	2523	9 " "	30.00

Nickel plated, 30c. per pair extra, net.



No. 15040.

Solid Steel Pliers.**With Raised Cutter.**

<i>Matapan</i>	15040	5-inch, per dozen.....	14.50
<i>Matarca</i>	15041	6 " "	15.50
<i>Matarcan</i>	15042	7 " "	19.50
<i>Mattison</i>	15043	8 " "	22.50



No. 15045.

Safety Pliers.**Patent Insulation.**

<i>Mattoon</i>	15045	6-inch, per dozen.....	25.00
<i>Maurice</i>	15046	7 " "	33.00
<i>Marcell</i>	15047	8 " "	40.00

Tested to insulate against a current of 2,500 volts.



No. 15050.

The Universal Pliers.

<i>Mayfield</i>	15050	8-inch, per pair.....	1.50
-----------------	-------	-----------------------	------

Fry's Patent Lineman's Splicing Pliers.

No. 15052.


<i>Museppa</i>	15052	8-inch, per pair.....	2.00
----------------	-------	-----------------------	------

Patent Pliers.

No. 15055.

<i>Masomance</i>	15055	4½-inch, per dozen.....	4.20
<i>Mayford</i>	15056	6 " "	4.80
<i>Mazon</i>	15057	8 " "	6.00
<i>Meadville</i>	15058	10 " "	8.00

Vom Cleff's All Steel Pliers.



No. 3794.

		Side Cutting.		List Price.
Code Word.	List No.			
<i>Belched</i>	3794	4 Inch, per dozen		\$8.00
<i>Belching</i>	3795	4½	"	8.00
<i>Belfry</i>	3796	5	"	8.00
<i>Belgian</i>	3797	5½	"	9.00
<i>Belie</i>	3798	6	"	10.00
<i>Belied</i>	3799	6½	"	12.00
<i>Belike</i>	3800	7	"	14.00
<i>Belittle</i>	3801	8	"	18.00
<i>Bellow</i>	3802	9	"	22.30




No. 2835.

		Flat, Long Nose.		List Price.
Code Word.	List No.			
<i>Coquettish</i>	2835	3 Inch, per dozen		4.20
<i>Coquetting</i>	2836	3½	"	4.20
<i>Cora</i>	2837	4	"	4.20
<i>Coral</i>	2838	4½	"	4.20
<i>Coralite</i>	2839	5	"	4.60
<i>Coralline</i>	2840	5½	"	5.40
<i>Coralloid</i>	2841	6	"	6.30



No. 2869.

		Diagonal Cutting.		List Price.
Code Word.	List No.			
<i>Corant</i>	2869	3 Inch, per dozen		8.00
<i>Corcule</i>	2870	3½	"	8.00
<i>Cord</i>	2871	4	"	8.00
<i>Cordage</i>	2872	4½	"	8.00
<i>Cordate</i>	2873	5	"	8.00
<i>Corded</i>	2874	5½	"	9.00
<i>Cordelia</i>	2875	6	"	10.00
<i>Cordial</i>	2876	6½	"	11.50
<i>Cordially</i>	2877	7	"	14.00
<i>Cordon</i>	2878	8	"	18.00



No. 2879.

		Round, Long Nose.		List Price.
Code Word.	List No.			
<i>Cordoran</i>	2879	3 Inch, per dozen		4.20
<i>Corduroy</i>	2880	3½	"	4.20
<i>Cordwain</i>	2881	4	"	4.20
<i>Corelation</i>	2882	4½	"	4.20
<i>Corinne</i>	2883	5	"	4.60
<i>Corinthian</i>	2884	5½	"	5.40
<i>Cork</i>	2885	6	"	6.20

Bernard's Combined Parallel and Cutting Pliers.



No. 3789

Code Word.	List No.	Length.	Will Cut.	Width between plying jaws when open.	List Price Per doz.
<i>Beholder</i>	3789	4½ in.	No. 9 B. & S. Wire.	¼ in.	\$11.50
<i>Beholding</i>	3790	5½ "	No. 7 B. & S. Wire.	⅜ "	14.50
<i>Behoove</i>	3791	6½ "	No. 5 B. & S. Wire.	½ "	17.50
<i>Belabor.</i>	3792	7½ "	No. 3 B. & S. Wire.	¾ "	24.00



No. 2688.

Bernard's Parallel Pliers.


<i>Consummate</i>	2688	4½ inch.....	7.00
<i>Consumption</i>	2689	5½ "	9.00
<i>Consumptive</i>	2690	6½ "	11.50
<i>Contact</i>	2691	7½ "	15.00



No. 15060.


Hall's Telegraph Pliers.

<i>Meelakling</i>	15060	8 inch.....	14.40
-------------------	-------	-------------	-------



No. 15062

<i>Mecosta</i>	15062	8 inch.....	21.60
----------------	-------	-------------	-------



No. 15063.

Fixture Pliers.

<i>Meeham</i>	15063	6 inch.....	9.00
---------------	-------	-------------	------








No. 2680.

Rubber Handles for Pliers.

			Net Gross Pairs.
<i>Constrictor</i>	2680	5 inch.....	17.00
<i>Constructure</i>	2681	6 "	23.00
<i>Consular</i>	2682	7 "	28.80
<i>Consulate</i>	2683	8 "	36.00

Splicing Clamps or Connectors.

					List Price. Per Pair
	No. 8632.	Code Word. <i>Contagion</i>	List No. 8632	For Nos. 2, 4, 6 and 8 wire.....	\$ 2.00
	No. 8633.	<i>Contagious</i>	8633	For No. 6 and finer wire.....	2.00
	No. 8634.	<i>Contain</i>	8634	For Nos. 4, 6, 8 and 9 wire.....	2.00
	No. 8635.	<i>Contained</i>	8635	Copper jawed, for Hard drawn copper wire No. 8 and finer....	3.00
	No. 15065.	<i>Meccede</i>	15065	Combination No. 2 and McIntire connector.....	2.35
	No. 15066.	<i>Meleira</i>	15066	Railroad, for Nos. 0, 2 and 4 wire	2.00
	No. 15067	<i>Medfield</i>	15067	For McIntire joints.....	2.00
	No. 15068.	<i>Medford</i>	15068	Seven inches long, for No. 9 to 16 wire.....	1.85

Vom Cleff Splicing Clamps.




No. 15070

Code Word.	List No.	List Price.
Mediapolis	15070	4-Hole, per pair..... \$ 1.80



No. 15071.

Medione	15071	2-Hole, per pair..... 1.80
---------	-------	----------------------------



No. 2673

McIntire's Twisting Clamps.

Effect	2673	Compressing and cutting pliers, for No. 10 to No. 20 wire, per pair..... 2.00
--------	------	---



No. 2674.

Effective	2674	Twisting clamp for No. 8 to No. 16 wire, per set of 2 pair 3.50
-----------	------	---



No. 2675.

Effectual	2675	Twisting clamp for No. 4, 5 and 6 wire, per set of 2 pair..... 4.50
-----------	------	---



No. 2676.

Effectual	2676	Twisting clamp, for No. 00 to No. 6 wire, per set of 2 pair..... 8.00
-----------	------	---

Climbers.



No. 2515.

Milburij	2515	Western pattern, per pair, no straps..... 2.00
----------	------	--



No. 2517.

Mildale	2516	Straps, per set of four. 1 00
---------	------	-------------------------------

Millan	2517	Eastern pattern, per pair, no straps. 3.00
--------	------	--

Mimiço.	2518	Straps, per set of four. 1 00
---------	------	-------------------------------

Double Steel Splicing Wrench.

For Iron Wire or Heavy Copper Wires.

We keep in stock two sizes, one for 4 and 6 wire and one for 8 and 9 wire. These wrenches are accurately fitted for the respective wires and will make a tight, clean splice. We have made them for as large as 00 wire.



No. 15075.

Code Word.	List No.	List Price.
Medon	15075	For stock sizes, each..... \$ 1.05
Price large size on application.		

Steel Tie Wrench.

For Hard Drawn Copper Wire.

The purpose of this tool is to make the tie around the line wire, where it is fastened to the insulators. It will wind the tie wire around line smoothly without marring same.



No. 15076

Medora	15076	Each.....	1.05
--------	-------	-----------	------

Combination Lag-Screw and Nut Wrench.




No. 15077.

Medway	15077	Each.....	1.50
Will take lag-screws and nuts for 3/8 inch, 1/2 inch and 5/8 inch bolts.			

Steel Lag-Screw Wrench.


This wrench is very convenient for drawing up lag-screws through cross-arms; the jaw is made tapering to accommodate variations in bolt heads.



No. 15078.

Mekers	15078	Each.....	1.25
--------	-------	-----------	------

Coe Wrenches.



No. 3496.

Blunted	3496	6 inch, per dozen.....	9.00
Blunting	3497	8 " " ".....	10.00
Bluntly	3498	10 " " ".....	12.00
Blur	3499	12 " " ".....	14.00
Blurred	3500	15 " " ".....	24.00
Blurring	3501	18 " " ".....	30.00



No. 2520.

Tree Trimmers.

Minburne)	2520	Regular, each.....	2.50
Minden	2521	Extra heavy, each.....	3.00



No. 15080.


Melton	15080	Vom Cleff, each.....	3.00
--------	-------	----------------------	------



No. 15115.

Electricians' Hammer.

Code Word.	List No.	List Price. Each.
<i>Mendon</i>	15115 9-oz.....	\$.65



No. 15116.

Nail Hammers.**Plain Eye.**

<i>Meridota</i>	15116 12-oz.....	.50
<i>Mento</i>	15117 15 ".....	.55
<i>Mento</i>	15118 18 ".....	.60

Adze Eye.

<i>Meridith</i>	15120 13-oz.....	.70
<i>Meradosia</i>	15121 16 ".....	.75
<i>Merado</i>	15128 20 ".....	.80



No. 15122.

Hatchets.


<i>Meridan</i>	15122 Cut 3¾ inches.....	.80
<i>Meridia</i>	15123 Cut 4¼ ".....	.90



No. 15124.

Hand Axes.

<i>Merigold</i>	15124 4½ inch cut.....	1.25
<i>Merom</i>	15125 5 ".....	1.45
<i>Merian</i>	15126 5½ ".....	1.55
<i>Merricourt</i>	15127 6 ".....	1.80



No. 15130.

Linemen's Axe.

<i>Merillian</i>	15130 With handle.....	1.25
<i>Merimac</i>	15132 Without handle.....	1.00

Dicke Tools.

Carrying Hooks.

Code Word. List No. Last Price.
Skill 24064 With Swivel, each. \$3.00
Length of handle, 4 feet.

Cant Hooks.

Skilled 24065 Length 4 feet, each..... 2.25

Wood Handle Tamping Bars.


Skinch 24075 Hardwood, iron shoe, per
doz..... 25.00

Jenny Pole Support.

Skinflint 24076 6 feet, each 8.00
Skinful 24077 7½ " " 9.00
Very strong and substantial.

Mule Pole Support.

Skink 24078 4½ feet, each 5.00
Skinless 24079 6 " " 6.00
Skinner 24080 7½ " " 7.00
Light and very strong.



No. 24064.



No. 24065.




No. 24075.




No. 24076.




No. 24078.



No. 24088.



No. 24091.



No. 24093.



No. 24095.



No. 24096.



No. 24098.



No. 24099.

Dicke Tools—(Continued.)

Splicing Clamps.

Code Word.	List No.	List Price.
<i>Skippingly</i>	24085	No. 100. Polished, 4 hole for No. 0 B. & S. wire and finer, per doz \$30.00
<i>Skirt</i>	24086	No. 101. Polished, 2 hole for No. 0 B. & S. wire and finer, per doz..... 30.00
<i>Skirting</i>	24087	No. 102. Polished, 2 hole for No. 3 B. & S. wire and finer, per doz..... 30.00
<i>Skirmish</i>	24088	No. 103. Polished, 4 hole, for No. 8 B. & S. wire and finer, per doz 30.00
<i>Skirmisher</i>	24089	No. 104. Polished, 4 hole, for No. 0 B. & S. wire and finer, per doz 30.00
<i>Skirret</i>	24090	No. 105. Polished, same as 104, with copper jaws, per doz 50.00

Western Climbers.

<i>Skirt</i>	24091	Without Straps, per pair..	1.50
<i>Skirting</i>	24092	Straps, per set	1.00

Eastern Climbers.

<i>Skittish</i>	24093	Without Straps, per pair .	2.00
<i>Skittishly</i>	24094	Straps, per set	1.00

Lag Screw Wrench.

<i>Skittles</i>	24095	Fits any size head, per doz.	16.00
-----------------	-------	------------------------------	-------

Splicing Tool.

<i>Skive</i>	24096	Per dozen	9.00
--------------	-------	-----------------	------

Howe's Improved Wire Tool.

<i>Skicer</i>	24097	Wire Tightener, only (with-out vise), with strap, each,	4.50
<i>Skout</i>	24098	Wire Tightener, with 5½ in. Vise, with strap, each.....	7.00

Eccentric Clamps.

<i>Sked</i>	24099	For No. 9 wire and finer, per doz	16.00
-------------	-------	---	-------




No. 24081.

Dicke Tools—(Continued.)

Common Reel.


Code Word.	List No.	List Price. Each.
<i>Skinny</i>	24081 Complete with Pins.....	\$10.00



No. 24082 1/2

Combination Pay-Out Reel.


<i>Skinny</i>	24082 1/2 Each	16.00
---------------	----------------------	-------



No. 24083.

Take-Up Reel.

<i>Skip</i>	24083 12-inch Reel	20.00
<i>Skipper</i>	24084 18-inch Reel	22.00




Dicke Lock Ferrule Screw Driver.

Blades forged from finest tool steel, Polished Malleable Ferrules, Fluted Handles.

Length of Blade.....	2 1/2	3 1/2	4 1/2	5 1/2	6 1/2	8 1/2	10 1/2	12 1/2			
Cabinet, per doz	\$3.00	\$3.50	\$4.50	\$5.50	\$6.50	\$8.00	\$9.50	\$11.00			
Length of Blade	2 1/2	3 1/2	4	5	6	7	8	9	10	11	12
Machinists, per doz ...	3.00	3.50	4.25	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00

Blades and Handles of the Dicke Screw Driver are warranted not to turn in the ferrule.




No. 21001.

Wire Reel and Meter.

The accompanying cut gives an idea of our Wire-Measuring and Reeling Device. It will save time and money and a short use will demonstrate its great value.

In the meter the wire passes between two self-adjusting rollers, which admit of a wide range, and will measure accurately either large or small wire. The pointers are movable and readily adjusted to the zero point. Parties handling wire, either as supplies or for construction work, cannot afford to be without this device, as it will pay for itself in a short time.

Code Word.	List No.	List Price
<i>Sistine</i>	24001	Meter, with Reel, each. \$25.00



No. 24002.

Wire Meter for Counter.

The meter is also made, mounted on a neat base, to be used on a counter where a reel is not needed. For wire factories and dynamo builders the meter alone is invaluable.

<i>Six</i>	24002	Meter, without Reel, each. 16.00
------------	-------	---------------------------------------

Cable Meters are made to order only, and are applicable for measuring cables of all sizes, rope or steel cables.

Special prices quoted on Cable Meters.



Sheffy Pipe Wrench.

It is quick acting, self-adjusting and has but three parts. It is so constructed that it cannot lock on the pipe, will disengage itself by reversing the lever. It cannot slip as the stronger the effort to turn the pipe the firmer the grip. It cannot be abused by using on larger pipe than the size designated by number. All parts interchangeable.

The construction is so simple that it appeals to the mechanic at once. No screws or springs and self-adjusting.

To operate the Sheffy Pipe Wrench, open the jaw, hook on the pipe, pull on the handle. This brings the lever up against the dog and creates the grip. The stronger the pull on the lever the stronger the grip.

Length and Dimensions

	0	1	2	3	4
	7 inches	9 inches	12 inches	15 inches	18 inches
Pipe,	$\frac{1}{2}$ to $\frac{3}{4}$	$\frac{1}{2}$ to $\frac{1}{2}$	$\frac{1}{2}$ to 1	$\frac{1}{2}$ to 1 $\frac{1}{2}$	$\frac{1}{2}$ to 2

Price List Wrenches and Parts.

	0	1	2	3	4
Wrench, List..	\$2.00	\$2.00	\$2.25	\$3.00	\$4.00
Handles, " ..	.50	.50	.60	.70	.80
Jaw, " ..	.70	.70	.80	.90	1.00
Dog, " ..	.60	.60	.70	.80	.90

“Vulcan” Insulated Screwdrivers.

MOULDED MICA INSULATION.



Nos. 1164 and 1168.

Catching	1164	2 $\frac{1}{2}$ inch, per dozen.....	6.00
Catchword	1165	3 $\frac{1}{2}$ " "	7.00
Catechise	1166	4 " "	8.00
Catechised	1167	5 " "	12.00
Catechism	1168	6 " "	13.50

Champion Screwdrivers.



No. 2556.

Luff	2554	2 $\frac{1}{2}$ inch, per dozen.....	3.00
Luggage.	2555	3 " "	3.50
Lugger	2556	4 " "	4.25
Luke	2557	5 " "	5.00
Lull	2558	6 " "	6.00
Lullaby	2559	7 " "	7.00
Lulled	2560	8 " "	8.00
Lumbago	2561	9 " "	9.00
Lumbering	2562	10 " "	10.00
Lumberingly	2563	11 " "	11.00
Luminary	2564	12 " "	12.00



No. 15140.

Pinion Screw Driver.

Code Word.	List No.	List Price.
<i>Mincola</i>	15140	Each..... \$.50



No. 15142.

Handy Ratchet Screw Driver.


<i>Mineral</i>	15142	Small size, each	.60
<i>Acouchy</i>	25595	Large size, each.....	1.25



No. 15145

Novelty Pocket Screw Driver.

<i>Minerva</i>	15145	Each.....	.60
----------------	-------	-----------	-----



No. 15148.

Wire Peeler.


<i>Minor</i>	15148.	Each.....	50
--------------	--------	-----------	----



No. 15150.

Electrician's Scissors.

<i>Mingo</i>	15150	Per dozen.....	10.20
--------------	-------	----------------	-------



No. 15152.

Bell Hanger's Gimlet.


<i>Mincolosa</i>	15152	15-inch, $\frac{9}{32}$, each.....	7.50
<i>Mincola</i>	15153	15 " $\frac{10}{32}$ "	7.50
<i>Mineraklan</i>	15154	15 " $\frac{12}{32}$ "	7.50
<i>Minock</i>	15155	24 " $\frac{9}{32}$ "	8.50
<i>Minuka</i>	15156	24 " $\frac{10}{32}$ "	8.50
<i>Minster</i>	15157	24 " $\frac{12}{32}$ "	8.50
<i>Mishawaka</i>	15158	36 " $\frac{8}{32}$ "	9.50
<i>Misoula</i>	15159	36 " $\frac{10}{32}$ "	9.50
<i>Missoura</i>	15160	36 " $\frac{12}{32}$ "	9.50




No. 15162.

Pod Bits.

<i>Mitchell</i>	15162	18-inch, $\frac{10}{32}$, per dozen.....	4.80
<i>Moberly</i>	15163	18 " $\frac{12}{32}$ "	4.80



The "Syracuse" Electricians' Drill Bit.



THE NUMBERS INDICATE THE SIZES IN 32DS OF AN INCH.

No.	12 Inch, Per Doz.	No.	18 Inch, Per Doz.	No.	24 Inch, Per Doz.	No.	30 Inch, Per Doz.	No.	36 Inch, Per Doz.
6.....	\$5.00	6.....	\$7.00	6.....	\$9.00	6.....	\$11.00	6.....	\$13.00
8.....	5.00	8.....	7.00	8.....	9.00	8.....	11.00	8.....	13.00
10.....	5.50	10.....	7.50	10.....	9.50	10.....	12.00	10.....	13.00
12.....	6.00	12.....	8.00	12.....	10.00	12.....	12.00	12.....	13.00
14.....	7.00	14.....	9.00	14.....	11.00	14.....	13.00	14.....	14.00
16.....	8.00	16.....	10.00	16.....	12.00	16.....	14.00	16.....	15.00
18.....	9.00	18.....	11.00	18.....	13.00	18.....	15.00	18.....	16.00
20.....	10.00	20.....	12.00	20.....	14.00	20.....	15.00	20.....	16.00
22.....	11.00	22.....	13.00	22.....	15.00	22.....	16.00	22.....	17.00
24.....	12.00	24.....	14.00	24.....	16.00	24.....	17.00	24.....	18.00
26.....	13.00	26.....	15.00	26.....	17.00	26.....	18.00	26.....	18.00
28.....	14.00	28.....	16.00	28.....	18.00	28.....	19.00	28.....	19.00
30.....	15.00	30.....	17.00	30.....	19.00	30.....	20.00	30.....	20.00
32.....	16.00	32.....	18.00	32.....	20.00	32.....	20.00	32.....	20.00
34.....	17.00	34.....	19.00	34.....	20.00	34.....	20.00	34.....	20.00
36.....	18.00	36.....	20.00	36.....	21.00	36.....	21.00	36.....	21.00

Adjustable Malleable Iron Handles.



FOR USE WHERE A BRACE IS INCONVENIENT.


	List Price.
Per dozen.....	\$1.25



No. 2353.

Automatic Boring Tools.

Code Word.	List No.	
Corkscrew	2353	Automatic Boring Tool, with 8
		Drills, each..... 2.00



No. 2912.

Amidon's Patent Corner Bit Brace.

Code Word.	List No.	List Price.
<i>Conjugation</i>	2913 8 " " " per doz.....	\$40.00
<i>Conjunct</i>	2914 10 " " " "	44.00



No. 2916.

Braces—Ratchet.


<i>Conjunction</i>	2916	6-inch sweep, per doz.....	30.00
<i>Conjunctive</i>	2917	8 " " "	33.00
<i>Conjunctly</i>	2918	10 " " "	36.00
<i>Conjuncture</i>	2919	12 " " "	39.00
<i>Conjuration</i>	2920	14 " " "	42.00



No. 2944.

Braces—Plain.

<i>Conjure</i>	2944	6-inch sweep, per doz.....	10.80
<i>Connurer</i>	2945	8 " " "	11.80
<i>Connate</i>	2946	10 " " "	12.25
<i>Connect</i>	2947	12 " " "	13.68



No. 15085.

Draw Knives

<i>Melborn</i>	15085	12-inch blade, each, per doz.....	11.50
<i>Melvin</i>	15086	14 " " "	13.00



No. 1748.

Saws.

<i>Connected</i>	1748	14-inch panel saw, per doz.....	16.00
<i>Connivance</i>	1749	16 " " "	17.35
<i>Connive</i>	1750	18 " " "	18.75
<i>Connivency</i>	1751	20 " " "	20.00
<i>Connivent</i>	1752	22 " " "	21.50
<i>Conniver</i>	1753	24 " " "	22.75

Inspector's Tools.



No. 15165.

Code Word.	List No.	List Price.
<i>Modena</i>	15165	Complete set in Morocco case, containing everything necessary for adjusting telephone apparatus, telegraph and stock-printing instruments, etc..... \$ 5.50
<i>Modesta</i>	15166	Case, only..... 1.50



No. 15170.

Combination Handles.

<i>Mohawk</i>	15170	Large size, complete..... 1.75
---------------	-------	--------------------------------



No. 15175.

<i>Molton</i>	15175	11 Tools, complete..... 1.25
---------------	-------	------------------------------

Pipe Cutters.



No. 3832.

<i>Blighting</i>	3832	Knife, No.2..... 8.00
<i>Blind</i>	3833	" " 3..... 16.00

Porter's Wire Cutters.



No. 3787.

<i>Behold</i>	3787	Porter's Easy Wire Cutters, will cut 3/8-inch wire, each 5.00
<i>Beholden</i>	3788	Porter's Easy Wire Cutters, will cut 1/2-inch wire, each 7.00
<i>Bodily</i>	3527	Heavy Wire Cutters, will cut 5/8-inch wire, each..... 9.00

Cold Chisel.



No. 15180.

Code Word.	List No.		List Price Per doz
<i>Momence</i>	15180	3/8-inch.....	3.00
<i>Mona</i>	15181	1/2 "	3.75
<i>Moncure</i>	15182	5/8 "	4.50
<i>Monclova</i>	15183	3/4 "	5.25


Socket Framing Chisel.



No. 15185.


<i>Monster</i>	15185	1 inch.....	8.00
<i>Mondamin</i>	15186	1 1/2 "	10.00
<i>Mondola</i>	15187	2 "	12.00

Brick Drills.



No. 15190.

<i>Monnee</i>	15190	Steel	18.00
---------------	-------	-------------	-------



No. 15191.

<i>Monetta</i>	15191	Hollow.....	10.00
----------------	-------	-------------	-------

Floor Groovers.



No. 15192.

<i>Moncka</i>	15192		12.00
---------------	-------	-------	-------



No. 15193.

<i>Monnette</i>	15193	With removable knife.....	14.00
-----------------	-------	---------------------------	-------



No. 15195.

<i>Monon</i>	15195	With sinker.....	20.00
--------------	-------	------------------	-------



No. 15200.

Tool Belt.


Code Word.	List No.	List Price Each
<i>Monongah</i>	15200	\$ 1.25



No. 15201.

Linemen's Tool Bag.

<i>Monongahela</i>	15201	Canvas.....	3.00
<i>Monroe</i>	15202	Leather.....	3.75



No. 15205.


Tape Lines.

Sole Leather-Cases.

<i>Monrovia</i>	15205	25 feet per doz.....	21.00
<i>Monsin</i>	15206	50 ' "	31.80
<i>Montague</i>	15207	100 ' "	50.40

Asses Skin, Brass Bound Case.


<i>Montandon</i>	15210	25 feet per doz.....	5.00
<i>Montclair</i>	15211	50 ' "	8.00
<i>Montbello</i>	15212	75 ' "	10.00
<i>Montello</i>	15213	100 ' "	12.50



No. 15215

Line-Tapping Clamps.

<i>Monteray</i>	15215		4.00
-----------------	-------	-------	------



No. 15216


Pole Counter or Tally Register.

<i>Monterale</i>	15216		3.00
------------------	-------	-------	------




No. 8624.

Constitutive	8624	American Standard Wire Gauge, 0 to 36. each..	\$ 2.50
Constrain	8625	" " 5 " 36, " ..	2.00
Constrainedly	8626	English " " 1 " 36, " ..	2.00
Constraining	8627	" " 6 " 36, " ..	1 50




No. 2392.

Constrict	2392	Micrometer Caliper, measures from .001 to 1 inch, each.....	5.00
Casual	2393	Micrometer Caliper, measures from .001 to 1 inch, in morocco case, each.....	5 75



No. 2527

Constraint	2527	Micrometer Caliper, measures from .001 to .5 inch, each.....	4.50
Casualy	2528	Micrometer Caliper, measures from .001 to .5 inch, in morocco case, each.....	5.00



No. 3205.

Soldering Apparatus and Supplies


W. E. Soldering Salts.

Code Word.	List No.	List Price.
Arbitrate	3205 In ½ pound bottles, per pound	\$0.75
Arbitrator	3206 In 1 " " "	.65
Arcade	3207 In 5 " " "	.50

The S. S. Soldering Paste.

The Paste being in a soft, plastic condition, can be applied to the metal to be soldered in quantities just sufficient for the purpose. After an application of this paste the solder flows easily. The paste will not tarnish or corrode the metal.

Solemnizer	24457 ½ pound boxes, per pound	1.40
Solemnly	24458 1 " " "	1.30



No. 24459.

The Allen Soldering Stick.

Solemnness	24459 Per stick	.25
------------	-----------------------	-----

Star Soldering Stick.

Acoustics	25596 Per stick	.25
-----------	-----------------------	-----



No. 3513.

Soldering Coppers, Pointed.

Blustrous	3513 2½ pounds to the pair, per pound	.48
Boar	3514 3 " " "	.48
Board	3515 4 " " "	.48
Boardable	3516 5 " " "	.48
Boarded	3517 6 " " "	.48
Boarding	3518 7 " " "	.48
Boast	3519 8 " " "	.48
Boaster	3520 9 " " "	.48
Boastful	3521 10 " " "	.48



No. 3338.

Solder.

AT LOWEST MARKET PRICES.

Concolor	3338 Strictly Half and Half	
----------	-----------------------------------	--




No. 3339.

Concomitant	3339 Wire Solder	
Concord	3340 Rosin Core Solder	



No 15220



No. 3868.


Soldering Apparatus—(Continued).

Code Word. List No.		List Price. Each.
Monteridco	15220	Combination Hot Blast Furnace..... \$ 10.00 Holds 1 gallon of oil
Binominal	3868	Helper's Firepot. Can also be used as a reversible torch..... 10.00

Charcoal Soldering Furnace.



No. 15222.



No. 15225.

Code Word. List No.		List Price. Each.
Montgomery.	15222	 5.00

Combination Soldering Torch.

For Alcohol.

Montcell	15225	 3.00
----------	-------	------------


This torch can be carried in the pocket or tool bag. The handle contains a vial for acid, doing away with carrying an extra acid bottle. The blow-pipe is adjustable and the wick large. It is made entirely of brass and highly polished.



No. 15230

Montecello	15230	Wellington Torch..... 7.50
------------	-------	----------------------------


Soldering Apparatus—(Continued.)



No. 23116.

Imperial Hot Blast Gasoline Blow Torch.

This torch is made especially for burning paint, thawing pipes, burning lead, etc. It generates a blue flame of 1500 degrees F. The size and power of the flame can be increased or turned down to suit the work. The tank holds 1½ pints of gasoline, and is made of the best drawn brass, of 18 gauge, is seamless and highly polished. The diameter of the tank is 4½ inches, and the height to top of burner is 9 inches. It weighs 3 lbs. It is equipped with a brass pump, which has strong detachable connections, and a simple accessible valve. The torch will burn in any position, and consume ½ pint per hour at full blast and will not blow out in the wind. The tank has a cone-shaped bottom, giving additional strength. These torches are fully tested and warranted.



No. 23117.


Code Word.	List No.	List Price. Each.
<i>Simplicity</i>	23116 Imperial Torch.....	\$5.00

Braziers' Hot Blast Blow Torch.

For Gasoline.

For brazing and tempering small tools and springs, soldering patterns, and annealing brass and other metals, heating soldering coppers, glue, burning off paint, general bench, furnace work, etc.

<i>Simplicity</i>	23117 Braziers' Torch.....	6.00
-------------------	----------------------------	------



No. 23118.

The Combination Hot Blast Blow Torch.

For Gasoline.

Three useful tools in one: a brazier, soldering iron heater, and blow torch for plumbers, electricians and conduit workers. Will not blow out.

<i>Simply</i>	23118	6.00
---------------	-------------	------



No. 23119.



No. 23120.




No. 23121

No. 23122.



No. 23123.



No. 23124.



No. 23125.



No. 23126 and 23127.




No. 23128.




No. 23129.



No. 23131.



No. 23134.



No. 23132, and 23133.

Soldering Apparatus—(Continued.)

The Electric "Hot Blast" Blow Torch.


For Gasoline.

It produces a solid blue flame. Weighs two pounds when empty, three pounds when filled. Is very strong as well as light. Will burn in any position.

Code Word.	List No.	List Price, Each.
Similar	23119	Hot Blast Torch. \$ 4.50

Repair Parts to Torches.

Similar	23120	No. 1. Air Pump, complete for Hot Blast Torches.....	1.00
		Imperial Torches	
		Brazier's Torches	
		Combination Furnaces.....	
Similar	23121	No. 2. Lower Bracket for Pump.....	.50
Similar	23122	No. 3. Upper Bracket for Pump.....	.50
Similar	23123	No. 4. Burner for Imperial Blow Torch, complete	2.50
Similar	23124	No. 6a. Burner for Brazier's Blow Torch.....	4.00
Similar	23125	No. 9. Filler Cap for Blow Torches..	.20
Similar	23126	No. 10a. Needle Valve Seat for Imperial and Brazier's Torch.....	.30
Similar	23127	No. 10b. Needle Valve Seat for Combination and Tinner's Furnace.	.30
Similar	23128	No. 11a. Large Packing Nut for Imperial Brazier's Torches	.20
Similar	23129	No. 12a. Large Drip Cup for Imperial and Duplex Torches, and Combination and Tinner's Furnaces.....	.30
Similar	23130	12b. Large Drip Cup for Braziers Torch.....	.30
Similar	23131	No. 14. Air Valve for Screw and Packing Nut for Imperial and Brazier's Torches	.30
Similar	23132	No. 16. Perforated Burner Tube for Imperial Torch.....	.40
Similar	23133	No. 16a. Perforated Burner Tube for Brazier's Torch.....	.40
Similar	23134	No. 20. Needle and Packing Nut for Imperial and Brazier's Torches.....	.50



No. 8649.

Soldering Apparatus—(Continued)

Code Word.	List No	List Price.
<i>Archangel</i>	8649	Vulcan Torch. each.....\$10.00




No. 8652.

<i>Christened</i>	8652	Economic Flux Bulb, for soldering acid, each. 2.25
-------------------	------	--



No. 8658.

<i>Christening</i>	8653	Alcohol Blow Lamp, small size, each... ..	1.25
<i>Christian</i>	8654	" " regular size, each.....	1.50
<i>Christianity</i>	8655	" " large " "	2.00
<i>Christmas</i>	8656	" " extra " "	2.50



No. 2388.

Soldering Apparatus—(Continued).

Code Word.	List No.	List Price.
<i>Derouring</i>	2388 Walsh Blow Torch, each.....	\$ 6.00



No. 15245.

Uhlich Soldering Pot.

<i>Moran</i>	15245 Each.	7.50
--------------	------------------	------



No. 8650.

<i>Christi</i>	8650 Lineman's Torch, tin, each.....	1.85
<i>Christopher</i>	8651 " " brass, each.....	2.00



No. 2550.

<i>Carabine</i>	2550 Solder Ladles, 2½ inch. per dozen.....	2.75
<i>Caravan</i>	2551 " 3 " "	3.50
<i>Cardine</i>	2552 " 4 " "	4.75
<i>Carcen</i>	2553 " 5 " "	6.50

Solder Pots.



No. 3507.

<i>Blushfully</i>	3507 6 inch diameter, per dozen.....	5.20
<i>Blushing</i>	3508 6½ " " "	5.50
<i>Blushless</i>	3509 8 " " "	10.00
<i>Bluster</i>	3510 9 " " "	12.00
<i>Blustery</i>	3511 10½ " " "	16.00
<i>Blustering</i>	3512 13½ " " "	32.00

Station and Workmen's Supplies.

Tape.

IN 1/2, 3/4, 1, 1 1/2, 2 AND 3 INCHES.



Code Word.	List No.		List Price.
<i>Beamlet</i>	3638	Grimshaw, black, per pound.....	\$1.10
<i>Beamtree</i>	3639	" white, "	1.00
<i>Beamy</i>	3640	Competition, black, "	.75
<i>Bean</i>	3641	" white, "	.75
<i>Beancaper</i>	3642	Okonite, black, "	2.00
<i>Beancod</i>	3643	Manson, black, "	1.40
<i>Beancod</i>	3644	" white, "	1.40
<i>Beanfly</i>	3645	Paragon, black, "	.60
<i>Beangoose</i>	3646	Tenax, black, "	.60
<i>Bear</i>	3647	" white, "	.60
<i>Calamity</i>	3623	Century Tape, "	.90
<i>Creased</i>	8746	Kerite " per roll.....	.95
<i>Solen</i>	24460	Sampson Friction Tape, per pound.....	.75
<i>Solenacean</i>	24461	Clifton Tape, "	.75
<i>Solenaceous</i>	24462	Simplex, "	.75
<i>Soleness</i>	24463	B. W. H., "	.85



Splicing Compound.

<i>Bears</i>	3731	Chatterton's American, per pound.....	1.60
<i>Bearable</i>	3732	" Imported "	2.00
<i>Beard</i>	3733	Tenax Splicing Compound, in rolls, per pound..	1.00
<i>Solenite</i>	24464	Para " " " " ..	1.25



No. 24438.

Code Word.	List No.	List Price
<i>Solarize</i>	24438 Per Stick	\$0.75
<i>Solary</i>	24439 Per Dozen	8.00

Gale's Commutator Compound.

Crölius Commutator Compound.

<i>Arquaintable</i>	25597 Per stick	.50
---------------------	---------------------------	-----



No. 8701.

<i>Lapidary</i>	8701 Per Stick	.25
-----------------	----------------------	-----

Kester's Commutator Compound.



Hoffman's Rod Polish.

Will not wear the lamp rod. It is in the form of a powder, put up in tin boxes, and easily applied.

<i>Soldanel</i>	24441 Per Box	.30
-----------------	---------------------	-----



No. 24442.



No. 24445.

<i>Soldanrie</i>	24442 Regular Rubber, no cuffs, per dozen	13.00
<i>Soldier</i>	24443 " " with cuffs, "	16.50
<i>Soldiering</i>	24444 Heavy " no cuffs, "	24.00
<i>Soldierly</i>	24445 " " with cuffs, "	30.00

Rubber Gloves.



Hard Rubber Sheet.

Size of Sheets 20x48 inches.


Code Word.	List No.	Thickness.	Approximate weight of full sheets.	List Price. Per Pound.
<i>Hyattsville</i>	13210	$\frac{1}{32}$ inch	1 $\frac{1}{8}$ pound.....	\$ 2.10
<i>Hyndman</i>	13211	$\frac{1}{16}$ "	2 $\frac{1}{4}$ "	2.00
<i>Hyndsville</i>	13212	$\frac{3}{32}$ "	3 $\frac{7}{8}$ "	2.00
<i>Iberia</i>	13213	$\frac{1}{10}$ "	4 $\frac{3}{8}$ "	2.00
<i>Icamole</i>	13214	$\frac{1}{8}$ "	5 $\frac{1}{2}$ "	2.00
<i>Idalia</i>	13215	$\frac{5}{32}$ "	6 "	2.00
<i>Idlerwild</i>	13216	$\frac{3}{16}$ "	7 $\frac{1}{2}$ "	2.00
<i>Ignacio</i>	13217	$\frac{1}{4}$ "	10 $\frac{1}{2}$ "	2.00
<i>Ilion</i>	13218	$\frac{5}{16}$ "	13 $\frac{1}{4}$ "	2.00
<i>Illtiopolis</i>	13219	$\frac{3}{8}$ "	16 $\frac{1}{2}$ "	2.00
<i>Independence</i>	13220	$\frac{7}{16}$ "	18 $\frac{3}{4}$ "	2.00
<i>Indianola</i>	13221	$\frac{1}{2}$ "	22 "	2.00
<i>Ingrams</i>	13222	$\frac{9}{16}$ "	24 "	2.00
<i>Ingalls</i>	13223	$\frac{5}{8}$ "	27 "	2.00
<i>Ingaltan</i>	13224	$\frac{3}{4}$ "	32 "	2.00
<i>Ingersoll</i>	13225	$\frac{7}{8}$ "	35 "	2.00
<i>Ingleside</i>	13226	1 "	40 "	2.00
<i>Inkseter's</i>	13227	1 $\frac{1}{4}$ "	50 "	2.00

Vulcanized Fibre Sheet.

Size of Sheets 40x70 inches.

Indian Red or White.

For convenience in shipping we prefer to cut sheets in halves or quarters



		Thickness.	
<i>Interlochen</i>	13235	$\frac{1}{16}$ inch.....	.60
<i>Inwood</i>	13236	$\frac{1}{8}$ "	.60
<i>Iola</i>	13237	$\frac{1}{8}$ "	.60
<i>Ione</i>	13238	$\frac{1}{8}$ "	.50
<i>Ionia</i>	13239	$\frac{1}{8}$ "	.50
<i>Ipava</i>	13240	$\frac{1}{4}$ "	.50
<i>Ipswich</i>	13241	$\frac{1}{2}$ "	.50
<i>Iredell</i>	13242	$\frac{3}{8}$ "	.60
<i>Ironation</i>	13243	$\frac{3}{4}$ "	.60
<i>Irondale</i>	13244	$\frac{7}{8}$ "	.60
<i>Ironton</i>	13245	1 "	.65
<i>Irolo</i>	13246	1 $\frac{1}{4}$ "	.65
<i>Iroquois</i>	13247	1 $\frac{1}{2}$ "	.75

Black, 5 cents per pound advance.

Hard Rubber Rods.

In lengths of 30 inches.



Code Word	List No.	Diameter	Approximate Weight per 100 Feet.	per pound	List Price.
<i>Irvineton</i>	13260	$\frac{1}{8}$ inch	$\frac{3}{4}$ pounds		\$ 1.80
<i>Irving</i>	13261	$\frac{3}{16}$ "	$1\frac{1}{2}$ "		1.80
<i>Irvington</i>	13262	$\frac{1}{4}$ "	$2\frac{3}{4}$ "		1.50
<i>Irona</i>	13263	$\frac{5}{16}$ "	4 "		1.50
<i>Irwin</i>	13264	$\frac{3}{8}$ "	$6\frac{1}{8}$ "		1.50
<i>Isabel</i>	13265	$\frac{7}{16}$ "	8 "		1.50
<i>Ishpeming</i>	13266	$\frac{1}{2}$ "	$10\frac{1}{4}$ "		1.40
<i>Isleta</i>	13280	$\frac{9}{16}$ "	$12\frac{3}{4}$ "		1.40
<i>Islington</i>	13281	$\frac{5}{8}$ "	16 "		1.35
<i>Islip</i>	13267	$\frac{11}{16}$ "	$19\frac{1}{4}$ "		1.35
<i>Ithica</i>	13269	$\frac{3}{4}$ "	$22\frac{3}{4}$ "		1.35
<i>Ithican</i>	13270	$\frac{13}{16}$ "	$27\frac{3}{4}$ "		1.35
<i>Iuka</i>	13271	$\frac{7}{8}$ "	$29\frac{1}{4}$ "		1.35
<i>Jackman</i>	13272	$\frac{15}{16}$ "	$36\frac{1}{2}$ "		1.35
<i>Jacksonboro</i>	13273	1 "	42 "		1.25
<i>Jacksonport</i>	13274	$1\frac{1}{4}$ "	$65\frac{1}{2}$ "		1.25
<i>Jalapa</i>	13275	$1\frac{1}{2}$ "	$92\frac{1}{2}$ "		1.25
<i>Jamaica</i>	13276	$1\frac{3}{4}$ "	128 "		1.25
<i>Jamesburg</i>	13277	2 "	1 rod 4 "		1.25
<i>Jameson</i>	13278	$2\frac{1}{4}$ "	1 " $5\frac{1}{4}$ "		1.25
<i>Jamesport</i>	13279	$2\frac{1}{2}$ "	1 " $6\frac{1}{4}$ "		1.25



Vulcanized Fibre Rod.

Red, Random Lengths.


	Diameter.		
<i>Jamestown</i>	13285	$\frac{1}{4}$ inch, per foot.....	12
<i>Jamison</i>	13286	$\frac{5}{16}$ " " ".....	14
<i>Jaral</i>	13287	$\frac{3}{8}$ " " ".....	16
<i>Jarvis</i>	13288	$\frac{1}{2}$ " " ".....	18
<i>Jaudon</i>	13289	$\frac{7}{16}$ " " ".....	18
<i>Jeddo</i>	13290	$\frac{1}{2}$ " " ".....	24
<i>Jefferson</i>	13291	$\frac{7}{16}$ " " ".....	26
<i>Jenkintown</i>	13292	$\frac{9}{16}$ " " ".....	28
<i>Jennings</i>	13293	$\frac{5}{8}$ " " ".....	34
<i>Jenny</i>	13294	$\frac{11}{16}$ " " ".....	40
<i>Jericho</i>	13295	$\frac{3}{4}$ " " ".....	48
<i>Jermyn</i>	13296	$\frac{7}{8}$ " " ".....	64
<i>Jerome</i>	13297	1 " " ".....	84
<i>Jerusalem</i>	13298	$1\frac{1}{4}$ " " ".....	1.30
<i>Jesup</i>	13299	$1\frac{3}{8}$ " " ".....	1.60

Black fibre can be furnished on application.

Hard Rubber Battery Cells.

The sizes given below are inside dimensions, the thickness of the shell $\frac{1}{8}$ inch.

These cells are all plain except the No. 13,994 which has a shoulder near the top for cover—the price on cells is without cover. The inside dimensions are given at the bottom and on account of the taper allowed for the mandrel the dimensions are slightly greater at the top, about $\frac{3}{8}$ inches.



Code Word.	List No.		List Price
<i>Livermore</i>	13993	$2\frac{1}{4}$ x $6\frac{1}{4}$ x $9\frac{1}{2}$ inches high.....	\$1.50
<i>Livingstone</i>	13994	$2\frac{3}{4}$ x $4\frac{3}{4}$ x $10\frac{1}{4}$ " " ".....	1.50
<i>Livonia</i>	13995	$3\frac{3}{4}$ x $3\frac{3}{4}$ x $6\frac{1}{2}$ " " ".....	1.00
<i>Llano</i>	13996	5 x 5 x $7\frac{3}{4}$ " " ".....	1.50

Tubing.

Hard Rubber Tubing.

In Lengths of 24 Inches.



Code Word.	List No.	Outside Diam.	Inside Diam.	Approx. No. of Feet per lb.	List Price. Per pound.
Bloat	3481	3⁄8 inch.	1⁄8 inch.	20.....	\$ 1.20
Bloated	3482	1⁄2 "	1⁄4 "	14.....	1.20
Bloater	3483	1⁄2 "	5⁄16 "	16.....	1.20
Blobber	3484	5⁄8 "	3⁄8 "	10.....	1.20
Blitheful	3485	3⁄4 "	1⁄2 "	8.....	1.20
Blithely	3486	7⁄8 "	5⁄8 "	8.....	1.20
Blithesome	3487	1 "	3⁄4 "	6.....	1.20
Binnacle	3488	1 1⁄8 "	7⁄8 "	6.....	1.20

Vulcanized Fibre Tubing.

Length about 22 inches, 1⁄16 to 3⁄8-inch walls.

		Inside Diam.	
Jewell	13310	1⁄4 inch.....	1.00
Joab	13311	3⁄8 ".....	1.00
Jobstown	13312	1⁄2 ".....	1.00
Johnston	13313	5⁄8 ".....	1.00
Johnson	13314	3⁄4 ".....	1.00
Jolley	13315	1 ".....	1.00
Jonesboro	13316	1 1⁄4 ".....	1.00
Joplin	13317	1 1⁄2 ".....	1.00



Okonite Tubing.

			Approx. No. of Feet per lb.	
Allowance	3249	1⁄8 inch.	35 feet.....	2.00
Allowing	3250	1⁄4 "	17 ".....	2.00
Alloy	3251	5⁄16 "	14 ".....	2.00
Alloyage	3252	3⁄8 "	11 1⁄2 ".....	2.00
Alloyed	3253	1⁄2 "	10 ".....	2.00
Allo	3254	5⁄8 "	8 ".....	2.00
Allspice	3255	3⁄4 "	4 1⁄2 ".....	2.00
Allude	3256	7⁄8 "	4 ".....	2.00
Alluding	3257	1 "	3 ".....	2.00



Soft Rubber Tubing.

		Inside Diam.	Covers Wire.	Approx. No. of Feet per lb.	
Branding	3475	1⁄8 inch.	No. 20 B. & S. G., Ins.	100.....	1.35
Brandy	3476	3⁄16 "	" 14 " "	50.....	.85
Bravado	3477	1⁄4 "	" 10 " "	20.....	.85
Brave	3478	5⁄16 "	" 6 " "	15.....	.85
Bravely	3479	3⁄8 "	" 4 " "	12.....	.85
Bridget	3480	1⁄2 "	" 0 " "	9.....	.85



Insulating Paints.

<i>Capitation</i>	3347	P. & B. Paint, 1 gallon cans, per gallon.....	1.50
<i>Capitulate</i>	3348	" " 5 " "	1.40
<i>Capon</i>	3349	" " barrel lots, "	1.25

Armalac.

For Insulating Field Magnets and Armatures.

Acid, alkali and waterproof. Absolutely non-inflammable. Unexcelled and unvarying standard of insulation.

Code Word.	List No.		Bbls. Per Gal.	Half Bbls.	Cans.
<i>Covenant</i>	8728	Armalac.....	\$1.65	\$1.75	\$2.00

Insullac

Is a rapid drying orange colored insulating varnish, possessing great insulating properties and absolute resistance to lubricating oils. Dilute with insullac thinner only.

		Bbls. Per Gal.	Half Bbls.	Cans.	
<i>Copyist</i>	8729	Insullac.....	\$1.65	\$1.75	\$2.00

Insullac Thinner.

A Dilutant for Insullac.

			Bbls. Per Gal.	Half Bbls.	Cans.
Gertrude	8881	Insullac Thinner	\$1.35	\$1.45	\$1.70

Enamelac.

For producing highly-lustrous, smooth and waterproof surfaces upon wood or iron. Unexcelled as a preservative.

			Bbls. Per Gal.	Half Bbls.	Cans.
Copyholder	8730	Enamelac.....	\$0.80	\$0.90	\$1.00



Waste.


<i>Cask</i>	3999	Best Quality Cotton Waste, per pound.....	15
-------------	------	---	----

Crocus Cloth.

<i>Cousin</i>	8726½	Per Sheet.	.05
		" Ream.	18.00

Asbestos.

<i>Cove</i>	8727	Asbestos Paper, in rolls, per pound.....	.30
-------------	------	--	-----



Standard Price List

OF

Electrical Mica.

Size.	Price per lb.	Size.	Price per lb.	Size.	Price per lb.	Size.	Price per lb.	Size.	Price per lb.	Size.	Price per lb.
1½ x 3	\$0 60	2 x 2½	\$0 60	2½ x 7½	\$5 00	2½ x 5	\$5 00	3½ x 5½	\$7 75	4½ x 7	\$9 75
1½ x 3½	65	2 x 2½	65	2½ x 8	5 50	2½ x 5½	5 25	3½ x 6	8 50	4½ x 8	10 00
1½ x 3½	70	2 x 2½	70	2½ x 8½	6 25	2½ x 5½	5 50	3½ x 7	8 75	4½ x 9	10 25
1½ x 3½	75	2 x 3	75	2½ x 9	6 75	2½ x 6	6 00	3½ x 8	9 00	4½ x 10	11 25
1½ x 4	90	2 x 3½	80	2½ x 9½	7 50	2½ x 6½	6 25	3½ x 9	9 50	4½ x 11	12 00
1½ x 4½	1 00	2 x 3½	90	2½ x 10	8 00	2½ x 7	6 75	3½ x 10	10 50	4½ x 12	13 00
1½ x 4½	1 15	2 x 3½	1 00	2½ x 11	8 50	2½ x 7½	7 25	3½ x 11	12 00	5 x 5	8 50
1½ x 5	1 50	2 x 4	1 20	2½ x 12	9 50	2½ x 8	7 75	3½ x 12	12 50	5 x 5½	9 00
1½ x 5½	1 90	2 x 4½	1 25	2½ x 2½	85	2½ x 8½	8 75	3½ x 3½	4 50	5 x 6	9 50
1½ x 6	2 40	2 x 4½	1 40	2½ x 2½	1 00	2½ x 9	9 00	3½ x 3½	5 00	5 x 6½	9 75
1½ x 6½	3 00	2 x 4½	1 50	2½ x 3	1 25	2½ x 9½	9 50	3½ x 4	6 00	5 x 7	10 00
1½ x 7	4 00	2 x 5	1 75	2½ x 3½	1 35	2½ x 10	10 00	3½ x 4½	6 25	5 x 8	10 25
1½ x 7½	4 50	2 x 5½	2 40	2½ x 3½	1 50	2½ x 11	11 00	3½ x 4½	6 50	5 x 9	10 50
1½ x 8	4 75	2 x 6	3 00	2½ x 3½	1 60	2½ x 12	11 50	3½ x 4½	7 00	5 x 10	11 00
1½ x 8½	5 25	2 x 6½	3 50	2½ x 4	1 75	3 x 3	2 50	3½ x 5	7 50	5 x 11	12 00
1½ x 9	5 75	2 x 7	4 50	2½ x 4½	2 00	3 x 3½	2 75	3½ x 5½	8 25	5 x 12	13 50
1½ x 9½	6 50	2 x 7½	4 75	2½ x 4½	2 50	3 x 3½	3 25	3½ x 6	8 75	5½ x 5½	9 25
1½ x 10	7 00	2 x 8	5 00	2½ x 4½	3 00	3 x 3½	3 75	3½ x 6½	8 75	5½ x 6	9 75
1½ x 11	7 75	2 x 8½	5 75	2½ x 5	3 50	3 x 4	5 00	3½ x 7	9 00	5½ x 7	10 25
1½ x 12	8 75	2 x 9	6 25	2½ x 5½	3 60	3 x 4½	5 25	3½ x 8	9 25	5½ x 8	10 50
1½ x 3	70	2 x 9½	7 00	2½ x 5½	3 75	3 x 4½	6 00	3½ x 9	9 50	5½ x 9	10 75
1½ x 3½	75	2 x 10	7 50	2½ x 6	4 25	3 x 4½	6 50	3½ x 10	10 75	5½ x 10	11 50
1½ x 3½	85	2 x 11	8 25	2½ x 6½	4 50	3 x 5	7 00	3½ x 11	12 00	5½ x 11	12 00
1½ x 3½	1 00	2 x 12	9 25	2½ x 7	5 00	3 x 5½	7 50	3½ x 12	13 00	5½ x 12	13 50
1½ x 4	1 10	2½ x 2½	60	2½ x 7½	5 25	3 x 6	8 00	4 x 4	7 00	6 x 6	10 00
1½ x 4½	1 15	2½ x 2½	65	2½ x 8	5 50	3 x 6½	8 25	4 x 4½	7 25	6 x 6½	10 25
1½ x 4½	1 25	2½ x 2½	70	2½ x 8½	6 50	3 x 7	8 50	4 x 5	7 75	6 x 7	10 50
1½ x 4½	1 40	2½ x 3	1 00	2½ x 9	7 00	3 x 8	8 75	4 x 5½	8 50	6 x 8	10 75
1½ x 5	1 75	2½ x 3½	1 15	2½ x 9½	7 50	3 x 9	9 00	4 x 6	9 00	6 x 9	11 00
1½ x 5½	2 15	2½ x 3½	1 30	2½ x 10	8 00	3 x 10	10 50	4 x 6½	9 25	6 x 10	11 50
1½ x 6	2 75	2½ x 3½	1 45	2½ x 11	8 75	3 x 11	12 00	4 x 7	9 50	6 x 11	12 00
1½ x 6½	3 25	2½ x 4	1 60	2½ x 12	10 00	3 x 12	12 50	4 x 8	9 75	6 x 12	14 00
1½ x 7	4 25	2½ x 4½	1 75	2½ x 2½	1 25	3½ x 3½	3 50	4 x 9	10 00	7 x 7	10 75
1½ x 7½	4 50	2½ x 4½	2 00	2½ x 3	1 75	3½ x 3½	4 00	4 x 10	11 00	7 x 7½	10 75
1½ x 8	4 75	2½ x 4½	2 25	2½ x 3½	2 00	3½ x 3½	4 50	4 x 11	12 00	7 x 8	11 00
1½ x 8½	5 50	2½ x 5	2 75	2½ x 3½	2 25	3½ x 4	5 25	4 x 12	13 00	7 x 9	11 25
1½ x 9	6 00	2½ x 5½	2 85	2½ x 3½	2 50	3½ x 4½	5 50	4½ x 4½	7 50	7 x 10	12 00
1½ x 9½	6 75	2½ x 5½	3 00	2½ x 4	3 00	3½ x 4½	6 00	4½ x 5	8 25	7 x 11	12 50
1½ x 10	7 25	2½ x 6	3 40	2½ x 4½	3 25	3½ x 4½	6 50	4½ x 5½	8 75	8 x 8	12 00
1½ x 11	8 00	2½ x 6½	3 65	2½ x 4½	3 75	3½ x 5	7 25	4½ x 6	9 25	8 x 9	12 50
1½ x 12	9 00	2½ x 6½	3 90	2½ x 4½	4 25	3½ x 5½	7 50	4½ x 6½	9 50	8 x 10	13 00
2 x 2	60	2½ x 7	4 75								

All Larger. Special Prices.



No. 3604.

Galvanized Oil Waste Cans.

Self-Closing Cover.

WITH IMPROVED SPRING ATTACHMENT.

The "Iron-Clad" Oil Waste Cans are made without the use of Solder and are galvanized after being put together. They are recommended by the leading insurance companies.

		Round.	List Price.
Code Word.	List No.		
<i>Ancestral</i>	3604	No. 1, 11½x15 inches, per doz.....	\$18.00

Round.

Made to Order Only.

<i>Dab</i>	554	No. 2, 12x18 inches, per doz.....	24.00
<i>Dabble</i>	555	" 3, 13x20 " "	28.00
<i>Daft</i>	556	" 4, 14x22 " "	36.00
<i>Dagger</i>	557	" 5, 16x24 " "	42.00
<i>Daily</i>	558	" 6, 18x26 " "	56.00
<i>Daintily</i>	559	" 7, 20x30 " "	90.00
<i>Daisy</i>	560	" 8, 24x36 " "	130.00

Rectangular.

			Length. In.	Width. In.	Depth. In.	
<i>Daker</i>	561	No. 30, per doz.	20	15	20	70.00
<i>Dale</i>	562	" 40, " "	20	18	24	90.00
<i>Dally</i>	563	" 50, " "	24	20	30	132.00
<i>Damage</i>	564	" 60, " "	26	22	30	140.00
<i>Damaging</i>	565	" 70, " "	28	24	34	170.00
<i>Damask</i>	566	" 80, " "	30	24	36	190.00

The Model Oil Filter.

It can be operated with or without heat, although it is preferable to use heat at all times, as it greatly facilitates the flow of oil, and assists in separating it from all sediment, grit and dirt.

The steam heating pipes are independent of filter. We place them on top of the stand, under the filter, where the coil gives all the heat required and can be easily connected or disconnected. By doing this we avoid all trouble that is caused by defective and leaky joints where steam pipes pass through wall of filter.

It is self cleaning, as it is so constructed that all dirt, grit and sediment in the oil as it passes through the separating chambers is trapped to the bottom and is drawn off through a waste cock.

The supply of waste oil to separating chamber can be regulated to feed fast or slow. All heavy or gummy oils require more time to filter than light oils.

It can be used for an oil tank, for the clean oil chamber is large enough to hold all the oil required in an engine room.



No. 3454.

<i>Blown</i>	3454	10 gallons.....	35.00
<i>Blubber</i>	3455	30 "	50.00
<i>Blubbered</i>	3456	60 "	65.00

Larger Sizes Made to Order.




No. 3834.

Oiler Sets.

These Engineers' Sets are made of heavy brass and handsomely finished.

Code Word.	List No.	List Price.
<i>Blessing</i>	3834 Five Pieces, Brass.....	\$6.00
<i>Blest</i>	3835 Six " "	9.00
<i>Blight</i>	853 Five " Nickel.....	8.00
<i>Blighted</i>	854 Six " "	11.00



No. 3838.

Engineers' Fillers, Brass.

<i>Blessedly</i>	3838 Heavy Brass, One Quart, each.....	2.00
<i>Blessor</i>	3839 " " Two Quarts "	3.00



No. 3452.

Engineers' Fillers, Steel.

<i>Blistered</i>	3452 Pint Fillers, 4½ in. diameter, 3½ in. high, Screw Top, per doz.....	14.00
<i>Blistering</i>	3453 Quart Fillers, 5 in. diameter, 5 in. high, Screw Top, per doz.....	20.00

Brass.

<i>Blistering</i>	3450 1½ Pint Fillers, 4½ in. diameter, 4 in. high, Screw Top, per doz.....	22.00
<i>Blithe</i>	3451 Quart Fillers, 5 in. diameter, 5 in. high, Screw Top, per doz.....	30.00

Steel.

<i>Bled</i>	3840 Steel Oiler, 4½ in. diam., 3 in. nozzle, per doz....	9.25
<i>Blemish</i>	3841 " 4½ " 9 " "	10.50



No. 3840.

Brass.

<i>Bless</i>	3842 Brass Oilers, 4½ in. diam., 3 in. nozzle, per doz..	12.00
<i>Blessed</i>	3843 " 4½ " 9 " "	14.00



No. 3844.

Oiler Sets—(Continued).

Steel.

Code Word.	List No.		List Price.
<i>Blatter</i>	3844	Steel Oiler, 2¼ in. diam., 2½ in. nozzle, per doz..	\$4.50
<i>Blaze</i>	3845	“ 3⅜ “ 3 “ “ ..	5.50
<i>Blazed</i>	3846	“ 3⅜ “ 9 “ “ ..	6.50
<i>Blazer</i>	3847	“ 3¼ “ 3 “ “ ..	7.50
<i>Blazing</i>	3848	“ 3¼ “ 9 “ “ ..	8.50

Brass.

<i>Blazon</i>	3849	Brass Oilers, 2¼ in. diam., 2½ in. nozzle, per doz..	6.50
<i>Bleat</i>	3850	“ 3⅜ “ 3 “ “ ..	8.00
<i>Bleating</i>	3851	“ 3⅜ “ 9 “ “ ..	9.20

Upright Locomotive Oiler.

The flow of oil from this is controlled by a valve so the oil only runs out when you press the thumb piece on top of the handle.



No. 3852.

Brass.

<i>Blast</i>	3852	1 Pint, Brass, with valve, per dozen.....	36.00
<i>Blasted</i>	3853	2 “ “ “ “ ..	48.00
<i>Blastcr</i>	3854	3 “ “ “ “ ..	60.00
<i>Blasting</i>	3855	1 “ “ no valve “ ..	24.00
<i>Blastpipe</i>	3856	2 “ “ “ “ ..	36.00
<i>Blatant</i>	3857	3 “ “ “ “ ..	48.00

Tin.

<i>Biology</i>	3858	1 Pint, Tin, with valve, per dozen.....	24.00
<i>Birch</i>	3859	2 “ “ “ “ ..	33.00
<i>Birchen</i>	3860	3 “ “ “ “ ..	45.00
<i>Bird</i>	3861	1 “ “ no valve, “ ..	12.00
<i>Birth</i>	3862	2 “ “ “ “ ..	21.00
<i>Blanche</i>	3863	3 “ “ “ “ ..	33.00

Railroad Oiler.

Steel.

<i>Biographer</i>	3864	Pint R. R. Oiler, 3⅝ in. diam., 5 in. high, 12 in. nozzle, per dozen.....	14.00
<i>Biographic</i>	3865	Quart R. R. Oiler, 4½ in. diam., 6 in. high, 18 in. nozzle, per dozen.....	18.00

Brass.

<i>Biographical</i>	3866	Pint R. R. Oiler, 3⅝ in. diam., 5 in. high, 12 in. nozzle, per dozen.....	18.00
<i>Biography</i>	3867	Quart R. R. Oiler, 4½ in. diam., 6 in. high, 18 in. nozzle, per dozen.....	21.00



No. 3864.

CONSTRUCTION MATERIAL.



No. 2348

Insulators—Glass.

Code Word.	List No.	List Price
<i>Elm</i>	2348 Regular, per 1,000.....	\$40.00
	Packed 250 in a barrel.	



No. 2349

<i>Elongate</i>	2349 Deep Groove, per 1,000.....	45.00
	Packed 200 in a barrel.	



No. 2350

<i>Elopement</i>	2350 Western Union, per 1,000.....	50.00
	Packed 200 in a barrel.	



No. 2351

Insulators—Glass—(Continued)

Code Word.	List No.	List Price.
<i>Eloquence</i>	2351 Pony, per 1,000	\$22.50
	Packed 300 in a barrel.	



No. 2352

<i>Eloquent</i>	2352 Double Petticoat, per 1,000	55.00
	Packed 165 in a barrel.	



No. 3872

<i>Billion</i>	3872 Deep Groove, Double Petticoat, per 1,000	50.00
	Packed 175 in a barrel.	



No. 3719

Insulators—Glass—(Continued).

Code Word	List No.	List Price.
<i>Beamless</i>	3719 Extra D. G , D P., per 1,000..	\$50.00
Packed 165 in a barrel.		



No. 2354

<i>Elsewhere</i>	2354 Pony, Double Petticoat, per 1,000.....	27.50
------------------	---	-------



No. 2334

<i>Emmeline</i>	2334 National Pony, per 1,000.	40.00
-----------------	-------------------------------------	-------



No. 2335

<i>Eminent</i>	2335 Pony Duplex, per 1,000.....	45.00
----------------	----------------------------------	-------



No. 15301.—

Insulators—Glass —(Continued).

Hemingray.

Code Word.	List No.		List Price, per 1,000.
<i>Moravia</i>	15300	No. 3, Regular.....	\$ 36.00
<i>Morhead</i>	15301	No. 7 Standard.....	32.00


Packed 250 in a barrel.



No. 15302.—

<i>Morconi</i>	15302	Standard, deep groove	36.00
----------------	-------	-----------------------------	-------

Packed 250 in a barrel.



No. 15305.

<i>Morganton</i>	15305	Deep groove, double petticoat.....	40.00
------------------	-------	------------------------------------	-------

Packed 200 in a barrel.



No. 15308.-

Insulators—Glass—(Continued).

Hemingray.

Code Word.	List No.	List Price. per 1,000.
<i>Morian</i>	15308	Street railway, deep groove, double petti coat..... \$ 50.00
Packed 200 in a barrel.		



No. 15310.—

<i>Moro</i>	15310	Western Union Double petticoat, teat....	50.00.
-------------	--------------	--	---------------

The points or teats on the lower rim of the petticoat attract the water on the outer surface of the insulator into drops. The water drops from these points, thereby preventing the moisture from creeping up on the inner petticoat, and thence to the pin.

Other insulators can be made in same manner at special prices.



No. 15812.—

<i>Morell</i>	15312	Pony.....	23.00
Packed 300 in a barrel.			



No. 2336

Insulators—Glass—(Continued).


Code Word.	List No.	List Price.
<i>Emissary</i>	2336 Deep Groove Duplex, per 1,000.....	\$50.00



No. 9200—Open.

<i>Emulating</i>	9200 Glass Oil Insulator, complete, iron pin, per 100.	80.00
<i>Emulation</i>	9308 " " " wooden pin, "	50.00

The price for No. 9200 includes 10 quarts of oil and 5 pounds of hemp or oakum, and for No. 9308 includes 12 quarts of oil.



No. 9315.


<i>Accomplice</i>	9315 Cable Glass Insulator, per 1,000.....	140.00
-------------------	--	--------



No. 6793.

Insulators—Glass—(Continued).

Code Word.	List No.	List Price.
<i>Emulate</i>	6793	Double Groove Glass Insulator, per 1,000.....\$82.00




No. 2337.

No. 1, Glass Insulating or Break Knob.

1½ inches long, 1½ inches wide, ⅜ inch hole.

<i>Empty</i>	2337	Per 1,000.....	20.00
--------------	------	----------------	-------




No. 2338.

No. 2, Glass Insulating or Break Knob.

1½ inches long, 2 inches wide, ⅜ inch hole.

<i>Emptying</i>	2338	Per 1,000.....	30.00
-----------------	------	----------------	-------




No. 2339-

No. 3, Glass Insulating or Break Knob.

For insulating span wires, guy wires, arc lamps, etc.

2½ inches long, 2 inches wide, ⅜ inch hole.

<i>Empurple</i>	2339	Per 1,000.....	40.00
-----------------	------	----------------	-------



No. 24465.

Glass Insulators.—(Continued.)**Break Knob.**

Takes a One Inch Cable.

Code Word.	List No.	List Price.
<i>Soleplate</i>	24465	Per 1,000 \$80.00

3½ in. long; 2¾ in. wide.

Liquid Insulator.

<i>Solere</i>	24446	Per 1,000 500.00
---------------	-------	------------------------

Made all in one piece.

Weight, per piece, 30½ ozs. Weight; per 100, packed, 2210 lbs.
Packed 100 in a barrel.

No. 24446.


Locke Triple Petticoat Insulators.

For High Voltages.

China Insulator.

<i>Solert</i>	24467	Each 50
---------------	-------	----------------

Dimensions:—Diameter, 5¼ inches; Height, 3 inches.




No. 24467.

Glass Insulator.


<i>Soleship</i>	24468	Each 15
-----------------	-------	----------------

Dimensions:—Diameter, 4½ inches; height, 3½ inches; 8½ inches of surface between wire and pin.




No. 24468.


Insulators—Porcelain.




No. 3458.




No. 3460.




No. 1928.



No. 1929.



No. 1930.



No. 3462.

The dimensions are as nearly accurate as possible, but owing to the fact that porcelain shrinks when baked, and the shrinkage is not at all times the same, Insulators may be a little larger or smaller than figures given.

Code Word.	List No.	Per 1,000	List Price.
<i>Blissful</i>	3458		\$3.60

R. T. & Sons No. 7. $\frac{7}{8}$ in. wide and $\frac{3}{4}$ in. high.
Groove, $\frac{3}{8}$ in. deep, $\frac{3}{4}$ in. wide.

<i>Blissless</i>	3460	Per 1,000.....	3.60
------------------	------	----------------	------

R. T. & Sons No. 6. $\frac{1}{2}$ in. wide and $\frac{1}{4}$ in. high.
Groove, $\frac{1}{8}$ in. deep, $\frac{3}{4}$ in. wide.

<i>Bilge</i>	1928	Per 1,000.....	4.00
--------------	------	----------------	------

R. T. & Sons No. 8. $1\frac{1}{8}$ in. wide, $\frac{1}{2}$ in. high.
Groove, $\frac{5}{8}$ in. deep, $\frac{3}{4}$ in. wide.

<i>Bileduct</i>	1929	Per 1,000.....	4.00
-----------------	------	----------------	------

R. T. & Sons No. 11. $1\frac{1}{8}$ in. wide, $\frac{1}{4}$ in. high.
Groove, $\frac{1}{4}$ in. deep, $\frac{1}{2}$ in. wide.


<i>Bilged</i>	1930	Per 1,000.....	5.00
---------------	------	----------------	------

R. T. & Sons No. 9. $\frac{3}{4}$ in. wide, $1\frac{1}{8}$ in. high.
Groove, $\frac{1}{8}$ in. deep, $\frac{1}{2}$ in. wide.


<i>Blueness</i>	3462	Per 1,000.....	5.25
-----------------	------	----------------	------

R. T. & Sons No. 5. $1\frac{1}{8}$ in. wide, $1\frac{1}{4}$ in. high.
Groove, $\frac{3}{8}$ in. deep, $\frac{5}{8}$ in. wide.


About 5,000 No. 5 fill a barrel. 500 are packed in boxes. When packed in boxes 50 cents extra per 1,000 is charged.




No. 3464.



No. 2575.



No. 1923.



No. 3466.

Insulators—Porcelain—(*Continued.*)

Code Word.	List No.	List Price.
<i>Blue</i>	3464	Per 1,000, in barrel lots..... \$8.00

R. T. & Sons No. 4. $1\frac{9}{16}$ in. wide, $1\frac{1}{2}$ in. high.
Groove, $\frac{1}{4}$ in. deep, $\frac{3}{8}$ in. wide.

About 2,000 to 2,300 make a barreelfull. 500 fill a box. 50 cents extra per 1,000 charged when packed in boxes.

<i>Deacon</i>	2575	Split, per 1,000..... 36.00
---------------	------	-----------------------------


Special Split Insulator, $1\frac{1}{4}$ in. wide, $1\frac{3}{8}$ in. high.
Groove, $\frac{1}{4}$ in. deep, $\frac{1}{2}$ in. wide.

<i>Daytime</i>	1923	Per 1,000 15.00
----------------	------	-----------------------

R. T. & Sons No. 10. $1\frac{1}{2}$ in. wide, $1\frac{1}{2}$ in. high.
Groove, $\frac{3}{16}$ in. deep, $\frac{3}{8}$ in. wide.

<i>Blunder</i>	3466	Per 1,000 24.00
----------------	------	-----------------------

R. T. & Sons No. 36. $1\frac{1}{16}$ in. wide, $1\frac{1}{2}$ in. high.
Groove, $\frac{1}{4}$ in. deep, $\frac{5}{8}$ in. wide.




No. 3648.

Insulators—Porcelain--(Continued.)

Code Word	List No	List Price.
<i>Blubbery</i>	3468	\$20.00


R. T. & Sons No. 15. $1\frac{5}{8}$ wide, $1\frac{1}{8}$ high.
Groove, $\frac{5}{16}$ in. deep. $\frac{3}{8}$ in. wide



No. 1924.

<i>Dazzle</i>	1924	Per 1,000	20.00
---------------	------	-----------	-------


R. T. & Sons No. 24. $1\frac{1}{2}$ in. wide, $1\frac{1}{8}$ in. high.
Groove, $\frac{1}{4}$ in. deep, $\frac{1}{2}$ in. wide.



No. 1925.

<i>Bilious</i>	1925	Per 1,000	20.00
----------------	------	-----------	-------

R. T. & Sons No. 3. 2 in. wide, $1\frac{1}{4}$ in. high.
Groove $\frac{3}{8}$ in. deep, $\frac{3}{8}$ in. wide.




No. 3470.

Insulators—Porcelain—(*Continued.*)

Code Word.	List No.	List Price.
<i>Bluffness</i>	3470 Per 1,000.....	\$35.00

R. T. & Sons No. 26. 2 $\frac{5}{16}$ in. wide, 1 $\frac{3}{8}$ in. high.
Groove, $\frac{5}{16}$ in. deep, $\frac{1}{2}$ in. wide.



No. 1926.

<i>Bilked</i>	1926 Per 1,000.....	27.00
---------------	----------------------------	--------------


R. T. & Sons No. 2. 2 in. wide, 2 $\frac{1}{4}$ in. high.
Groove, $\frac{5}{16}$ in. deep, $\frac{7}{16}$ in. wide.




No. 1927.

<i>Bilk</i>	1927 Per 1,000.....	53.00
-------------	----------------------------	--------------

R. T. & Sons No. 1. 2 in. wide, 3 in. high.
Groove; $\frac{1}{4}$ in. deep, $\frac{3}{8}$ in. wide.




25429




25430

25431



25432

25433



25434

25435



25436

25437



25438

25439

Special Porcelain Insulators.

The figures as to dimensions and weight of Insulators is as accurate as the nature of porcelain will allow, and in actual practice results may vary a trifle.

Code Word. List No.

Accessarily **25429** P101 Insulator
3½ inches high; 4 inches wide; ⅝ inch hole; 1½ inch groove. Weight per 1000, 2780 pounds. A barrel contains about 125.

Accessarily **25430** P102 Insulator
2½ inches high; 2½ inches wide; 1¼ inch hole; ⅞ inch groove. Weight per 1000, 675 pounds. A barrel contains about 400.

Accessarily **25431** P103 Insulator
2⅝ inches high; 2½ inches wide; ⅞ inch hole; 1½ inch groove. Weight per 1000, 660 pounds. A barrel contains about 400.

Accessarily **25432** P104 Insulator
1⅞ inch high; 2¼ inch wide; ⅞ inch hole; ⅝ inch groove. Weight per 1000, 380 pounds. A barrel contains about 700.

Accessorial **25433** P104½ Insulator
1½ inches high; 2 inches wide; ⅞ inch hole; ⅝ inch groove. Weight per 1000, 380 pounds. A barrel contains about 900.

Accessorial **25434** P105 Insulator
1⅝ inches high; 2½ inches wide; 1¼ inch hole; 1 inch groove. Weight per 1000, 350 pounds. A barrel contains about 700.

Accessorially **25435** P106 Insulator
1⅝ inch high; 1½ inch wide; ⅞ inch hole; 1¼ inch groove. Weight per 1000, 115 pounds. A barrel contains about 2200.

Accessorially **25436** P107 Insulator
1 inch high; 1½ inches wide; ⅞ inch hole; ½ inch groove. Weight per 1000, 160 pounds. A barrel contains about 2500.

Accessorially **25437** P108 Insulator
¾ inch high; 1⅞ inches wide; ½ inch hole; ⅞ inch groove. Weight per 1000, 75 pounds. A barrel contains about 3000.

Accessorially **25438** P109 Insulator
⅞ inch high; 1⅝ inch wide; ½ inch hole; ⅞ inch groove. Weight per 1000, 30 pounds. A barrel contains about 8000.

Accessorially **25439** P110 Insulator
1 inch high; 1½ inch wide; ⅞ inch hole; ⅞ inch groove. Weight per 1000, 105 pounds. A barrel contains about 2200.

Prices Quoted on Application.

Special Porcelain Insulators.—*Continued.*

25440

25441



25442

25443



25444

25445

25446



25447

25448



25449


25450



25451

25452

25453



25454

Code Word. List No.

Accidentally **25440** P1 Insulators.....
 2 $\frac{3}{4}$ inches high; 2 inches wide; $\frac{9}{16}$ inch hole; $\frac{5}{8}$ inch groove.
 Weight per 1000, 500 pounds. A barrel contains about 600.

Accidentalness **25441** P2 Insulator
 1 $\frac{3}{4}$ inches high; 1 $\frac{3}{4}$ inches wide; $\frac{5}{8}$ inch hole; $\frac{9}{16}$ inch groove.
 Weight per 1000, 287 pounds. A barrel contains about 900.

Accidentary **25442** P3 Insulator
 1 $\frac{3}{4}$ inches high; 1 $\frac{3}{4}$ inches wide; $\frac{5}{8}$ inch hole; $\frac{9}{16}$ inch groove.
 Weight per 1000, 287 pounds. A barrel contains about 900.

Accipenser **25443** P4 Insulator
 1 $\frac{3}{4}$ inches high; 1 $\frac{9}{16}$ inches wide; $\frac{9}{16}$ inch hole; $\frac{7}{8}$ inch groove.
 Weight per 1000, 200 pounds. A barrel contains about 2500.

Accipient **25444** P5 Insulator
 1 $\frac{1}{2}$ inch high; 1 $\frac{1}{8}$ inches wide, $\frac{1}{4}$ inch hole; $\frac{5}{16}$ inch groove.
 Weight per 1000, 80 pounds. A barrel contains about 4500.

Accipiter **25445** P6 Insulator
 $\frac{7}{8}$ inch high; $1\frac{1}{8}$ inch wide; $\frac{7}{16}$ inch hole; $\frac{7}{16}$ inch groove. Weight
 per 1000, 30 pounds. A barrel contains about 9000.

Accimate **25446** P7 Insulator
 $1\frac{1}{8}$ inch high; $1\frac{5}{8}$ inch wide; $\frac{9}{16}$ inch hole; $\frac{1}{8}$ inch groove. Weight
 per 1000, 30 pounds. A barrel contains about 9000.

Accimation **25447** P8 Insulator
 $1\frac{1}{8}$ inch high; $\frac{7}{8}$ inch wide; $\frac{7}{16}$ inch hole; $\frac{5}{8}$ inch groove. Weight
 per 1000, 30 pounds. A barrel contains about 9000.

Accimatement **25448** P9 Insulator
 1 $\frac{1}{8}$ inches high; $\frac{5}{8}$ inch wide; $\frac{3}{16}$ inch hole; $\frac{5}{16}$ inch groove.
 Weight per 1000, 26 pounds. A barrel contains about 9000.

Accimatize **25449** P111 Insulator
 1 $\frac{3}{4}$ inches high; 1 $\frac{1}{16}$ inches wide; $\frac{1}{4}$ inch hole; $\frac{3}{4}$ inch groove.
 Weight per 1000; 195 pounds. A barrel contains about 1500.

Accimature **25450** P151 Bushing length under head 1 inch; $\frac{3}{4}$ inch
 wide; $\frac{5}{8}$ inch hole


Accivous **25451** P152 Bushing length under head $\frac{1}{2}$ inch; $\frac{3}{4}$ inch
 wide; $\frac{5}{8}$ inch hole.

Accloy **25452** P153 Bushing length under head $\frac{5}{8}$ inch; $1\frac{5}{8}$
 inch; wide; $\frac{5}{8}$ inch hole.

Accoust **25453** P154 Bushing length under head $\frac{5}{8}$ inch; $1\frac{5}{8}$
 inches wide; $\frac{5}{8}$ inch hole.

Accoil **25454** High Potential Insulator, hard burned and
 thoroughly vitrified.

Prices Quoted on Application.




No. 1.

Insulators--Porcelain--(Continued).

Wiring Insulator.

Code Word.	List No.	List Price.
Enabling	1	Glazed, for No. 6 and No 8 wire, per 100..... \$2.40
Enact	1½	Unglazed, " 6 " 8 " " 1.50
Enacted	2	Glazed, " 10 to No. 16 " " 1.80
Enacting	2½	Unglazed, " 10 " 16 " " 1.20




No. 8907.

Wiring Insulator for Large Wires.

The Insulator will hold insulated wires or cables from ½ to ¾ inch outside diameter.

Emulsive	8907	Glazed, per 100.....	7.50
Enable	8908	Unglazed, "	4.50




No. 8909.

"Economic" Insulators.

This is a modification of Nos. 1 and 2 Wiring Insulators. By an improved construction it is, without sacrificing strength, made much smaller, and is therefore sold at a much lower price.

Emulgent	8909	For No. 1 wire and smaller, glazed, per 100....	1.80
Emulsion	8910	" 6 " " glazed. "	1.20




No. 6580.

Emulator	6580	Insulating Knob for wire, ¼ in. diam., per 100.	3.00
----------	------	---	------

P. & S. Circuit Breaker.

The construction of this Circuit Breaker is such as to insure high insulation and great strength. We furnish a large size for electric light wires, and smaller size for electric railway span wires, guard wires, curves, etc.



No. 8.

Code Word.	List No.	List Price.
<i>Emptied</i>	8 Small size, each per 100	\$3.00
<i>Emptiness</i>	9 Large " " " "	5.00




No. 9266.

<i>Empress</i>	9266 "Victor" Split Insulator, per 1000	35.00
----------------	---	-------



No. 2341.

<i>Empowering</i>	2341 Rubber Hook Insulator, each	.15
-------------------	--	-----




No. 25000.

P. & S. Guard Wire Suspension Insulators.

		List Price. Per 100.
<i>Solicitant</i>	25000 P. & S. No. 60, Glazed	\$2.20


The "Safety" Wire Holder.

Made in three sizes, Nos. 1, 2 and 3; to take wire as follows: No. 1 takes from No. 18 to No. 12 B. & S. gauge; No. 2 takes from No. 12 to No. 6 B. & S. gauge; No. 3 takes from No. 6 to No. 0 B. & S. gauge. They are furnished with different screws to suit the class of work required, viz., No. A, 1 inch wood screw for wood work; No. B, 1½ inch wood screw for plastered ceiling; No. C, ½ inch machine screw for iron work.



No. 2566.

<i>Devy</i>	2566 No. 1, with 1 inch wood screw, per 100	10.00
<i>Dexter</i>	2567 " 2, " 1 " " " "	10.00
<i>Dexterity</i>	2568 " 1, " 1½ " " " "	10.00
<i>Dexterous</i>	2569 " 2, " 1½ " " " "	10.00
<i>Diadem</i>	2570 " 1, " ½ " machine screw, "	10.00
<i>Diagonal</i>	2571 " 2, " ½ " " " "	10.00
<i>Diagram</i>	2572 " 3, " 1 " wood screw, "	15.00
<i>Dial</i>	2573 " 3, " 1½ " " " "	15.00
<i>Dialect</i>	2574 " 3, " ½ " machine screw, "	15.00




No. 8742.

The Security Insulator.

Code Word.	List No.	List Price.
Luminous	8742	Security Insulator, 1½ x 1½ inch. No. 2 to No. 12
		wire, per 1 000\$30.00

Combination Fixture Cut-out and Outlet Insulator.



No. 64.


As will be seen by the cut, it is fastened to the lathing, and when the plaster is put on, the Cut-out projects slightly through it. The wires pass through holes in the china plate, and it is impossible for them to touch the gas pipe or the lath or plaster. It is fitted with brass work for connecting the wires or fuses, and is furnished either with fuse plugs, which cover the fuses, or may be fused in the ordinary way.

Electioneer	64	Each	.15
Exacted	26	Fuse Plugs, each.....	.05

We also furnish the China Plate for No. 64 with three holes for wires, to be used without brass work.

Elector	64½	Each.....	.11
---------	-----	-----------	-----

Outlet Insulator.




No. 50.

Small curved china tubes for outlets, which effectually insulate wires from the gas pipe and lath and plaster. They are fastened to the pipe with tape in the usual way, as shown in the cut.

Election	50	Per 100	2.00
----------	----	---------------	------


Corner Insulator.



No. 61.

For the protection and insulation of heavy wires and cables when passing around corners or over cornices. It has a hole large enough for an insulated wire ¼ inch outside diameter.


Empoisoning	61	Glazed, each.....	.25
-------------	----	-------------------	-----



No. 9301.

Tree Insulators.

Code Word.	List No.	List Price.
<i>Elite</i>	9301 Simplex Tree Insulator, each	.50




No. 25094.

The Cutter Swinging Tree Insulator.

It is readily hung from a hook or wire twisted through the loop at the top, and by lengthening this wire the device will adapt itself to a wide range of conditions. It can also be used for supporting arc light wires under iron roofs.


<i>Soniferous</i>	25094 Per Dozen	2.00
-------------------	-----------------	------



No. 9.

The cut shows our No. 9 Circuit Breaker used as a Tree Insulator.

<i>Emptiness</i>	9 P. & S. Tree Insulator, per 100	5.00
------------------	-----------------------------------	------




No. 2855.

Gem Wire Holders, with Bolt and Nut.

Wood Insulation.

<i>Effort</i>	2853	$\frac{3}{8}$ inch opening, per 100	10.00
<i>Effrontery</i>	2854	$\frac{1}{2}$ " " "	12.00



No. 2853.


Porcelain Insulation.

<i>Effulgent</i>	2855	$\frac{3}{8}$ inch opening, per 100	12.00
<i>Effuse</i>	2856	$\frac{1}{2}$ " " "	12.00
<i>Effusion</i>	2857	$\frac{3}{4}$ " " "	17.50

Gem Wire Holders, with Bolt and Nut—
(Continued).

Opalescent Glass Insulation.

Code Word.	List No.		List Price.
<i>Effusive</i>	2858	$\frac{1}{2}$ inch opening, per 100.	\$22.50
<i>Eybert</i>	2859	$\frac{5}{8}$ " " "	22.50
<i>Egg</i>	2860	$\frac{3}{4}$ " " "	27.50
<i>Egotism</i>	2861	$\frac{7}{8}$ " " "	27.50
<i>Egotist</i>	2862	1 " " "	27.50
<i>Egress</i>	2863	$1\frac{1}{4}$ " " "	60.00
<i>Egyptian</i>	2864	$1\frac{1}{2}$ " " "	70.00
<i>Either</i>	02865	$1\frac{3}{4}$ " " "	80.00
<i>Eject</i>	02866	2 " " "	90.00




No. 481.

Gem Wire Holders, with Wood Screw.

Porcelain Insulation.

<i>Ejected</i>	481	$\frac{1}{8}$ inch opening, per 100.	10.00
<i>Ejecting</i>	482	$\frac{1}{4}$ " " "	10.00
<i>Ejection</i>	483	$\frac{3}{8}$ " " "	15.00


These Wire Holders are suitable for indoor or outdoor use.



No. 487.

Opalescent Glass Insulation.

<i>Ejectment</i>	487	$\frac{1}{2}$ inch opening, per 100	20.00
<i>Elaborate</i>	488	$\frac{5}{8}$ " " "	20.00
<i>Eclipse</i>	489	$\frac{3}{4}$ " " "	25.00
<i>Elastic</i>	490	$\frac{7}{8}$ " " "	25.00
<i>Elasticity</i>	491	1 " " "	25.00
<i>Elite,</i>	493	$1\frac{1}{4}$ " " "	50.00
<i>Elated</i>	494	$1\frac{1}{2}$ " " "	60.00
<i>Elation.</i>	484	$1\frac{3}{4}$ " " "	75.00
<i>Elbow</i>	485	2 " " "	85.00




No. 478.

Wood Insulation.

The Fletcher Gem Wire Holders, with wood insulation, are suitable for every description of inside work, but are not recommended for outdoor use.

<i>Elderly</i>	478	$\frac{3}{8}$ inch opening, per 100.	8.33
<i>Eldest</i>	479	$\frac{1}{4}$ " " "	10.00




No. 492.

“Tree” Wire Holder.

Opalescent Glass Insulation.

By passing a wire through the hole in boss of the “Tree” Wire Holder, it can be adjusted to any desired position.

<i>Elect</i>	492	1 inch opening, per 100.	25.00
		Flanged at ends.	




No. 2915.

“Jumbo” Wire Holders.

Opalescent Glass Insulation.

The Fletcher “Jumbo” Wire Holder is sufficiently strong to support a heavy cable, and adds materially to the neat appearance of wiring-work.


Code Word.	List No.	List Price.
<i>Electing</i>	2915 1 inch opening, per 100.	\$25.00



No. 496.


Gem Wire Holders.

<i>Cider</i>	496 Gem Wire Holder, per 100	10.00
--------------	------------------------------------	-------



No. 497.

<i>Churn</i>	497 Gem Wire Holder, per 100.....	5.00
--------------	-----------------------------------	------



No. 498.

<i>Churlish</i>	498 Gem Wire Holder, per 100	6.50
-----------------	------------------------------------	------

Insulated Wood Risers.

The Fletcher Insulated Wood Risers are used in fitting up electric light stations and power houses with wire or copper rods.



No. 2396.

<i>Chuffness</i>	2396	$\frac{1}{4}$ inch, Porcelain Insulation, each.....	.25
<i>Chuffy</i>	2397	$\frac{3}{8}$ " " " "	.25
<i>Chump</i>	2398	$\frac{1}{2}$ " Glass " "	.30
<i>Chunk</i>	2399	$\frac{5}{8}$ " " " "	.30
<i>Church</i>	2400	$\frac{3}{4}$ " " " "	.40
<i>Churchdom</i>	2401	$\frac{7}{8}$ " " " "	.40
<i>Churching</i>	2402	1 " " " "	.50
<i>Churchland</i>	2403	1 $\frac{1}{4}$ " " " "	.50
<i>Churchman</i>	2404	1 $\frac{1}{2}$ " " " "	.50



The Fletcher Wiring Pendants.

A very neat and strong device for wiring are and incandescent lights, indoors or out. Length, 5 inches; diameter of base plate, 3 inches.


Code Word.	List No.	List Price.
Chud	6798	Fletcher's Wiring Pendant, with screw, each... \$0.15
Chuff	6799	" " " screw holes, " 15

Fletcher's Insulating Iron Pin and Bracket.


These Iron Pins or Brackets are used on poles and cross-arms for running electric light lines or electric street railway feed wires, and do not require tie wires, which might injure the insulation or the line or feeder wire.



Fletcher's Insulating Iron Pin.			
Employable	2931	1/4 inch, Glass Insulation, each	.25
Employer	2932	3/8 " " " "	.25
Employing	2933	1/2 " " " "	.30
Empoison.	2934	5/8 " " " "	.30
Empoisoned	2935	3/4 " " " "	.30




Fletcher's Insulating Iron Bracket.			
Emphasize	1857	1/4 inch, Glass Insulation, each	.30
Emphasizing	1858	3/8 " " " "	.30
Empire	2923	1/2 " " " "	.40
Empiric	2924	5/8 " " " "	.40
Empirical	2925	3/4 " " " "	.40




Porcelain Wire Holders.

Electrify	2344	Per 1,000	27.75
-----------	------	-----------	-------



Elias	2345	Per 1,000	90.00
-------	------	-----------	-------



No. 2346.

Porcelain Wire Holders—(Continued).

Code Word.	List No.	List Price.
<i>Elijah</i>	2346 Per 1,000.....	\$150.00




No. 2347.

<i>Eliminate</i>	2347 Per 1,000	90.00
------------------	----------------------	-------

Cleats, Porcelain.

The Duggan Cleat.




No. 1157.

<i>Bequeathing</i>	1157	Glazed, will take wire No. 8 to No. 16, per 1,000,	45.00
<i>Bilateral</i>	1159	Glazed, " " 6 " 00, "	47.50
<i>Bilbo</i>	1161	Glazed, " " 16 and " 18, "	45.00

"P. & S." Single Cleat.


This Cleat is designed for use where wires are required to be separated more than $2\frac{1}{2}$ inches.



No. 3415.


<i>Elixir</i>	3415	Glazed, for wires with insulation $\frac{3}{8}$ to $\frac{1}{2}$ inch diameter, per 100.....	5.00
<i>Elk</i>	3416	Unglazed, for wires with insulation $\frac{3}{8}$ to $\frac{1}{2}$ inch diameter, per 100.....	3.50
<i>Ellen</i>	3417	Glazed, for wires with insulation $\frac{1}{2}$ to $\frac{3}{4}$ inch diameter, per 100.....	2.50
<i>Elliptic</i>	6800	Unglazed, for wires with insulation $\frac{1}{2}$ to $\frac{3}{4}$ inch diameter, per 100.....	1.60

"P. & S." China Cleats.



No. 3814.


<i>Bereave</i>	3814	Glazed, 2 wire, for No. 8 wire or smaller, per 100	3.80
<i>Bereaving</i>	3815	Unglazed, 2 " " 8 " "	2.50
<i>Novel</i>	3418	Glazed, 3 " " 8 " "	3.80
<i>Novelist</i>	3419	Unglazed, 3 " " 8 " "	2.50
<i>Novelty</i>	3420	Glazed, for No. 6 wire, per 100.....	4.50
<i>Noun</i>	3421	Unglazed, " 6 " "	3.00



No. 24100.

I X L Cleat.

Code Word.	List No.	List Price.
<i>Sliftered</i>	24100 Per 1,000	\$20.00



No. 24101.

Duggan One Wire Cleat.

Glazed.


<i>Slight</i>	24101	Holds Wires No. 16 to No. 8, per 1,000...	20.00
<i>Slighten</i>	24102	" " No. 6 to No. 00, " ...	36.00
<i>Slighter</i>	24103	" " No. 000 and larger, " ...	60.00



No. 24107.

The Diamond Porcelain Cleat.


<i>Slightly</i>	24107	Per 1,000	23.00
Takes all Wires from No. 8 to No. 16.			



No. 15325.

"W" Cleat.

<i>Morrice</i>	15325	Per 1,000	20.00
----------------	-------	-----------------	-------



No. 24146.

"P & S" China Cleat, Two and Three Wire.

<i>Sludge</i>	24146	Two Wire, glazed, per 100	3.50
<i>Sludger</i>	24147	" " unglazed, "	2.20
<i>Sludgy</i>	24148	Three " glazed, "	3.50
<i>Sine</i>	24149	" " unglazed, "	2.20




No. 300.



No. 301.



No. 302.



No. 303.

Brass Wiring Cleats.

While these cleats are adapted specially for street car wiring, they will be found very useful in other lines of work.

Code Word.	List No.	List Price Per 1,000
<i>Versatile</i>	300 Small.....	\$5.00
<i>Vertebra</i>	301 For No. 16 Wire.....	6.00
<i>Vestment</i>	302 For No. 6 Wire.....	7.00
<i>Vividly</i>	303 For No. 6 Wire.....	7.00

Wood Cleats.

One Wire.

			Outside Diam. of Wire.	Length in ins.		
<i>Stily</i>	24108	No. 4,	$\frac{1}{4}$ -inch,	2	square ends..	4.00
<i>Slim</i>	24109	No. 15,	$\frac{7}{16}$ -inch,	2	"	4.10
<i>Slime</i>	24110	Bunched Cleat	$\frac{7}{8}$ -inch,	2 $\frac{1}{2}$	beveled ends..	9.35

Two Wire.

<i>Sliminess</i>	24111	No. 1,	$\frac{3}{8}$ -inch,	2	square ends ...	4.25
<i>Slimoy</i>	24113	No. 3,	$\frac{5}{16}$ -inch,	4	beveled ends..	6.10
<i>Slimy</i>	24114	No. 23,	$\frac{1}{4}$ -inch,	2	"	9.40
<i>Sliness</i>	24115	No. 5,	$\frac{1}{4}$ -inch,	4 $\frac{1}{2}$	" ..	7.75
<i>Sling</i>	24116	No. 17,	$\frac{1}{4}$ -inch,	2	square ends...	5.00
<i>Slinger</i>	24117	No. 19,	$\frac{3}{8}$ -inch,	4 $\frac{1}{2}$	beveled ends	15.00
<i>Slink</i>	24118	No. 6,	$\frac{1}{2}$ -inch,	4 $\frac{1}{2}$	" ..	20.00

Three Wire.


<i>Slipknot</i>	24120	No. 24,	$\frac{3}{16}$ -inch,	4	beveled ends	7.00
<i>Slipon</i>	24121	No. 18,	$\frac{1}{4}$ -inch,	5	"	8.80

Four Wire.

<i>Slipper</i>	24122	No. 2,	$\frac{5}{16}$ -inch,	3 $\frac{1}{2}$	beveled ends	9.25
----------------	-------	--------	-----------------------	-----------------	--------------	------



China Wiring Tubes.



No. 013.

Code Word.	List No.	List Price.
<i>Acquest</i>	012	Hole for wire 5-16 inch (use 5-8 inch bit to bore joists), length 3 inches, per 100 \$1.80
<i>Empassion</i>	013	Hole for wire $\frac{5}{8}$ inch (use $\frac{5}{8}$ inch bit to bore joists), per 100..... \$2.00
<i>Emperor</i>	13	Hole for wire $\frac{3}{8}$ inch (use $\frac{3}{4}$ inch bit to bore joists), per 100 2.25
<i>Emphasis</i>	14	Hole for wire $\frac{3}{8}$ inch (use 1 inch bit to bore joists), per 100..... 3.25


China Cross-over Tube.

This tube has a head on each end and is designed to be used when wires cross over other wires. The heads tend to hold tube in position.



No. 130.

<i>Empaling</i>	130	$\frac{3}{8}$ inch hole, 3 inches between heads, glazed, per 100..... 4.50
<i>Empanel</i>	130½	$\frac{3}{8}$ inch hole, 3 inches between heads, unglazed, per 100..... 2.50



No. 8801.

"Midget" Wiring Tube.

<i>Acquest</i>	013½	1 5-8 inches long, 5-16 inch hole, 5-8 inch outside diameter; per 100..... 1.50
<i>Edwin</i>	8801	1½ inches long, $\frac{3}{8}$ inch hole, $\frac{3}{4}$ inch outside diameter, per 100..... 1.60

Porcelain Window Tube.




No. 20.

<i>Empaled</i>	20	6 inches long, $\frac{3}{8}$ inch hole, unglazed, each..... .06
<i>Empalement</i>	20½	6 " " " glazed, " 09

Use $\frac{3}{4}$ inch bit to bore holes for them.

Porcelain Window Tube, with Curved End.


This form of Window Tube has a curved end which effectually prevents any water entering through tube, and insures a compliance with the insurance rule requiring a "water loop" in wire. Use $\frac{3}{4}$ inch bit.



No. 37.

<i>Emotive</i>	37	Glazed Window Tubes, curved ends, each..... .07
<i>Empale</i>	37½	Unglazed " " " " 05

Long Curved End Tubes.




This Tube has a hole $\frac{5}{8}$ inch in diameter, and is $1\frac{1}{2}$ inch outside diameter.

Price List of Each Size, in Cents.

LENGTH UNDER HEAD IN INCHES.	6	8	10	12	14	16	18
Unglazed	11	17	23	33	38	46	54

For any of the above furnished Glazed, add 25 per cent.



No. 9327.

Code Word.	List No.	List Price. Each.
<i>Enactice</i>	9327 Floor Insulator, $\frac{5}{8}$ in. hole, $3\frac{1}{2}$ inch tube	.15

Awning Insulator.


This Insulator is used where a wire passes over an awning or cornice, or around the corner of a building, to protect the insulation of the wire from abrasion.



No. 21

<i>Emotion</i>	8989 $\frac{1}{2}$ Awning Insulator, glazed, each	.07
<i>Emotional</i>	8998 " " unglazed, each	.05


Long Curved Tubes, for Awnings, Cornices, Etc.



Curve, 19 inches long; about 16 inches across curve.
 $\frac{5}{8}$ inch hole; $1\frac{1}{8}$ inch outside diameter.

<i>Sloven</i>	24125 Unglazed, each	.40
---------------	--------------------------------	-----

Large China Tubes, with Long Heads.




We carry the following sizes with heads 3 inches long, which can be used advantageously where water or sweepings are liable to come in contact with wires. In ordering always give both outside and inside diameter.

Price List of Each Size, in Cents.

LENGTH UNDER HEAD IN INCHES.	6	8	10	12	14	17
$\frac{3}{8}$ in. hole, $\frac{3}{8}$ in. outside diameter	7	12 $\frac{1}{2}$	15 $\frac{1}{2}$	18 $\frac{1}{2}$	21 $\frac{1}{2}$	..
" " $\frac{1}{2}$ " "	8	13 $\frac{1}{2}$	16 $\frac{1}{2}$	19 $\frac{1}{2}$	22 $\frac{1}{2}$	..
" " $\frac{3}{4}$ " "	18	27 $\frac{1}{2}$	32 $\frac{1}{2}$	37 $\frac{1}{2}$	42 $\frac{1}{2}$	50
" " $1\frac{1}{8}$ " "	18	27 $\frac{1}{2}$	32 $\frac{1}{2}$	37 $\frac{1}{2}$	42 $\frac{1}{2}$	50
" " $1\frac{1}{4}$ " "	22 $\frac{1}{2}$	33	39	45	51	60
1 " $1\frac{3}{4}$ " "	22 $\frac{1}{2}$	33	39	45	51	60

For any of the above Glazed, add 25 per cent.

Large China Tubes.




In ordering always give outside and inside diameter.

Price List of Each Size, in Cents.


LENGTH IN INCHES.		4	5	6	7	8	9	10	12	14	15	16	18	20	22	24
in hole,	in. outside diam	2 1/2	3	4	5	6	7	8	14	17	...	20	23	...	...	...
"	"	3 1/2	4	5	6	7	8	9	15	18	19 1/2	21	24	...	...	...
"	"	8	...	12	...	16	...	20	30	...	...	...	...	...	...	...
"	"	1	...	...	...	...	...	...	...	35	...	40	45	50	55	60
"	"	1 1/4	...	12	...	16	...	20	30	35	...	40	45	50	55	60
"	"	1 1/2	...	15	...	20	...	25	36	...	...	...	...	...	...	...
"	"	1 3/4	...	...	...	...	...	...	...	42	45	48	54	60	66	72
"	"	2	...	15	...	20	...	25	36	42	45	48	54	60	66	72
1 1/4	"	12	...	18	...	24	...	30	42	49	...	56	63	70	77	84
1 1/2	"	12	...	18	...	24	...	30	42	49	...	56	63	70	77	84
2 1/4	"	20	...	30	...	40	...	50	66	77	...	88	99	1 10	1 21	1 32
2 1/2	"	20	...	30	...	40	...	50	66	77	...	88	99	1 10	1 21	1 32

For any of the above glazed, add 25 per cent.

Hard Rubber Tubing, with Heads.



ROUGH.



POLISHED.

Length.	Outside Diam.	Inside Diam.	Weight per C.	Rough Price per lb	Polished Price per 100
1 1/4 inch.	7/16 inch.	1/4 inch.	1 3/16 lbs.	2.25	29.80
1 1/2 "	1/8 "	1/8 "	1 1/8 "	2.25	28.40
2 1/4 "	1/8 "	1/4 "	1 9/16 "	2.25	35.20
2 1/2 "	1/2 "	1/8 "	2 "	2.25	38.00
3 "	7/16 "	1/4 "	1 11/16 "	2.25	36.80
4 "	7/8 "	1/4 "	2 1/8 "	2.25	46.00
6 "	7/8 "	1/4 "	3 3/8 "	2.25	60.00
3 "	9/8 "	1/8 "	2 1/2 "	2.25	60.00
4 "	9/8 "	1/8 "	3 1/8 "	2.25	60.00
6 "	1 1/8 "	1/8 "	5 1/8 "	2.25	68.60
8 "	1 1/8 "	1/8 "	6 1/8 "	2.25	77.00
4 "	5/8 "	3/8 "	4 1/8 "	2.25	65.60
8 "	3/8 "	3/8 "	7 1/8 "	2.25	93.80
12 "	5/8 "	3/8 "	10 1/2 "	2.25	121.80
8 "	3/4 "	1/2 "	10 3/8 "	2.25	110.40
12 "	3/4 "	1/2 "	15 1/8 "	2.25	138.60
2 1/2 "	9/16 "	3/8 "	2 3/8 "	2.25	38.00
3 "	9/16 "	3/8 "	2 6/8 "	2.25	46.40
4 "	3/4 "	1/2 "	5 1/8 "	2.25	65.80




Nos. 3816 to 3825.



No. 3836.



No. 3472.



No. 8899.

Floor Insulators.

Glass Floor Insulators.

Code Word.	List No.				List Price, Per 1,000.
<i>Bernard</i>	3816	3 in. floor ins.,	$\frac{1}{2}$ in. bore,	with thread	\$70.00
<i>Bertha</i>	3817	3	1	"	70.00
<i>Bertram</i>	3818	3	$1\frac{3}{4}$	"	80.00
<i>Beseech</i>	3819	$3\frac{1}{2}$	1	"	75.00
<i>Beseem</i>	3820	4	$\frac{3}{4}$	"	80.00
<i>Beset</i>	3821	4	1	"	80.00

<i>Besiege</i>	3822	$4\frac{1}{2}$ in. floor ins.,	1 in. bore,	with thread	90.00
<i>Besiegement</i>	3823	5	1	"	100.00
<i>Besieging</i>	3824	6	1	"	120.00
<i>Besmoke</i>	3825	6	$1\frac{1}{4}$	"	140.00
<i>Besot</i>	3836	$3\frac{1}{2}$	$\frac{3}{4}$	no thread	75.00
<i>Bespeak</i>	3837	6	1	split thread	200.00

Floor Insulators, F. O. B., N. Y.

			Per Gross.	
<i>Acquing</i>	25599	3 inch over all, $\frac{5}{8}$ inch bore.....	\$3.00	60.00
<i>Acquisitor</i>	25600	$3\frac{1}{2}$ " " " " " "	3.50	60.00
<i>Acquist</i>	25601	$4\frac{1}{2}$ " " " " " "	5.00	75.00
<i>Acquitment</i>	25602	6 " " " " " "	5.50	90.00

Porcelain Bushing.

THREE INCHES UNDER THE HEAD.

<i>Blinkard</i>	3472	For $\frac{5}{8}$ inch wire.....	75.00
<i>Blinkers</i>	3473	" $\frac{3}{4}$ " "	90.00
<i>Bliss</i>	3474	" 1 " "	100.00

China Floor Tubes.

				Each.
<i>Enactment</i>	8899	4 inches long, $\frac{3}{4}$ inch hole.....	\$	.09
<i>Enactor</i>	8900	4 " 1 "		.09
<i>Enamel</i>	8901	6 " $\frac{3}{4}$ "		.15
<i>Enameled</i>	8902	6 " 1 "		.15
<i>Enameling</i>	8903	4 " $1\frac{1}{4}$ "		.14
<i>Enamor</i>	8904	4 " $1\frac{1}{2}$ "		.14
<i>Enamored</i>	8905	6 " $1\frac{1}{4}$ "		.18
<i>Enamoring.</i>	8906	6 " $1\frac{1}{2}$ "		.18

Price List of Vitrified Clay Wiring Tubes.

Inches.	Diam. 5-16 In. Per 1000.	Diam. 3-8 In. Per 1000.	Diam. ½ In. Per 1000.	Diam. 5-8 In. Per 1000.	Diam. ¾ In. Per 1000.	Diam. 1 In. Per 1000.	Diam. 1¼ In. Each.	Diam. 1½ In. Each.	Diam. 1¾ In. Each.
1	7.50	7.00							
1½	7.00	9.00							
2	8.00	10.00	12.00	15.00	20.00				
2½	9.50	12.00	15.00						
3	10.00	12.00	15.00	18.00	23.00	28.00			
4	12.00	14.00	18.00	22.00	25.00	35.00	.08	.10	.12
6	25.00	28.00	35.00	40.00	45.00	50.00	.10	.16	.20
8	32.00	40.00	50.00	54.00	60.00	70.00	.12	.20	.24
10	40.00	52.00	65.00	70.00	80.00	90.00	.16	.24	.28
12	70.00	80.00	90.00	100.00	105.00	130.00	.24	.36	.40
14	90.00	100.00	105.00	120.00	130.00	155.00	.28	.42	.50
16	105.00	120.00	120.00	135.00	155.00	180.00	.32	.48	.60
18	120.00	132.00	135.00	155.00	170.00	200.00	.36	.54	.65
20	135.00	145.00	150.00	175.00	185.00	225.00	.40	.60	.70
22	150.00	160.00	165.00	190.00	205.00	250.00	.44	.65	.80
24	165.00	175.00	180.00	205.00	215.00	275.00	.48	.70	.90

B. & T. White Porcelain Tubes.

Thin Walls. Straight. Absolutely Non-Absorbent.

List Price per 100.

Length in inches..	3	4	5	6	8	10	12	14	16	18	20	24
⅞ in. inside diam.	.78	.94	1.53	1.95	3.00	4.00	6.00	7.00	8.00	9.00	10.00	
“ “ “	.94	1.10	1.80	2.34	3.50	4.50	6.50	8.00	9.00	10.00	11.00	14.00
“ “ “	1.28	1.40	2.11	2.72	4.00	5.00	7.00	9.00	10.00	12.00	13.00	15.00
“ “ “	1.40	1.72	2.55	3.11	4.50	6.00	8.00	10.00	12.00	14.00	15.00	17.00
“ “ “	1.81	1.95	2.80	3.50	5.00	7.00	9.00	10.00	13.00	15.00	16.00	20.00
1 “ “ “	2.18	2.72	3.45	3.90	7.00	8.00	11.00	12.00	15.00	17.00	19.00	22.00
1¼ “ “ “		6.50		8.00	10.00	13.00	19.00	22.00	26.00		33.00	39.00
1½ “ “ “		8.00		13.00	16.00	19.00	28.00	34.00	38.00		47.00	56.00

Mouldings.

F. O. B. Chicago.

Price per 1,000 Feet, Moulding Only.

Capping one-half price of Moulding.



No. Wires.	Size of Grooves.	Unfinished Mahogany.	Finished Mahogany.	Unfinished Red Birch.
2	$\frac{1}{4}$ in.	\$80.00	\$100.00	\$20.00
3	$\frac{1}{4}$ in.	120.00	150.00	30.00

Price per 1,000 Feet, Moulding Only.

Capping one-half price of Moulding.

No. Wires.	Size of Grooves.	Unfinished Soft Wood.	Painted Soft Wood.	Unfinished Oak.	Finished Oak.	Finished Georgia Pine
1	$\frac{1}{4}$ in.	\$6.00	\$8.00	\$12.00	\$17.00	\$12.00
2	$\frac{1}{4}$ in.	7.50	11.00	18.00	24.00	20.00
3	$\frac{1}{4}$ in.	12.00	16.00	28.00	36.00	28.00
2	$\frac{5}{16}$ in.	9.00	13.00	20.00	28.00	22.00
3	$\frac{5}{16}$ in.	14.00	19.00	30.00	40.00	32.00
1	$\frac{3}{8}$ in.	7.00	10.00	14.00	22.00	18.00
2	$\frac{3}{8}$ in.	13.00	18.00	26.00	36.00	28.00
3	$\frac{3}{8}$ in.	20.00	26.00	38.00	50.00	40.00
2	$\frac{1}{2}$ in.	14.00	20.00	28.00	40.00	30.00
3	$\frac{1}{2}$ in.	22.00	30.00	40.00	55.00	45.00
2	$\frac{5}{8}$ in.	18.00	24.00	35.00	47.00	37.00
3	$\frac{5}{8}$ in.	26.00	35.00	47.00	65.00	55.00
1	$\frac{3}{4}$ in.	10.00	14.00	20.00	30.00	22.00
2	$\frac{3}{4}$ in.	22.00	28.00	40.00	55.00	45.00
3	$\frac{3}{4}$ in.	30.00	40.00	55.00	75.00	65.00
2	1 in.	30.00	40.00	55.00	75.00	60.00
3	1 in.	45.00	60.00	82.00	110.00	90.00


Special Mouldings made to order on short notice.

Mouldings.

F. O. B. New York.



No. 386.




No. 387.

		Description.	Outside Diam. of Wire, Inches.	Width of Bottom, Inches.	List Price per 1,000 Ft.
Contemplator	386	A-1, complete, 2 wire	$\frac{7}{32}$	$1\frac{9}{16}$	11.00
Contempt	387	A-2, complete, 2 "	$\frac{7}{32}$	$1\frac{9}{16}$	21.00
Contemptible	388	A-2, bottom, 2 "	$\frac{7}{32}$	$1\frac{9}{16}$	13.50
Contemptibly	389	A-2, capping, 2 "	$\frac{7}{32}$	$1\frac{9}{16}$	7.50
Content	401	B-1, complete, 2 "	$\frac{5}{16}$	$1\frac{1}{4}$	25.00
Content	402	B-1, bottom, 2 "	$\frac{5}{16}$	$1\frac{1}{4}$	16.00
Contention	403	B-1, capping, 2 "	$\frac{5}{16}$	$1\frac{1}{4}$	9.00
Contentious	415	C-1, complete, 2 "	$1\frac{3}{32}$	$2\frac{1}{16}$	28.00
Contentless	416	C-1, bottom, 2 "	$1\frac{3}{32}$	$2\frac{1}{16}$	19.00
Contentment	417	C-1, capping, 2 "	$1\frac{3}{32}$	$2\frac{1}{16}$	9.00
Contents	429	D-1, complete, 2 "	$1\frac{9}{16}$	2 8	40.00
Conterminable	430	D-1, bottom, 2 "	$1\frac{9}{16}$	2 8	29.00
Conterminous	431	D-1, capping, 2 "	$1\frac{9}{16}$	2 8	11.00
Contest	441	E 1, complete, 2 "	$2\frac{3}{16}$	$3\frac{1}{16}$	60.00
Contestable	442	E-1, bottom, 2 "	$2\frac{3}{16}$	$3\frac{1}{16}$	48.00

Mouldings—(Continued).

F. O. B. New York.



No. 390.




No. 399.



No. 400.



No. 393.




No. 396.


Code Word.	List No.	Description.	Outside Diam of Wire, Inches.	Width of Bottom, Inches.	List Price, per 1,000 Ft.
<i>Contestant</i>	443	E-1, capping, 2 wire,	$\frac{23}{32}$	$3\frac{1}{8}$	12.00
<i>Continent</i>	390	A-3, complete, 2 "	$\frac{7}{32}$	$1\frac{9}{16}$	18.00
<i>Continental</i>	391	A-3, bottom, 2 "	$\frac{7}{32}$	$1\frac{9}{16}$	10.50
<i>Contingency</i>	392	A-3, capping, 2 "	$\frac{7}{32}$	$1\frac{9}{16}$	7.50
<i>Contingent</i>	404	B-2, complete, 2 "	$\frac{5}{16}$	$1\frac{1}{4}$	21.00
<i>Continuable</i>	405	B-2, bottom, 2 "	$\frac{5}{16}$	$1\frac{1}{4}$	12.00
<i>Continual</i>	406	B-2, capping, 2 "	$\frac{5}{16}$	$1\frac{1}{4}$	9.00
<i>Contested</i>	418	C-2, complete, 2 "	$\frac{13}{32}$	$2\frac{1}{16}$	25.00
<i>Contesting</i>	419	C-2, bottom, 2 "	$\frac{13}{32}$	$2\frac{1}{16}$	16.00
<i>Context</i>	420	C-2, capping, 2 "	$\frac{13}{32}$	$2\frac{1}{16}$	9.00
<i>Contiguity</i>	432	D-2, complete, 2 "	$\frac{9}{16}$	$2\frac{3}{8}$	38.00
<i>Contiguous</i>	433	D-2, bottom, 2 "	$\frac{9}{16}$	$2\frac{3}{8}$	27.00
<i>Continually</i>	434	D-2, capping, 2 "	$\frac{9}{16}$	$2\frac{3}{8}$	11.00
<i>Continuance</i>	399	A-6, complete, 2 "	$\frac{7}{32}$	$1\frac{9}{16}$	\$15.00
<i>Continue</i>	413	B-5, " 2 "	$\frac{5}{16}$	$1\frac{1}{4}$	17.50
<i>Continued</i>	427	C-5, " 2 "	$\frac{13}{32}$	$2\frac{1}{16}$	22.50
<i>Continuedly</i>	400	A-7, complete, 3 "	$\frac{7}{32}$	$2\frac{9}{32}$	22.00
<i>Continuing</i>	414	B-6, " 3 "	$\frac{5}{16}$	$2\frac{1}{8}$	25.00
<i>Continuity</i>	428	C-6, " 3 "	$\frac{13}{32}$	$2\frac{1}{8}$	30.00
<i>Continuous</i>	393	A-4, complete, 3 "	$\frac{7}{32}$	$2\frac{9}{32}$	30.00
<i>Contort</i>	394	A-4, bottom, 3 "	$\frac{7}{32}$	$2\frac{9}{32}$	19.00
<i>Contorted</i>	395	A-4, capping, 3 "	$\frac{7}{32}$	$2\frac{9}{32}$	11.00
<i>Contortion</i>	407	B-3, complete, 3 "	$\frac{5}{16}$	$2\frac{1}{8}$	35.00
<i>Contour</i>	408	B-3, bottom, 3 "	$\frac{5}{16}$	$2\frac{1}{8}$	21.50
<i>Contra</i>	409	B-3, capping, 3 "	$\frac{5}{16}$	$2\frac{1}{8}$	13.50
<i>Contraband</i>	421	C-3, complete, 3 "	$\frac{13}{32}$	$2\frac{1}{8}$	42.00
<i>Contract</i>	422	C-3, bottom, 3 "	$\frac{13}{32}$	$2\frac{1}{8}$	27.00
<i>Contracted</i>	423	C-3, capping, 3 "	$\frac{13}{32}$	$2\frac{1}{8}$	15.00
<i>Contractile</i>	435	D-3, complete, 3 "	$\frac{9}{16}$	$3\frac{1}{8}$	60.00
<i>Contracting</i>	436	D-3, bottom, 3 "	$\frac{9}{16}$	$3\frac{1}{8}$	38.00
<i>Contraction</i>	437	D-3, capping, 3 "	$\frac{9}{16}$	$3\frac{1}{8}$	22.00
<i>Contractor</i>	444	E-2, complete, 3 "	$\frac{23}{32}$	$4\frac{1}{8}$	80.00
<i>Contradict</i>	445	E-2, bottom, 3 "	$\frac{23}{32}$	$4\frac{1}{8}$	59.00
<i>Contradicted</i>	446	E-2, capping, 3 "	$\frac{23}{32}$	$4\frac{1}{8}$	21.00
<i>Contralto</i>	396	A-5, complete, 3 "	$\frac{7}{32}$	$2\frac{9}{32}$	27.00
<i>Contraries</i>	397	A-5, bottom, 3 "	$\frac{7}{32}$	$2\frac{9}{32}$	16.00
<i>Contrariety</i>	398	A-5, capping, 3 "	$\frac{7}{32}$	$2\frac{9}{32}$	11.00
<i>Contrarily</i>	410	B-4, complete, 3 "	$\frac{5}{16}$	$2\frac{1}{8}$	30.00
<i>Contrary</i>	411	B-4, bottom, 3 "	$\frac{5}{16}$	$2\frac{1}{8}$	16.50
<i>Contrast</i>	412	B-4, capping, 3 "	$\frac{5}{16}$	$2\frac{1}{8}$	13.50
<i>Contrasted</i>	424	C-4, complete, 3 "	$\frac{13}{32}$	$2\frac{1}{8}$	38.00
<i>Contravene</i>	425	C-4, bottom, 3 "	$\frac{13}{32}$	$2\frac{1}{8}$	23.00
<i>Contravening</i>	426	C-4, capping, 3 "	$\frac{13}{32}$	$2\frac{1}{8}$	15.00
<i>Contravention</i>	438	D-4, complete, 3 "	$\frac{9}{16}$	$3\frac{1}{8}$	58.00
<i>Contretemps</i>	439	D-4, bottom, 3 "	$\frac{9}{16}$	$3\frac{1}{8}$	36.00
<i>Contributable</i>	440	D-4, capping, 3 "	$\frac{9}{16}$	$3\frac{1}{8}$	22.00

Mouldings—(Continued).

F. O. B. New York.




No. 447.




No. 450.



No. 591



No. 593.



No. 595.



No. 598.

Code Word.	List No.	Description.	Outside Diam of Wire, Inches.	Width of Bottom, Inches.	List Price, per 1,000 Ft.
<i>Contribute</i>	447	F-1, complete, 2 "	$\frac{7}{8}$	4	80.00
<i>Contributed</i>	448	F-1, bottom, 2 "	$\frac{7}{8}$	4	56.00
<i>Contributing</i>	449	F-1, capping, 2 "	$\frac{7}{8}$	4	24.00
<i>Contribution</i>	453	G-1, complete, 2 "	1	5	110.00
<i>Contributive</i>	454	G-1, bottom, 2 "	1	5	80.00
<i>Contributor</i>	455	G-1, capping, 2 "	1	5	30.00
<i>Contrite</i>	459	H-1, complete, 2 "	$1\frac{3}{16}$	$5\frac{1}{2}$	121.00
<i>Contritely</i>	460	H-1, bottom, 2 "	$1\frac{3}{16}$	$5\frac{1}{2}$	90.00
<i>Contrition</i>	461	H-1, capping, 2 "	$1\frac{3}{16}$	$5\frac{1}{2}$	31.00
<i>Contrivance</i>	450	F-2, complete, 3 "	$\frac{7}{8}$	$5\frac{1}{2}$	100.00
<i>Contrive</i>	451	F-2, bottom, 3 "	$\frac{7}{8}$	$5\frac{1}{2}$	68.00
<i>Contrived</i>	452	F-2, capping, 3 "	$\frac{7}{8}$	$5\frac{1}{2}$	32.00
<i>Contriver</i>	456	G-2, complete, 3 "	1	7	140.00
<i>Contriving</i>	457	G-2, bottom, 3 "	1	7	100.00
<i>Controllable</i>	458	G-2, capping, 3 "	1	7	40.00

Ornamental Moulding.

MADE IN TWO AND THREE WIRE, WITH $\frac{1}{4}$ INCH GROOVE.

Code Word.	List No.		List Price.
<i>Hardihood</i>	590	Polished Oak, 2 wire, per foot.....	\$0.25
<i>Hardly</i>	591	" 3 " "	.30
<i>Hardening</i>	592	Polished Oak, 2 wire, per foot.....	.25
<i>Hardiest</i>	593	" 3 " "	.30
<i>Harborless</i>	594	White and Gold, 2 wire, per foot.....	.30
<i>Hardened</i>	595	" " 3 " "	.40
<i>Harborer</i>	596	White and Gold, 2 wire, per foot.....	.30
<i>Harboring</i>	598	" " 3 " "	.40



McIntire Patent Wire Connectors.

Code Word.	List No.		List Price.
<i>Cheerlessly</i>	18757	Twist connectors for No. 4 wire, B. & S. gauge, per 100.....	\$9.00
<i>Cheesey</i>	18758	Twist connector, for No. 6 wire, B. & S. gauge, per 100.....	8.00
<i>Chemically</i>	18759	Twist connector for No. 8 wire, B. & S. gauge, per 100.....	9.50
<i>Chemist</i>	18760	Twist connector for No. 10 wire, B. & S. gauge, per 100.....	7.00
<i>Chemritz</i>	15416	Twist connector for No. 12 wire, B. & S. gauge, per 100.....	7.00
<i>Chemnitz</i>	15417	Twist connector for No. 14 wire, B. & S. gauge, per 100.....	7.00
<i>Chemnitz</i>	15418	Twist connector, for No. 16 wire, B. & S. gauge, per 100.....	7.00
<i>Cheris</i>	18761	Solder connector for No. 0000 wire, B. & S. gauge, per 100.....	25.00
<i>Cherishing</i>	18762	Solder connector for No. 000 wire, B. & S. gauge, per 100.....	25.00
<i>Cheroot</i>	18763	Solder connector for No. 00 wire, B. & S. gauge, per 100.....	25.00
<i>Cherryly</i>	18764	Solder connector for No. 0 wire, B. & S. gauge, per 100.....	20.00



Turn Buckles.

Code Word.	List No.	Diameter of Thread, inches.	Length of Screw, inches.	Galvanized. List Price Each.	Plain. List Price Each.
<i>Slipshod</i>	24129	$\frac{3}{16}$	...	.95	.80
<i>Slipshoe</i>	24130	$\frac{1}{4}$	$3\frac{1}{2}$	1.00	.85
<i>Slipslop</i>	24131	$\frac{5}{16}$	4	1.10	.90
<i>Slipstring</i>	24132	$\frac{3}{8}$	5	1.30	1.10
<i>Slipthrift</i>	24133	$\frac{7}{16}$	6	1.50	1.25
<i>Slit</i>	24134	$\frac{1}{2}$	7	1.80	1.55
<i>Slither</i>	24135	$\frac{1}{2}$	12	2.75	2.40
<i>Slowliness</i>	24137	$\frac{5}{8}$	8	2.40	2.00
<i>Slowlly</i>	24138	$\frac{3}{4}$	12	3.75	3.10
<i>Slow</i>	24139	$\frac{3}{4}$	9	3.50	2.75
<i>Slowback</i>	24140	$\frac{3}{4}$	12	5.40	4.25
<i>Slowly</i>	24141	$\frac{7}{8}$	10	4.25	3.50
<i>Slowness</i>	24142	1	11	5.50	4.25
<i>Slub</i>	24143	$1\frac{1}{8}$	14	7.00	5.25
<i>Slubber</i>	24144	$1\frac{1}{4}$	15	8.25	6.25

Cutter Insulated Turnbuckle.



No. 21125.

Is made with heavy porcelain insulators secured to malleable iron forks. These give a double insulation, making the device very effective. The turnbuckle gives nine inches adjustment.

Code Word.	List No.	List Price.
<i>Slipperiness</i>	24136 Complete	.75

Cutter Insulated Suspension Bolt.




No. 24124.

Reduces the risk of grounds on suspension lamps by insulating the suspension wire or cable from the pole. Can also be used with guard wires or for railway suspensions. The fork is of malleable iron and well braced.

<i>Slipperily</i>	24124	With 12-inch bolt	\$0.25
-------------------	-------	-------------------	--------

Cutter "Banner Core" Hoisting Rope.



A new brand of hoisting rope specially made for use with arc lamps or suspension street hoods. It is made of selected cotton stock, closely braided over a red, white and blue core; the cord is then treated so as to withstand the weather, making the strongest and most durable cord for outdoor use. The genuine has the distinctive "banner core."



<i>Slippery</i>	24126	$\frac{1}{4}$ inch, per 100 feet	.90
<i>Slippiness</i>	24127	$\frac{5}{16}$ inch, "	1.44
<i>Slippy</i>	24128	$\frac{3}{8}$ inch, "	1.80

Pure Manilla Rope.

		Diam.	Weight of 1,000 Feet.	Number of Feet in One Pound.	Strength of New Manilla Rope.	Per Pound.
<i>Murdock</i>	15420	$\frac{1}{4}$	23	43	450	.30
<i>Murrows</i>	15421	$\frac{3}{8}$	42	24	950	.30
<i>Muscotine</i>	15422	$\frac{1}{2}$	74	13 $\frac{1}{2}$	1700	.28
<i>Muscoda</i>	15423	$\frac{5}{8}$	101	10	2300	.28
<i>Muskegan</i>	15425	$\frac{3}{4}$	132	7 $\frac{1}{2}$	3000	.25
<i>Mystic</i>	15426	$\frac{7}{8}$	167	6	3900	.24



Incandescent Street Brackets.

<i>Cherub</i>	2795	30-inch Straight Pipe Bracket, each	1.00
<i>Cherubim</i>	2796	Goose Neck Bracket, each	1.10

The above furnished in $\frac{3}{8}$ -inch and $\frac{1}{2}$ inch pipe as desired.

Oak Pins.



No. 15430

Code Word.	List No.	In Crates of 500.	List Price
<i>Nampa</i>	15430	Western Union Standard, 1½ inch, second growth, split timber, hand painted, two coats, with first-class mineral paint, per 1000.....	\$ 25.00
<i>Nantucket</i>	15431	Western Union Standard, 1½ inch split timber, hand painted, two coats, with first-class mineral paint, per 1000.....	20.00
<i>Napa</i>	15432	Western Union Standard, size 1½ inch, sawed and split timber, dipped, painted one coat, per 1000.	15.00
<i>Naples</i>	15433	1¼ inch, second growth split timber, hand painted, two coats, first class mineral paint, per 1000.....	20.00
<i>Napolian</i>	15434	1¼ inch, split timber, hand painted, first-class mineral paint, per 1000	15.00
<i>Nashua</i>	15435	1¼ inch, sawed and split timber, dipped, painted one coat, per 1000	12.00

Locust Pins.

Not Painted.



No. 15440.

		In Crates of 500.	
<i>Nashville</i>	15440	1¼ inch, 7¾ inch long, per 1000.....	25.00
<i>Natchez</i>	15441	1¼ " 8 " " " " "	25.00
<i>Natick</i>	15442	1½ " 8 " " " " "	27.00
<i>Navajo</i>	15443	1¼ " 8 " " " transposition, per 1000	30.00
<i>Naylor</i>	15444	1½ " 9 " " " " "	30.00

Corner Pins.



No. 15445.

<i>Neeah</i>	15446	Oak, 1½ " " " " " "	60.00
<i>Negona</i>	15447	Locust " " " " " "	65.00

Brown Duplex Pins.



No. 2671.

<i>Circumvent</i>	2671	Oak, 1¼ inch, per 1000.....	30.00
<i>Citable</i>	2672	Locust 1½ " " " "	40.00

Solid Iron Pin.

<i>Bald</i>	3394	1½ inch, each.....	.10
-------------	------	--------------------	-----

Brackets.



No. 3394.


In Crates of 500.

<i>Nelson</i>	15455	Oak, Western Union Standard, No. 1 timber, hand painted, two coats first-class mineral paint, per 1000.....	25.00
<i>Neola</i>	15456	Oak, Western Union Standard, No. 2 timber, hand painted; two coats first-class mineral paint, per 1000.....	21.00
<i>Neosho</i>	15457	Oak, Pony telephone, hand painted, two coats, first-class mineral paint, per 1000	18.00
<i>Nevada</i>	15458	Oak, Pony, painted, dipped, one coat " "	16.50
<i>Newark</i>	15459	Standard, Locust, not painted " "	35.00

Special prices on pins and brackets shipped direct from factory in large quantities.



No. 15455.



No. 3000.

Brown Duplex Bracket.

Code Word.	List No.	List Price.
<i>Citrate</i>	3000 Per 1,000	\$35.00



No. 3610.

Locke Indestructible Insulator Pin.


<i>Cam</i>	3610 Complete, with nut, etc., each	.20
------------	---	-----



No. 1742.

The "Insulating Saddle Staple."

<i>Centralize</i>	1742	For wire $\frac{5}{16}$ inch in diameter, per 1,000..	.60
<i>Centrifugal</i>	1743	" $\frac{1}{16}$ " " "	.70
<i>Centripetal</i>	1744	" $\frac{15}{100}$ " " "	.80
<i>Centriple</i>	1745	" $\frac{25}{100}$ " " "	1.70
<i>Centurion</i>	1746	" $\frac{50}{100}$ " " "	5.40
<i>Century</i>	1747	" $\frac{40}{160}$ " " "	5.00



No. 1648.

Toggles.

For suspending fixtures, brackets, wood blocks, etc., to side walls or ceiling.

<i>David</i>	1648 Each	.10
--------------	-----------------	-----

Tile Bolt and Lock.


This tile bolt and lock is devised for use in fire-proof buildings where the columns and girders are covered with tiling. It is a safe and simple method for fastening insulators, rosettes, or other electrical appliances to ceilings, columns, or walls. It cannot be pulled out when properly set and yet can be easily removed when desired.

This device consists of two pieces of metal with partially corrugated outside surfaces which when placed together form a shape similar to a cone. The opening in the upper end when the pieces of metal are put together is countersunk, allowing the bolt head to which the insulators or other devices are to be fastened to fit snugly between the two pieces of metal. These two pieces of metal together with the bolt are inserted in a hole in the tiling. A small concave washer slips over the bolt and a nut is then screwed up close to the ends of the small pieces of metal, as it is gradually tightened it draws the bolt head down into the space between the two pieces of metal until it makes them bind tightly to the sides of the hole, the end deepest in the hole binding tightest; this leaves the shank of the bolt free for attaching any device that may be desired.

The top illustration, Figure 1, shows the screw or bolt attached to a ceiling while the illustrations under it, Figure 2 and Figure 3, show respectively an insulator and a ceiling button or rosette attached to the bolt. Illustration Figure 4 shows how the tile bolt and lock may be used for attaching ornamental brackets to the side of a wall.

These tile bolts and locks are made in two sizes: No. 25073 which has a bolt $3\frac{1}{2} \times \frac{1}{4}$ inches, includes the two conical pieces of metal which are called the lock, one small iron washer, two small iron nuts, and the bolt; No. 25074, which has a bolt $2 \times \frac{1}{8}$ inches, includes the lock, the bolt, one small iron washer, one small iron nut, and one brass nut which is slotted so that a screw driver as well as a wrench may be used on it. No. 25074 is used principally for fastening rosettes to the ceiling where two bolts are to be used on one device.

It will be particularly noted that partitions in the tiling or tile or marble slabs resting against flat surfaces do not interfere with the use of the tile bolt and lock as in the case of toggle bolts; with the tile bolt and lock there is no need of an open space as is required in the use of toggle bolts.



Code Word.	List No	List Price.
Somnative	25073 3-½ x ¼ inches, per 1000.....	\$40.00
Somnicalous	25074 2 x ⅛ " " 1000.....	45.00

Standard Cross Arms.



No. 23564.

Shipped direct from Bay City, Mich.
Painted two coats red. Finished size $3\frac{1}{4} \times 4\frac{1}{4}$ inches.
Bored for $1\frac{1}{2}$ inch pins and two $\frac{1}{2}$ inch bolts unless otherwise specified.

Code Word.	List No.	Number			Spacings.		List Price.
		Length.	of Pins.	End.	Center.	Sides.	
<i>Olley</i>	23563	3 feet,	2,	4 in.,	28 in.,	in...	\$.12
<i>Olsego</i>	23564	4 "	4 "	"	16 "	12 "	.15
<i>Ottawa</i>	23565	5 "	4 "	"	18 "	17 "	.21
<i>Otto</i>	23566	6 "	4 "	"	22 "	21 "	.24
<i>Ottumwa</i>	23567	6 "	6 "	"	16 "	12 "	.24
<i>Overton</i>	23568	8 "	6 "	"	18 "	$17\frac{1}{2}$ "	.33
<i>Ovid</i>	23569	8 "	8 "	"	16 "	12 "	.33
<i>Owego</i>	23572	10 "	8 "	"	$17\frac{1}{2}$ "	$15\frac{3}{4}$ "	.53
<i>Oxford</i>	23573	10 "	10 "	"	16 "	12 "	.55

Telephone Cross Arms.

Shipped direct from Bay City, Mich.
Painted two coats. Finished size $2\frac{3}{4} \times 3\frac{3}{4}$ in.
Bored for $1\frac{1}{4}$ in. pins and two $\frac{1}{2}$ in. bolts.

	List No.	Number			Spacings.		List Price.
		Length.	of Pins.	End.	Center.	Sides.	
<i>Newburn</i>	15460	24 in.	2	3 in.	18 in.		.08
<i>Newburg</i>	15461	30 "	2	"	24 "		.10
<i>Newton</i>	15462	36 "	2	"	30 "		.12
<i>Niagara</i>	15463	42 "	4	"	16 "	10 in.....	.14
<i>Niantic</i>	15464	62 "	6	"	16 "	10 ".....	.21
<i>Nichols</i>	15465	82 "	8	"	16 "	10 ".....	.27
<i>Nicolletti</i>	15466	102 "	10	"	16 "	10 ".....	.35
<i>Niles</i>	15467	120 "	12	"	16 "	10 ".....	.45

Odd lengths same price as next longer arm having same number of pins. Odd spacing extra prices.

Above arms of best Michigan white pine. Special prices quoted on yellow pine arms and extra heavy arms.

Stiff Steel Cross Arm Braces.



No. 15470.

$1\frac{1}{2}$ inches wide by $\frac{7}{8}$ inches thick, punched for $\frac{5}{8}$ inch lag screw in one end and $\frac{3}{8}$ inch carriage bolt in the other.

Plain.

			Approx. weight per 1000 pair.	
<i>Nina</i>	15470	20-inch,	2700 pounds, per 1000 pair.....	90.00
<i>Nipton</i>	15471	24 "	3200 "	108.00
<i>Nolin</i>	15472	26 "	3500 "	125.00
<i>Noma</i>	15473	28 "	3900 "	140.00

Galvanized.

<i>Nora</i>	15475	20-inch,	2700 pounds, per 1000 pair.....	135.00
<i>Norcross</i>	15476	24 "	3200 "	160.00
<i>Norfolk</i>	15477	26 "	3500 "	180.00
<i>Norman</i>	15478	28 "	3900 "	200.00

Special dimension braces to order.

Lag Bolts.

Price per hundred.



Length.	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.
2	\$2.88	\$4.05	\$4.95	
2½	3.06	4.35	5.40	\$ 7.92
3	3.24	4.65	5.85	8.58
3½	3.42	4.95	6.30	9.24
4	3.60	5.25	6.75	9.90
4½	3.78	5.55	7.20	10.56
5	3.96	5.85	7.65	11.22
5½	4.14	6.15	8.10	11.88
6	4.32	6.45	8.55	12.54
7	4.68	7.05	9.45	13.86
8	5.04	7.65	10.35	15.18

Carriage Bolts.

Price per hundred



Length.	$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.
2	\$1.08	\$1.50	\$3.00	\$ 5.00.
2½	1.16	1.64	3.00	5.00
3	1.24	1.78	3.00	5.00
3¼	1.28	1.85	3.10	5.15
3½	1.32	1.92	3.20	5.30
3¾	1.36	1.99	3.30	5.45
4	1.40	2.06	3.40	5.60
4¼	1.44	2.13	3.50	5.75
4½	1.48	2.20	3.60	5.90
4¾	1.52	2.27	3.70	6.05
5	1.56	2.34	3.80	6.20
5½	1.64	2.48	4.00	6.50
6	1.72	2.62	4.20	6.80
6½	1.80	2.76	4.40	7.10
7	1.88	2.90	4.60	7.40
7½	1.96	3.04	4.80	7.70
8	2.04	3.18	5.00	8.00

Machine Bolts.

Price per hundred




Length,	$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.
2½	\$1.86	\$2.64	\$4.00	\$5.80
3	1.94	2.76	4.20	6.10
3½	2.02	2.88	4.40	6.40
4	2.10	3.00	4.60	6.70
4½	2.18	3.12	4.80	7.00
5	2.26	3.24	5.00	7.30
5½	2.34	3.36	5.20	7.60
6	2.42	3.48	5.40	7.90
6½	2.50	3.60	5.60	8.20
7	2.58	3.72	5.80	8.50
7½	2.66	3.84	6.00	8.80
8	2.74	3.96	6.20	9.10
9	2.90	4.20	6.60	9.70
10	3.06	4.44	7.00	10.30

Washers.

At market prices.





Wood Poles.

SPECIAL PRICES QUOTED ON APPLICATION.

Round Cedar.

Length.	Top.	Weight in Lbs.	No. to Carload
25 feet.	5 inches.	200	120
25 "	6 "	275	110
30 "	6 "	325	100
30 "	7 "	450 ^d	80
35 "	6 "	500	120
35 "	7 "	600	110
40 "	6 "	700	100
40 "	7 "	800	90
45 "	6 "	950	82
45 "	7 "	1100	60
50 "	6 "	1250	40
50 "	7 "	1450	25
55 "	6 "	1500	30
55 "	7 "	1800	25

Norway Pine.

40 feet.	7 inches	1100	90
45 "	7 "	1200	80
50 "	7 "	1350	72
55 "	7 "	1500	65
60 "	7 "	1700	55
65 "	7 "	2000	45
70 "	7 "	2400	50
75 "	7 "	2800	45
80 "	7 "	3400	35
85 "	7 "	3800	30

Norway Pine Octagonals.

Length.	6 inches.	9 inch butt.	
28 feet.	6 inches.	9 inch butt.	75
28 "	7 "	10 "	60
28 "	8 "	11 "	50
30 "	6 "	9 "	75
30 "	7 "	10 "	60
30 "	8 "	11 "	50
32 "	6 "	9 "	65
32 "	7 "	10 "	50
32 "	8 "	11 "	40
34 "	6 "	9 "	65
34 "	7 "	10 "	50
34 "	8 "	11 "	40

Six feet of the butt treated with preservative, balance of pole painted drab, tops tipped.

Pole Steps.



No. 15180.

Code Word	List No.		List Price. Per 100.
Norton	15480	$\frac{3}{16}$ x 9 Black	\$ 6.00
Norwalk	15481	$\frac{3}{16}$ x 9 Galvanized	8.00
Norway	15482	$\frac{3}{8}$ x 9 Black	7.00
Norwich	15483	$\frac{3}{8}$ x 9 Galvanized	9.00




No. 3528.

Booby	3528	8x $\frac{1}{2}$ F.D black pole steps	6.50
Book	3529	9x $\frac{1}{2}$ " " "	6.75
Bookful	3530	10x $\frac{1}{2}$ " " "	7.00
Booking	3531	8x $\frac{5}{8}$ " " "	6.70
Bookish	3532	9x $\frac{5}{8}$ " " "	7.00
Boom	3533	10x $\frac{5}{8}$ " " "	7.25
Boomed	3534	8x $\frac{1}{2}$ " galv. "	8.00
Boomerang	3535	9x $\frac{1}{2}$ " " "	8.25
Boot	3536	10x $\frac{1}{2}$ " " "	8.50
Booted	3537	8x $\frac{5}{8}$ " " "	9.00
Booth	3538	9x $\frac{5}{8}$ " " "	9.25
Bootless	3539	10x $\frac{5}{8}$ " " "	9.50


Cutter Detachable Polesteps.

Are easier to carry than a Trimmer's Ladder. A pair of Sockets are fastened to the pole and the trimmer carries a pair of Polesteps to fit them (weight per pair less than one pound). He slips the steps into their socket, goes up the pole to trim the lamp, then puts the steps into his pocket and goes on to the next lamp.

All of malleable iron, japanned.



No. 24433.




No. 24434.

Solarium	24433	Sockets, per pair.....	\$0.20
Solarization	24434	Polesteps, per pair.....	.30

Galvanized Guy Clamps.

For fastening guy wires and cables, large size is 5 $\frac{1}{2}$ inches long; small size 3 inches long.



Small size.

Acquittal	25603	Large size with three bolts.....	.40
Acquittance	25604	Small size with two bolts.....	.20

Crosby Clips.



No. 15484.

		Diam. Rope.	Each.
Oakville	15484	$\frac{3}{8}$ -inch	.25
Oakland	15485	$\frac{1}{2}$ "	.30
Oaklawn	15486	$\frac{5}{8}$ "	.35
Oakdale	15487	$\frac{3}{4}$ "	.40
Oakfield	15488	$\frac{7}{8}$ "	.45
Oakford	15489	1 "	.50
Oakwood	15490	1 $\frac{1}{8}$ "	.50
Obeida	15491	1 $\frac{1}{4}$ "	.50
Oconto	15492	1 $\frac{3}{8}$ "	.55
Ocean	15493	1 $\frac{1}{2}$ "	.60




No. 8640.




No. 8641.



No. 24446.




No. 24447.



No. 24448.

No. 24449.



No. 24450.



No. 24451.



No. 24452.

"High Insulation" Brackets.

Break Arms.

Code Word.	List No.	Last Price Each.
<i>Cerate</i>	8640 Removable Pin, each	\$0.22
<i>Cerchus</i>	8641 Permahent Pin, each	.20
<i>Soldiery</i>	24446½ Malleable Iron, Removable Pin, each	.25
<i>Sole</i>	24447 Malleable Iron, Solid Pin, each	.25

Malleable Iron Ceiling Brackets.


<i>Solecism</i>	24448 Single, each	.17
<i>Solecist</i>	24449 Double, each	.20

Malleabe Iron Drive Brackets.

<i>Solecistic</i>	24450 Upright	.10
<i>Solecistically</i>	24451 Thimble	.12
<i>Solecize</i>	24452 Right Forward	.10

High Insulation Brackets.

Loop or Spreader Brackets.




Code Word.	List No.		List Price, Each
<i>Cereal</i>	8657	Left, each	\$0.24
<i>Cerebral</i>	8658	Right, each	.24
<i>Cerebrum</i>	8659	Forward, each	.24



<i>Cerement</i>	8660	Wall Bracket, each	.13
<i>Cercous</i>	8662	Roof Bracket, straight, each	.17




<i>Ceremony</i>	8661	Roof Bracket, offset, each	.17
<i>Solely</i>	24453	Malleable Wall Bracket, each	.08




Malleable Iron Roof Bracket.

<i>Solemn</i>	24454	Each	.08
---------------	-------	-----------	-----



Malleable Iron Pins.

<i>Solemnity</i>	24455	5 inches above Cross Arm	10
------------------	-------	--------------------------------	----



<i>Solemnize</i>	24456	8½ inches above Cross Arm	.12
------------------	-------	---------------------------------	-----

"High Insulation" Brackets—(Continued)



No. 8663

Code Word	List No.	List Price
<i>Ceres</i>	8663 Lateral Bracket, right, each.....	\$0.17




No. 8642.

<i>Corky</i>	8642 Cornice Brackets, each.....	.17
--------------	----------------------------------	-----



No. 8643.

<i>Cerin</i>	8643 Lateral Brackets, left, each.....	.17
--------------	--	-----



No. 8646.

<i>Certainly</i>	8646 Combination Bracket, each.....	.17
------------------	-------------------------------------	-----



No. 8647.

<i>Certainness</i>	8647 Reflector Bracket, each.....	.20
--------------------	-----------------------------------	-----



No. 8648.

<i>Certificate</i>	8648 Converter Bracket, each.....	.20
--------------------	-----------------------------------	-----



No. 9468.

<i>Certified</i>	9468 Side Bracket, each.....	.08
------------------	------------------------------	-----




No. 2891.

Fletcher's Double Pin Bell Break Arm

FOR USE WITH CONVERTERS AND SWITCHES.

<i>Certify</i>	2891 Each.....	.50
----------------	----------------	-----



No. 8992.

Japanned. House Brackets.

WITH VENTILATED THREADS.

Code Word.	List No.	List Price.
<i>Chicken</i>	8992 Each	\$0.50




No. 8993.

<i>Chickory</i>	8993 Each	.20
-----------------	-----------------	-----




No. 8994.

<i>Chide</i>	8994 Each	.20
--------------	-----------------	-----



No. 8995.

<i>Chider</i>	8995 Each	.25
---------------	-----------------	-----



No. 8996.

<i>Chiding</i>	8996 Each	.25
----------------	-----------------	-----



No. 8997.

<i>Chief</i>	8997 Each	.20
--------------	-----------------	-----

Japanned. Wall Plates.

WITH PORCELAIN KNOBS.



No. 9065.

Code Word.

Chew.


List No.

9065Each **\$0.10**

List Price.



No. 9066.

*Chewing***9066**Each **.20**

No. 9067.


*Chicanery***9067**Each **.30**

No. 8636.

House Brackets.

*Certitude***8636**Adjustable House Bracket, each **.45**

No. 8637.


*Cessation***8637**Adjustable House Bracket, each..... **.45**

No. 8638.

*Cessible***8638**Ventilated Thread Bracket, each..... **.40**

No. 8639.


*Cession***8639**Ventilated Thread Bracket, each..... **.75**



No. 9068.

House Brackets—(Continued).

Code Word.	List No.	List Price.
<i>Cessment</i>	9068	Ventilated Thread Bracket, each. \$0.75




No. 9069.

<i>Cessor</i>	9069	Ventilated Thread Bracket, each. 40
---------------	------	---




No. 9070.

<i>Cesspool</i>	9070	Ventilated Thread Bracket, each. 50
-----------------	------	---



No. 9071.

<i>Cestus</i>	9071	Ventilated Thread Bracket, each. 75
---------------	------	---



No 9072.




<i>Chiefly</i>	9072	Ventilated Thread Bracket, each. 75
----------------	------	---



No. 8966.



No. 8967.



No. 8968.



No. 8969.

House Brackets—(Continued).

Code Word.	List No.	List Price.
<i>Clabber</i>	8966	Ventilated Thread Bracket, each: \$0.75

<i>Civilly</i>	8967	Ventilated Thread Bracket, each: 50
----------------	------	--

Universal House Bracket.

CAN BE PLACED IN ANY POSITION.

<i>Chieftain</i>	8968	Extra Heavy, each: 35
------------------	------	------------------------------

House Brackets.

WITH VENTILATED THREADS.

<i>Civility</i>	8969	Each 25
-----------------	------	----------------



No. 8970.

House Brackets—(Continued).

Code Word.	List No.	List Price.
<i>Civilized</i>	8970 Each ...	\$0.15



No. 8971.

<i>Civilizer</i>	8971 Each	.20
------------------	-----------------	-----



No. 8972.

<i>Civilizing</i>	8972 Each	.25
-------------------	-----------------	-----

Wire, Cord and Cable.

Habirshaw White Core.

Solid Conductors, Braided.

Stranded Conductors, Braided.

Code Word.	List No.	Gauge B. & S.	Approx. Outside Diam. in 32ds of in.	Price per 1000 Ft.	Code Word.	List No.	Gauge B. & S.	Approx. Outside Diam. in 32ds of in.	Price per 1000 Ft.
<i>Solicitation</i>	25001	14	6	\$15.00	<i>Solidity</i>	25013	8	10	\$50.00
<i>Solicitor</i>	25002	12	7	23.00	<i>Solidly</i>	25014	6	11	62.00
<i>Solicitous</i>	25003	10	8	30.00	<i>Solidness</i>	25015	5	13	78.00
<i>Solicitously</i>	25004	8	9	36.00	<i>Solifidian</i>	25016	4	13½	96.00
<i>Solicitress</i>	25005	6	10	50.00	<i>Soliloquize</i>	25017	3	14½	136.00
<i>Solicitude</i>	25006	5	12	69.60	<i>Soliloquy</i>	25018	2	16	156.00
<i>Solidarity</i>	25007	4	13	76.00	<i>Soliped</i>	25019	1	17	200.00
<i>Solidate</i>	25008	3	13½	90.00	<i>Solitar</i>	25020	0	18	210.00
<i>Solify</i>	25009	2	14½	118.00	<i>Solitarily</i>	25021	00	19	228.00
<i>Solidism</i>	25010	1	15½	135.00	<i>Solitariness</i>	25022	000	21	260.00
<i>Solidist</i>	25011	0	16½	180.00	<i>Solitary</i>	25023	0000	24	340.00




Habirshaw Standard Red Core.

No. 3000.

Solid Conductor, 500 Volts, Taped Outside.

Code Word.	List No.	Gauge, B. & S.	Approximate Outside Diam. in 32nds of an Inch.	List Price, per Foot.
<i>Abacus</i>	3000½	18	4	\$0.021½
<i>Abaft</i>	3001	16	5½	.02¾
<i>Abandoner</i>	3002	14	6	.03⅝
<i>Abandoning</i>	3003	12	7	.04⅝
<i>Abase</i>	3004	10	8	.06⅜
<i>Abasement</i>	3005	8	9	.08¼
<i>Abash</i>	3006	6	10	.11¼
<i>Abashed</i>	3007	5	12	.13¼
<i>Abashing</i>	3008	4	13	.15¼
<i>Abate</i>	3009	3	13½	.18
<i>Abated</i>	3010	2	14½	.23½
<i>Abatement</i>	3011	1	15½	.31½
<i>Abater</i>	3012	0	16½	.41



No. 3013.

Solid Conductor, 500 Volts, Braided Outside.

		Gauge, B. & S.	Approximate Outside Diam. in 32nds of an Inch.	
<i>Abattoir</i>	3013	18	4	.02¾
<i>Abbacy</i>	3014	16	5½	.03
<i>Abbess</i>	3015	14	6	.03⅞
<i>Abbey</i>	3016	12	7	.05
<i>Abject</i>	3017	10	8	.06⅞
<i>Abjection</i>	3018	8	9	.08½
<i>Abjectly</i>	3019	6	10	.12
<i>Abjectness</i>	3020	5	12	.14
<i>Abjure</i>	3021	4	13	.16
<i>Ablation</i>	3022	3	13½	.18¾
<i>Ablative</i>	3023	2	14½	.24½
<i>Ablaze</i>	3024	1	15½	.32½
<i>Able</i>	3025	0	16½	.43

Habirshaw Standard Red Core—(Continued).



Stranded Conductor, 500 Volts, Braided Outside.

No 3026

Code Word.	List No	Gauge. B. & S	Circular Mils.	Approximate Outside Diameter in 32nds of an inch.	List Price per Foot.
<i>Ablution</i>	3026	12	6,529	7	\$0.05½
<i>Ably</i>	3027	10	10,381	8	.07
<i>Abnegate</i>	3028	8	16,509	10	.10½
<i>Abnormal</i>	3029	6	26,250	11	.17½
<i>Aboard</i>	3030	5	33,102	13	.19¾
<i>Abode</i>	3031	4	41,742	13½	.24¼
<i>Abolish</i>	3032	3	52,634	14½	.29¼
<i>Abolisher</i>	3033	2	66,373	16	.32¾
<i>Abolition</i>	3034	1	83,694	17	.36
<i>Abominably</i>	3035	0	105,592	18	.47½
<i>Abominate</i>	3036	00	133,079	19	.60
<i>Abominated</i>	3037	000	167,865	21	.68
<i>Abominating</i>	3038	0000	211,600	24	.88



Grimshaw White Core Wire.

Solid Conductor, Double Coated, Taped, Black or White Braid.

	Trade No.	B. & S. Gauge.	Safe Carrying Capacity, Bare Wire, in Amp. 120° F.	Circular Mils. (d²) 1 Mil.= .001 inch.	Outside Diam. of Insulation, .001 inch.	Price per 100 Feet.
<i>Archives</i>	3104	220	18	6	.125	\$1.90
<i>Archness</i>	3105	221	18	6	.156	2.00
<i>Archway</i>	3106	223	16	10	.125	2.15
<i>Archwise</i>	3107	224	16	10	.156	2.20
<i>Arctic</i>	3108	228	14	15	.187	2.70
<i>Ardour</i>	3109	229	14	15	.218	3.00
<i>Area</i>	3110	231	12	21	.218	3.50
<i>Arena</i>	3111	232	12	21	.250	3.70
<i>Argent</i>	3112	235	10	32	.250	4.50
<i>Argument</i>	3113	236	10	32	.281	5.00
<i>Arid</i>	3114	237	8	44	.281	5.50
<i>Aridity</i>	3115	238	8	44	.343	6.50
<i>Aright</i>	3116	239	6	60	.343	8.25
<i>Arise</i>	3117	240	6	60	.406	9.50
<i>Ariscn</i>	3118	241	5	68	.406	9.90
<i>Aristocrat</i>	3119	242	5	68	.468	10.25
<i>Ark</i>	3120	243	4	83	.406	10.50
<i>Armorer</i>	3122	244	4	83	.468	12.50
<i>Armorial</i>	3123	245	3	104	.437	12.75
<i>Armoric</i>	3124	245½	3	104	.500	14.25
<i>Armory</i>	3125	246	2	118	.468	15.75
<i>Armpit</i>	3126	246½	2	118	.531	17.25
<i>Army</i>	3127	247	1	135	.500	21.00
<i>Arnot</i>	3128	247½	1	135	.562	23.00
<i>Arousing</i>	3129	248	0	179	.531	27.25
<i>Arras</i>	3130	248½	0	179	.593	30.75

Grimshaw White Core Wire—(Continued).

Stranded Conductors, Double Coated, Taped, Black or White Braid.

Code Word.	List No.	Trade No.	B. & S. Gauge.	Safe Carrying Capacity. Bare Wire in Amp. 120° F.	Circular Mils. (d ²) 1 Mil. = .001 inch.	Outside Diam. of Insulation. .001 inch.	List Price, per 100 Ft.
<i>Assayer</i>	3131	704	8	44	16509.	.343	\$8.00
<i>Assaying</i>	3132	705	6	60	26250.	.375	9.50
<i>Assecure</i>	3133	706	6	60	26250.	.437	11.00
<i>Assemblage</i>	3134	707	5	68	33102.	.461	12.00
<i>Assemblance</i>	3135	708	4	83	41742.	.461	14.50
<i>Assembling</i>	3136	709	5	83	41742.	.523	16.00
<i>Assembly</i>	3137	710	3	104	52634.	.483	18.00
<i>Assent</i>	3138	711	3	104	52634.	.545	19.50
<i>Assenter</i>	3139	712	2	118	66373.	.539	20.00
<i>Assenting</i>	3140	713	2	118	66373.	.601	23.00
<i>Assentment</i>	3141	714	1	135	83694.	.544	27.00
<i>Assert</i>	3142	715	1	135	83694.	.606	30.00
<i>Asserted</i>	3143	716	0	179	105592.	.593	30.00
<i>Asserting</i>	3144	717	0	179	105592.	.656	35.50
<i>Assertion</i>	3145	718	00	210	133079.	.656	38.00
<i>Assertive</i>	3146	719	00	210	133079.	.718	43.00
<i>Assessable</i>	3147	720	000	251	167805.	.718	48.00
<i>Assession</i>	3148	721	000	251	167805.	.791	53.00
<i>Assessor</i>	3149	722	0000	275	211600.	.718	58.00
<i>Asseverate</i>	3150	723	0000	275	211600.	.791	63.00

Raven Core Wire—Braided.

Solid.

<i>Deputing</i>	1229	320	18	6	1624.	.125	1.65
<i>Deputy</i>	1230	321	18	6	1624.	.156	1.75
<i>Derange</i>	1231	323	16	10	2583.	.125	1.75
<i>Deranged</i>	1232	324	16	10	2583.	.156	1.85
<i>Derangement</i>	1233	327	14	15	4107.	.156	2.10
<i>Derelict</i>	1234	328	14	15	4107.	.187	2.30
<i>Deride</i>	1235	331	12	21	6530.	.218	3.25
<i>Deriding</i>	1236	332	12	21	6530.	.250	3.55
<i>Derision</i>	1237	334	10	32	10381.	.218	4.00
<i>Derivation</i>	1238	335	10	32	10381.	.250	4.10
<i>Derive</i>	1239	337	8	44	16509.	.281	4.75
<i>Deriving</i>	1241	338	8	44	16509.	.343	5.75
<i>Derogation</i>	1242	339	6	60	26250.	.343	6.50
<i>Derogatory</i>	1243	340	6	60	26250.	.406	8.40
<i>Despotic</i>	1244	341	5	68	33102.	.406	8.90
<i>Despotism</i>	1245	342	5	68	33102.	.468	9.50
<i>Destination</i>	1246	343	4	83	41742.	.406	9.60
<i>Destine</i>	1247	344	4	83	41742.	.468	11.50
<i>Destiny</i>	1248	345	3	104	52634.	.437	11.25
<i>Destitution</i>	1249	346	3	104	52634.	.500	12.75
<i>Destroy</i>	1250	347	2	118	66373.	.468	14.75
<i>Destroying</i>	1251	348	2	118	66373.	.531	16.25
<i>Destructible</i>	1252	349	1	135	83694.	.500	19.00
<i>Destructive</i>	1253	350	1	135	83694.	.562	21.00
<i>Desultory</i>	1254	351	0	179	105592.	.531	26.25
<i>Detach</i>	1255	352	0	179	105592.	.592	29.75



Raven Core Wire—Braided—(Continued).

Stranded.							
Code Word.	List No.	Trade No.	B. & S. Gauge.	Safe Carrying Capacity, Bare Wire in Amp. 120° F.	Circular Mils. (d²) 1 Mil. = .001 inch.	Outside Diam. of Insulation, .001 inch.	List Price, per 100 Ft.
Emarginate	1869	804	8	44	16509.	.343	\$6.25
Embassy	1870	805	6	60	26250.	.375	7.75
Embedded	1871	806	6	60	26250.	.437	9.00
Embellish	1872	807	5	68	33102.	.461	9.75
Embers	1873	808	4	83	41742.	.461	12.00
Embezzle	1874	809	4	83	41742.	.523	15.00
Emanated	1875	810	3	104	52634.	.483	16.60
Emanation	1876	811	3	104	52634.	.545	18.00
Emancipate	1877	812	2	118	66373.	.539	19.00
Emancipator	1878	813	2	118	66373.	.601	22.00
Emancipist	1879	814	1	135	83694.	.544	26.00
Emanuel	1880	815	1	135	83694.	.606	29.00
Elude	1881	816	0	179	105592.	.593	28.25
Elvira	1882	817	0	179	105592.	.656	32.15
Emaciate	1883	818	00	210	133079.	.656	36.00
Emaciated	1884	819	00	210	133079.	.718	41.00
Emaculate	1885	820	000	251	167805.	.718	42.50
Emanate	1886	821	000	251	167805.	.729	47.50
Embolden	1887	822	0000	275	211600.	.718	55.00
Embosom	1888	823	0000	275	211600.	.791	60.00

Grimshaw Duplex Fixture Wire.

Taped or Braided.							
			B. & S. Gauge.	Safe Carrying Cap., each Cond. Bare Wire, in Amp. 120° F.	Outside Diam. of Insulation .001 inch.		
Listful	1169	Taped.....	14	15	.218	5.00	
Listless	1170	"	16	10	.218	4.50	
Literal	1171	"	18	6	.218	4.00	
Literalism	1172	Braided.....	14	15	.218	5.00	
Literalness	1173	"	16	10	.218	4.50	
Literary	1174	"	18	6	.218	4.00	

Okonite Wire.

LOW TENSION CURRENTS, FROM 100 TO 500 VOLTS.

Solid Conductor, Plain Finish.



Code Word.	List No.	Size of Conductor A. W. G.	Outside Diameter of Insulation. Inches.	Approximate Weight per Mile. Pounds.	Insulation Resistance per Mile. Megohms.	List Price. Per foot.
<i>Ascendant</i>	3158	22	.075	32	500	\$.01 3/4
<i>Ascending</i>	3159	20	.091	42	500	.02 1/8
<i>Ascension</i>	3160	18	.102	56	500	.02 1/2
<i>Ascertain</i>	3161	16	.120	78	500	.03
<i>Asctic</i>	3162	14	.148	127	500	.04 1/8
<i>Ascribe</i>	3163	12	.165	178	500	.05 1/8
<i>Ascribing</i>	3164	10	.175	236	500	.06 1/2
<i>Ashamed</i>	3165	9	.182	273	500	.07
<i>Ashore</i>	3166	8	.192	323	500	.08
<i>Ashpan</i>	3167	7	.220	422	500	.09 1/2
<i>Assassin</i>	3168	6	.252	534	500	.12 3/4
<i>Assassinate</i>	3169	5	.276	663	500	.15 3/4
<i>Assation</i>	3170	4	.300	815	500	.19 1/4
<i>Assault</i>	3171	3	.340	1,036	500	.23
<i>Assaulted</i>	3172	2	.372	1,238	500	.28
<i>Assaulting</i>	3173	1	.430	1,657	500	.35
<i>Assay</i>	3174	0	.500	2,134	500	.45
<i>Assayed</i>	3175	00	.560	2,693	500	.60

Solid Conductor, Braided Finish.

<i>Alertness</i>	3211	22	.075	40	500	.02 1/4
<i>Alexand</i>	3212	20	.091	50	500	.02 3/4
<i>Alfred</i>	3213	18	.102	66	500	.03
<i>Algebra</i>	3214	16	.120	90	500	.03 1/2
<i>Algebraical</i>	3215	14	.148	143	500	.04 3/4
<i>Algernon</i>	3216	12	.165	195	500	.06
<i>Algous</i>	3217	10	.175	254	500	.07 1/8
<i>Alice</i>	3218	9	.182	291	500	.07 5/8
<i>Alias</i>	3219	8	.192	351	500	.08 5/8
<i>Alienable</i>	3220	7	.220	446	500	.11 1/8
<i>Alienation</i>	3221	6	.252	563	500	.13 3/4
<i>Alienator</i>	3222	5	.276	702	500	.16 3/4
<i>Alience</i>	3223	4	.300	859	500	.19 1/4
<i>Alife</i>	3224	3	.340	1,087	500	.24 1/4
<i>Align</i>	3225	2	.372	1,299	500	.29 1/4
<i>Aliment</i>	3226	1	.430	1,750	500	.37
<i>Alimental</i>	3227	0	.500	2,238	500	.47 1/4
<i>Alimentally</i>	3228	00	.560	2,799	500	.61

Okonite Wire—(Continued).

Stranded Conductor, Plain Finish.



Code Word.	List No.	Size of Conductor Equals. A. W. G.	No. of Strands. B. W. G.	Outside Diameter of Insulation. Inches.	Approx. Weight per Mile. Pounds.	Insulation Resistance per Mile. Megohms.	List Price. per foot.
<i>Assistless</i>	3176	22	7x30*	.091	35	500	\$0.02¼
<i>Assize</i>	3177	20	7x30	.102	46	500	.02½
<i>Assized</i>	3178	18	7x26*	.114	63	500	.03½
<i>Assizer</i>	3179	16	7x24	.144	101	500	.04½
<i>Associable</i>	3180	14	7x23	.162	139	500	.05¼
<i>Associate</i>	3181	12	7x20*	.182	191	500	.06½
<i>Associated</i>	3182	11	7x20	.192	234	500	.07¼
<i>Associating</i>	3183	10	7x18*	.204	270	500	.08¼
<i>Associative</i>	3184	9	7x17*	.212	325	500	.09¼
<i>Associator</i>	3185	8	7x18	.220	360	500	.09½
<i>Assoil</i>	3186	7	7x17	.238	468	500	.11¼
<i>Assoilment</i>	3187	6	7x16	.289	623	500	.15¼
<i>Assonance</i>	3188	5	7x15	.300	735	500	.16¼
<i>Assonant</i>	3189	4	7x14	.340	958	500	.21¼
<i>Assuage</i>	3190	3	7x11*	.380	1,155	500	.26
<i>Assuaged</i>	3191	2	19x17	.440	1,409	500	.34½
<i>Assuaging</i>	3192	1	19x16	.480	1,730	500	.41¼
<i>Assuasive</i>	3193	0	19x15	.530	2,110	500	.50
<i>Assuetude</i>	3194	00	12x12	.590	2,810	500	.61
<i>Assume</i>	3195	000	19x11*	.620	3,120	500	.69
<i>Assumed</i>	3196	0000	19x12	.730	4,460	500	.98

Stranded Conductor, Braided Finish.

<i>Atimentary</i>	3229	22	7x30*	.091	44	500	.02¼
<i>Ailmentation</i>	3230	20	7x30	.102	56	500	.03½
<i>Aliquant</i>	3231	18	7x26*	.114	75	500	.03¾
<i>Aliquot</i>	3232	16	7x24*	.144	118	500	.05
<i>Alire</i>	3233	14	7x23	.162	157	500	.06
<i>Alkali</i>	3234	12	7x20*	.182	209	500	.07½
<i>Alkaline</i>	3235	11	7x20	.192	252	500	.08
<i>Alkaloid</i>	3236	10	7x18*	.204	295	500	.09
<i>Allan</i>	3237	9	7x17*	.212	348	500	.10
<i>Allay</i>	3238	8	7x18	.220	384	500	.10½
<i>Allegation</i>	3239	7	7x17	.238	495	500	.12¼
<i>Allege</i>	3240	6	7x16	.289	666	500	.16¾
<i>Alleging</i>	3241	5	7x15	.300	780	500	.18
<i>Alliant</i>	3242	4	7x14	.340	1,007	500	.22½
<i>Allied</i>	3042	3	7x11*	.380	1,212	500	.27¼
<i>Alligate</i>	3243	2	19x17	.440	1,473	500	.36½
<i>Allision</i>	3244	1	19x16	.480	1,803	500	.42¾
<i>Alliteration</i>	3245	0	19x15	.530	2,192	500	.52
<i>Allopathy</i>	3246	00	12x12*	.590	2,897	500	.63
<i>Allot</i>	3247	000	19x12	.620	3,250	500	.71
<i>Allotment</i>	3248	0000	19x12	.730	4,606	500	1.01

*American Wire Gauge.

Kerite Wire—Solid.



Plain.						
Code Word.	List No	COPPER.		INSULATION.		List Price. per 100 Ft.
		B. & S. Gauge.	Diameter of Copper, Mils.	Diameter of Insulation, Mils.	Diameter of Insulation, Inches.	
<i>Haggled</i>	1889	20	.0319	.078	$\frac{5}{64}$	\$1.75
<i>Haggling</i>	1890	20	.0319	.093	$\frac{3}{32}$	1.75
<i>Hailing</i>	1891	18	.040	.078	$\frac{5}{64}$	1.75
<i>Hailstone</i>	1892	18	.040	.093	$\frac{3}{32}$	1.90
<i>Halberd</i>	1893	18	.040	.125	$\frac{1}{2}$	2.00
<i>Halcyon</i>	1894	16	.050	.093	$\frac{3}{32}$	2.00
<i>Halibut</i>	1895	16	.050	.125	$\frac{1}{2}$	2.25
<i>Halliard</i>	1896	16	.050	.156	$\frac{5}{16}$	2.75
<i>Halter</i>	1897	14	.064	.125	$\frac{1}{2}$	2.50
<i>Halting</i>	1898	14	.064	.156	$\frac{5}{16}$	3.00
<i>Halring</i>	1899	14	.064	.187	$\frac{3}{8}$	3.25
<i>Ham</i>	1900	14	.064	.218	$\frac{7}{16}$	3.75
<i>Hamble</i>	1901	12	.080	.156	$\frac{5}{16}$	3.25
<i>Hamlet</i>	1902	12	.080	.187	$\frac{3}{8}$	3.75
<i>Hammering</i>	1903	12	.080	.250	$\frac{1}{2}$	5.50
<i>Hammock</i>	1904	10	.101	.218	$\frac{7}{16}$	5.75
<i>Hamper</i>	1905	10	.101	.250	$\frac{1}{2}$	6.25
<i>Hampered</i>	1906	8	.128	.218	$\frac{3}{8}$	7.00
<i>Hampering</i>	1907	8	.128	.250	$\frac{1}{2}$	8.25
<i>Hamstring</i>	1908	8	.128	.281	$\frac{5}{8}$	9.75
<i>Haraper</i>	1909	7	.144	.250	$\frac{3}{8}$	8.50
<i>Handcuff</i>	1910	7	.144	.281	$\frac{1}{2}$	10.00
<i>Handcuffed</i>	1911	6	.162	.250	$\frac{3}{8}$	9.00
<i>Handfast</i>	1912	6	.162	.281	$\frac{1}{2}$	9.50
<i>Handicraft</i>	1913	6	.162	.312	$\frac{10}{32}$	10.75
<i>Handiness</i>	1914	5	.181	.281	$\frac{9}{16}$	10.50
<i>Handle</i>	1915	5	.181	.312	$\frac{10}{16}$	11.00
<i>Handling</i>	1916	4	.204	.281	$\frac{9}{16}$	11.50
<i>Hannah</i>	1917	4	.204	.312	$\frac{10}{16}$	12.50
<i>Handscrew</i>	1918	4	.204	.375	$\frac{15}{32}$	14.00
<i>Handsome</i>	1919	3	.229	.375	$\frac{15}{32}$	13.50
<i>Handsomely</i>	1920	3	.229	.437	$\frac{14}{32}$	17.50
<i>Hang</i>	1932	2	.257	.406	$\frac{13}{16}$	19.00
<i>Hanged</i>	1933	2	.257	.468	$\frac{15}{16}$	23.00
<i>Hanging</i>	1934	1	.289	.500	$\frac{16}{16}$	25.00
<i>Hangman</i>	1935	1	.289	.562	$\frac{18}{16}$	27.00
<i>Hangnail</i>	1936	0	.324	.562	$\frac{13}{8}$	30.00
<i>Hanker</i>	1937	0	.324	.625	$\frac{20}{16}$	34.00
<i>Hankering</i>	1938	00	.364	.562	$\frac{13}{8}$	35.00
<i>Hapless</i>	1939	00	.364	.625	$\frac{17}{8}$	40.00

Kerite Wire—Solid—(Continued).

Taped or Braided.							
Code Word.	List No.	COPPER.		INSULATION.			List Price, per 100 Ft.
		B. & S. Gauge.	Diam. of Copper, Mils.	Diam. of Insulation, Mils.	Diam. of Insulation, Inches.	Outside Diam. Braid, Inches.	
<i>Haply</i>	1950	20	.0319	.078	$\frac{5}{64}$	$\frac{9}{64}$	\$2.00
<i>Happen</i>	1951	20	.0319	.093	$\frac{3}{32}$	$\frac{5}{32}$	2.00
<i>Happening</i>	1952	18	.040	.078	$\frac{5}{64}$	$\frac{9}{64}$	2.00
<i>Happily</i>	1953	18	.040	.093	$\frac{3}{32}$	$\frac{5}{32}$	2.15
<i>Happiness</i>	1954	18	.040	.125	$\frac{1}{8}$	$\frac{6}{32}$	2.25
<i>Happy</i>	1955	16	.050	.093	$\frac{3}{32}$	$\frac{5}{32}$	2.25
<i>Harangue</i>	1956	16	.050	.125	$\frac{1}{8}$	$\frac{6}{32}$	2.50
<i>Harangued</i>	1957	16	.050	.156	$\frac{5}{32}$	$\frac{7}{32}$	3.00
<i>Haranguing</i>	1958	14	.064	.125	$\frac{1}{8}$	$\frac{6}{32}$	2.75
<i>Harass</i>	1959	14	.064	.156	$\frac{5}{32}$	$\frac{7}{32}$	3.25
<i>Harassing</i>	1960	14	.064	.187	$\frac{6}{32}$	$\frac{8}{32}$	3.50
<i>Harbinger</i>	1961	14	.064	.218	$\frac{7}{32}$	$\frac{9}{32}$	4.00
<i>Harbor</i>	1962	12	.080	.156	$\frac{1}{2}$	$\frac{7}{32}$	3.50
<i>Harborage</i>	1963	12	.080	.187	$\frac{6}{32}$	$\frac{8}{32}$	4.00
<i>Habit</i>	1964	12	.080	.250	$\frac{3}{8}$	$\frac{10}{32}$	5.75
<i>Habitation</i>	1965	10	.101	.218	$\frac{7}{32}$	$\frac{9}{32}$	6.00
<i>Habited</i>	1966	10	.101	.250	$\frac{3}{8}$	$\frac{10}{32}$	6.50
<i>Habitual</i>	1967	8	.128	.218	$\frac{7}{32}$	$\frac{9}{32}$	7.25
<i>Habitude</i>	1968	8	.128	.250	$\frac{3}{8}$	$\frac{10}{32}$	8.50
<i>Hack</i>	1969	8	.128	.281	$\frac{9}{32}$	$\frac{11}{32}$	10.00
<i>Hacking</i>	1970	7	.144	.250	$\frac{3}{8}$	$\frac{10}{32}$	9.00
<i>Hackney</i>	1971	7	.144	.281	$\frac{9}{32}$	$\frac{11}{32}$	10.50
<i>Haddock</i>	1972	6	.162	.250	$\frac{3}{8}$	$\frac{10}{32}$	9.50
<i>Hades</i>	1973	6	.162	.281	$\frac{9}{32}$	$\frac{11}{32}$	10.00
<i>Haggard</i>	1974	6	.162	.312	$\frac{10}{32}$	$\frac{12}{32}$	11.25
<i>Haggardly</i>	1975	5	.181	.281	$\frac{9}{32}$	$\frac{11}{32}$	11.00
<i>Haggle</i>	1976	5	.181	.312	$\frac{10}{32}$	$\frac{12}{32}$	11.75
<i>Embroid</i>	1977	4	.204	.281	$\frac{9}{32}$	$\frac{11}{32}$	12.25
<i>Embryo</i>	1978	4	.204	.312	$\frac{10}{32}$	$\frac{12}{32}$	13.25
<i>Embryonic</i>	1979	4	.204	.375	$\frac{13}{32}$	$\frac{14}{32}$	14.75
<i>Emerge</i>	1980	3	.229	.375	$\frac{13}{32}$	$\frac{14}{32}$	14.50
<i>Emergency</i>	1981	3	.229	.437	$\frac{14}{32}$	$\frac{15}{32}$	18.50
<i>Emerging</i>	1982	2	.257	.406	$\frac{13}{32}$	$\frac{15}{32}$	20.00
<i>Embottling</i>	1983	2	.257	.468	$\frac{15}{32}$	$\frac{17}{32}$	24.00
<i>Embracing</i>	1984	1	.289	.500	$\frac{16}{32}$	$\frac{18}{32}$	26.00
<i>Embrasure</i>	1985	1	.289	.562	$\frac{17}{32}$	$\frac{20}{32}$	28.00
<i>Embrace</i>	1986	0	.324	.562	$\frac{17}{32}$	$\frac{20}{32}$	32.00
<i>Embroglio</i>	1987	0	.324	.625	$\frac{20}{32}$	$\frac{22}{32}$	36.00
<i>Embroider</i>	1988	00	.364	.562	$\frac{17}{32}$	$\frac{20}{32}$	38.00
<i>Emily</i>	1989	00	.364	.625	$\frac{20}{32}$	$\frac{22}{32}$	44.00

Kerite Wire.—(Continued.)

Stranded Electric Light Conductors.

Plain Insulation.

Gauge B. & S.	Strands.		Insulation Outside Diam Mils. .001 In	Insulation Outside Diam Inches	Price per 100 Feet
6	7 x 14	A	312.5	10-32	11.00
6	7 x 16	B	375.	12-32	13.00
6	7 x 16	B	437.5	14-32	16.50
5	7 x 15	B	375.	12-32	13.00
5	7 x 15	B	437.5	14-32	17.25
4	7 x 12	A	375.	12-32	15.00
4	7 x 12	A	437.5	14-32	18.00
4	7 x 12	A	500.	16-32	22.00
3	1 x 12— 6 x 14	B	375.	12-32	17.50
3	1 x 12— 6 x 14	B	406.2	13-32	18.50
3	1 x 12— 6 x 14	B	500.	15-32	21.00
2	1 x 12— 6 x 13	B	406.2	13-32	19.00
2	1 x 12— 6 x 13	B	437.5	14-32	20.50
2	1 x 16—18 x 17	B	468.7	15-32	22.00
1	1 x 11— 6 x 12	B	437.5	14-32	24.00
1	1 x 15—18 x 16	B	500.	16-32	26.00
0	1 x 10— 6 x 11	B	562.5	18-32	30.00
0	1 x 14—18 x 15	B	625.	20-32	34.00
00	7 x 7	A	562.5	18-32	36.00
00	19 x 12	A	625.	20-32	41.00
00	1 x 13—18 x 14	B	687.5	22-32	45.00
000	1 x 8— 6 x 9	B	625.	20-32	60.00
000	19 x 11	A	687.5	22-32	63.00
000	19 x 11	A	750.	24-32	66.00
0000	7 x 7	B	687.5	22-32	76.00
0000	19 x 12	B	750.	24-32	82.00
0000	19 x 12	B	812.5	26-32	88.00

Covered Insulation.

Gauge B. & S.	Insulation. Outside Diam. Mils. .001 In.	Insulation. Outside Diam. Inches.	List Prices per 100 Feet. Braided.	List Prices per 100 Feet Taped and Braided.
6	312.5	10-32	12.00	13.00
6	375.	12-32	14.00	15.00
6	437.5	14-32	17.50	18.50
5	375.	12-32	14.00	15.00
5	437.5	14-32	18.25	19.25
4	375.	12-32	16.00	17.00
4	437.5	14-32	19.00	20.00
4	500.	16-32	23.00	24.00
3	375.	12-32	18.50	19.50
3	406.2	13-32	20.50	21.50
3	500.	15-32	22.00	23.00
2	406.2	13-32	20.00	21.00
2	437.5	14-32	21.50	23.00
2	468.7	15-32	23.50	26.00
1	437.5	14-32	25.50	28.00
1	500.	16-32	28.00	30.00
0	562.5	18-32	32.00	34.00
0	625.	20-32	36.00	38.00
00	562.5	18-32	38.00	40.00
00	625.	20-32	43.00	45.00
00	687.5	22-32	47.00	50.00
000	625.	20-32	62.00	66.00
000	687.5	22-32	66.00	70.00
000	750.	24-32	70.00	75.00
0000	687.5	22-32	80.00	85.00
0000	750.	24-32	85.00	90.00
0000	812.5	26-32	93.00	98.00



Clark Wire.

Solid.

Code Word	List No.	B. & S.	Diam. Wire in the decimal of an inch.	Diam. Gum 32d of inch.	Total Diam. Outside Braid.	Approximate Pounds Per 100 Feet.	Price Per 100 Feet.
<i>Sluggard</i>	24150	18	.040	4-32	5-32	2.35	\$1.65
<i>Sluggardy</i>	24151	16	.051	5-32	6-32	2.70	1.80
<i>Sluggish</i>	24152	14	.064	5-32	6-32	3.20	1.80
<i>Sluggishly</i>	24153	14	.064	6-32	7-32	3.40	2.00
<i>Sluggsy</i>	24154	14	.064	7-32	8-32	4.79	3.00
<i>Slugs</i>	24155	12	.081	6-32	7-32	4.30	2.50
<i>Sluice</i>	24156	12	.081	7-32	8-32	5.30	3.00
<i>Sluicagate</i>	24157	10	.102	8-32	10-32	7.00	4.00
<i>Sluicy</i>	24158	10	.102	9-32	11-32	7.77	4.50
<i>Slum</i>	24159	9	.114	9-32	11-32	8.00	4.60
<i>Slumber</i>	24160	8	.129	9-32	11-32	10.12	4.70
<i>Slumberer</i>	24161	8	.129	10-32	12-32	10.92	6.00
<i>Slumberless</i>	24162	7	.144	9-32	11-32	10.25	6.20
<i>Slumbery</i>	24163	6	.162	10-32	12-32	14.00	7.20
<i>Slump</i>	24164	6	.162	12-32	14-32	15.57	9.00
<i>Slumpy</i>	24165	6	.162	14-32	16-32	18.72	10.80
<i>Slung</i>	24166	5	.182	12-32	14-32	16.00	9.60
<i>Slungshot</i>	24167	4	.204	12-32	14-32	20.33	10.00
<i>Slunk</i>	24168	4	.204	14-32	16-32	21.87	12.00
<i>Slur</i>	24169	3	.229	15-32	17-32	23.00	12.60
<i>Slurred</i>	24170	2	.258	16-32	18-32	31.25	15.30
<i>Slush</i>	24171	1	.289	17-32	20-32	43.78	20.70
<i>Slushy</i>	24172	0	.324	19-32	22-32	50.00	24.00
<i>Slutch</i>	24173	00	.365	21-32	23-32	54.00	30.00
<i>Slutchy</i>	24174	000	.409	23-32	25-32	66.50	37.00
<i>Sly</i>	24175	0000	.460	25-32	27-32	81.00	45.00

Stranded.

<i>Smear</i>	24200	10		10-32	12-32	10.94	5.40
<i>Smell</i>	24201	8		10-32	12-32	14.06	7.20
<i>Smeller</i>	24202	6		12-32	14-32	20.31	10.80
<i>Smelling</i>	24203	4		14-32	16-32	21.87	13.00
<i>Smelt</i>	24204	3		16-32	19-32	29.69	16.00
<i>Smelter</i>	24205	2	...	17-32	19-32	34.37	18.00
<i>Smeltery</i>	24206	1		18-32	21-32	43.75	24.00
<i>Smerlin</i>	24207	0		22-32	25-32	59.37	30.00
<i>Smew</i>	24208	00	...	24-32	27-32	65.63	35.00
<i>Smicker</i>	24209	000		26-32	29-32	75.50	42.00
<i>Smicket</i>	24210	0000		28-32	31-32	90.00	50.00

Flexible Clark Wire.

Diameter of Insulation given is exclusive of Outside Braid.

Made up of No. 26 B. W. G. Wire.

Code Word.	List No.	No. B. & S. Gauge.	Diam. Wire in the decimal of an inch.	Circular Mils D ²	Number of Wires.	Diam. Gum 32d of inch.	Price per 100 Feet.
<i>Smilacine</i>	24212	18	.040	1624.3	5	5-32	\$2.70
<i>Smilax</i>	24214	16	.051	2582.7	8	5-32	2.70
<i>Smile</i>	24215	14	.064	4106.8	13	7-32	3.60
<i>Smileless</i>	24216	12	.081	6529.9	21	8-32	5.40
<i>Smiles</i>	24217	10	.102	10382.	35	9-32	7.20
<i>Smilingly</i>	24218	8	.129	16510.	56	12-32	10.80
<i>Smilingness</i>	24219	7	.144	20817.	63	12-32	12.00
<i>Smirch</i>	24220	6	.162	26250.	84	14-32	14.40
<i>Smirk</i>	24221	5	.182	33102.	105	14-32	18.00
<i>Smirky</i>	24222	4	.204	41742.	126	15-32	21.60
<i>Smite</i>	24223	3	.229	52634	161	17-32	25.20
<i>Smiter</i>	24224	2	.258	66373.	203	18-32	28.80
<i>Smith</i>	24225	1	.289	83694.	259	20-32	32.40
<i>Smither</i>	24226	0	.324	105534.	329	22-32	37.20
<i>Smithery</i>	24227	00	.365	133079.	413	24-32	43.20
<i>Smithing</i>	24228	000	.410	167805.	528	26-32	52.80
<i>Smithsonian</i>	24229	0000	.460	211600.	651	28-32	64.80

Clark Elevator Electric Light Cable.

Braided.

		B. & S.	Diam. Gum 32d of inch.	Total Diam. Braided.	Price per 100 Feet
<i>Smithy</i>	24230	18 Duplex	8-32	9-32	6.00
<i>Smitt</i>	24231	16 "	9-32	11-32	7.00
<i>Smitten</i>	24232	14 "	12-32	27-64	8.00
<i>Smittle</i>	24233	12 "	.	16-32	14.00



Safety Wire.

Plain, without Tape or Braid.

Code Word.	List No	Gauge B. & S.	Outside Diam. of Insulation.	Insulation Resistance per Mile. Megohms.	Price per 100 Feet.
<i>Smock</i>	24234	20	3-32	1000	2.25
<i>Smockable</i>	24235	18	4-32	1500	2.50
<i>Smoke</i>	24236	16	4-32	1000	2.75
<i>Smokearch</i>	24237	14	5-32	2000	3.75
<i>Smokebull</i>	24238	12	6-32	1500	4.50
<i>Smokebox</i>	24239	10	6-32	1000	5.50
<i>Smokejack</i>	24240	10	7-32	1500	6.25
<i>Smokeless</i>	24241	8	7-32	1000	7.50
<i>Smoker</i>	24242	8	8-32	1500	8.00
<i>Smokesail</i>	24243	6	9-32	1500	11.25

Gauges from No. 20 to No. 4 Braided. Gauges above
No. 4 Taped and Braided.

		Gauge B. & S.	Outside Diam. of Insulation.	Outside Diam. Braided.	Insulation Resistance per Mile. Megohms.	Price per 100 Feet.
<i>Smaketree</i>	24244	20	3-32	4-32	1000	2.50
<i>Smakily</i>	24245	18	4-32	5-32	1500	2.50
<i>Smakiness</i>	24246	16	4-32	5-32	1000	3.00
<i>Smakny</i>	24247	14	5-32	6-32	2000	3.85
<i>Smalder</i>	24248	12	6-32	7-32	1500	5.00
<i>Smaldry</i>	24249	10	6-32	7-32	1000	6.75
<i>Smolt</i>	24250	8	8-32	9-32	1500	9.00
<i>Smooth</i>	24251	6	9-32	10-32	1500	12.50
<i>Smother</i>	24252	4	11-32	12-32	1000	16.50
<i>Smoothing</i>	24253	2	13-32	14-32	1000	25.00
<i>Smoothly</i>	24254	1	15-32	16-32	1200	35.00

Stranded Conductors.

Heavy Insulation, Taped and Braided.

		Gauge B. & S.	Outside Diam. of Insulation.	Outside Diam. Taped and Braided.	Insulation Resistance per Mile. Megohms.	Price per 100 Feet.
<i>Smoothness</i>	24255	8	9-32	11-32	1200	10.00
<i>Smoozsando</i>	24256	6	10-32	12-32	1200	14.50
<i>Smother</i>	24257	6	11-32	13-32	1500	17.50
<i>Smothery</i>	24258	4	12-32	14-32	1000	21.00
<i>Smouch</i>	24259	4	13-32	15-32	1500	25.00
<i>Smudge</i>	24260	2	15-32	17-32	1500	28.50
<i>Smug</i>	24261	1	16-32	18-32	1200	37.50
<i>Smuggle</i>	24262	0	19-32	21-32	1500	48.00
<i>Smugly</i>	24263	00	...	22-32	1500	58.50
<i>Smugness</i>	24264	000	...	24-32	1500	72.50
<i>Smuly</i>	24265	0000	...	26-32	1500	90.00

Safety Lead Incased Wire.

For Underground Purposes.

Covered with Heavy Rubber Insulation. Taped and Lead Incased.

Code Word.	List No.	Sizes, B. & S. Gauge.		Price per Foot.
<i>Smu</i>	24266	0000	Stranded.	\$1.00
<i>Smutch</i>	24267	000	"	.90
<i>Smugriat</i>	24268	00	"	.80
<i>Snack</i>	24269	0	"	.70
<i>Snacklet</i>	24270	1	"	.64
<i>Snacut</i>	24271	1	Solid.	.60
<i>Snaffle</i>	24272	2	Stranded.	.56
<i>Snag</i>	24273	2	Solid.	.54
<i>Snagged</i>	24274	4	Stranded.	.50
<i>Snaggy</i>	24275	4	Solid.	.36
<i>Snall</i>	24276	6	Stranded.	.36
<i>Snake</i>	24277	6	Solid.	.32
<i>Snakeroot</i>	24278	7	Stranded.	.30
<i>Snakerced</i>	24279	7	Solid.	.26
<i>Snakerood</i>	24280	8	Stranded.	.26
<i>Snakish</i>	24281	8	Solid.	.22
<i>Snaky</i>	24282	10	"	.18
<i>Snap</i>	24283	12	"	.12
<i>Snaplock</i>	24284	14	"	.07

Safety Flexible Cables.

For Switchboards, Dynamos and Lamps.

Composed of Fine Copper Wire, No. 25 B. & S. Gauge, well Tinned
Taped and Braided.

		Equal in Conductivity to B. & S. Gauge No.	Insulation Resistance per Mile. Megohms.	Price per 100 Feet.
<i>Snapper</i>	24285	14	1000	12.00
<i>Snappish</i>	24286	12	1000	13.00
<i>Snappishly</i>	24287	10	1000	13.50
<i>Snappy</i>	24288	9	1000	14.00
<i>Snare</i>	24289	8	1000	15.00
<i>Snarl</i>	24290	6	1000	16.50
<i>Snarler</i>	24291	4	1000	20.00
<i>Snary</i>	24292	2	1000	30.00
<i>Snatch</i>	24293	1	1000	40.00
* <i>Snatcher</i>	24294	0	1000	50.00
<i>Snatchingly</i>	24295	00	1000	60.00
<i>Snath</i>	24296	000	1000	75.00
<i>Snead</i>	24297	0000	1000	95.00

Safety White Core Wire.

Stranded Conductor.

Taped and Braided.

Code Word.	List No.	Gauge B. & S.	Outside Diam. of Insulation	Insulation Resistance per Mile Megohms	Price per 100 Feet
<i>Socle</i>	24380	0	21-32	1500	48.80
<i>Socman</i>	24381	00	22-32	1500	59.30
<i>Socmanry</i>	24382	000	24-32	1500	73.30
<i>Socky</i>	24379	0000	26-32	1500	90.80

Solid Conductor.

Gauges from No. 20 to No. 4 Braided. Gauges above
No. 4 Taped and Braided.

		Gauge B. & S.	Outside Diam. of Insulation.	Outside Diam. Braided.	Insulation Resistance per Mile Megohms.	Price per 100 Feet.
<i>Socia</i>	24368½	20	3-32	4-32	1000	2.90
<i>Socialness</i>	24369	18	4-32	5-32	1500	2.90
<i>Society</i>	24370	16	4-32	5-32	1000	3.40
<i>Societ</i>	24371	14	5-32	6-32	2000	4.25
<i>Socinian</i>	24372	12	6-32	7-32	1500	5.40
<i>Socinianism</i>	24373	10	6-32	7-32	1000	7.15
<i>Sociology</i>	24374	8	8-32	9-32	1500	9.40
<i>Sociologic</i>	24375	6	9-32	10-32	1500	13.30
<i>Sock</i>	24376	4	11-32	12-32	1000	17.30
<i>Sockdologer</i>	24377	2	13-32	14-32	1000	25.80
<i>Sockless</i>	24878	1	15-32	16-32	1200	35.80

Low Tension Simplex Cables.

Tape and Two Braids over Rubber.

Stranded Conductor.

Code Word.	List No.	Size.	Strands.	Weight per mile incl'd'g Reels.	Outside Diameter.	Price per 1,000 Feet.
<i>Softner</i>	24413	2,000,000 C. M.	91	45,000	2 6-32	\$3247.60
<i>Softness</i>	24414	1,750,000 "	91	40,000	2 2-32	2859.80
<i>Soggy</i>	24415	1,500,000 "	91	35,000	1 30-32	2474.50
<i>Soil</i>	24416	1,250,000 "	61	29,000	1 25-32	2072.20
<i>Soiliness</i>	24417	1,000,000 "	61	23,000	1 18-32	1665.00
<i>Soilless</i>	24418	950,000 "	61	22,000	1 17-32	1578.90
<i>Soilure</i>	24419	900,000 "	61	21,000	1 16-32	1514.50
<i>Soily</i>	24420	850,000 "	61	20,000	1 15-32	1430.60
<i>Soiree</i>	24421	800,000 "	61	19,000	1 13-32	1332.50
<i>Sojourn</i>	24422	750,000 "	61	18,000	1 12-32	1257.20
<i>Sojourner</i>	24423	700,000 "	61	17,000	1 11-32	1184.40
<i>Sojourning</i>	24424	650,000 "	61	16,000	1 10-32	1104.20
<i>Sol</i>	24425	600,000 "	61	15,000	1 9-32	1031.50
<i>Solace</i>	24426	550,000 "	61	14,000	1 8-32	965.50
<i>Solacement</i>	24427	500,000 "	61	12,500	1 6-32	873.60
<i>Solacions</i>	24428	450,000 "	37	11,500	1 4 32	776.00
<i>Solanacions</i>	24429	400,000 "	37	10,500	1 3 32	706.40
<i>Solander</i>	24430	350,000 "	37	9,000	1	609.60
<i>Solanine</i>	24431	300,000 "	37	8,000	31-32	540.90
<i>Solano</i>	24432	250,000 "	37	7,000	29-32	459.70

Simplex Lead-Covered Cables, Low Tension.

Stranded Conductor.

Code Word.	List No.	Size.	Strands.	Wall Lead.	Outside Diameter.	Price per 1,000 Ft.
<i>Socome</i>	24383	1,000,000 C. M.	61	3-32	1 22-32	\$1958.10
<i>Socatran</i>	24384	900,000 "	61	3-32	1 20-32	1837.48
<i>Socatrine</i>	24385	800,000 "	61	3-32	1 18-32	1677.84
<i>Socratie</i>	24386	700,000 "	61	3-32	1 13-32	1400.04
<i>Socratically</i>	24387	600,000 "	61	3-32	1 11-32	1254.60
<i>Socratism</i>	24388	500,000 "	61	5-64	1 8-32	1078.76
<i>Socratist</i>	24389	400,000 "	37	5-64	1 4-32	864.36
<i>Sod</i>	24390	300,000 "	37	5-64	1 1-32	705.40
<i>Soda</i>	24391	250,000 "	37	5-64	30-32	587.50
		B. & S. Gauge.				
<i>Sodalite</i>	24392	0000	37	5-64	29-32	540.40
<i>Sodality</i>	24393	000	37	5-64	27-32	458.40
<i>Soducater</i>	24394	00	19	5-64	25-32	381.86
<i>Sodden</i>	24395	0	19	5-64	24-32	342.88
<i>Soddy</i>	24396	1	19	1-16	20-32	245.44
<i>Soder</i>	24397	2	19	1-16	19-32	217.64
<i>Sodium</i>	24398	3	19	1-16	18-32	185.58
<i>Sodomite</i>	24399	4	19	1-16	17-32	163.50
<i>Sodomitical</i>	24400	6	19	1-16	16-32	138.16

Solid Conductor.

<i>Sofa</i>	24401	1	1-16	19-32	224.52
<i>Sofett</i>	24402	2	1-16	18-32	195.58
<i>Sofi</i>	24403	3	1-16	17-32	170.26
<i>Sofism</i>	24404	4	1-16	16-32	147.32
<i>Soffiet</i>	24405	6	1-16	15-32	121.82
<i>Soft</i>	24406	8	1-16	14-32	101.00
<i>Soften</i>	24407	10 (8-32)	3-64	12-32	67.26
<i>Softener</i>	24408	10 (7-32)	3-64	10-32	56.32
<i>Softish</i>	24409	12 (7-32)	3-64	10-32	53.62
<i>Softling</i>	24410	12 (6-32)	3-64	9-32	49.80
<i>Softly</i>	24411	14 (6-32)	3-64	9-32	48.28
<i>Softman</i>	24412	14 (5-32)	3-64	8-32	39.96

Simplex Caoutchouc Wire.

Solid Conductor, Braided.

Code Word.	List No.	Size. B. & S. Gauge.	Diameter over Rubber.	Diameter over Braiding.	Price per Foot.
<i>Sneak</i>	24298	1	14-32	17-32	.31½
<i>Sneaker</i>	24299	2	13-32	16-32	.26½
<i>Sneaking</i>	24300	3	12-32	15-32	.22½
<i>Sneakingness</i>	24301	4	11-32	14-32	.17½
<i>Sneap</i>	24302	5	10-32	12-32	.15
<i>Sneck</i>	24303	6	9-32	11-32	.12½
<i>Sneckbund</i>	24304	7	17-64	21-64	.11
<i>Sned</i>	24305	8	8-32	10-32	.09½
<i>Sneer</i>	24306	9	15-64	9-32	.08½
<i>Sneerer</i>	24307	10	7-32	8-32	.07½
<i>Sneerful</i>	24308	12	6-32	7-32	.05½
<i>Sneeringly</i>	24309	14	5-32	6-32	.03½
<i>Sneeze</i>	24310	16	9-34	11-64	.03⅝
<i>Sneezeweed</i>	24311	18	4-32	5-32	.03½

Stranded Conductor, Braided.

		Size B. & S. Gauge.	Number of Strands.	Diameter over Rubber.	Diameter over Braiding.	Price per Foot.
<i>Sneezewort</i>	24312	0000	37	22-32	26-32	.76
<i>Sneezewood</i>	24313	000	37	20-32	24-32	.64
<i>Snell</i>	24314	00	19	18-32	22-32	.50½
<i>Snep</i>	24315	0	19	17-32	21-32	.44½
<i>Snickup</i>	24316	1	19	15-32	18-32	.34½
<i>Snicker</i>	24317	2	19	14-32	17-32	.31½
<i>Sniff</i>	24318	3	7	13-32	16-32	.25
<i>Snift</i>	24319	4	7	12-32	15-32	.21½
<i>Snig</i>	24320	5	7	11-32	14-32	.17½
<i>Snigger</i>	24321	6	7	10-32	12-32	.14½
<i>Sniggle</i>	24322	7	7	19-64	23-64	.12½
<i>Snip</i>	24323	8	7	9-32	11-32	.11½
<i>Snipe</i>	24324	9	7	17-64	10-32	.11
<i>Snipebill</i>	24325	10	7	8-32	9-32	.09½
<i>Snipefish</i>	24326	12	7	7-32	8-32	.07½
<i>Snipper</i>	24327	14	7	6-32	7-32	.06½
<i>Snipsnap</i>	24328	16	7	5-32	6-32	.04½

Climax Wire.

Solid Conductors, Braided.

Code Word.	List No.	Size B. & S. Gauge.	Diameter over Rubber.	Diameter over Braiding.	Price per Foot.
<i>Snithy</i>	24329	1	14-32	16-32	\$.29 $\frac{1}{8}$
<i>Snivel</i>	24330	2	13-32	15-32	.24 $\frac{3}{8}$
<i>Sniveler</i>	24331	3	12-32	14-32	.20 $\frac{1}{8}$
<i>Snively</i>	24332	4	11-32	25-64	.16 $\frac{3}{8}$
<i>Snob</i>	24333	5	10-32	11-32	.13 $\frac{3}{8}$
<i>Snobbery</i>	24334	6	9-32	10-32	.10 $\frac{1}{8}$
<i>Snobbish</i>	24335	8	8-32	9-32	.08
<i>Snobbishly</i>	24336	10	7-32	8-32	.05 $\frac{7}{8}$
<i>Snobbishness</i>	24337	12	6-32	7-32	.04 $\frac{2}{8}$
<i>Snobbism</i>	24338	14	5-32	6-32	.03 $\frac{1}{8}$

Stranded Conductors, Braided.

		B. & S. Gauge.	No. of Strands.	Diam. over Rubber.	Diam. over Braiding.	
<i>Soaking</i>	24339	0000	37	22-32	25-32	.73
<i>Soaky</i>	24340	000	37	20-32	23-32	.60 $\frac{3}{8}$
<i>Soal</i>	24341	00	19	18-32	21-32	.48
<i>Soap</i>	24342	0	19	17-32	20-32	.41
<i>Soapsuds</i>	24343	1	19	15-32	17-32	.31 $\frac{3}{8}$
<i>Soapwort</i>	24344	2	19	14-32	16-32	.26 $\frac{3}{8}$
<i>Soapy</i>	24345	3	7	13-32	15-32	.21 $\frac{3}{8}$
<i>Soar</i>	24346	4	7	12-32	27-64	.18
<i>Sob</i>	24347	5	7	11-32	12-32	.15 $\frac{1}{8}$
<i>Sober</i>	24348	6	7	10-32	11-32	.12 $\frac{3}{8}$
<i>Soberize</i>	24349	8	7	9-32	10-32	.09 $\frac{3}{8}$
<i>Soberly</i>	24350	10	7	8-32	9-32	.07 $\frac{1}{8}$

Simplex Caoutchouc Mining Wire.

Solid Conductor.

		B. & S. Gauge.	Diam. over Rubber.	Covering over Rubber.	
<i>Sobcrness</i>	24351	1	17-32	Tape and 3 Braids.	.44 $\frac{7}{8}$
<i>Soboles</i>	24352	2	16-32	" 3 "	.39 $\frac{1}{8}$
<i>Soboliferous</i>	24353	3	15-32	" 2 "	.33
<i>Sobriety</i>	24354	4	14-32	" 2 "	.28 $\frac{3}{8}$
<i>Sobriquet</i>	24355	5	12-32	3 Braids.	.21 $\frac{9}{16}$
<i>Soc</i>	24356	6	11-32	3 "	.18 $\frac{3}{8}$
<i>Socage</i>	24357	8	9-32	3 "	.13 $\frac{3}{8}$
<i>Socager</i>	24358	10	8-32	3 "	.10 $\frac{7}{8}$
<i>Sociability</i>	24359	12	7-32	3 "	.08 $\frac{3}{8}$
<i>Sociable</i>	24360	14	6-32	3 "	.06 $\frac{7}{8}$

Stranded Conductor.

		B. & S. Gauge.	No. of Strands.	Diam over Rubber.	Covering over Rubber.	
<i>Sociableness</i>	24361	0000	37	26-32	Tape and 3 Braids.	1.03
<i>Sociably</i>	24362	000	37	24-32	" 3 "	.88 $\frac{3}{8}$
<i>Social</i>	24363	00	19	22-32	" 3 "	.73 $\frac{1}{8}$
<i>Socialism</i>	24364	0	19	20-32	" 3 "	.62 $\frac{1}{8}$
<i>Socialist</i>	24365	1	19	18-32	" 3 "	.52 $\frac{1}{8}$
<i>Socialistic</i>	24366	2	19	17-32	" 3 "	.44 $\frac{3}{8}$
<i>Socialize</i>	24367	3	7	16-32	" 2 "	.36 $\frac{3}{8}$
<i>Socially</i>	24368	4	7	15-32	" 2 "	.32 $\frac{1}{8}$

Magnet Wire.

Single Cotton Covered.



Nos. 3879 to 3901.



Nos. 1700. to 1720.


Code Word.	List No.	B. & S. Gauge Size.	List Price.
<i>Aluminor</i>	3879	0000 Per pound.....	\$0.44
<i>Allured</i>	3880	000 "	.44
<i>Allusive</i>	3881	00 "	.44
<i>Allusively</i>	3882	0 "	.44
<i>Almandine</i>	3883	1 "	.43
<i>Almightily</i>	3884	2 "	.43
<i>Almighty</i>	3885	3 "	.43
<i>Almhouse</i>	3886	4 "	.43
<i>Alorf</i>	3887	5 "	.44
<i>Aloud</i>	3888	6 "	.44
<i>Alph</i>	3889	7 "	.44
<i>Alphabet</i>	3890	8 "	.44
<i>Alpin</i>	3891	9 "	.46
<i>Already</i>	3892	10 "	.46
<i>Alt</i>	3893	11 "	.48
<i>Altar</i>	3894	12 "	.48
<i>Alterable</i>	3895	13 "	.54
<i>Alterage</i>	3896	14 "	.54
<i>Altered</i>	3897	15 "	.59
<i>Alternate</i>	3898	16 "	.56
<i>Alterative</i>	3899	17 "	.59
<i>Alternatively</i>	3900	18 "	.59
<i>Alternity</i>	3901	19 "	.60
<i>Jingling</i>	1700	20 "	.68
<i>Joan</i>	1701	21 "	.70
<i>Jockey</i>	1702	22 "	.76
<i>Jockeying</i>	1703	23 "	.83
<i>Jean</i>	1704	24 "	.90
<i>Jears</i>	1705	25 "	1.00
<i>Jeer</i>	1706	26 "	1.10
<i>Jeered</i>	1707	27 "	1.25
<i>Jeerer</i>	1708	28 "	1.35
<i>Jeering</i>	1709	29 "	1.50
<i>Jungly</i>	1710	30 "	1.65
<i>Junior</i>	1711	31 "	1.80
<i>Jockeyism</i>	1712	32 "	1.95
<i>John</i>	1713	33 "	2.40
<i>Joinder</i>	1714	34 "	2.85
<i>Jollify</i>	1715	35 "	3.25
<i>Jolliment</i>	1716	36 "	4.37
<i>Jollity</i>	1717	37 "	6.75
<i>Jonas</i>	1718	38 "	9.00
<i>Jonathan</i>	1719	39 "	11.00
<i>Joseph</i>	1720	40 "	13.00

Magnet Wire—(Continued).

Double Cotton Covered.



Nos. 3902 to 3924.



Nos. 1721 to 1741.

Code Word.	List No.	B. & S. Gauge Size.	List Price.
<i>Although</i>	3902	0000 Per pound	\$0.45
<i>Altitude</i>	3903	000 "	.45
<i>Alum</i>	3904	00 "	.45
<i>Alcays</i>	3905	0 "	.45
<i>Amain</i>	3906	1 "	.43½
<i>Ambrose</i>	3907	2 "	.43½
<i>Ambrosia</i>	3908	3 "	.43½
<i>Ambrosial</i>	3909½	4 "	.43½
<i>Ambrosian</i>	3910	5 "	.45
<i>Ambry</i>	3911	6 "	.45
<i>Ambulant</i>	3912	7 "	.47
<i>Ambulate</i>	3913	8 "	.47
<i>Ambulation</i>	3914	9 "	.48½
<i>Ambulative</i>	3915	10 "	.48½
<i>Ambulatory</i>	3916	11 "	.52
<i>Ambuscade</i>	3917	12 "	.52
<i>Ambuscaded</i>	3918	13 "	.58
<i>Ambushed</i>	3919	14 "	.58
<i>Amelia</i>	3920	15 "	.60
<i>Amenable</i>	3921	16 "	.60
<i>Amend</i>	3922	17 "	.65½
<i>Amended</i>	3923	18 "	.65½
<i>Amendment</i>	3924	19 "	.71½
<i>Joyful</i>	1721	20 "	.74
<i>Joyfully</i>	1722	21 "	.88
<i>Joyfulness</i>	1723	22 "	.95
<i>Joyous</i>	1724	23 "	1.05
<i>Joyously</i>	1725	24 "	1.14
<i>Joyousness</i>	1726	25 "	1.27
<i>Jubilant</i>	1727	26 "	1.38
<i>Jubilate</i>	1728	27 "	1.57
<i>Jubilation</i>	1729	28 "	1.69
<i>Judah</i>	1730	29 "	1.89
<i>Judicial</i>	1731	30 "	2.07
<i>Judicious</i>	1732	31 "	2.23
<i>Josephine</i>	1733	32 "	2.28
<i>Joshua</i>	1734	33 "	2.85
<i>Josiah</i>	1735	34 "	3.42
<i>Jostle</i>	1736	35 "	3.88
<i>Jostled</i>	1737	36 "	4.93
<i>Jove</i>	1738	37 "	7.25
<i>Jorival</i>	1739	38 "	9.50
<i>Jorivalty</i>	1740	39 "	12.00
<i>Joy</i>	1741	40 "	15.00

Magnet Wire—(Continued).

Single Silk Covered.



Code Word.	List No.	No. 16 per pound.	List Price.
<i>Jeopardy</i>	1650	No. 16 per pound.	\$1.12
<i>Jerboa</i>	1651	" 17, "	1.12
<i>Jeremiad</i>	1652	" 18, "	1.15
<i>Jeremiah</i>	1653	" 19, "	1.15
<i>Jerker</i>	1654	" 20, "	1.18
<i>Jerkin</i>	1655	" 21, "	1.20
<i>Jersey</i>	1656	" 22, "	1.30
<i>Jerusha</i>	1657	" 23, "	1.42
<i>Jervin</i>	1658	" 24, "	1.56
<i>Jested</i>	1659	" 25, "	1.81
<i>Jester</i>	1660	" 26, "	2.10
<i>Jestful</i>	1661	" 27, "	2.25
<i>Jesting</i>	1662	" 28, "	2.38
<i>Jesuit</i>	1663	" 29, "	2.75
<i>Jehovah</i>	1664	" 30, "	2.95
<i>Jehovist</i>	1665	" 31, "	3.25
<i>Jelly</i>	1666	" 32, "	3.45
<i>Jemima</i>	1667	" 33, "	3.90
<i>Jennet</i>	1668	" 34, "	4.10
<i>Jenneting</i>	1669	" 35, "	5.85
<i>Jentling</i>	1670	" 36, "	7.00
<i>Jeopard</i>	1671	" 37, "	11.00
<i>Jeoparder</i>	1672	" 38, "	13.00
<i>Jeoparding</i>	1673	" 39, "	15.00
<i>Jeopardize</i>	1674	" 40, "	20.00


Double Silk Covered.

<i>Jesuitic</i>	1675	No. 16, per pound.	1.53
<i>Jetsam</i>	1676	" 17, "	1.53
<i>Jettison</i>	1677	" 18, "	1.57
<i>Jetteau</i>	1678	" 19, "	1.57
<i>Jetty</i>	1679	" 20, "	1.61
<i>Jewel</i>	1680	" 21, "	1.63
<i>Jeweled</i>	1681	" 22, "	1.76
<i>Jeweler</i>	1682	" 23, "	1.93
<i>Jeweling</i>	1683	" 24, "	2.13
<i>Jewelry</i>	1684	" 25, "	2.48
<i>Jewess</i>	1685	" 26, "	2.88
<i>Jewish</i>	1686	" 27, "	3.07
<i>Jib</i>	1687	" 28, "	3.23
<i>Jibboom</i>	1688	" 29, "	3.76
<i>Jibdoor</i>	1689	" 30, "	4.02
<i>Jibe</i>	1690	" 31, "	4.40
<i>Jibing</i>	1691	" 32, "	4.53
<i>Jigger</i>	1692	" 33, "	5.10
<i>Jiggish</i>	1693	" 34, "	5.30
<i>Jiggling</i>	1694	" 35, "	7.78
<i>Jill</i>	1695	" 36, "	8.88
<i>Jilted</i>	1696	" 37, "	13.63
<i>Jilting</i>	1697	" 38, "	14.50
<i>Jingle</i>	1698	" 39, "	18.00
<i>Jingled</i>	1699	" 40, "	23.00

German Silver Resistance Wire.


WOUND WITH COTTON OR SILK—COVERING FIRMLY ADHERING TO THE
WIRE—AMERICAN OR BROWN & SHARPE GAUGE.

Cotton Covered.



		List Price Single.			List Price Double.
No. 16, per pound.....		\$1.40	No. 16, per pound.....		\$1.70
" 17, "		1.40	" 17, "		1.70
" 18, "		1.40	" 18, "		1.70
" 19, "		1.40	" 19, "		1.70
" 20, "		1.42	" 20, "		1.74
" 21, "		1.44	" 21, "		1.75
" 22, "		1.52	" 22, "		1.83
" 23, "		1.62	" 23, "		1.98
" 24, "		1.71	" 24, "		2.09
" 25, "		1.84	" 25, "		2.26
" 26, "		2.05	" 26, "		2.48
" 27, "		2.25	" 27, "		2.73
" 28, "		2.45	" 28, "		2.98
" 29, "		2.60	" 29, "		3.13
" 30, "		2.84	" 30, "		3.38
" 31, "		3.09	" 31, "		3.66
" 32, "		3.59	" 32, "		4.21
" 33, "		3.96	" 33, "		4.64
" 34, "		4.61	" 34, "		5.44
" 35, "		5.01	" 35, "		5.69
" 36, "		8.09	" 36, "		8.88
" 37, "		13.00	" 37, "		13.75
" 38, "		24.00	" 38, "		27.00
" 39, "		27.00	" 39, "		30.00
" 40, "		30.00	" 40, "		33.00

Silk Covered.



No. 16, per pound.....	1.85	No. 16, per pound.....	2.38
" 17, "	1.85	" 17, "	2.38
" 18, "	1.85	" 18, "	2.38
" 19, "	1.85	" 19, "	2.38
" 20, "	1.88	" 20, "	2.43
" 21, "	1.93	" 21, "	2.48
" 22, "	2.06	" 22, "	2.64
" 23, "	2.21	" 23, "	2.87
" 24, "	2.37	" 24, "	3.08
" 25, "	2.65	" 25, "	3.48
" 26, "	3.02	" 26, "	3.93
" 27, "	3.23	" 27, "	4.20
" 28, "	3.42	" 28, "	4.43
" 29, "	3.85	" 29, "	5.00
" 30, "	4.14	" 30, "	5.33
" 31, "	4.52	" 31, "	5.81
" 32, "	4.94	" 32, "	6.23
" 33, "	5.46	" 33, "	6.89
" 34, "	5.84	" 34, "	7.29
" 35, "	7.52	" 35, "	9.45
" 36, "	10.00	" 36, "	11.75
" 37, "	18.50	" 37, "	22.00
" 38, "	28.00	" 38, "	33.00
" 39, "	30.00	" 39, "	40.00
" 40, "	45.00	" 40, "	50.00

Weatherproof Wire—Triple Braid.

SPECIAL PRICES QUOTED ON APPLICATION.



Code Word.	List No.	Size, B. & S. Gauge.	Circular Mills.	Weight per 1,000 ft.	Weight per Mile.	Price per lb.
<i>Notify</i>	6761		500000.	1867	9858	
<i>Notion</i>	6762		450000.	1680	8870	
<i>Nimbleness</i>	6763		400000.	1493	7883	
<i>Nimb</i>	6764		350000.	1307	6901	
<i>Nimbus</i>	6765		300000.	1120	5914	
<i>Ninefold</i>	6766		250000.	993	4926	
<i>Ninepins</i>	6768	0000	211600.	739	3902	
<i>Ninny</i>	6769	000	167805.	598	3157	
<i>Nip</i>	6770	00	133079.2	485	2561	
<i>Nippers</i>	6771	0	105534.0	395	2086	
<i>Nitid</i>	6772	1	83694.0	313	1653	
<i>Niter</i>	6773	2	66373.0	251	1325	
<i>Nitrate</i>	6774	3	52633.4	205	1082	
<i>Nitric</i>	6775	4	41742.5	168	887	
<i>Nitrogen</i>	6776	5	33102.3	139	734	
<i>Nitrous</i>	6777	6	26250.5	113	597	
<i>Nobility</i>	6778	8	16509.0	74	391	
<i>Noble</i>	6779	10	10381.0	51	269	
<i>Nobleman</i>	6780	12	6529.9	37	170	
<i>Nobleness</i>	6781	14	4107.	23	118	
<i>Noblesse</i>	6782	16	2583.	16	81	
<i>Nobly</i>	6783	18	1624.	12	58	

Weatherproof Wire—Triple Braid.

SPECIAL PRICES QUOTED ON APPLICATION.

Hard Drawn Copper.

<i>Haunted</i>	8749	No. 8, B. & S., per mile.....	
<i>Haunting</i>	8750	" 9, " ".....	
<i>Havoc</i>	8751	" 10, " ".....	
<i>Hawk</i>	8752	" 12, " ".....	
<i>Hawking</i>	8753	" 14, " ".....	

Triple Braid Weatherproof Iron Wire.

SPECIAL PRICES QUOTED ON APPLICATION.

<i>Hazard</i>	9073	No. 8, B. W. G., per mile.....	
<i>Hazarded</i>	9074	" 9, " ".....	
<i>Hazarding</i>	9075	" 10, " ".....	
<i>Hazardous</i>	9076	" 11, " ".....	
<i>Helen</i>	9077	" 12, " ".....	
<i>Henry</i>	9078	" 14, " ".....	

Underwriters' Wire.

SPECIAL PRICES QUOTED ON APPLICATION.



Code Word.	List No.	Nos. B. & S. Gauge.	APPROXIMATE WEIGHT INSULATED.		Price per lb.
			Per 1,000 ft	Per Mile.	
Jabber	1600	0000	670	3538	
Jabberer	1601	000	555	2930	
Jabbering	1602	00	440	2323	
Jacamar	1603	0	356	1880	
Jackal	1604	1	284	1500	
Jackanapes	1605	2	235	1240	
Jackass	1606	3	190	1003	
Jackblock	1607	4	158	834	
Jackdano	1608	5	127	670	
Jacob	1609	6	102	538	
Jacobin	1610	7	85	449	
Jacobine	1611	8	69	364	
Jacobinize	1813 1/2	10	47	252	
Jacobus	1615	12	31	163	
Jade	1617	14	20	105	
Jading	1619	16	15	79	
Jagged	1621	18	..		

Fire and Weatherproof Wire.

SPECIAL PRICES QUOTED ON APPLICATION.

Triple Braid.



Japanner	1624	0000	753	3977	
Jarble	1625	000	594	3136	
Jargle	1626	00	500	2640	
Jargon	1627	0	375	1980	
Jasmin	1628	1	304	1605	
Jasper	1629	2	250	1320	
Jaspoid	1630	3	210	1108	
Jaundice	1631	4	169	892	
Javel	1632	5	135	712	
Javelin	1633	6	110	580	
Jawbone	1634	7	93	491	
Jay	1635	8	80	422	
Jaguar	1637	10	55	290	
Jambce	1639	12	38	200	
Jane	1641	14	26	137	
Jangle	1643	16	20	106	
Jangling	1645	18	...	...	

Flexible Incandescent Lamp Cord.

Taped.

Silk Covered.



Code Word.	List No.	Gauge.	Conductor.	Price per Yard.
		No. 22, B. & S.	10x30 Wires.	\$
<i>Cannibal</i>	3956	" 20, "	14x30 "	.12
<i>Cannon</i>	3957	" 18, "	16x30 "	.16
<i>Cannondale</i>	3958	" 16, "	25x30 "	.19
<i>Canny</i>	3959	" 14, "	40x30 "	.29
<i>Canoe</i>	3960	" 12, "	60x30 "	.40
<i>Canonical</i>	3961	" 10, "	118x30 "	.50
<i>Canonize</i>	3962			

Cotton or Worsted.

		Gauge.	Conductor.	
		No. 22, B. & S.	10x30 Wires	
<i>Canopy</i>	3963	" 20, "	14x30 "	.07
<i>Cantata</i>	3964	" 18, "	16x30 "	.09
<i>Cantation</i>	3965	" 16, "	25x30 "	.12
<i>Canteen</i>	3966	" 14, "	40x30 "	.21
<i>Canter</i>	3967	" 12, "	60x30 "	.32
<i>Canterbury</i>	3968	" 10, "	118x30 "	.42
<i>Cantering</i>	3969			

Unless otherwise specified, we furnish on orders green and gold.

Galvanized Steel Wire Strand.



		7 Wires.		Weight per	Breaking	
		No.	Diam.	100 Feet.	Strength.	Per 100 ft.
<i>Aboriginal</i>	3052	8	1/2 in.	52 lbs.	8,320 lbs.	2.40
<i>Aborigines</i>	3053	9	5/16 "	42 "	6,720 "	2.05
<i>Aborsement</i>	3054	10	7/16 "	36 "	6,720 "	1.80
<i>Coupe</i>	3055	11	3/8 "	29 "	4,640 "	1.50
<i>Coupling</i>	3056	12	5/16 "	21 "	3,360 "	1.15
<i>Coupon</i>	3057	13	3/8 "	16 "	2,560 "	.90
<i>Abound</i>	3058	14	7/16 "	12 "	1,920 "	.70
<i>Abounding</i>	3059	15	1/4 "	10 "	1,600 "	.60
<i>Abote</i>	3060	16	3/2 "	8 "	1,280 "	.55
<i>Abrade</i>	3061	17	3/16 "	6 1/10 "	960 "	.42
<i>Abraham</i>	3092	18	11/16 "	4 1/3 "	688 "	.38
<i>Abrasion</i>	3063	19	9/16 "	3 3/10 "	528 "	.35
<i>Abreast</i>	3093	20	1/3 "	2 1/10 "	384 "	.30
<i>Abridge</i>	3065	21	3/2 "	2 "	320 "	.28

Galvanized Arc Lamp Cord.

With Hemp Center.



		No.		Per ft.
<i>Somniferous</i>	25075		5/16 inch.....	.03 1/4
<i>Knock</i>	19760	No. 26,	1/4 inch.....	.02 3/4
<i>Knocked</i>	19761	" 27,	7/16 "	.02 1/4
<i>Knocker</i>	19762	" 27 1/2,	3/16 "	.01 1/2
<i>Knocking</i>	19763	" 28,	1/8 "	.01 1/4
<i>Knoll</i>	19764	" 29,	1/16 "	.01

Samson Cordage.



			Per lb
<i>Lacerating</i>	2695	Cotton, 3/4 inch diameter.....	.75
<i>Lordliness</i>	2696	" 3/8 " "	.75
<i>Lordly</i>	2697	Linen 3/4 " "	1.20
<i>Lordship</i>	2698	" 3/8 " "	1.20



Electric Light Elevator Cable.

			Per ft.
<i>Clarify</i>	2097	Flexible, two conductors, No. 16.....	.30

Flexible Incandescent Lamp Cord.

Vulcanite.

Silk Covered.

Code Word.	List No.	Gauge.	Conductor.	List Price. Per Yard.
<i>Solitude</i>	25025	No. 22, B. & S.	10 x 30 Wires.	\$0.12
<i>Sollar</i>	25026	" 20, "	14 x 30 "	.12
<i>Solo</i>	25027	" 18, "	16 x 30 "	.16
<i>Solstice</i>	25028	" 16, "	25 x 30 "	.19
<i>Solstitial</i>	25029	" 14, "	40 x 30 "	.29
<i>Solubility</i>	25030	" 12, "	60 x 30 "	.40
<i>Soluble</i>	25031	" 10, "	118 x 30 "	.50

Cotton or Worsted.

<i>Solubleness</i>	25032	No. 22, B. & S.	10 x 30 Wires.	.07
<i>Salus</i>	25033	" 20, "	14 x 30 "	.07
<i>Solute</i>	25034	" 18, "	16 x 30 "	.09
<i>Solution</i>	25035	" 16, "	25 x 30 "	.12
<i>Solutive</i>	25036	" 14, "	40 x 30 "	.21
<i>Solvability</i>	25037	" 12, "	60 x 30 "	.32
<i>Solvable</i>	25038	" 10, "	118 x 30 "	.42

Unless otherwise specified, we furnish on orders green and gold.

Moulded.

Silk Covered.

<i>Solvableness</i>	25039	No. 22, B. & S.	10 x 30 Wires.	.12
<i>Solve</i>	25040	" 20, "	14 x 30 "	.12
<i>Solvency</i>	25041	" 18, "	16 x 30 "	.16
<i>Solvent</i>	25042	" 16, "	25 x 30 "	.19
<i>Solver</i>	25043	" 14, "	40 x 30 "	.29
<i>Somative</i>	25044	" 12, "	60 x 30 "	.40
<i>Somatical</i>	25045	" 10, "	118 x 30 "	.50

Cotton or Worsted.

<i>Somatics</i>	25046	No. 22, B. & S.	10 x 30 Wires.	.07
<i>Somatist</i>	25047	" 20, "	14 x 30 "	.07
<i>Somatology</i>	25048	" 18, "	16 x 30 "	.09
<i>Somatotomy</i>	25049	" 16, "	25 x 30 "	.12
<i>Somber</i>	25050	" 14, "	40 x 30 "	.21
<i>Somberly</i>	25051	" 12, "	60 x 30 "	.32
<i>Somberness</i>	25052	" 10, "	118 x 30 "	.42

Unless otherwise specified, we furnish on orders green and gold.

Special Packing House Cord.


For use in all places where cord is exposed to action of steam and brine.

			Per Foot
<i>Acrase</i>	25605	No. 16 B. & S.	.12
<i>Acrize</i>	25606	No. 18 "	.09
<i>Acreage</i>	25607	No. 20 "	.08

Cotton Sleaving.

			Price Per 100 Yards.
<i>Sombrero</i>	25053	No. 1, for No. 16 B. & S. Bare Copper Wire	.90
<i>Sombrous</i>	25054	" 2, " 11 "	.90
<i>Sombrously</i>	25055	" 3, " 5 "	1.20
<i>Somedial</i>	25056	" 4, " 4 "	1.50
<i>Somewhat</i>	25057	" 5, " 3 "	2.40
<i>Somniel</i>	25058	" 6, " 1 "	3.00
<i>Somnambula</i>	25059	" 7, " 0 "	4.00

Braided Office Wire.



Approximate Weight.			
		Ft. to lb.	Ft. to lb.
No. 4.....	8	No. 16.....	.95
" 6.....	12	" 17.....	120
" 8.....	20	" 18.....	135
" 12.....	40	" 19.....	145
" 13.....	45	" 20.....	155
" 14.....	60		
Code Word.	List No.	List Price.	
<i>Pacific</i>	15800	No. 12, per pound.....	\$.40
<i>Paducah</i>	15801	" 14, ".....	.42
<i>Paige</i>	15802	" 16, ".....	.44
<i>Paisley</i>	15804	" 18, ".....	.46
<i>Pajaro</i>	15805	" 20, ".....	.48

Weatherproof Office Wire.


<i>Palistine</i>	15810	No. 14, per pound.....	.46
<i>Palisade</i>	15811	" 16, ".....	.48
<i>Palmer</i>	15812	" 18, ".....	.50
<i>Palmyra</i>	15813	" 20, ".....	.52

Office Cables.

From 10 to 100 conductors, made of any size to No. 20 B. & S. gauge copper wire, covered with cotton, compactly cabled together, and braided in any color or combination of colors.
Paraffine finish, per pound..... .50
Paint finish, per pound..... .50
Finer conductors subject to special prices.

Annunciator Wire.

Double-Wound.



Approximate Weight.			
		Ft. to lb.	Ft. to lb.
No. 12.....	45	No. 18.....	160
" 14.....	67	" 19.....	200
" 16.....	103	" 20.....	225
<i>Palo</i>	15820	No. 14, per pound.....	.36
<i>Pana</i>	15821	" 16, ".....	.38
<i>Panana</i>	15822	" 18, ".....	.40
<i>Panora</i>	15823	" 19, ".....	.42
<i>Paola</i>	15824	" 20, ".....	.44
<i>Paradise</i>	15825	" 22, ".....	.46

Double Conductor Annunciator Wire.

<i>Paragon</i>	15830	No. 16, per pound.....	.42
<i>Parham</i>	15831	" 18, ".....	.44

Gas Fixture Wire.

For Lighting Gas by Electricity.

White, Yellow or Brown.

<i>Paris</i>	15835	No. 22. Triple cotton covered, per pound	.90
<i>Parkdale</i>	15836	" 24. " " " "	1.00
<i>Parker</i>	15837	" 24. Five " " "	1.50
<i>Parma</i>	15838	" 26. Triple " " "	1.35
<i>Parnell</i>	15840	No. 22. Triple covered, silk outside, per lb.	2.00
<i>Parsons</i>	15841	" 24. " " " "	2.50
<i>Pasco</i>	15842	" 24. Five " " "	3.00
<i>Passaic</i>	15843	" 26. Triple " " "	2.75

In ordering specify color wanted.

Lead Covered Wire.

Code word.	List No.	Single Conductor.	List Price.
<i>Patters</i>	15845	No. 14, B. & S. gauge, per foot.....	.07
<i>Patoka</i>	15846	" 16, " " "	.05½
<i>Paton</i>	15847	" 18, " " "	.04½

Double Conductor.

<i>Plattville</i>	15848	No. 14, B. & S. gauge, per foot.....	.14
<i>Pauline</i>	15849	" 16, " " "	.11
<i>Pavillion</i>	15850	" 18, " " "	.09

Three Conductor.

<i>Pawnee</i>	15851	No. 14, B. & S. gauge, per foot.....	.21
<i>Pawtucket</i>	15852	" 16, " " "	.16½
<i>Paxton</i>	15853	" 18, " " "	.13½

Platinum Wire.


<i>Pagne</i>	15860	No. 12, per inch.....	1.00
<i>Payson</i>	15861	" 14, "	.75
<i>Peabody</i>	15862	" 16, "	.60
<i>Pike</i>	15863	" 18, "	.40
<i>Pilot</i>	15864	" 20, "	.30
<i>Pinkard</i>	15865	" 22, "	.20
<i>Pine</i>	15866	" 24, "	.15
<i>Pioneer</i>	15867	" 26, per foot.....	.85
<i>Piqua</i>	15868	" 28, "	.70
<i>Pittsfield</i>	15869	" 30, "	.50
<i>Plainfield</i>	15870	" 32, "	.35
<i>Plainville</i>	15871	" 34, "	.25
<i>Plano</i>	15872	" 36, "	.20

Approximate weight of platinum wire per foot.

No. 12.....	310.7	grains
" 14.....	195.4	"
" 16.....	122.8	"
" 18.....	77.3	"
" 20.....	48.6	"
" 22.....	30.6	"
" 24.....	19.2	"
" 26.....	12.1	"
" 28.....	7.60	"
" 30.....	4.79	"
" 32.....	3.01	"
" 34.....	1.89	"
" 36.....	1.19	"

Pliable Cord.

Bare Tinsel Cord.



Code Word.	List No.		List Price, Per Yard.
<i>Plover</i>	15875	Gold, small.....	\$.06
<i>Plymouth</i>	15876	Gold, large.....	.08

Covered Tinsel Cord.

Single Conductor.



<i>Pocahontas</i>	15877	Silk covered, gold, No. 15875	.10
<i>Polk</i>	15878	Worsted " " " "	.08
<i>Pomeroy</i>	15879	Linen " " " "	.10
<i>Pomona</i>	15880	Worsted " silver.....	.12

Double Conductor.

For Pear-shaped Push.



<i>Ponquet</i>	15881	Silk covered, No. 15875.....	.21
<i>Poncea</i>	15882	Worsted " " "	.15

For Floor Push.

<i>Pontiac</i>	15883	Silk covered, No. 15876.....	.24
<i>Poplar</i>	15884	Worsted " " "	.18

For Loops, Extra Heavy.

<i>Portage</i>	15885	Silk covered.....	.36
<i>Posey</i>	15886	Linen "	.27


Special.

<i>Potosi</i>	15887	Several strands of linen thread covered with bare tinsel wire; second covering of spiral iron wire covered with linen.....	.12
---------------	-------	--	-----

Copper Conducting Cords.

Single Conductor.

Composed of 25 wires No. 32, equal to
No. 18 B. & S. gauge.



<i>Potsdam</i>	15890	Silk covered.....	.12
<i>Powell</i>	15891	Worsted "	.10

Composed of 40 wires No. 31, equal to
No. 16 B. & S. gauge.

<i>Pratt</i>	15892	Silk covered.....	.15
<i>Preble</i>	15893	Worsted "	.12

Composed of 40 wires No. 30, equal to
No. 14 B. & S. gauge.



<i>Prentice</i>	15895	Silk covered	.18
<i>Prescott</i>	15896	Worsted "	.15

Composed of 51 wires No. 29, equal to
No. 12 B. & S. gauge.

<i>Pritchards</i>	15894	Silk covered.....	.21
<i>Prospect</i>	15897	Worsted "	.18

Double Conductor.

Each conductor same capacity as No. 14.


<i>Proro</i>	15898	Silk covered.....	.45
<i>Pueblo</i>	15899	Worsted "	.36

APPENDIX.

Richmond Plug Cut-Out.

Panel Board.

Patented Dec. 21, 1897.



We illustrate a Panel Board having the branch circuits protected by Fuse Plugs.

These Boards are especially designed for Cut-Out Cabinets and can be made with any number of circuits, for use on the 2-wire or 3-wire systems.

The sockets for the plugs are formed in the slate base and the plugs screw into the bus bars in the back.

The Fuse Plugs are made of porcelain, in one piece, and are intended to be re-fused. New Fuses can be put in without the use of solder.

The Fuse, being entirely enclosed in the socket, cannot blow out through the front when melted.

Code Word.	List No.		List Price. Each.
<i>Acred</i>	25608	4 Circuit, without Switches.....	\$ 8.00
<i>Acredale</i>	25609	6 " " "	10.00
<i>Arvid</i>	25610	8 " " "	12.50
<i>Acridity</i>	25611	10 " " "	14.00
<i>Acridness</i>	25612	12 " " "	15.50
<i>Acrim</i>	25613	4 " with Switches.....	12.40
<i>Acrimidi</i>	25614	6 " " "	16.50
<i>Acrimonious</i>	25615	8 " " "	21.00
<i>Acrimony</i>	25616	10 " " "	23.50
<i>Acrisg</i>	25617	12 " " "	27.00

Prices on other sizes quoted on application.



No. 25618.

Fuse Plugs.

For use with Richmond Panel Boards.


<i>Acrity</i>	25618	3 Ampere capacity	.15
<i>Acrilan</i>	25619	6 " "	.15
<i>Acrilical</i>	25620	9 " "	.15

Fuses.


<i>Acrity</i>	25621	3 Ampere capacity	.05
<i>Acrubat</i>	25622	6 " "	.05
<i>Acrumatic</i>	25623	9 " "	.05



Front View of Wagner Co.'s Ammeter.



Side View of Wagner Co.'s Ammeter.



The Wagner Co.'s. Wattmeter.

Wagner Electric Mfg. Co.'s Dead-Beat Illuminated-Dial Switchboard Instruments.

This line of instruments embodies many novel features. The instrument cases extend through the board, and the scales are illuminated by two 10 candle power lamps which stand sufficiently far back to also illuminate the rear of the switchboard. The movements are floated in a light colorless oil for the purpose of securing perfectly dead-beat action. The cases are highly japanned in black, while the front covers are of polished brass. The instruments are extremely sensitive, yet absolutely devoid of continuous oscillations which make it difficult to get an accurate reading on most alternating current instruments. The line includes ammeters, voltmeters and wattmeters for alternating current, and these will shortly be followed by a corresponding line for direct currents. Ammeters up to 100 amperes capacity take the entire current, above that amount a series transformer is provided. Prices below include this series transformer. Voltmeters are wound for the voltage indicated. Wattmeter pressure coils are wound for 100 volts. Series transformers are provided for series coils of all wattmeters when the series current is over five amperes.


Ammeters.

Including Series Transformer.


Code Word.	List No.		List Price
<i>Acrochord</i>	25624	Scale, 0 to 10 amperes...	\$45.00
<i>Acrochordus</i>	25625	0 to 15 "	45.00
<i>Acrogan</i>	25626	0 to 25 "	45.00
<i>Acroleline</i>	25627	0 to 50 "	45.00
<i>Acropolis</i>	25628	0 to 75 "	45.00
<i>Acrospire</i>	25629	0 to 100 "	55.00
<i>Acrospired</i>	25630	0 to 150 "	55.00
<i>Across</i>	25631	0 to 200 "	60.00
<i>Acrotet</i>	25632	0 to 250 "	60.00
<i>Acrotetial</i>	25633	0 to 300 "	65.00
<i>Acrotic</i>	25634	0 to 400 "	70.00
<i>Act</i>	25635	0 to 500 "	75.00
<i>Actian</i>	25636	0 to 600 "	75.00
<i>Actinia</i>	25637	0 to 700 "	75.00
<i>Actinic</i>	25638	0 to 800 "	75.00
<i>Actiniform</i>	25639	0 to 900 "	75.00
<i>Actinoid</i>	25640	0 to 1000 "	80.00
<i>Actinolite</i>	25641	0 to 1200 "	80.00
<i>Actinolitic</i>	25642	0 to 1500 "	85.00
<i>Action</i>	25643	0 to 2000 "	90.00

Voltmeters.


<i>Actionable</i>	25644	Scale, 0 to 60 volts	50.00
<i>Actionably</i>	25645	0 to 120 "	55.00
<i>Actionary</i>	25646	0 to 150 "	60.00



Side View of Wagner Co.'s Voltmeter.



Rear View of Wagner Co.'s Voltmeter.



Section Showing Oil Level.

Wagner Electric Mfg. Co.'s Instruments.

—(Continued.)

Wattmeters.






Code Word	List No	Scale, 0 to	List Price
Actionist	25647	100 watts.....	\$65.00
Actionsermo	25648	0 to 200 "	65.00
Actitation	25649	0 to 300 "	65.00
Activate	25650	0 to 400 "	65.00
Active	25651	0 to 500 "	65.00
Actively	25652	0 to 750 "	65.00
Activeness	25653	0 to 1000 "	65.00
Activity	25654	0 to 2 kilowatts.....	65.00
Actless	25655	0 to 3 "	70.00
Actor	25656	0 to 5 "	70.00
Actual	25657	0 to 10 "	75.00
Actuality	25658	0 to 25 "	75.00
Actualization	25659	0 to 50 "	95.00
Actualize	25660	0 to 75 "	95.00
Actually	25661	0 to 100 "	100.00
Actualness	25662	0 to 200 "	110.00
Actuation	25663	0 to 300 "	110.00
Actuator	25664	0 to 500 "	120.00
Actuose	25665	0 to 750 "	125.00
Actuosity	25666	0 to 1000 "	130.00
Acture	25667	0 to 1200 "	135.00
Acution	25668	0 to 1500 "	140.00
Acutitator	25669	0 to 2000 "	150.00

Pressure Reducing Transformers.

Where pressure reducing transformers for Wagner Co.'s instruments are desired, these will be furnished at following prices:


Acuteness	25670	1000 to 100 volts.....	\$20.00
Adage	25671	2000 to 100 "	30.00
Adapter	25672	3000 to 100 "	30.00
Adaptive	25673	5000 to 100 "	42.00

Damping oil, lamps and template for mounting are furnished with each instrument. The lamps are 75 volts, operating two in series on 110 volts.



FAC-SIMILE SCALES OF WAGNER CO.'S

DEAD-BEAT ILLUMINATED-DIAL INSTRUMENTS.



WAGNER CO.'S STANDARD STREET RAILWAY FEEDER BOARD.




Figure 1.




Figure 2.

Wagner Electric Mfg. Co.'s Transformers for Power Transmission.

Transformers for power transmission lines, are of four different forms, namely:

First. Self-cooling dry transformers, in which the heat losses are dissipated by the natural circulation of the surrounding atmosphere around and through the coils. This form is to be recommended only in small substation equipments.

Second. Self-cooling oil filled transformers, in which the oil serves the functions of insulating and cooling medium, and also drives out all air from the windings. This form is most admirable, and is to be recommended over the self-cooling dry type.

Third. Air blast dry transformers, in which the losses are dissipated by means of a cooling blast of air, which is derived from auxiliary ventilating fan outfit. This form is frequently made use of in large installations.

Fourth. Water cooled, oil filled transformers, in which the self-cooling property of the transformer by reason of being oil filled is supplemented on heavy loads by a water cooling device.

Figure 1 illustrates the latest form of the Wagner self-cooling oil filled type. The case is built of corrugated sheet. The low voltage leads are brought out at the side, while the high pressure ends come out through the cover.

Figure 2 illustrates the water cooled, oil filled type. In small installations, where the air circulation is good, the water device is not required. But where many transformers are crowded into a small substation, the water coil is a most effective and desirable adjunct.



Figure 3.

Transformers for Power Transmission.
—(Continued.)

Figure 3 illustrates the water jacketed type, in which the case is completely channeled by water passages. With this, as with the endless coil type of water cooling, (Figure 2) a low pressure head is used. Ten to fifteen pounds pressure is amply sufficient for all requirements.

High tension transformers for any voltage up to 50,000, and for any capacity up to 1000 K. W. will be built to order.

Prices and information in detail given on application.

Wagner Electric Mfg. Co.'s 600 Watt Arc
Light Transformers.

Circular Out Door Type.


This type has a hook for suspension of the transformer on the upper side, and a corresponding hook for suspension of the lamp on the lower side, the latter appearing in the cut. The ratio of transformation is 100 volts to 30, 32 or 34 volts. The line is connected to the terminals marked by the letters C C. Cast on the box. One lamp circuit wire is connected to terminal marked "lamp," and the other to either of those marked 30, 32 and 34 as selected. This type is weatherproof. The case is of cast iron, and is finished in black japan.

Ornamental Type.

This type is designed to be screwed upon the ceiling where used, and has a hook below from which the lamp is carried. The finish is in highly polished brass. The circuit leads marked C and C in the diagram, come out above. The lamp connections are made to binding posts below, one side of lamp circuit being connected to O and the other to either of those marked 30, 32 and 34, depending on the voltage required at the lamp. This is strictly an indoor type.

Rectangular Out Door Type.

The connections with this type correspond exactly to the circular outdoor type. The case is cast-iron with black japan finish.




Code Word.	List No.	List Price.
Adamerul	25686	Circular Outdoor Type \$15.00
Adanicet	25687	Ornamental Type..... 15.00
Adart	25688	Rectangular Outdoor Type 13.00

Wagner Co.'s High Potential Fuse Cut-Out Boxes.

We illustrate two distinct types of independent single-pole cut-out boxes, for use on the primaries of transformers or as junction boxes on primary circuits. Type XL, operates as follows: On opening the box, the lid comes forward and down, the top porcelain block containing the fuse drawing out with it. In this way the opening of the box breaks


the circuit. The porcelain block containing the fuse is still further removable by simply drawing out from the end of the lid, thus entirely detaching it from the box. A spring between the block and lid, prevents the block sliding out by its own weight.

The porcelain parts fit closely together, the spring in the lid serving also to press the upper half down on the lower half. A rubber gasket completes the perfection of the joint. This cut-out is waterproof, affords perfectly safe replacing of fuses on live circuits and assures reliable blowing of fuses. The insulator pin surmounting it is also a great advantage, saving an insulator fixture for every box installed. This cut-out is recommended for all transformer and junction box service within the following limits:



Type XL Fuse Cut-Out Box.


On 1000 Volt Circuits.....	30 Amperes
“ 2000 “ “	15 “
“ 3000 “ “	10 “
“ 4000 “ “	8 “
“ 5000 “ “	6 “



Type XX Fuse Cut-Out Box.

Type XX is peculiarly adapted for transformer work, and is recommended for this service up to a maximum capacity of 5 kilowatts. A removable porcelain plug carries the fuse, and is held securely in position by the tension of the contact clips through which the current passes, reinforced by spring-clips. The fuse is enclosed in an airtight chamber, and will blow on a dead transformer short circuit with absolutely no noise or other disturbance. The cut-out also carries the insulator pin.

Code Word.	List No.	List Price.
Adaption	25674	Type XL each.....net \$3.00
Adaptly	25675	Extra Porcelain Block (each half).....net .75
Add	25676	Type XX each.....net 3.00
Addible	25677	Extra Porcelain Plugs.....net .75



Wagner Electric Co.'s Single Phase Alternating Power Motors.

The Wagner Co. single phase power motors are designed to operate on circuits of either 60 or 133 cycles. They are induction motors in principle, operating in the following manner: For starting, the armature and field windings are connected in series and the motor runs up to speed exactly as would a direct current series motor. When the running speed has been attained, the armature winding is disconnected from the field and completely short-circuited on itself by means of a ring which slides over the commutator. The motor then runs at a speed slightly below synchronous speed, and carries its full rated load with a drop in speed not exceeding two per cent. An overload of from 25 to 50 per cent. will be taken care of without trouble. The heating of the various parts of the machine is practically negligible after continuous duty at full load. The mechanical construction is in all respects first class. The bearings are of the self-aligning, self-oiling variety, and, being made of phosphor bronze, will last indefinitely.

In the smaller sizes the starting operation is performed by hand, a convenient starting switch being mounted directly on the motor frame. In the larger sizes this operation is performed automatically, the only requirement from the attendant being the closing of the main switch.

This main switch may be located at any point convenient to the attendant, in the same room with the motor or elsewhere as desired.

Another admirable characteristic is that these motors may be connected upon the same secondary circuits as are incandescent and arc lamps, thus avoiding the necessity for additional transformers for motor service. There are no reactive or disturbing effects on the lights when thus operated in conjunction with motors, as is so objectionably the case with synchronous motors. Furthermore a momentary disturbance of the current supply, arising from the throwing over of the circuit at the central station from one machine to another, does not affect the running of the motor, unless the motor load is of such character as to ordinarily stop it very quickly when current is cut off.

These motors have practically the same efficiency as the best shunt wound direct current motors, and the fact that there are no brushes running constantly on the commutator gives rise to a noiselessness of operation.


Sizes are now ready for the market as follows:


60 Cycles.

Code Word.	List No.		Price
Addice	25678	2 H. P.	\$370.00
Addoom	25679	5 "	500.00
Acupler	25680	10 "	950.00
Actainer	25681	15 "	1250.00

133 Cycles.

Actegor	25682	1 ½ H. P.	\$370.00
Actopun	25683	4 "	500.00
Actupin	25684	7 ½ "	950.00
Actuze	25685	10 "	1250.00





72 inch Direct Connected Unit.

Wagner Electric Mfg. Co.'s Direct-Coupled Ventilating Outfits.

These outfits are built for operation on 110, 220 or 500 volt direct current systems. The motors are multi-polars, with self-aligning, self-oiling bearings. The outfits are noiseless and deliver a maximum volume of air for a minimum consumption of driving energy. They are furnished for erection in two ways, viz.: supported on a substantial cast iron base or carried by means of flanges on the outside of the sheet steel casing.

Prompt delivery can be made on the sizes listed below

Diameter of Fan in Inches.	No. of Speeds	Max. capacity in cubic feet per minute	Max. revolutions per minute	Price
24	12	9,000	1,500	\$ 350.
30	12	12,000	1,200	500
34	12	15,000	1,000	600.
36	12	18,000	950	650.
42	12	25,000	900	800.
48	12	30,000	800	950.
54	12	40,000	750	1,100.
60	12	50,000	500	1,200.
72	12	75,000	400	1,500.


Write for Discounts.

POWER TABLE.

SIZE OF FAN			24	30	34	36	42	48	54	60	72
Air Velocity Ft. Per Minute.	600	Cubic feet per M. . . .	1884	2940	3780	4236	5772	7536	9540	11778	16962
		R. P. M.	310	247	220	206	177	155	137	124	103
		H. P.	.066	.103	.132	.148	.208	.271	.353	.435	.636
	900	Cubic feet per M. . . .	2826	4410	5670	6354	8658	11304	14310	17667	25473
		R. P. M.	464	372	332	310	265	232	206	185	155
		H. P.	.139	.258	.360	.413	.588	.792	1.000	1.253	1.870
	1200	Cubic feet per M. . . .	3768	5880	7560	8472	11544	15072	19080	23556	33924
		R. P. M.	618	495	441	412	353	310	275	247	206
		H. P.	.256	.477	.650	.754	1.083	1.483	1.908	2.400	3.590
	1500	Cubic feet per M. . . .	4710	7350	9450	10590	14430	18840	23850	29445	42405
		R. P. M.	773	620	552	515	441	386	343	308	258
		H. P.	400	735	1.012	1.165	1.700	2.350	3.250	3.820	5.780
	2000	Cubic feet per M. . . .	6280	9800	12600	14120	19240	25120	31800	39260	56540
		R. P. M.	1030	822	734	685	586	514	456	410	342
		H. P.	.805	1.420	1.954	2.260	3.310	4.570	5.980	7.650	11.58

Bare Copper Wire.

SPECIAL PRICES QUOTED ON EITHER SOFT OR HARD DRAWN.



Am. Gauge. B. & S. No.	Diam. Mils.	Area		Weight & L'gth			Resistance at 75° F			
		Circular Mils (d ²) 1 Mil. = .001 inch.	Square in. (d=x7854).	Lbs. per 1,000 Ft.	Pounds per Mile.	Feet per Pound.	R. Ohms per 1,000 Feet.	Ohms per Mile	Feet per Ohm.	Ohms per Lb
0000	460.000	211600.00	166190	639.33	3375.7	1.56	.04906	.25903	20383.	.000076736
000	409.640	167805.00	131790	507.01	2677.0	1.97	.06186	.32664	16165.	.00012039
00	364.800	133079.40	104520	402.09	2123.0	2.49	.07801	.41187	12820.	.00019423
0	324.950	105592.50	82932	319.04	1684.5	3.13	.09831	.51909	10409.	.00030772
1	289.300	83691.20	65733	252.88	1335.2	3.95	.12404	.65490	8062.3	.00048994
2	257.630	66373.00	52130	200.54	1058.8	4.99	.15640	.82582	6393.7	.00078045
3	229.420	52634.00	41339	159.03	839.68	6.29	.19723	1.0414	5070.2	.0012406
4	204.310	41742.00	32784	126.12	665.91	7.93	.24869	1.3131	4021.0	.0019721
5	181.940	33102.00	25998	100.01	528.05	10.00	.31361	1.6558	3188.7	.0031361
6	162.020	26250.50	20617	79.32	418.81	12.61	.39546	2.0881	2528.7	.0049868
7	144.280	20816.00	16349	62.90	332.11	15.90	.49871	2.6331	2005.2	.0079294
8	128.490	16509.00	12966	49.88	263.37	20.05	.62881	3.3201	1590.3	.012608
9	114.430	13094.00	10284	39.56	208.88	25.28	.79281	4.1860	1261.3	.020042
10	101.890	10381.00	8153.2	31.37	165.63	31.38	1.	5.2800	1000.0	.031380
11	90.742	8234.00	6467.0	24.88	137.37	40.20	1.2607	6.6568	793.18	.050682
12	80.808	6529.90	5128.6	19.73	104.18	50.69	1.5898	8.3940	629.02	.080585

Dimensions and Resistances of Copper Wire.


LARGER THAN No. 0000 B. & S.

No. D. & S.	Diameter. In. Mils.	Circular Mils.	Feet per Lb.	Lbs. per Foot.	Feet per Ohm.	Ohms per Mile.	Approximate Safe Carrying Capacity Amperes.	H. P. Carried at 500 Volts.
5°	$\frac{26}{60}$	515	1.2863	.8023	24658	205776	375	251.3
6°	$\frac{23}{40}$	575	.9988	1.0000	31986	.165075	457	306.3
7°	$\frac{16}{25}$	640	.8070	1.2391	38843	133244	533	342.2
8°	$\frac{26}{50}$	710	.6557	1.5250	48769	.108266	620	414.2
9°	$\frac{29}{50}$	785	.5364	1.8642	59615	.088566	709	476.5
10°	$\frac{43}{60}$	865	.4416	2.2535	72385	.072941	786	526.8
11°	$\frac{19}{30}$	950	.3662	2.7302	87302	.060495	849	569.
12°	$1\frac{1}{32}$	1040	.2131	3.2720	104641	.050450	940	630.

Galvanized Iron Telegraph Wire.

SPECIAL PRICES QUOTED ON APPLICATION

Can be Furnished also in Two Ply Twisted, for Guy Purposes. Western Union Standard
Sp. Grav. 7.74



No. D. W. G.	Size Bundle	Weight in Pounds		Resist. in B. A. Ohms at 75° F	
		Per 1,000 Feet	Per Mile	Per 1,000 Feet	Per Mile
4	$\frac{1}{4}$ Mile.	149.25	788.01	1.15	6.09
5	$\frac{1}{8}$ "	127.54	673.44	1.35	7.12
6	$\frac{1}{2}$ "	108.6	573.38	1.58	8.37
7	$\frac{1}{2}$ "	85.38	450.81	2.023	10.65
8	$\frac{1}{2}$ "	71.74	378.82	2.4	12.67
9	$\frac{1}{2}$ "	57.72	304.77	2.98	15.75
10	$\frac{1}{2}$ "	47.32	249.84	3.64	19.21
11	$\frac{1}{2}$ "	37.95	200.36	4.54	23.95
12	$\frac{1}{2}$ "	31.31	165.01	5.51	29.1
13	$\frac{1}{2}$ "	29.94	125.57	7.24	38.22
14	$\frac{1}{2}$ "	18.15	95.85	9.48	50.07

Table showing Difference
Between Wire Gauges in Decimal
Parts of an Inch.

No. of Wire Gauge.	American or Brown & Sharpe.	Birmingham or Stubbs	Washburn & Moen Manufacturing Co., Worcester, Mass.	Trenton Iron Co., Trenton, N. J.	New British.	Old English from Brass Mfrs. List.	No. of Wire.
000000		...	46				000000
00000		...	43	45			00000
0000	.46	.454	.393	.4	.4		0000
000	.40964	.425	.362	.36	.372		000
00	.3648	.38	.331	33	.348		00
0	.32495	.34	.307	305	.324		0
1	.2893	.3	.283	.285	.3		1
2	.25763	.284	.263	.265	.276		2
3	.22942	.259	.244	.245	.252		3
4	.20431	.238	.225	.225	.232		4
5	.18194	.22	.207	.205	.212		5
6	.16202	.203	.192	.19	.192		6
7	.14428	.18	.177	.175	.176		7
8	.12849	.165	.162	.16	.16		8
9	.11443	.148	.148	.145	.144		9
10	.10189	.134	.135	.13	.128		10
11	.090742	.12	.12	.1175	.116		11
12	.080808	.109	.105	.105	.104		12
13	.071961	.095	.092	.0925	.092		13
14	.064084	.083	.08	.08	.08	.083	14
15	.057068	.072	.072	.07	.072	.072	15
16	.05082	.065	.063	.061	.064	.065	16
17	.045257	.058	.054	.0525	.056	.058	17
18	.040303	.049	.047	.045	.048	.049	18
19	.03589	.042	.041	.039	.04	.04	19
20	.031961	.035	.035	.034	.036	.035	20
21	.028462	.032	.032	.03	.032	.0315	21
22	.025347	.028	.028	.27	.028	.0295	22
23	.022571	.025	.025	.024	.024	.027	23
24	.0201	.022	.023	.0215	.022	.025	24
25	.0179	.02	.02	.019	.02	.023	25
26	.01594	.018	.018	.018	.018	.0205	26
27	.014195	.016	.017	.017	.0164	.01875	27
28	.012641	.014	.016	.016	.0148	.0165	28
29	.011257	.013	.015	.015	.0136	.0155	29
30	.010025	.012	.014	.014	.0124	.01375	30
31	.008928	.01	.0135	.013	.0116	.01225	31
32	.00795	.009	.013	.012	.0108	.01125	32
33	.00708	.008	.011	.011	.01	.01025	33
34	.006304	.007	.01	.01	.0092	.0095	34
35	.005614	.005	.0095	.009	.0084	.009	35
36	.005	.004	.009	.008	.0076	.0075	36
37	.004453		.0085	.00725	.0068	.0065	37
38	.003965		.008	.0065	.006	.00575	38
39	.003531		.0075	.00575	.0052	.005	39
40	.003144	...	.007	.005	.0048	.0045	40

Equivalents of Wires
Brown & Sharpe Gauge.

0000	2	No. 0	4	No. 3	8	No. 6	16	No. 9	32	No. 12	64	No. 15
000	2	" 1	4	" 4	8	" 7	16	" 10	32	" 13	64	" 16
00	2	" 2	4	" 5	8	" 8	16	" 11	32	" 14	64	" 17
0	2	" 3	4	" 6	8	" 9	16	" 12	32	" 15	64	" 18
1	2	" 4	4	" 7	8	" 10	16	" 13	32	" 16	64	" 19
2	2	" 5	4	" 8	8	" 11	16	" 14	32	" 17	64	" 20
3	2	" 6	4	" 9	8	" 12	16	" 15	32	" 18	64	" 21
4	2	" 7	4	" 10	8	" 13	16	" 16	32	" 19	64	" 22
5	2	" 8	4	" 11	8	" 14	16	" 17	32	" 20	64	" 23
6	2	" 9	4	" 12	8	" 15	16	" 18	32	" 21	64	" 24
7	2	" 10	4	" 13	8	" 16	16	" 19	32	" 22	64	" 25
8	2	" 11	4	" 14	8	" 17	16	" 20	32	" 23	64	" 26
9	2	" 12	4	" 15	8	" 18	16	" 21	32	" 24	64	" 27
10	2	" 13	4	" 16	8	" 19	16	" 22	32	" 25	64	" 28
11	2	" 14	4	" 17	8	" 20	16	" 23	32	" 26	64	" 29
12	2	" 15	4	" 18	8	" 21	16	" 24	32	" 27	64	" 30
13	2	" 16	4	" 19	8	" 22	16	" 25	32	" 28		
14	2	" 17	4	" 20	8	" 23	16	" 26	32	" 29		
15	2	" 18	4	" 21	8	" 24	16	" 27	32	" 30		
16	2	" 19	4	" 22	8	" 25	16	" 28				
17	2	" 20	4	" 23	8	" 26	16	" 29				
18	2	" 21	4	" 24	8	" 27	16	" 30				
19	2	" 22	4	" 25	8	" 28						
20	2	" 23	4	" 26	8	" 29						
21	2	" 24	4	" 27	8	" 30						

Electric Light Conductors.

BROWN & SHARPE	DIAMETER.		SQUARE OF DIAMETER.	SECTIONAL AREA.	SAFE CARRYING CAPACITY IN AMPERES.				WEIGHT.			LENGTH.		RESISTANCE OF PURE COPPER WIRE AT 75 DEGREES F. (23.80 DEG. CENT.)					
					National Code.	Chicago Code.		BARE.	WEATHER-PROOF INSULATION.		BARE.	WEATHER-PROOF INSULATION.							
	Mils.	Millimetres.				Circular Mils.	Square Millimetres		Concealed Work.	Open Work.			Pounds per 1,000 Feet.	Pounds per Mile.	Pounds per Pound	Feet per Pound	Ohms per 1,000 Feet.	Ohms per Mile.	Feet per Ohm.
No.																			
0000	460.000	11.684	211600.0	107.219	175.300	218.312	639.33	3359	758	4000	1 6	1.25	20383	.25903	20383	.04906		.000076736	
000	409.640	10.405	167805.0	85.028	145.245	181.262	507.01	2663	606	3200	2 2	1.75	16165	.32664	16165	.06186		.00012039	
00	364.800	9.266	133079.4	67.431	120.215	150.220	402.09	2112	492	2600	2.5	2	12820	.41187	12820	.07801		.00019423	
0	324.950	8.254	105592.5	53.504	100.190	125.185	319.04	1661	385	2036	3.2	2.50	10409	.51909	10409	.09831		.00030772	
1	289.300	7.348	83694.2	42.409	95.160	105.156	252.88	1328	308	1628	4	3.25	8062.3	.65490	8062.3	.12404		.00048994	
2	257.630	6.544	66373.0	33.632	70.135	88.131	200.54	1069	250	1310	5	4	6393.7	.82582	6393.7	.15640		.00078045	
3	229.420	5.827	52634.0	26.670	60.115	75.110	259.03	835	201	1060	6.3	5	5070.2	1.0414	5070.2	.19723		.0012406	
4	204.310	5.189	41742.0	21.151	50.100	63.92	126.12	662	163	862	8	6	4021.0	1.3131	4021.0	.24869		.0019721	
5	181.940	4.621	33102.0	16.773	45.90	53.77	100.01	526	134	706	10	7.50	3188.7	1.6558	3188.7	.31361		.0031361	
6	162.020	4.115	26250.5	13.301	35.80	45.65	79.32	417	110	577	12.6	9	2528.7	2.0881	2528.7	.39546		.0049868	
7	144.280	3.665	20816.0	10.548	30.67	39.25	62.90	330	90	475	16	11	2005.2	2.6331	2005.2	.49871		.0079294	
8	128.490	3.264	16509.0	8.366	25.60	33.46	49.80	262	74	392	20	13.50	1590.3	3.3201	1590.3	.62881		.012608	
9	144.430	2.907	13094.0	6.635	50	50	39.56	208	62	328	25	16	1261.3	4.1860	1261.3	.79281		.020042	
10	101.890	2.588	10381.0	5.260	20.40	25.32	31.37	165	52	275	32	19	1000.0	5.2800	1000.0	1.00000		.031380	
11	90.742	2.305	8234.0	4.172	35	35	24.88	131	44	231	40	22.75	793.18	6.6568	793.18	1.2607		.050682	
12	80.808	2.053	6529.9	3.309	15.30	17.23	19.73	103	36	193	51	27.25	629.02	8.3940	629.02	1.5898		.080585	
13	71.961	1.828	5178.4	2.618	26	26	15.65	82	31	162	64	32.50	498.83	10.585	498.83	2.0047		.12841	
14	64.084	1.628	4106.8	2.081	10.22	12.16	12.41	65	26	135	81	39	385.97	13.680	385.97	2.5908		.20880	
15	57.068	1.450	3256.7	1.650	18	18	9.84	51.5	21	111	102	47.50	321.02	16.477	321.02	3.1150		.31658	
16	50.820	1.291	2582.9	1.309	5	5	7.81	41	18	96	129	55	248.81	21.221	248.81	4.0191		.51501	

BOOKS.

	PRICE
ABERNETHY.....Commercial and Railway Telegraphy.....	\$2.00
ALLSOP.....Electric Bell Construction.....	1.25
ALLSOP.....Electric Bell Fitting.....	1.25
ALLSOP.....Induction Coils.....	1.25
ALLSOP.....Telephones: Their Construction and Fitting.....	2.00
ALLSOP.....Electric Light Fitting.....	1.50
ANDERSON.....Lightning Conductors.....	5.00
ATKINSON.....Elements of Electric Lighting.....	1.50
ATKINSON.....Static Electricity.....	1.50
ATKINSON.....Dynamic Electricity.....	2.00
ATKINSON.....Electric Transformation of Power.....	2.00
ATWOOD.....Practical Dynamo Building.....	3.00
AYRTON.....Practical Electricity.....	2.50
BADT.....Dynamo Tenders' Handbook.....	1.00
BADT.....Electric Transmission.....	1.00
BADT.....Incandescent Wiring.....	1.00
BADT.....Bell Hangers' Handbook.....	1.00
BEDELL & CREHORE.....Alternating Currents.....	2.50
BENJAMIN.....Voltaic Cell.....	5.00
BONNEY.....Electroplaters' Handbook.....	1.20
BOTTONE.....Electric Instrument Making.....	.50
BOTTONE.....Electric Bells and All About Them.....	.50
BOTTONE.....Electric Motors.....	.50
CARHART.....Primary Batteries.....	1.50
COX.....Continuous Current Dynamos and Motors.....	2 00
CROCKER & WHEELER.....Practical Management of Dynamos and Motors.....	1.00
CROSBY & BELL.....Electric Railway in Theory and Practice.....	2.50
DAVIS.....Standard Tables for Electric Wiremen.....	1.00
DAY.....Electrical and Magnetic Measurement.....	1.00
DEARLOVE.....Working Speed of Cables.....	.75
DESMOND.....Electricity for Engineers.....	2.50
DOLBEAR.....The Telephone.....	.50
DU MONCEL.....Electricity as a Motive Power.....	3.00
DU MONCEL.....Electro-Magnets.....	.75
EWING.....Magnetic Induction of Iron.....	4.00

	PRICE.
FAHIE.....House Lighting by Electricity	\$0.80
FAHIE.....History of Electric Telegraphy.....	3.00
FISKE.....Electricity in Theory and Practice.....	2.50
FLEMING.....Short Lectures to Electrical Artisans.....	1.50
GILBERT.....De Magnete.....	4.00
GORE.....Art of Electro-Metallurgy	2.00
GORE.....Electro-Chemistry	.80
GORE.....Electric Separation of Metals.....	3 50
GUILLEMIN.....Electricity and Magnetism.....	8.00
GRIER.....Wiring Tables, how they are made and how to use them.....	1.00
HALL DAY.....Design of Small Dynamo	1.00
HASKINS.....Transformers	1.25
HASKINS.....Galvanometer and Its Uses.....	1.50
HAWKINS & WALLIS.....Dynamo.....	3.00
HEDGES.....Continental Electric Light Central Stations.....	6.00
HEDGES.....American Electric Street Railways.....	5.00
HERING.....Dynamo Electric Machines.....	2.50
HERING.....Winding Magnet and Dynamos	1.25
HERING.....Universal Wiring Computer.....	1.00
HERING.....Recent Progress in Electric Railways.....	1.00
HOPKINS.....Telephone Lines.....	1.50
HOPKINSON.....Dynamic Electricity.....	.50
HOPKINSON.....Original Papers on Dynamo Machinery.....	1.00
HOSKINS.....Electric Testing of Electric Cables.....	1.50
HOSPITALIER.....Domestic Electricity for Amateurs.....	2.50
HOSPITALIER.....Polyphased Currents.....	1.40
HOUSTON.....Dictionary of Electrical Words, Terms and Phrases.....	5.00
HOUSTON.....Electricity and Magnetism	1.00
HOUSTON.....Electrical Measurements.....	1.00
HUGHES.....Magnetophone Hand Telephone.....	1.00
JACKSON.....Electro-Magnets and Construction of Dynamo.....	2.25
JENKIN.....Elementary Electricity.....	.40
JENKIN.....Electricity and Magnetism.....	1.25
KAPP.....Electric Transmission of Energy, New Edition.....	3.50
KAPP.....Alternate Current Machinery.....	.50
KAPP.....Alternating Currents of Electricity.....	1.00
KAPP.....Dynamoes, Motors and Transformers.....	4.00
KEMPE.....Electric Testing.....	7.25
KENNELLY.....Electro-Dynamic Machinery	1.50
LANGBEIN & BRANNT.....Electro-Deposition.....	4.00
LATIMER.....Incandescent Electric Lighting.....	.50
LOCKWOOD.....Electricity, Magnetism and Electric Telegraphy.....	2.50
LOCKWOOD.....Electrical Measurement and the Galvanometer.....	1.50
LOCKWOOD.....Practical Information for Telephonists.....	1.00
LODGE.....Modern Views of Electricity	2.00
LODGE.....Lightning Conductors	4.00
LORING.....Electro-Magnetic Telegraph.....	.50

	PRICE.
MARTIN.....Inventions of Nikola Tesla.....	\$4.00
MARTIN & WETZLER.....Electro-Motor and Its Applications.....	3.00
MAVER.....American Telegraphy.....	3 50
MAVER & DAVIS.....The Quadruplex.....	1.50
MAYCOCK.....Practical Electrical Notes.....	1.25
MCCLURE.....Edison and His Inventions.....	1.00
McMILLAN.....Electro Metallurgy.....	3.50
MEADOWCROFT.....A B C of Electricity.....	.50
MERRILL.....Electric Lighting Specifications.....	1.50
MONROE & JAMIESON.....Pocket Book of Electrical Rules.....	2.50
NIAUDET.....Treatise on Electric Batteries.....	2.50
NIBLETT.....Portative Electricity.....	1.00
NOLL.....How to Wire Buildings.....	1.50
NIPHER.....Theory of Magnetic Measurement.....	1.00
OHM.....Galvanic Current Investigated.....	.50
PARKHURST.....Electric Motor Construction for Amateurs.....	1.00
PARKHURST.....Dynamo and Motor Building.....	1.00
POOLE.....Practical Telephone Handbook.....	1.50
POPE.....Electric Telegraph.....	1.50
.....Practical Electrics.....	.75
PREECE & SIVEWRIGHT.....Telegraphy.....	2.00
PREECE & STUBBS.....Manual of Telephony.....	4.50
PRESCOTT.....Electric Telegraph, 2 Vols.....	7 00
PRESCOTT.....Electric Telephone.....	6.00
PRESCOTT.....Dynamo Electricity.....	5.00
RAM.....Incandescent Lamp Manufacture.....	3.00
RECKENZAUN.....Electric Traction on Tramways.....	4.00
REPORTS.....Committee on Electrical Standards.....	3.75
REYNIER.....Voltaic Accumulators.....	3.00
RUSSELL.....Electric Light Cables.....	2.25
SALOMONS.....Management of Accumulators.....	1.50
SCHIELLEN.....Magneto-Electric and Dynamo-Electric Machines.....	5.00
SLOANE.....Electricity Simplified.....	1.00
SLOANE.....Electric Toy Making.....	1.00
SLOANE.....Arithmetic of Electricity.....	1.00
SLOANE.....Standard Electrical Dictionary.....	3.00
SPANG.....Lightning Protection.....	.75
SPON.....Workshop Receipts.....	2.00
SPRAGUE.....Electricity.....	6.00
STEPHEN.....Wrinkles in Electric Lighting.....	1.00
SWINBORNE & OTHERS.....Electric Measuring Instruments.....	.50
SYMONS.....Lightning Rod Conference.....	3.00
TERRY & FINN.....Telegraphic Apparatus.....	1.50
TESLA.....Alternate Currents.....	1.00
THOM & JONES.....Telegraphic Connection.....	1.50

	PRICE.
THOMPSON.....Philip Reis, Inventor of Telephone.....	\$3.00
THOMPSON.....Electro-Magnets.....	6.00
THOMPSON.....Elementary Lessons in Electricity and Magnetism	1.25
THOMPSON.....Dynamo Electric Machinery, 5th Edition.....	9.00
THOMPSON & THOMAS.....Electrical Tables and Memoranda.....	.50
UPPENBORN.....History of the Transformer	.75
URQUHART.....Electrotyping.....	2.00
URQUHART.....Electric Light	3.00
URQUHART.....Electric Light Fitting.....	2.00
URQUHART.....Dynamo Construction	3.00
WALKER.....Practical Dynamo Building.....	.50
WALKER.....Electric Lighting for Marine Engineers	2.00
WATT.....Electro-Metallurgy	1.00
WEBB.....Testing Insulated Cables.....	1.00
WEYMOUTH.....Theory and Construction of Drum Winding.....	3.00

INDEX.

Index to Code Words.

A	PAGE.	Abecedarian	PAGE.	Abodance	PAGE.	Academism	PAGE.	Accommodating	PAGE.
Aam	104	Abed	96	Abnormal	122	Academist	34	Accompany	239
Aard-vark	104	Abel	96	Abominous	122	Acadian	34	Accomplice	422
Aaronic	118	Abeltree	96	Abound	126	Acalepha	34	Accompliceship	99
Aaronical	118	Abelian	96	Abound	126	Acalephian	34	Accomplicity	99
Aaron's-rod	118	Abelise	96	Abode	122	Acalephic	34	Accomplishable	99
Ab	118	Abelonian	96	Abodement	122	Acalephoid	34	Accomplisher	99
Abaca	118	Abelmark	96	Aboding	126	Acalyceine	34	Accomplishment	99
Abaciscus	118	Aberdeyne	96	Abolite	126	Acalycinous	34	Accompt	78
Abacist	118	Aberr	96	Abolish	126	Acantha	34	Accomptable	320
Abacot	118	Aberrance	96	Abolishable	126	Acanthice	34	Accomptant	320
Abactor	118	Aberrancy	119	Abolisher	126	Acanthine	34	Accordable	320
Abaculus	118	Aberruncate	119	Abolishment	126	Acanthion	34	Accordancy	320
Abacus	466	Aberruncator	119	Abolishment	126	Acapella	32	Accordion	319
Abaddon	118	Abetment	119	Abolition	126	Acadine	32	Accordionist	319
Abaft	466	Abettal	119	Abolitionist	126	Acarous	30	Accorporate	319
Abaisance	112	Abettor	119	Abolitionism	126	Acarus	30	Accost	319
Abalscr	112	Abeyance	119	Abolitionist	126	Acatalectic	30	Accosted	319
Abalienate	112	Abeyant	119	Abolitionize	126	Acatalepsy	100	Accountability	319
Abalienation	112	Abegate	119	Abolla	126	Acater	100	Accountable-	
Aband	112	Abegregation	119	Aboma	126	Acates	100	ness	319
Abandoned	112	Abhal	119	Abomassus	126	Acathistus	31	Accountably	319
Abandonnee	112	Abhominable	119	Abomassus	126	Acatescent	31	Accountant	319
Abandoner	466	Abhor	119	Abominable	126	Acauline	69	Accountantship	319
Abandoning	466	Abhorrence	119	Abominably	126	Acaulose	69	Account-book	348
Abandonment	112	Abhorrence	119	Abominably	126	Accede	226	Accountment	225
Abandum	120	Abhorrent	119	Abominable	126	Acceded	226	Account	225
Abanet	120	Abhorrently	119	Abominated	126	Acceding	226	Accountments	225
Abanga	120	Abhorrently	119	Abominating	126	Accelerate	226	Accay	225
Abannation	120	Abhorror	119	Abomination	127	Acceleration	69	Accredit	372
Abantion	120	Abhorrible	119	Abou	126	Accelerative	69	Accreditation	372
Abaptista	120	Abhorring	119	Abord	126	Accelerator	69	Accrescence	289
Abaptiston	120	Abib	119	Aboriginal	489	Acceleratory	69	Accrescent	289
Abare	120	Abidance	122	Aborigines	489	Accend	69	Accretion	289
Abarticulate	120	Abider	122	Aborismen	489	Accendibility	69	Accrete	289
Abas	120	Abidingly	122	Aborsive	126	Accendible	69	Accretive	289
Abase	466	Abietic	122	Abound	489	Accension	69	Accrimination	289
Abasement	466	Abigail	122	Abounding	489	Accentor	69	Accroach	289
Abash	466	Abiliment	122	About	126	Accentual	69	Accroachmen	289
Abashed	466	Abintestate	122	Above	489	Accentuate	69	Accruc	229
Abashing	466	Abirritation	122	Above-board	126	Accentuation	69	Accrument	229
Abashment	120	Abject	466	Above-cited	126	Acceptableness	69	Accubation	229
Abassi	120	Abjection	466	Above-deck	126	Acceptability	69	Accubitus	229
Abassis	120	Abiectly	466	Above-said	126	Acceptably	69	Accumb	229
Abate	466	Abiectness	466	Abowed	121	Acceptance	69	Accumbency	229
Abated	466	Abidicate	122	Abrade	489	Acceptation	69	Accumbent	229
Abatement	466	Abidication	122	Abraham	489	Acceptation	69	Accumulation	229
Abater	466	Abijurate	122	Abraid	126	Acceptus	69	Accumulative	229
Abatised	121	Abjunctive	122	Abra	489	Acceptor	69	Accumulatively	229
Abator	120	Abjuration	122	Abraam	126	Accessarily	429	Accumulator	229
Abatship	121	Abjuratory	122	Abraas	126	Accessariness	429	Accurately	229
Abattis	120	Abjure	466	Abray	126	Accessary	429	Accursed	229
Abattoir	466	Abjurement	122	Abreast	489	Accessibility	429	Accusable	229
Abatude	121	Abjurer	122	Abrenounce	126	Accession	226	Accusal	229
Abature	121	Ablacte	122	Abricock	126	Accessional	429	Accusative	229
Abba	121	Abraction	122	Abridge	489	Accessorial	429	Accusatively	229
Abbac	466	Abraqueate	122	Abroach	126	Accessorially	429	Accusatorial	229
Abbatial	121	Abraqueation	122	Abrogation	126	Accessoriness	429	Accusatory	229
Abbatlcal	121	Ablation	466	Abrood	126	Accedence	429	Accuse	229
Abberate	119	Ablative	466	Abalom	207	Accidental	226	Accentric	229
Abberation	119	Abaze	466	Abseess	207	Accidentalism	429	Acephal	229
Abbess	466	Able	466	Abseissa	101	Accidentality	429	Acephalan	229
Abbey	466	Able-bodied	122	Abseissian	101	Accidentally	430	Acephall	229
Abbreviate	121	Ablegate	122	Abseond	207	Accidentalness	430	Acephallst	229
Abbreviation	121	Ablagation	122	Abseonded	207	Accidentary	430	Acephalous	229
Abbreviator	121	Ablen	122	Abseondence	96	Accipenser	430	Ace-point	229
Abbreviatory	121	Ablet	122	Abseonder	96	Accipient	430	Acer	229
Abbreviature	121	Ablenese	122	Abseont	96	Accipiter	430	Acerb	229
Abb-wool	121	Ablepsy	122	Abseenteism	96	Acclaim	226	Acerbata	229
Abdal	121	Abler	122	Abseenter	83	Acclamation	226	Aceric	229
Abderian	121	Ablest	122	Abseentation	83	Acclamatory	239	Acerose	229
Abderlre	121	Abligat	122	Abseentancous	85	Acclimat	430	Acerous	229
Abdert	121	Abligation	122	Abseentnient	85	Acclimation	430	Acerate	229
Abdicant	121	Abliguration	122	Abseinthian	85	Acclimatement	430	Acervation	229
Abdication	121	Ablocate	122	Abseinthlate	85	Acclimatize	430	Acervose	230
Abdicative	121	Ablocation	122	Abseinthliated	85	Acclimature	430	Acescence	230
Abditory	121	Ablloom	122	Abseinthine	85	Acclivity	239	Acescency	230
Abdomen	121	Ablude	122	Abseinthium	85	Acclivous	430	Acceptabler	230
Abdominal	121	Abluent	122	Abseis	85	Accloy	430	Acetab	230
Abdominopy	121	Ablution	467	Abseist	85	Accoast	430	Acetal	230
Abdominous	121	Ablutionary	122	Abseistance	85	Accoil	430	Acetated	230
Abduct	96	Abluvion	122	Abseistane	85	Accolent	99	Acetify	230
Abduction	96	Ablv	467	Abseistly	207	Accombination	99	Acetometer	230
Abductor	96	Abnegate	467	Abseistly	207	Accommodable	99	Acetimeter	230
Abeam	96	Abnegation	122	Abseistness	85	Accommodable-		Acetyle	230
Abear	96	Abnegative	122	Abseistutist	138	ness	99	Achaian	230
Abearance	96	Abnegator	122	Abseistutistic	138	Accommodately	99	Achate	230
		Abnef	122	Abseistutly	138	Accommodate-		Achates	230
		Abnodate	122	Abseistvally	138	ness	99	Achean	231

PAGE.	PAGE.	PAGE.	PAGE.	PAGE.	PAGE.
Acheenese 231	Actionable 496	Alleging 471	Arbitrator 401	Astronomer 262	Billions 427
Acherset 231	Actionably 496	Alliant 471	Arcade 401	Astute 262	Bilk 428
Achievement 231	Actionary 496	Allied 471	Archangel 405	Astutely 262	Bilked 428
Achiever 231	Actionist 497	Alligate 471	Archbald 89	Atlantic 267	Bilking 377
Achiot 231	Action-sermo 497	Allision 471	Archer 89	Atlantis 267	Billbook 377
Achor 231	Aetifation 497	Alliteration 471	Arching 89	Atlas 267	Billot 377
Achromatic 231	Activate 497	Allo 411	Architect 89	Atmosphere 267	Billion 418
Acidiferous 231	Active 497	Allopathy 471	Archives 467		Bindingly 104
Acidifiable 231	Actively 497	Allot 471	Archness 467	B	Binnacle 411
Acidification 231	Activeness 497	Allotment 471	Archway 467	Bald 451	Binocular 374
Acidifier 231	Activity 497	Allowance 411	Archwise 467	Beak 407	Binocular 374
Acidify 232	Actless 497	Allowing 411	Arctic 467	Bawling 101	Binomial 402
Aeidimeter 232	Actopion 503	Alloy 411	Ardour 467	Beach 101	Biographer 416
Aeidimetry 232	Actor 497	Alloyage 411	Area 467	Beacon 101	Biographic 416
Aeidness 232	Actual 497	Alloyed 411	Arena 467	Beambird 104	Biographical 416
Acidulate 231	Actuality 497	Allspice 411	Argent 467	Beamless 419	Biography 416
Acidulated 231	Actualization 497	Allude 411	Argument 467	Beamlet 407	Biology 416
Acidulous 231	Actualize 497	Alluding 411	Arid 467	Beamtree 407	Birch 416
Aeidform 231	Actually 497	Alluminor 483	Aridity 467	Beamy 457	Birchen 416
Aeidaceous 231	Actualness 497	Allured 483	Arigh 467	Beam 407	Bird 416
Aeidacous 231	Actuation 497	Allusive 483	Arise 467	Beancaper 407	Birth 416
Aeidaciform 231	Actuator 497	Allusively 483	Arisen 467	Beancod 407	Blanche 416
Aeidiform 231	Actuose 497	Almandine 483	Aristocrat 467	Beandf 407	Blast 416
Aeidose 147	Actuosity 497	Almightily 483	Ark 467	Beaulfy 407	Blasted 416
Aeidous 239	Actup 503	Almighty 483	Armorer 467	Beangoose 407	Blaster 416
Aeidus 149	Acture 497	Almhouse 483	Armorial 467	Bear 407	Blasting 416
Aeidpenser 149	Actuze 503	Alloft 483	Armoric 467	Bears 407	Blastpipe 416
Aeidurgy 149	Acution 497	Aloud 483	Armory 467	Bearable 407	Blatant 416
Aeknow 149	Acutlator 497	Alph 483	Armpit 467	Beard 407	Blatter 416
Aeknowledge 149	Acuteness 497	Alphabet 483	Army 467	Beauty 377	Blaze 416
Aeknowledge 149	Adage 497	Alpin 483	Arnot 467	Beautyspot 377	Blazed 416
Aeknowledge 249	Adamer 501	Already 483	Arouing 467	Becoming 89	Blazer 416
Aellne 150	Adamet 501	Alt 483	Arras 467	Bedding 89	Blazing 416
Aemita 150	Adart 501	Altar 483	Arthur 83	Bedock 89	Blazon 416
Aene 150	Adapter 497	Alterable 483	Asa 83	Beeswax 374	Bleat 416
Acockbill 150	Adaptive 497	Alterage 483	Ascendant 470	Beetle 374	Bleating 416
Acold 150	Adaption 502	Alternative 483	Ascending 470	Befall 374	Bled 415
Acology 150	Adaptly 502	Altered 483	Ascension 470	Befit 374	Blemish 415
Acolyte 150	Add 502	Alternate 483	Ascertain 470	Behavior 375	Bless 415
Acolyth 150	Addible 502	Alternately 483	Asceit 470	Behad 375	Blessed 415
Acolythist 318	Addice 503	Alternity 483	Ascribe 470	Behaded 374	Blessedly 415
Aconite 317	Addoom 503	Although 484	Ascribing 470	Behold 397	Blessor 415
Aconitine 317	Adducible 245	Altitude 484	Aslamed 470	Beholden 397	Blessing 415
Acop 256	Adept 245	Alum 484	Ashore 470	Beholder 384	Blest 415
Acoptic 259	Adhesive 245	Always 484	Ashpan 470	Beholding 384	Blight 415
Acorned 259	Adipose 245	Amain 484	Assassin 470	Behoove 384	Blighted 415
Acosmism 378	Adjective 245	Ambrosia 484	Assassinate 470	Belabor 384	Blighting 397
Aconchy 334	Adjoin 245	Ambrosia 484	Assation 470	Belched 383	Blind 397
Aconstics 401	Adjndgment 245	Ambrosial 484	Assault 470	Belching 383	Blinkard 444
Aepuler 503	Adjudicate 245	Ambrosian 484	Assaulted 470	Belfry 383	Blinkers 444
Aequaintable 498	Adjunction 246	Amby 484	Assaulting 470	Belgian 383	Bliss 444
Aequist 441	Adjunctive 246	Ambulant 484	Assay 470	Belie 383	Blissful 425
Aequit 441	Adjured 248	Ambulate 484	Assayed 470	Belied 383	Blissless 425
Aequilr 380	Adjurer 248	Ambulation 484	Assayer 468	Belike 383	Blistered 415
Aequilry 441	Adjust 248	Ambulative 484	Assaying 468	Belittle 283	Blistering 415
Aequilfor 444	Adjusted 248	Ambulatory 484	Assecure 468	Bellow 383	Blistry 415
Aequist 444	Adjuster 250	Ambuscade 484	Assemblage 468	Belong 106	Blithe 415
Aequitment 444	Adjustive 250	Ambuscaded 484	Assemblance 468	Belonging 106	Blitheful 411
Aequitt 457	Adjutage 251	Ambushed 484	Assembling 468	Benignant 375	Blithely 411
Aequittance 457	Adjutant 251	Amelia 484	Assembly 468	Benumb 375	Blithesome 411
Aefrase 490	Adjutrix 252	Amenable 484	Assent 468	Benumbed 375	Bloat 411
Aefaze 490	Administer 252	Amend 484	Assenter 468	Bequeathing 438	Bloated 411
Aefrage 490	Admirable 252	Amended 484	Assenting 468	Bereave 438	Bloater 411
Aefred 495	Admiral 252	Amendment 484	Assentiment 468	Bereaving 438	Blobber 411
Aefredale 495	Admiralty 241	American 106	Assert 468	Bernard 444	Blown 414
Aefrid 495	Admiration 241	Amethyst 106	Asserted 468	Bertha 444	Blobber 414
Aefridity 495	Admittance 245	Amidships 356	Asserting 468	Bertram 444	Blubbered 414
Aefridness 495	Admiration 471	Amis 356	Assertion 468	Besech 444	Blubbering 427
Aefrim 495	Alabaster 288	Amunition 356	Assertive 468	Beseem 444	Blue 426
Aefrimini 495	Alacrity 288	Amnesty 356	Assessable 468	Beset 444	Blueness 425
Aefrimonious 495	Alarm 288	Among 356	Assession 468	Besiege 444	Bluffness 428
Aefrimony 495	Alas 288	Amorous 356	Assessor 468	Besiegement 444	Blunder 426
Aefrisky 495	Alabatos 288	Amount 356	Asseverate 468	Besieging 444	Blundering 377
Aefrita 495	Alertness 470	Anarchist 382	Assimilate 83	Besmoke 444	Blunt 377
Aefritan 495	Alexand 470	Anarchy 382	Assimilating 83	Besot 444	Blunted 387
Aefritical 495	Alfred 470	Anatomist 382	Assistless 471	Bespeak 444	Blunting 387
Aefrity 495	Algebra 470	Anatomy 382	Assize 471	Bespeaking 242	Bluntly 387
Aefrobat 495	Algebraical 470	Anation 382	Assized 471	Bespoke 242	Blur 387
Aefrobatic 495	Alernon 470	Ancestor 382	Assizer 471	Besta 242	Blurred 387
Aefrochord 496	Algous 470	Ancestral 414	Assocable 471	Bestir 242	Blurring 387
Aefrochordus 496	Alice 470	Anchorage 374	Associate 471	Bestow 242	Blushfully 406
Aefrogan 496	Alias 470	Anchored 103	Associated 471	Bestowing 242	Blushing 406
Aefroline 496	Alienable 470	Anchoress 103	Associating 471	Bestride 242	Blushless 406
Aefropolis 496	Alienation 470	Anchorite 103	Associative 471	Bestriding 242	Bluster 406
Aefrospire 496	Alienator 470	Anchoring 103	Associator 471	Betake 242	Blusterer 406
Aefrospired 496	Allence 470	Anchovy 103-106	Assol 471	Betaken 243	Blustering 406
Aefross 496	Alife 470	Ancient 103-106	Assoilment 471	Betray 243	Blustrous 401
Aefroter 496	Align 470	Anciently 103	Assonance 471	Betrayal 241	Boar 401
Aefroterial 496	Aliment 470	Ancipital 103	Assonant 471	Betrayed 241	Board 401
Aefrotic 496	Alimental 470	Andiron 247	Assuage 471	Betraying 241	Boardable 401
Act 496	Alimentally 470	Andesen 247	Assuaging 471	Betroth 241	Boarded 401
Actamer 503	Alimentary 471	Anemone 247	Assuaging 471	Betrothal 211	Boarding 401
Actegor 503	Alliquant 471	Angel 247	Assuative 471	Betrothing 241	Boast 401
Actian 496	Allquot 471	Angling 247	Assuade 471	Betsy 241	Boaster 401
Actinia 496	Alive 471	Angry 247	Assume 471	Bigot 251	Boastful 401
Actinic 496	Alkali 471	Angular 247	Assumed 471	Bigotd 251	Bodily 397
Actiniform 496	Alkaline 471	Angus 247	Astride 262	Bigotry 251	Bondo 78
Actinoid 496	Alkaloid 471	Arm 247	Astringe 262	Bilateral 438	Booby 457
Actinolite 496	Allan 471	Announce 247	Astringency 262	Bilbo 438	Book 457
Actinolitic 496	Allay 471	Apt 10	Astringent 262	Blednet 425	Bookful 457
Action 496	Allegation 471	Apituted 10	Astringing 262	Bilge 425	Booking 457
	Allege 471	Arbitrate 401	Astrology 262	Bilged 425	Bookish 457

PAGE.		PAGE.		PAGE.		PAGE.		PAGE.		PAGE.	
Boom.....	457	Centipede.....	108	Chrism.....	152	Color.....	248	Confidently.....	110	Consumptive.....	384
Boomed.....	457	Centralize.....	452	Christened.....	405	Colorable.....	248	Confiding.....	110	Contact.....	384
Boomerang.....	457	Centrifugal.....	452	Christening.....	405	Colorless.....	247	Confine.....	110	Contagion.....	385
Boot.....	457	Centripetal.....	452	Christi.....	406	Colossal.....	248	Confincess.....	110	Contagious.....	385
Booted.....	457	Centriple.....	452	Christian.....	405	Colt.....	248	Confinement.....	110	Contain.....	385
Booth.....	457	Centurion.....	452	Christianity.....	405	Columbine.....	249	Confiner.....	110	Contained.....	385
Bootless.....	457	Century.....	452	Christmas.....	405	Colum.....	249	Confirm.....	110	Contemplator.....	446
Branding.....	411	Cerate.....	458	Christopher.....	406	Coma.....	249	Confirmable.....	110	Contempt.....	446
Brandy.....	411	Cerebus.....	458	Chronicle.....	62	Comatose.....	249	Confiscate.....	110	Contemptible.....	446
Bravado.....	411	Cereal.....	459	Chonograph.....	62	Comb.....	245	Confiscating.....	110	Contemptibly.....	446
Brave.....	411	Cerebral.....	459	Chuckling.....	63	Combat.....	245	Confiscator.....	110	Contend.....	446
Bravely.....	411	Cerebrum.....	459	Chud.....	437	Combafant.....	249	Conflagration.....	110	Content.....	446
Bridget.....	411	Cerement.....	459	Chuff.....	437	Combinafle.....	249	Conflict.....	110	Contention.....	446
		Ceremony.....	459	Chuffness.....	436	Combination.....	249	Conflicting.....	110	Contentious.....	446
		Cereous.....	459	Chuffy.....	436	Combine.....	249	Confluence.....	110	Contentless.....	446
		Ceres.....	460	Chump.....	436	Combustible.....	245	Confluent.....	110	Contentment.....	446
Calamity.....	407	Cerin.....	460	Chumk.....	436	Comedy.....	249	Conform.....	110	Contents.....	446
Calenlate.....	83	Certainly.....	460	Church.....	436	Comedian.....	245	Conformable.....	110	Contentuable.....	446
Calderon.....	83	Certainness.....	460	Churchdom.....	436	Come.....	246	Conformation.....	110	Contentuous.....	446
Caleb.....	64	Certificata.....	460	Churching.....	436	Comet.....	249	Conformed.....	110	Contentant.....	447
Calf.....	64	Certified.....	460	Churchland.....	436	Cometary.....	249	Conforming.....	110	Contest.....	446
Calibre.....	65	Certify.....	460	Churchman.....	436	Comfit.....	249	Conformist.....	110	Contestable.....	446
Calico.....	65	Certitude.....	462	Churlish.....	436	Coming.....	246	Conformity.....	110	Contested.....	447
Caliph.....	63	Cessation.....	462	Churn.....	436	Comfort.....	245	Confound.....	110	Contesting.....	447
Call.....	63	Cessible.....	462	Cider.....	436	Comfortable.....	245	Confounded.....	110	Context.....	447
Calling.....	63	Cession.....	462	Ciremvent.....	451	Comforted.....	249	Confounding.....	110	Contiguity.....	447
Callous.....	63	Cessment.....	463	Citable.....	451	Comic.....	249	Confront.....	110	Contiguous.....	447
Callow.....	67	Cessor.....	463	Cited.....	273	Comical.....	246	Confrontant.....	110	Continent.....	447
Calorie.....	106	Cesspool.....	463	Citizen.....	273	Comically.....	246	Confrontation.....	110	Continental.....	447
Calorific.....	106	Cestus.....	463	Citrate.....	452	Command.....	245	Confronted.....	110	Contingency.....	447
Cam.....	452	Cetacean.....	101	Citron.....	272	Commander.....	245	Confronting.....	110	Contingent.....	447
Cannibal.....	489	Cetaceous.....	101	City.....	273	Commanding.....	246	Confrontment.....	110	Continuable.....	447
Cannon.....	489	Cetic.....	101	Civility.....	464	Commandant.....	246	Confuse.....	110	Continual.....	447
Cannondale.....	489	Cheaply.....	152	Civilized.....	465	Commence.....	245	Confused.....	110	Continually.....	447
Canny.....	489	Cheapness.....	152	Civilizer.....	465	Commencing.....	245	Confusedly.....	110	Continuance.....	447
Canoe.....	489	Cheating.....	152	Civilizing.....	465	Comment.....	246	Confusedness.....	110	Continue.....	447
Canonical.....	489	Checker.....	152	Civilly.....	464	Commenter.....	245	Confusing.....	110	Continued.....	447
Canon ze.....	489	Checkmate.....	153	Ciabber.....	464	Commerce.....	246	Confusion.....	110	Continuedly.....	447
Canopy.....	489	Cheerful.....	152	Clarify.....	489	Commercial.....	246	Confutable.....	110	Continuing.....	447
Cantata.....	489	Cheerfully.....	152	Clarion.....	243	Commingle.....	246	Confutation.....	110	Continuity.....	447
Cantation.....	489	Cheerily.....	152	Clarinet.....	243	Committed.....	245	Confute.....	110	Continuous.....	447
Canteen.....	489	Cheering.....	152	Clarissa.....	243	Commissary.....	240	Confuted.....	111	Confort.....	447
Canter.....	489	Cheerlessly.....	449	Clash.....	244	Commission.....	246	Confuthing.....	111	Contorted.....	447
Canterbury.....	489	Cheesey.....	449	Clashing.....	244	Commit.....	246	Congeal.....	111	Contortion.....	447
Cantering.....	489	Chemically.....	449	Class.....	244	Commitable.....	246	Congeeing.....	111	Contour.....	447
Capitation.....	412	Chemist.....	449	Classed.....	244	Committal.....	246	Congelation.....	111	Contra.....	447
Capitulate.....	412	Chemistry.....	148	Classie.....	244	Commitment.....	246	Congener.....	111	Contraband.....	447
Capna.....	379	Chemnitz.....	449	Classical.....	244	Committing.....	246	Congenerie.....	111	Contract.....	447
Capon.....	412	Chemnitz.....	449	Classify.....	244	Committed.....	246	Congenial.....	111	Contracted.....	447
Captured.....	379	Chemnitz.....	449	Clatte.....	244	Committee.....	246	Congenital.....	111	Contractile.....	447
Carabine.....	406	Cheris.....	449	Clatteer.....	244	Commix.....	246	Congest.....	111	Contracting.....	447
Caravan.....	406	Cherishing.....	449	Claude.....	244	Commixion.....	246	Congestible.....	111	Contraction.....	447
Cardine.....	406	Cheroot.....	449	Claudla.....	241	Commode.....	246	Congestion.....	111	Contractor.....	447
Careen.....	406	Cherryly.....	449	Clause.....	244	Commodious.....	246	Congression.....	111	Contradict.....	447
Careful.....	246	Cherub.....	450	Claudre.....	252	Commodity.....	246	Congruent.....	111	Contradicted.....	447
Careless.....	247	Cherubim.....	450	Clawed.....	252	Commodore.....	246	Conical.....	111	Contralto.....	447
Carelessly.....	247	Chew.....	462	Clawing.....	252	Commoner.....	246	Conifer.....	111	Contraries.....	447
Carested.....	247	Chewing.....	462	Clawless.....	252	Commonly.....	246	Coniform.....	111	Contrarily.....	447
Cask.....	412	Chicanery.....	462	Clay.....	252	Community.....	256	Conjecture.....	111	Contrarily.....	447
Casket.....	111	Chicken.....	461	Clayed.....	246	Commute.....	243	Conjoin.....	111	Contrary.....	447
Caspian.....	111	Chickory.....	461	Claying.....	247	Commuted.....	243	Conjoint.....	111	Contrast.....	447
Cassock.....	111	Child.....	461	Clayish.....	257	Concolor.....	401	Conjointly.....	111	Contrasted.....	447
Castnet.....	111	Chider.....	461	Claymore.....	257	Concomitant.....	401	Conjointness.....	111	Contravene.....	447
Castaway.....	111	Childing.....	461	Clean.....	257	Concord.....	401	Conjugal.....	111	Contravening.....	447
Caste.....	111	Chief.....	461	Cleaned.....	255	Concervative.....	344	Conjugate.....	111	Convention.....	447
Castellan.....	111	Chiefly.....	463	Cleanly.....	255	Concervture.....	344	Conjugation.....	396	Contretemps.....	447
Castellated.....	227	Chieftain.....	464	Cleanness.....	255	Concur.....	344	Conjunct.....	396	Contributable.....	447
Castle.....	227	Chine.....	148	Cleane.....	255	Concurrence.....	344	Conjunction.....	396	Contribute.....	448
Castlery.....	105	Chimera.....	148	Cleaneed.....	254	Concurrence.....	344	Conjunctive.....	396	Contributed.....	448
Casual.....	400	Chimierical.....	148	Cleance.....	254	Concurrent.....	344	Conjunctly.....	396	Contributing.....	448
Casually.....	400	Chip.....	148	Cleared.....	254	Concurreing.....	344	Conjuncture.....	396	Contribution.....	448
Catching.....	393	Chipped.....	148	Clearing.....	254	Concuss.....	344	Conjuration.....	396	Contributive.....	448
Catchword.....	393	Chipping.....	148	Clearness.....	254	Condemn.....	353	Conjure.....	396	Contributor.....	448
Catechise.....	393	Chirp.....	148	Cleav.....	254	Condemning.....	353	Conjurer.....	396	Contrite.....	448
Catechised.....	393	Chiseled.....	148	Cleavage.....	254	Condemner.....	353	Connate.....	396	Contritely.....	448
Catechism.....	393	Chivalrous.....	148	Cleave.....	254	Condensation.....	353	Connect.....	396	Contribution.....	448
Categorical.....	376	Chivalry.....	148	Cleaved.....	254	Condensate.....	353	Connected.....	396	Contrivance.....	448
Categorize.....	246	Chocolate.....	148	Clef.....	254	Condense.....	353	Connivance.....	396	Contrive.....	448
Category.....	246	Choice.....	148	Clement.....	254	Condensed.....	353	Connive.....	396	Contrived.....	448
Catenary.....	246	Choir.....	148	Clergy.....	255	Condescend.....	353	Connivency.....	396	Contriver.....	448
Catenarian.....	246	Choke.....	148	Clerical.....	255	Conditment.....	353	Connivent.....	396	Contriving.....	448
Catholic.....	199	Chokling.....	148	Client.....	255	Condite.....	353	Conniyer.....	396	Controllable.....	448
Catkin.....	199	Choler.....	148	Cliff.....	255	Condor.....	86	Conspire.....	246	Coolly.....	270
Cemented.....	152	Cholera.....	148	Climate.....	255	Conduce.....	86	Conspiringly.....	246	Copiousness.....	164
Cementing.....	152	Cholerie.....	151	Climatic.....	255	Conducting.....	109	Constancy.....	246	Copist.....	164
Cemetery.....	103	Choose.....	151	Climax.....	255	Conduction.....	109	Constantly.....	246	Copiant.....	164
Cenobite.....	111	Chooser.....	151	Colade.....	246	Conductor.....	109	Constituent.....	246	Copperish.....	165
Cenobitic.....	111	Choosing.....	151	Colery.....	246	Cone.....	109	Constitutive.....	400	Coppiece.....	165
Cenotaph.....	111	Chop.....	151	Collided.....	248	Confab.....	109	Constrain.....	400	Copse.....	165
Censor.....	111	Chopper.....	151	Collier.....	248	Confederacy.....	109	Constrainedly.....	400	Copula.....	165
Censorial.....	106	Chops.....	151	Collision.....	248	Confederate.....	109	Constraining.....	400	Copy.....	165
Censurable.....	106	Choral.....	151	Collocate.....	248	Confederation.....	109	Constrain.....	400	Copybook.....	165
Census.....	107	Chord.....	151	Colloquial.....	247	Confederating.....	109	Constrict.....	400	Copyholder.....	412
Centage.....	107	Chorister.....	151	Colloquy.....	248	Confer.....	109	Constricted.....	376	Copyst.....	412
Centallo.....	108	Chorus.....	151	Collusion.....	248	Conference.....	109	Constriction.....	376	Copnetish.....	383
Centaur.....	108	Chorus Girl.....	151	Collusive.....	247	Confess.....	109	Constrictive.....	376	Copnetting.....	383
Centenary.....	108	Chose.....	151	Colon.....	248	Confessedly.....	109	Constrictor.....	384	Cora.....	383
Centennial.....	108	Chosen.....	151	Colonel.....	248	Confessing.....	109	Constructure.....	384	Coral.....	383
Centerling.....	108	Chousing.....	151	Colonist.....	247	Confessor.....	109	Consular.....	384	Coralite.....	383
Centesimal.....	108	Chowder.....	152	Colonizing.....	248	Confidant.....	110	Consulate.....	384	Coralline.....	383
Centigrade.....	108	Chrism.....	152	Colonnade.....	248	Confide.....	110	Consummate.....	384	Coralloid.....	383
Centime.....	108	Chrismath.....	152	Colony.....	247	Confidence.....	110	Consumption.....	384	Corant.....	383

PAGE.	PAGE.	PAGE.	PAGE.	PAGE.	PAGE.
Coreule..... 383	Criminating..... 226	Diagonal..... 432	Flated..... 435	Framating..... 422	Engraved..... 44
Cord..... 383	Cuthbert..... 226	Diagram..... 432	Flation..... 435	Framulation..... 422	Engraven..... 44
Cordago..... 383		Dial..... 432	Elbow..... 435	Framulator..... 431	Engraving..... 44
Cordate..... 383		Dialect..... 432	Elderly..... 435	Framulent..... 431	Engraving..... 44
Corded..... 383		Dialogue..... 247	Fidest..... 435	Framulsion..... 431	Engross..... 44
Cordelia..... 383		Diameter..... 247	Fleet..... 435	Framulative..... 431	Engrossed..... 44
Cordial..... 383		Diamond..... 217	Electing..... 436	Framable..... 431	Engrossing..... 44
Cordially..... 383		Discerned..... 378	Election..... 433	Frambling..... 431	Engrossment..... 44
Cordon..... 383		Discerning..... 21	Electioneer..... 433	Framet..... 431	Enguard..... 44
Cordovan..... 383		Discerningly..... 21	Electer..... 433	Framet..... 431	Engulf..... 44
Corduroy..... 383		Discharged..... 21	Electrify..... 437	Frameting..... 431	Engulfed..... 44
Cordwain..... 383		Discharging..... 21	Elias..... 437	Frametive..... 442	Engulling..... 44
Correlation..... 383		Dischurch..... 22	Elijah..... 438	Frametment..... 444	Engulfment..... 44
Corinne..... 383		Dischurched..... 22	Eliminate..... 438	Frametor..... 444	Enhance..... 44
Corinthian..... 383		Disciple..... 22	Elite..... 434	Framet..... 444	Enhanced..... 44
Cork..... 383		Discipline..... 22	Ellixir..... 438	Framet..... 444	Enhancement..... 44
Corkscrew..... 395		Disciplined..... 23	Elk..... 438	Frametling..... 444	Enhancer..... 44
Corky..... 460		Disclaim..... 23	Ellen..... 438	Frametor..... 444	Enhancing..... 44
Cormorant..... 109		Disclaim..... 23	Elliptic..... 438	Frametor..... 444	Enharden..... 44
Corn..... 109		Disclose..... 22	Elm..... 417	Frametor..... 444	Enharden..... 44
Cornea..... 109		Discolor..... 23	Elongate..... 417	Frametor..... 444	Enigma..... 44
Corned..... 109		Discomfort..... 23	Eloquence..... 417	Frametor..... 444	Enigmatic..... 44
Cornella..... 109		Discomfortable..... 23	Eloquent..... 418	Frametor..... 444	Enigmatize..... 44
Cornelius..... 109		Discomforted..... 23	Elsewhere..... 419	Frametor..... 444	Enjoin..... 44
Cornet..... 109		Discommending..... 24-102	Elude..... 469	Frametor..... 444	Enjoined..... 44
Cornetey..... 109		Discommode..... 24	Elvira..... 469	Frametor..... 444	Enjoining..... 44
Cornish..... 109		Discredit..... 98	Emaciated..... 469	Frametor..... 444	Enjoinment..... 44
Cornicopia..... 109		Discreet..... 98	Emaciated..... 469	Frametor..... 444	Enjoy..... 44
Corollary..... 109		Discretion..... 98	Emaculate..... 469	Frametor..... 444	Enjoyable..... 44
Corona..... 109		Discriminate..... 98	Emaculate..... 469	Frametor..... 444	Enjoyed..... 44
Coronal..... 109		Discuss..... 98	Emaculate..... 469	Frametor..... 444	Enjoying..... 44
Coronary..... 109		Donald..... 98	Emaculate..... 469	Frametor..... 444	Enjoyment..... 44
Coroner..... 109		Doreas..... 98	Emaculate..... 469	Frametor..... 444	Enkindle..... 43
Corporal..... 109		Dorinder..... 98	Emaculate..... 469	Frametor..... 444	Enkindled..... 43
Corporally..... 109		Duncan..... 98	Emaculate..... 469	Frametor..... 444	Enkindling..... 43
Corporate..... 109			Emaculate..... 469	Frametor..... 444	Enlarge..... 43
Corporation..... 109			Emaculate..... 469	Frametor..... 444	Enlargement..... 43
Corpulence..... 109			Emaculate..... 469	Frametor..... 444	Enlay..... 15
Corpulent..... 109			Emaculate..... 469	Frametor..... 444	Enlight..... 43
Corrective..... 109			Emaculate..... 469	Frametor..... 444	Enlighten..... 43
Coruscate..... 210			Emaculate..... 469	Frametor..... 444	Enlightened..... 43
Corvette..... 153			Emaculate..... 469	Frametor..... 444	Enlightening..... 43
Cosmetic..... 153			Emaculate..... 469	Frametor..... 444	Enlightment..... 43
Cosmic..... 153			Emaculate..... 469	Frametor..... 444	Enlink..... 43
Cossack..... 153			Emaculate..... 469	Frametor..... 444	Enlist..... 43
Costing..... 153			Emaculate..... 469	Frametor..... 444	Enlisted..... 43
Couch..... 153			Emaculate..... 469	Frametor..... 444	Enlisting..... 43
Couchant..... 153			Emaculate..... 469	Frametor..... 444	Enlistment..... 43
Cough..... 153			Emaculate..... 469	Frametor..... 444	Enliven..... 43
Counterplot..... 14			Emaculate..... 469	Frametor..... 444	Enlivened..... 43
Comitess..... 14			Emaculate..... 469	Frametor..... 444	Enlivening..... 43
Counting..... 18			Emaculate..... 469	Frametor..... 444	Enmesh..... 43
Country..... 18			Emaculate..... 469	Frametor..... 444	Enmity..... 43
Coupe..... 489			Emaculate..... 469	Frametor..... 444	Ennobel..... 43
Coupling..... 489			Emaculate..... 469	Frametor..... 444	Ennobled..... 43
Coupon..... 489			Emaculate..... 469	Frametor..... 444	Ennoblement..... 43
Courtly..... 95			Emaculate..... 469	Frametor..... 444	Enroll..... 44
Cousin..... 412			Emaculate..... 469	Frametor..... 444	Enrolled..... 44
Cove..... 412			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Covenant..... 412			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Covenry..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Covert..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Covertly..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Coverture..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Covet..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Coveted..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Coveting..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Covetous..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Covey..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Coward..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cowardice..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cowardly..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crab..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crab-apple..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crabbed..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crabbedly..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crabby..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crack..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cracked..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cracked..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cracker..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cracking..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crackle..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crackling..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cradle..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cradled..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cradling..... 153			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crag..... 151			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cragged..... 151			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Craggy..... 151			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cramp..... 151			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cramping..... 151			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Creased..... 407			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Creasing..... 375			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cree..... 375			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Creech..... 375			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Cricketer..... 375			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crier..... 226			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crime..... 226			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Crimeful..... 105			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Criminal..... 226			Emaculate..... 469	Frametor..... 444	Enrollment..... 44
Criminate..... 226			Emaculate..... 469	Frametor..... 444	Enrollment..... 44

	PAGE.		PAGE.		PAGE.		PAGE.		PAGE.
Enthusiasm	45	Ethics	65	Excreted	17	Habit	473	Haughty	225
Enthusiast	45	Etiquette	66	Excreting	17	Habitation	473	Haunt	225
Entice	45	Eugenie	66	Excretion	17	Habited	473	Haunted	487
Enticement	45	Eulogist	66	Excretive	17	Habitual	473	Haunting	487
Enticing	45	Eulogize	155	Excretory	17	Habitude	473	Havoc	487
Enticingly	45	Eulogy	155	Excruciate	18	Hack	473	Hawk	487
Entireness	45	Euphony	61	Exculpated	18	Hacking	473	Hawking	487
Entitle	45	Europe	62	Excursion	79	Hackney	473	Hazard	487
Entoil	45	European	62	Excusably	46	Haddock	473	Hazarded	487
Entrance	45	Eustace	66	Excuse	46	Hades	473	Hazarding	487
Entranced	45	Eva	67	Excusing	45	Haggard	473	Hazardous	487
Entrap	45	Evacuate	71	Excusing	45	Haggardly	473	Helen	487
Entreat	45	Evacuated	71	Execute	45	Haggle	473	Henry	487
Entreated	45	Evacuating	71	Executed	45	Haggle	473	Herbert	250
Entreating	45	Evade	71	Executing	45	Haggle	473	Horatio	250
Entwine	15	Evaded	71	Execution	45	Haggle	472	Hosea	251
Entwined	15	Evading	71	Executioner	45	Haggle	472	Hugh	251
Entwining	15	Evangelic	73	Executive	45	Hailing	472	Huldan	251
Epicure	15	Evangelist	73	Executor	46	Hailstone	472	Humphrey	251
Epidemic	15	Evaporate	73	Executory	46	Halberd	472	Huyttsville	409
Epidemic	15	Evaporated	73	Executress	46	Haleyon	472	Hyndman	409
Epigram	15	Evaporating	73	Exemplary	46	Halibut	472	Hyndsville	409
Equal	15	Evasion	73	Exemplify	41	Halliard	472		
Equaling	15	Eve	93	Exemplifying	41	Halter	472		
Equality	15	Eveline	94	Exempt	41	Halting	472		
Equalizing	16	Even	93	Exempted	41	Halving	472		
Equalness	281	Evening	95	Exempting	41	Ham	472		
Equation	281	Evenness	87	Exercise	41	Hamble	472		
Equinox	281	Event	79	Exercised	41	Hamlet	472		
Equity	281	Eventful	79	Exercising	41	Hammering	472		
Equivalent	281	Eventual	79	Exert	41	Hammock	472		
Equivocal	281	Everglade	79	Exerted	41	Hamper	472		
Eradicate	281	Evergreen	79	Exerting	44	Hampered	472		
Eradicated	281	Everlasting	79	Exertion	41	Hampering	472		
Eradicating	281	Evermore	79	Exertment	41	Hanstrling	472		
Erase	289	Eversion	79	Exhal	20	Hanaper	472		
Erased	289	Every	79	Exhalant	20	Handcuff	472		
Erasement	289	Evict	79	Exhalation	20	Handcuffed	472		
Erasing	289	Evicted	79	Exhale	20	Handfast	472		
Erasure	289	Evicting	79	Exhalement	20	Handicraft	472		
Erect	259	Eviction	79	Exhaling	20	Handiness	472		
Erected	291	Exac	433	Exhaust	20	Handle	472		
Erecting	288	Exact	79	Exhausted	20	Handling	472		
Ermine	288	Exacted	79-433	Exhauster	20	Handing	472		
Erode	288	Exacting	79	Exhausting	41	Handman	472		
Eroded	288	Exactness	61	Exhausting	41	Handsew	472		
Eroding	288	Exactor	61	Exhaustive	41	Handsome	472		
Erosion	288	Exaggerate	61	Exhaustive	41	Handsomely	472		
Errand	280	Exaltation	61	Exhaustment	41	Hang	472		
Errate	289	Exalted	69	Exhibit	41	Hanged	472		
Escalade	76	Exalting	60	Exhibited	41	Hangings	472		
Escapade	76	Examination	60	Exhibiting	41	Hangman	472		
Escape	76	Examine	60	Exhibition	41	Hangnail	472		
Escapement	76	Examined	61	Exhibitive	41	Hanker	472		
Escaping	76	Examined	61	Exhilarate	41	Hankering	472		
Escarp	76	Examining	60	Exhilarated	41	Hapless	472		
Eschew	76	Example	80	Exhort	41	Haply	473		
Escort	76	Exasperate	80	Exhorted	41	Happen	473		
Escorted	75	Exasperated	80	Exhorting	41	Happening	473		
Escorting	75	Excavate	80	Exhume	41	Happily	473		
Escrow	75	Excavated	80	Exhuming	41	Happiness	473		
Escent	75	Excavating	80	Exile	41	Happy	473		
Eschecheon	75	Excavation	80	Exilement	41	Harangue	473		
Eschial	76	Excavator	80	Exiling	41	Harangued	473		
Esposal	76	Exceed	80	Exist	41	Haranguing	473		
Esponse	76	Exceeded	80	Existence	41	Harass	473		
Esposued	74	Exceeding	80	Existence	41	Harassng	473		
Espy	74	Exceedingly	80	Existing	41	Harbinger	473		
Espying	74	Excel	80	Exit	41	Harbor	473		
Esquire	74	Excelled	80	Exode	41	Harborage	473		
Essay	74	Excellent	80	Exodus	41	Harbored	448		
Essayed	74	Excellent	80	Exonerate	41	Harboring	448		
Essaying	75	Excellent	80	Exonerated	41	Harborless	448		
Essence	75	Exceptions	25	Exotic	41	Hardened	448		
Essential	73	Exceptive	83	Expand	44	Hardening	448		
Essentially	80	Exceptless	83	Expanded	41	Hardiest	448		
Establish	80	Excels	98	Expanding	41	Hardihood	448		
Established	76	Excision	98	Expense	41	Hardness	250		
Estate	76	Excitation	93	Expansion	41	Hardship	250		
Esteem	76	Excitatory	94	Expansive	41	Hardly	448		
Esteemed	76	Excite	93	Expatiate	41	Harlell	250		
Esteeming	76	Excitement	93	Expectant	41	Harclipped	250		
Esthetic	76	Exciter	94	Expectorate	41	Harem	250		
Esther	76	Exciting	96	Expedit	41	Harecot	250		
Estimable	76	Excitingly	96	Exped to	41	Harlequin	250		
Estimate	77	Exclaiming	94	Ezekiel	41	Harm	199		
Estimated	77	Exclamation	106	Ezra	41	Harm	199		
Estimating	77	Exclamative	97			Harmed	199		
Estimation	77	Exclamatory	97			Harmful	199		
Estimative	77	Exclude	97			Harmfully	199		
Estoppel	77	Excluded	97			Harming	199		
Estrange	63	Excluding	97			Harmless	199		
Estranged	62	Exclusion	97			Harmlessly	227		
Estray	77	Exclusively	97			Harmlessness	227		
Estreat	77	Exclude	86			Harmonic	227		
Etch	77	Excereate	86			Hastiness	224		
Etched	77	Excereation	86			Hasty	224		
Etching	77	Excement	17			Hatchway	224		
Eternal	77	Excemental	17			Hateful	224		
Eternally	67	Excrescence	17			Hatefully	224		
Eternity	67	Excrescent	17			Hatefulness	225		
Ether	65	Excrete	17			Hatcock	225		
						Haughtiness	225		
								</	

PAGE.		PAGE.		PAGE.		PAGE.		PAGE.	
Indignation	348	Jasper	488	Jovialty	484	Ladylike	266	Liniment	224
Indignity	348	Jaspid	488	Joy	484	Lagger	289	Linking	224
Indirect	348	Jaudon	410	Joyful	484	Lagging	289	Linnet	224
Indirection	348	Jauldico	488	Joyfully	484	Lair	289	Linseed	224
Indispose	355	Javel	488	Joyfulness	484	Lality	289	Lintel	223
Indisposed	355	Javelin	488	Joyous	484	Lamb	289	Lioness	223
Indisposing	355	Jawbone	488	Joyously	484	Lambkin	289	Lionize	223
Indistinct	355	Jay	488	Joyousness	484	Lamblike	289	Liquidate	223
Indistinctly	355	Jean	483	Jubilant	484	Lamellar	266	Liquidated	223
Indorse	355	Jears	483	Jubilate	484	Lamelliform	266	Liquidating	223
Indorsed	355	Jeddo	410	Jubilation	484	Lament	289	Liquor	223
Indorsement	355	Jeer	483	Judah	484	Lamentable	289	Lishon	223
Indorser	355	Jeered	483	Judicial	484	Lamentably	289	Lisp	237
Induce	355	Jeerer	483	Judicious	484	Lamentation	289	Lisped	237
Induct	355	Jeering	483	Julia	272	Lamented	289	Lisping	237
Inducted	355	Jefferson	410	Jumping	154	Lamenting	289	Lispingly	237
Inducting	355	Jehovah	410	Junetion	154	Laminate	266	Listen	237
Inductive	355	Jehvoist	485	Juneture	154	Lampon	240	Listened	237
Inductor	355	Jelly	485	Junle	154	Lamponned	240	Listening	237
Indulge	355	Jemima	485	Jungly	483	Lanary	266	Listful	469
Indulgent	355	Jenklutown	410	Junior	483	Lance	240	Listless	469
Industry	355	Jennet	485			Lanced	240	Literal	469
Inez	355	Jenneting	485			Lancet	240	Literalism	469
Infamous	355	Jennings	410			Land	240	Literalness	469
Infamy	355	Jentling	485			Landan	240	Literary	469
Infancy	355	Jenny	485			Landed	240	Literature	247
Infantile	355	Jeopard	485			Kilt	351	Lithograph	247
Infected	355	Jeoparder	485			Kindbo	351	Litigant	247
Ingalls	409	Jeoparding	485			Kindle	351	Litigate	247
Ingaltion	409	Jeopardize	485			Kindled	351	Litmus	208
Ingersoll	409	Jeopardy	485			Kindler	351	Litter	208
Ingleside	409	Jerboa	485			Kindliest	351	Littering	209
Ingrams	409	Jeremlad	485			Kindliness	351	Littleness	209
Inkseters	409	Jeremiah	485			Kindling	351	Littoral	208
Interlochen	409	Jericho	410			Kindness	351	Litu	247
Inwood	409	Jerker	485			Kindred	351	Litudone	247
Iola	409	Jerkin	485			Kingbird	351	Litugun	247
Ione	409	Jermyn	410			Kingeraft	351	Liturgy	208
Ionia	409	Jerome	410			Kirk	154	Livelihood	208
Ipava	409	Jersey	485			Kirkman	154	Livelihood	211
Ipswich	409	Jerusalem	410			Kirtle	154	Lively	211
Iredell	409	Jerusha	485			Kirtled	154	Livermore	410
Irolo	409	Jervin	485			Kiss	154	Livery	211
Ironation	409	Jested	485			Kissed	177	Livid	211
Irondale	409	Jester	485			Kissing	177	Lividness	211
Ironton	409	Jestful	485			Kitchen	177	Livonia	410
Iroquois	409	Jesting	485			Kite	177	Living	211
Irvineton	410	Jesuit	485			Kitling	177	Livingstone	410
Irving	410	Jesuitic	485			Kitten	177	Lizard	211
Irvlington	410	Jesup	410			Knack	177	Llano	410
Iryona	410	Jetsam	485			Knackish	177	Loadstone	211
Irwin	410	Jettison	485			Knave	177	Loafer	211
Isabel	410	Jetteau	485			Knavery	177	Loafug	211
Ishpeming	410	Jetty	485			Knavish	177	Loam	211
Isleta	410	Jewel	485			Knavishly	177	Loathful	211
Islington	410	Jeweled	485			Knavishness	177	Loathness	211
Islip	410	Jeweler	485			Knee	177	Loathsome	211
Ithica	410	Jewelling	485			Kneel	177	Locality	211
Ithican	410	Jewelry	485			Kneeler	177	Locally	211
Iuka	410	Jewess	485			Kneeled	177	Locate	211
		Jewett	411			Kneeling	177	Locating	238
		Jewish	485			Kneelingly	177	Locket	238
		Jib	485			Kneepan	177	Locksmith	238
		Jibboom	485			Knell	177	Lodge	238
		Jibdoor	485			Knelt	177	Lodged	238
		Jibe	485			Knelt	177	Lodging	238
		Jibing	485			Knelt	177	Lodgment	238
		Jigger	485			Knelt	177	Loft	238
		Jiggish	485			Knelt	177	Loftily	238
		Jiggling	485			Knelt	177	Loftiness	238
		Jill	485			Knelt	177	Lofty	238
		Jilted	485			Knelt	177	Logic	238
		Jilting	485			Knelt	177	Logical	222
		Jingle	485			Knelt	177	Logically	222
		Jingled	485			Knelt	177	Lorian	222
		Jingling	483			Knelt	177	Logwood	222
		Joab	411			Knelt	177	Loin	222
		Joam	433			Knelt	177	Loiter	222
		Jobstown	411			Knelt	177	Loneliness	222
		Jockey	483			Knelt	177	Lonely	222
		Jockeying	483			Knelt	177	Lonesome	222
		Jockeyism	483			Knelt	177	Loom	222
		John	483			Knelt	177	Looming	222
		Johnson	411			Knelt	177	Loose	222
		Johnston	411			Knelt	177	Loosely	222
		Joinder	483			Knelt	177	Loosen	222
		Jolley	411			Knelt	177	Looseness	223
		Jollif	433			Knelt	177	Loosening	223
		Jolliment	483			Knelt	177	Lordliness	489
		Jollity	483			Knelt	177	Lordly	489
		Jonas	483			Knelt	177	Lordship	489
		Jonathan	483			Knelt	177	Lotion	200
		Jonesboro	411			Knelt	177	Lottery	201
		Joplin	411			Knelt	177	Lotus	201
		Joseph	483			Knelt	177	Loud	201
		Josephine	484			Knelt	177	Loudly	202
		Joshua	484			Knelt	177	Loudness	203
		Josiah	484			Knelt	177	Lounge	203
		Jostie	484			Knelt	177	Lounger	199
		Jostled	484			Knelt	177	Lovable	199
		Jove	484			Knelt	177	Loveless	199
		Jovial	484			Knelt	177	Lovely	199
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		
						Knelt	177		

AMERICAN ELECTRIC COMPANY.

519

	PAGE.		PAGE.		PAGE.		PAGE.		PAGE.
Mandatory	53	Massively	16	Memoir	258	Millergan	377	Module	50
Mandrake	53	Massy	16	Memorial	258	Millerton	375	Mohawk	397
Manörel	53	Mast	19	Memorize	10	Millerville	375	Moist	50
Maneater	16	Masted	19	Memory	10	Millet	46	Moistening	50
Manful	16	Master	19	Menace	10	Milling	47	Moisture	50
Manfully	16	Mastered	19	Mend	10	Millington	377	Moldiness	50
Manfulness	16	Mastering	19	Mender	10	Millmont	377	Molest	50
Mange	9	Masterless	19	Mending	10	Millst dt	377	Molify	50
Manger	9	Mastery	18	Mendon	388	Millville	377	Molt	50
Mangle	9	Mastership	18	Menial	10	Millwood	377	Molten	50
Mangled	9	Masticate	18	Menlo	388	Milo	377	Molton	397
Mangler	9	Matamoras	381	Mental	10	Milroy	377	Momence	398
Mangling	9	Matapan	382	Mentally	10	Milton	377	Moment	50
Mango	9	Matawa	382	Mention	10	Mimie	47	Momeutus	60
Mangrove	9	Matawan	382	Mentioned	10	Mimic	47	Mona	398
Manhood	9	Mate	13	Mento	388	Mineral	386	Monad	50
Maniac	9	Mateless	13	Mentor	46	Minburne	387	Monarchial	50
Manifest	9	Matfield	381	Mercenary	46	Mince	47	Monarchy	50
Manifested	9	Matins	10	Mercer	46	Mined	47	Monastic	50
Manipulate	9	Mattison	382	Merchant	46	Minded	47	Monclova	398
Mankind	9	Mattoo	382	Merciless	46	Minden	387	Moncure	398
Manliness	9	Mattress	10	Mercury	46	Mindful	47	Mondamin	398
Manly	9	Matrix	10	Mercy	46	Mindfully	47	Mondola	398
Manna	9	Matrimony	10	Meredo	388	Minedosa	394	Mondoka	398
Mannerism	9	Matron	10	Meredosia	388	Mineola	394	Monetta	398
Mannerly	9	Matronhood	10	Merge	46	Mineota	394	Mongrel	50
Manning	9	Matted	10	Merged	46	Miner	47	Monkey	50
Manoka	108	Matter	10	Merian	388	Minerva	394	Monkish	51
Manor	9	Maurice	382	Meridan	388	Mineral	394	Monnee	398
Mansion	9	Maxwell	382	Meridia	388	Minewakan	394	Monnette	398
Mantau	108	Mayfield	382	Meridian	46	Mingle	47	Monou	398
Manteno	108	Mayford	382	Meridith	388	Mingo	394	Monongah	399
Mantle	9	Mazon	382	Merigold	388	Mining	47	Monongahela	399
Mantled	9	Mazy	240	Merillian	388	Minister	47	Monopoly	51
Manton	108	Mead	240	Merimac	388	Mink	47	Monotony	51
Manual	20	Meadow	240	Merino	46	Minock	394	Monroe	399
Manually	20	Meadville	382	Merited	46	Minor	394	Monrovia	399
Manuscript	21	Meager	240	Meriting	205	Minster	394	Monsin	399
Manyville	108	Meagerness	240	Mermald	205	Minstrel	47	Monster	398
Map	21	Meal	240	Merom	388	Mintake	47	Montague	399
Mapimi	108	Mealiness	240	Merricourt	388	Minuka	394	Montandon	399
Maple	21	Mean	240	Merrily	206	Minus	47	Montbello	399
Marbled	25	Meander	240	Merriment	206	Minute	47	Montcell	402
March	25	Meaning	240	Merriness	204	Minuteness	47	Montclair	399
Margin	12	Meaningly	240	Merritt	373	Miraelo	47	Montcello	402
Marginal	12	Meanly	240	Merry	204	Mireness	47	Montello	399
Margrave	12	Meanness	240	Merwin	373	Mirror	47	Monteray	399
Marigold	12	Measles	240	Mesh	203	Mirth	47	Montevale	399
Marine	12	Measly	257	Meshed	203	Mirthful	47	Montevideo	402
Mariner	12	Measure	257	Meshoppen	373	Misapply	47	Montgomery	402
Maritime	12	Measured	257	Meshing	204	Misbehave	47	Monthly	

PAGE.		PAGE.		PAGE.		PAGE.		PAGE.		PAGE.	
Negóna.....	451	Nonconformist..	322	Pilot.....	492	Riversi.....	32	Romanco.....	53	Rosewater.....	97
Negotiate.....	321	Nondescript....	322	Pinkard.....	492	Riverside.....	14	Romaunt.....	53	Rosewindow.....	97
Negro.....	321	Nones.....	322	Pine.....	492	Riverstation..	32	Romeline.....	53	Rosewood.....	97
Negus.....	321	Nonpareil.....	322	Pioneer.....	492	Roar.....	28	Romekin.....	53	Rosewort.....	89
Nelson.....	451	Nonplus.....	322	Plaqua.....	492	Roaring.....	28	Romist.....	78	Rosierucian.....	89
Nemesis.....	291	Nonsence.....	322	Pittsfield.....	492	Roaringcreek..	28	Romp.....	78	Rosied.....	90
Neola.....	471	Nook.....	322	Plainfield.....	492	Rob.....	28	Rondeau.....	78	Rosier.....	90
Neosho.....	451	Noon.....	322	Plainview.....	492	Robe.....	24	Rondel.....	78	Rosin.....	90
Nerve.....	291	Noonday.....	322	Plano.....	492	Roberts.....	28	Ronga.....	78	Rosiness.....	90
Nerveless.....	291	Nora.....	454	Plattville.....	492	Robertscreek..	28	Ront.....	78	Rosiny.....	90
Nervine.....	291	Norcross.....	454	Plover.....	493	Robin.....	28	Rood.....	71	Rosinoil.....	90
Nervous.....	291	Norfolk.....	454	Plymouth.....	493	Robinet.....	24	Roofing.....	11	Rosland.....	90
Nervously.....	291	Normal.....	322	Pocahontas.....	493	Robinsdal.....	28	Roofless.....	11	Rosmarine.....	90
Nest.....	291	Norman.....	454	Polk.....	493	Robinson.....	28	Roofree.....	11	Ross.....	90
Nestle.....	291	Northerly.....	322	Pomeroy.....	493	Robust.....	13	Rook.....	11	Rossell.....	90
Netting.....	292	Northern.....	322	Pomona.....	493	Rocket.....	13	Rookery.....	11	Rossely.....	98
Nettle.....	292	Northward.....	322	Ponca.....	493	Rock.....	28	Rooky.....	11	Rossignol.....	98
Neural.....	292	Norton.....	457	Ponquet.....	493	Rock day.....	48	Room.....	11	Rost.....	97
Neuralgia.....	292	Norwalk.....	457	Pontiac.....	493	Rockaway.....	46	Room ge.....	75	Rostel.....	91
Neuter.....	292	Norway.....	457	Poplar.....	493	Rockbridge.....	28	Roomer.....	75	Rostelate.....	91
Neutral.....	292	Norwich.....	457	Portage.....	493	Rockbrook.....	46	Roomful.....	68	Roster.....	91
Neutralize.....	292	Nosegay.....	322	Posey.....	493	Rockcourt.....	46	Roomily.....	68	Rostral.....	91
Nevada.....	451	Nosology.....	322	Potosi.....	493	Rockcork.....	46	Roominess.....	68	Rostrate.....	91
Newark.....	451	Nostrum.....	322	Potsdam.....	493	Rockcreek.....	46	Roomless.....	68	Rostrum.....	91
Newburn.....	454	Notable.....	322	Powell.....	493	Rockcress.....	47	Roomsomes.....	68	Rosulato.....	91
Newbury.....	454	Notably.....	322	Pratt.....	493	Rockcut.....	28	Roomth.....	68	Rot.....	91
Newt.....	292	Notarial.....	322	Preble.....	493	Rockdale.....	28	Roomy.....	72	Rota.....	91
Newton.....	454	Notary.....	322	Prentice.....	493	Rockd.....	47	Roos.....	72	Rotal.....	91
Next.....	292	Notation.....	322	Prescott.....	493	Rockelm.....	28	Roop.....	72	Rotalite.....	91
Niagara.....	454	Notch.....	322	Pritchards.....	493	Rockier.....	47	Roorbach.....	72	Rotary.....	91
Niantic.....	454	Note.....	322	Prospect.....	493	Rockery.....	47	Roosdoil.....	72	Rotarypump.....	35
Nibble.....	292	Notebook.....	322	Provo.....	493	Rocket.....	47	Roost.....	72	Rotascope.....	91
Nibbler.....	292	Noted.....	322	Pueblo.....	493	Rockfalls.....	28	Roostcock.....	72	Rotate.....	35
Nice.....	292	Notify.....	487			Rockfield.....	28	Rooster.....	53	Rotated.....	35
Nicely.....	292	Notion.....	487			Rockfish.....	47	Root.....	83	Rotateplane.....	35
Nicety.....	292	Noun.....	438			Rockgoat.....	47	Rooter.....	83	Rotation.....	35
Niche.....	292	Novel.....	438			Rockhill.....	28	Rooter.....	84	Rotative.....	35
Nichols.....	454	Novelist.....	438			Rockland.....	26	Rooter.....	84	Rotator.....	35
Nick.....	292	Novelty.....	438			Rockless.....	48	Roothair.....	84	Rote.....	35
Nickel.....	293					Rockling.....	48	Roothouse.....	84	Rotgut.....	35
Nicknacks.....	293					Rockmilk.....	48	Rootleaf.....	84	Rotherbeasts.....	35
Nickname.....	293					Rockmoss.....	48	Rootless.....	84	Rothernall.....	35
Nicclletl.....	454					Rockoil.....	48	Rootlet.....	84	Rothersoil.....	35
Nictate.....	293					Rockpie.....	26	Rootstock.....	84	Rotifer.....	35
Nictation.....	293					Rockplant.....	47	Rooty.....	84	Rotiform.....	35
Nictitate.....	293					Rockriver.....	26	Rooze.....	84	Rotten.....	35
Nictitation.....	293					Rockrose.....	48	Ropalic.....	84	Rottenly.....	35
Nidification.....	293					Rockraby.....	49	Rope.....	85	Rotteness.....	35
Niece.....	293					Rocksalt.....	49	Ropeband.....	85	Rottenstone.....	35
Niggard.....	293					Rockshaft.....	49	Ropedancer.....	85	Rotular.....	35
Niggardly.....	293					Rockshell.....	49	Ropeladder.....	85	Rotund.....	36
Nigh.....	293					Rockslide.....	26	Ropey.....	85	Rotunda.....	36
Nighliness.....	294					Rocksoap.....	49	Ropemaker.....	85	Rotundity.....	36
Night.....	294					Rocksprings.....	26	Ropemat.....	85	Rotundo.....	36
Nightcap.....	294					Rockstar.....	49	Ropetrick.....	85	Rouanne.....	36
Nightfall.....	294					Rockton.....	26	Ropewalk.....	85	Rouble.....	36
Nighthawk.....	294					Rockville.....	26	Ropeyaru.....	85	Rouche.....	36
Nightingale.....	294					Rockwood.....	49	Ropiness.....	85	Roue.....	36
Nightly.....	294					Rockwork.....	50	Ropish.....	85	Rouet.....	36
Nightmare.....	294					Rocky.....	50	Ropy.....	86	Rouge.....	36
Nightshade.....	294					Rockymin.....	26	Roque.....	86	Rough.....	36
Nightwatch.....	294					Rocco.....	50	Roral.....	86	Roughcast.....	36
Nihil.....	294					Rod.....	27	Rorid.....	87	Roughcaster.....	36
Niles.....	454					Rodalm.....	27	R-riferous.....	87	Roughdraw.....	36
Nimb.....	487					Rodbarn.....	27	Rorifluent.....	87	Roughen.....	36
Nimbie.....	294					Rodcity.....	27	Rorqual.....	87	Roughfoted.....	36
Nimbous.....	487					Rodecorner.....	27	Rorulent.....	87	Rouzhewed.....	36
Nimbleness.....	487					Roddy.....	27	Rory.....	87	Roughhewer.....	36
Nina.....	454					Rode.....	50	Rosary.....	87	Roughhewn.....	36
Ninefold.....	487					Rodent.....	51	Roseld.....	88	Roughings.....	36
Ninepins.....	487					Rodfarm.....	27	Rose.....	88	Roughish.....	36
Ninny.....	487					Rodge.....	51	Roseal.....	88	Roughlegged.....	36
Nip.....	487					Rodgeship.....	51	Roseate.....	88	Roughly.....	36
Nippers.....	487					Rodgun.....	27	Rosebay.....	88	Roughness.....	36
Nipten.....	454					Rodhill.....	27	Rosebng.....	88	Roughrider.....	36
Niter.....	487					Rodhouse.....	27	Rosebush.....	94	Roughscuff.....	36
Nitid.....	487					Rodmill.....	27	Rosecampion.....	94	Roughshod.....	36
Nitrate.....	487					Rodmont.....	27	Roseclaffer.....	88	Roughstrings.....	36
Nitric.....	487					Rodney.....	27	Rosecolor.....	88	Roughwork.....	36
Nitrogen.....	487					Rodomel.....	51	Rosecolored.....	88	Rought.....	36
Nitrous.....	487					Rodpoint.....	27	Rosecut.....	88	Rouk.....	36
Nobility.....	487					Rodplace.....	27	Rosediamond.....	92	Roulade.....	36
Noble.....	487					Rodpond.....	27	Rosedrop.....	92	Reulean.....	36
Nobleman.....	487					Rodshoot.....	27	Roseengine.....	92	Roulette.....	36
Nobleness.....	487					Rodstick.....	27	Rosefish.....	92	Roun.....	36
Noblesse.....	487					Rodtown.....	27	Rosefly.....	92	Rounce.....	37
Noby.....	487					Rodtree.....	27	Rosegall.....	92	Rounceval.....	37
Nocturnal.....	323					Rodville.....	27	Rosehead.....	92	Round.....	37
Nod.....	323					Roestone.....	51	Rosekn.....	92	Roundabout.....	37
Noddie.....	323					Rogue.....	51	Roselake.....	92	Roundback.....	37
Noddy.....	323					Roist.....	52	Roselite.....	92	Roundel.....	37
Node.....	323					Roke.....	52	Rosemary.....	95	Roundelay.....	37
Nodule.....	323					Rokeygo.....	52	Rosen.....	95	Rounder.....	37
Noggin.....	323					Role.....	52	Rosenable.....	95	Roundhead.....	37
Noise.....	323					Roitcall.....	52	Roseloa.....	97	Roundhouse.....	37
Noisn.....	454					Roiler.....	52	Rosepink.....	97	Rounding.....	37
Noma.....	454					Rollerbolt.....	52	Rosequarts.....	97	Roundish.....	37
Nomadic.....	322					Rollermill.....	52	Roser.....	97	Roundlet.....	37
Nomenclature.....	322					Rollingpin.....	52	Roseroot.....	97	Roundly.....	37
Nominal.....	322					Rollingpress.....	52	Rosery.....	97	Roundness.....	37
Nominate.....	322					Romage.....	53	Roset.....	97	Roundridge.....	37
Nonage.....	322					Roman.....	53	Rosetta.....	97	Roundshoulder.....	112

PAGE.		PAGE.		PAGE.		PAGE.		PAGE.	
Roundtrade	112	Ruddy	119	Rushring	123	Saccholactate	126	Salivation	139
Roundtray	112	Rude	119	Rusky	123	Saccholate	126	Salivous	139
Roup	112	Rudeline	119	Rusk	123	Sacchulnic	126	Salix	139
Rousant	112	Rudely	119	Rusma	123	Sacellorm	126	Sallalbery	139
Rouse	112	Rudeness	119	Russ	123	Saeconys	126	Sallanders	139
Rouser	112	Rudenture	119	Russett	123	Saeccular	126	Sallet	139
Rousing	112	Ruderary	119	Russetting	123	Saeccule	126	Salleting	139
Rousingly	112	Ruderation	119	Russety	123	Saeque	70	Salliancee	139
Roust	112	Rudesby	119	Russialeather	123	Sacral	70	Sallow	139
Rout	112	Rudiment	119	Russia	123	Sacrament	70	Sallowness	139
Route	112	Rudish	119	Russian	123	Sacramental	70	Sallowthorn	139
Routine	112	Rudity	119	Rust	123	Sacrarium	70	Sally	139
Routously	112	Rue	119	Rustful	123	Sacerato	70	Sallylunn	139
Rove	112	Rueful	119	Rustie	123	Sacre	70	Sallyport	139
Rover	112	Ruefully	119	Rustical	123	Sadah	124	Salmaguudl	139
Roving	112	Ruelle	119	Rustically	123	Saddlehorse	105	Salmiac	139
Rovingly	112	Rufescent	119	Rusticate	123	Saddler	105	Salmis	139
Rovingsness	112	Ruff	119	Rustication	123	Saddleroof	105	Salmon	139
Rovingshot	112	Ruffed	119	Rusticity	123	Saddlery	137	Salmon-net	139
Rowable	112	Ruffian	119	Rustiness	123	Saddleshaped	137	Salmonoid	139
Rowantree	112	Ruffianism	119	Rusting	123	Saddletree	137	Salmonpeel	139
Rowboat	112	Ruffianly	119	Rustjoint	123	Sadducean	137	Salmonpipo	139
Rowdyish	112	Ruffianous	119	Rustle	123	Sadducee	137	Salmontrout	139
Rowe	112	Ruffle	119	Rustler	123	Sadducee	138	Salon	139
Rowel	112	Ruffler	119	Rusty	123	Sadduceism	138	Saloon	139
Rowen	112	Ruffleless	119	Rut	113	Sadducism	138	Saloop	139
Rower	112	Rufflement	119	Rutabaga	123	Sadduceize	138	Salop	139
Rowett	112	Rufous	119	Rutaceous	123	Sadiron	236	Salpa	139
Rowleyragg	112	Ruft	119	Ruth	123	Sadly	236	Salplan	139
Rowlock	112	Rufterhood	119	Ruthenium	123	Sadness	236	Salpleon	139
Rowport	112	Rug	119	Ruthful	124	Sadr	236	Salpary	139
Roya	112	Rugate	119	Ruthfully	124	Safe	182	Salses	139
Royal	52	Rugged	119	Ruthless	124	Safeconduct	181	Salsilla	139
Royalet	112	Ruggedly	119	Rutidosis	124	Safekeeping	183	Salsoald	140
Royalism	112	Ruggedness	119	Rutill	124	Safeguard	182	Salsoda	140
Royalist	112	Rugging	119	Rutilant	124	Salmness	93	Salsolaceous	140
Royalize	112	Ruggoon	120	Rutilate	124	Salmthood	93	Salsuginous	140
Royally	112	Ruggooned	120	Ruttle	124	Salmtnism	199	Salt	140
Royalty	112	Ruggey	120	Rutter	124	Salmtnke	102	Saltant	140
Royne	52	Rugin	120	Rutterkin	124	Salmtnness	102	Saltarello	140
Royno	112	Rugine	120	Ruttalness	124	Salmtnly	102	Saltate	140
Roynish	113	Rugose	120	Ruttier	124	Salmtnologist	100-192	Saltation	140
Roysterer	113	Rugulose	120	Ruttish	124	Salmtnship	100	Saltatorial	140
Roystererow	113	Ruin	120	Ruttle	124	Sajene	100	Saltatory	140
Roytelet	113	Ruinable	120	Rutty	124	Sake	184	Saltcako	140
Roytish	113	Ruinate	120	Ryal	124	Sacker	184	Saltcat	140
Ru	123	Ruination	120	Ryat	124	Sackeret	184	Saltcellar	140
Rubadub	113	Ruiner	120	Ryde	124	Saki	184	Salter	169
Rubato	113	Ruiform	120	Rye	124	Sal	184	Saltern	169
Rubbage	114	Ruinous	120	Ryegrass	124	Salaam	184	Saltfast	16

PAGE.		PAGE.		PAGE.		PAGE.		PAGE.		PAGE.	
Saporosity	140	Satirize	328	Savor	170	Seentless	347	Seckel	265	Serve	219
Saporous	149	Satisfaction	328	Savori	321	Scepter	347	Seclude	265	Servent	316
Sapota	140	Satisfactive	328	Savorily	170	Sceptered	347	Second	265	Servlee	219
Sappare	140	Satisfactorily	328	Savoriness	170	Sceptie	347	Secret	265	Servile	219
Sapper	149	Satisfactory	328	Savorl	324	Schedule	347	Secretary	265	Servitor	219
Sapphie	140	Satisfiable	328	Savorless	170	Schematlon	347	Secrete	265	Servitude	219
Sappiness	140	Satisfier	328	Savorly	170	Schematist	347	Sect	265	Session	219
Sappy	140	Satisfy	328	Savorous	170	Scheme	347	Seetle	265	Sesspool	219
Saproller	149	Sative	328	Savory	170	Schemer	347	Section	265	Setaceous	219
Saprot	261	Satrap	328	Savoryl	324	Schemist	347	Sector	265	Sete	219
Sapskull	261	Satrapal	328	Savoy	170	Schism	347	Secular	265	Setor	219
Sapsogo	261	Satrapess	328	Savoyard	170	Schismatic	347	Secure	265	Settee	219
Sarcocal	157	Satrapical	328	Saw	170	Schist	347	Sedan	265	Settler	219
Sarcode	157	Satrapy	328	Sawdust	324	Schistons	348	Sedate	265	Sever	219
Sarcoderm	179	Satrstone	327	Saw	324	Schitose	347	Sedative	265	Severall	219
Sarcoid	179	Saturable	328	Sawmill	324	Scholar	348	Sedentary	265	Severally	219
Sarcolemnia	175	Saturant	328	Sawplt	324	Scholarly	348	Sedge	265	Severe	219
Sarcologic	180	Saturate	328	Sawset	324	Scholastic	348	Sediment	265	Severly	217
Sarcologist	180	Saturation	328	Sawyer	324	Scholiast	348	Sedition	265	Sewer	217
Sarcology	179	Saturity	328	Sawfrage	324	Scholium	348	Seduce	265	Sextile	217
Sarcomatous	253	Saturn	328	Saxon	324	School	348	Sedulous	265	Sexton	217
Sarcoma	253	Saturnall	328	Saxonism	324	Schooling	348	Seed	265	Shabby	217
Sarcophagus	253	Saturnalian	328	Scab	324	Schooner	348	Seedy	265	Shackle	217
Sarcophay	253	Saturnalian	328	Scabbard	324	Schorl	348	Seek	265	Shadow	217
Sarcophgan	253	Saturnian	328	Scabby	324	Sciatic	348	Seem	265	Shaft	217
Sarcorampus	253	Saturnine	328	Scabbed	324	Sciatica	348	Seemly	265	Shag	217
Sarcosis	253	Satyr	328	Scabiness	324	Science	348	Seen	265	Shaggy	217
Sarcotic	253	Satyrl	328	Scabious	324	Scientific	348	Seer	265	Shah	220
Sarculation	253	Sau	328	Scabrous	324	Scient	348	Seethe	265	Shake	220
Sard	259	Sauce	328	Scabfold	343	Seinutar	352	Seigneurial	213	Shale	220
Sadachate	259	Sauceb	328	Scagliola	343	Scimitar	352	Segregate	213	Shallow	220
Sardan	259	Saucebox	160	Scalable	343	Scintillant	352	Seignior	213	Shallow	220
Sardel	259	Sauceboxy	328	Scalade	343	Scintillate	352	Seignory	213	Sham	220
Sardine	259	Saucepan	160	Scald	343	Sciolism	352	Seine	213	Shamble	220
Sardinian	260	Saucer	160	Scaldic	343	Scion	352	Seize	213	Shame	220
Sardins	259	Saucerx	328	Scale	343	Scirrhus	352	Seldoin	214	Shammy	220
Sardoin	260	Saucgark	191	Scalene	343	Scission	352	Select	214	Shampoo	220
Sardonic	260	Sauci	323	Scaliness	343	Scissors	352	Selectman	214	Shank	221
Sardonix	260	Saucily	192	Scall	343	Sclerotic	352	Self	214	Shant	221
Saree	260	Saucilyx	328	Scallion	343	Scoff	352	Selfish	214	Shatter	221
Sargasso	260	Sanciness	192	Scallop	343	Scold	352	Selframe	214	Shave	221
Sargi	260	Saucisse	192	Scalloped	343	Seonce	352	Selva	214	Shaver	221
Sargue	260	Saucisson	191	Scalp	343	Scoop	352	Semaphone	214	Shawl	221
Sark	260	Saucy	328	Scapel	343	Scope	352	Semblance	214	Sheaf	221
Sarking	260	Sauerk	323	Scaly	343	Scorbutic	352	Seminary	214	Shear	221
Sarlac	260	Sauerkraut	191	Scamble	343	Score	352	Semite	214	Shears	221
Sarlyk	260	Saul	191	Scambler	343	Scoria	166	Semitone	214	Sheath	221
Sarmatie	260	Saulie	191	Scammony	343	Scow	264	Sempstress	214	Sheathe	221
Sarment	260	Sault	169	Scamp	343	Scowl	264	Senate	214	Sheen	221
Sarmentacus	260	Saun	323	Scamper	343	Scrabble	264	Senator	214	Sheep	221
Sarmentose	260	Saucingbell	169	Scandal	343	Scrag	264	Senatorial	214	Sheepish	221
Sarn	260	Saunders	169	Scandalize	343	Scramble	264	Senile	214	Sheer	221
Sarocolla	157	Saundersbluc	169	Scandalous	343	Scrap	264	Senility	214	Sheet	221
Sarony	260	Saunt	323	Scandalously	343	Scrape	264	Senlor	214	Sheik	221
Saros	260	Saunter	169	Scandent	344	Scratch	264	Seniority	214	Shekel	221
Sarplar	260	Saunterer	169	Scansion	344	Scrawl	264	Sensation	214	Shekinah	221
Sarplier	264	Saur	169	Scansorial	344	Scream	264	Sense	215	Shelter	221
Sarrasim	264	Sauri	323	Scant	344	Scream	264	Sensibility	215	Shelve	221
Sarsa	264	Sauria	169	Scantly	344	Screed	264	Sensible	215	Shed	221
Sarsaparilla	264	Saurian	169	Scantiness	344	Screen	264	Sensitive	215	Shepherd	221
Sarse	264	Saurid	169	Scantling	344	Scrub	264	Sensorial	215	Sherb	221
Sarsenet	264	Sausrophagus	169	Scantly	344	Scribe	264	Sensorium	215	Sherriff	221
Sart	264	Sausa	323	Scantness	344	Scrip	264	Sensory	215	Sherry	221
Sartorial	263	Sausage	169	Scanty	344	Scrip	264	Sentence	215	Shew	221
Sartorions	263	Saurg	169	Scape	344	Script	264	Sententious	215	Shewn	221
Sary	263	Sauswrite	169	Scapement	344	Scripture	264	Sentient	215	Shibboleth	221
Sash	263	Sauterelle	169	Scapula	344	Scrivener	264	Sentiment	215	Shield	221
Sashorn	263	Sautern	170	Scapular	344	Scrofula	264	Sentimental	215	Shiftless	221
Sasin	263	Sauvegarde	170	Scapulary	344	Scroll	264	Sentinel	215	Shilly	221
Sassafras	263	Sav	324	Scar	346	Scrub	264	Sentry	216	Shilling	221
Sassanage	263	Sava	323	Scarce	346	Scruple	264	Separable	216	Shilly	221
Sasse	263	Savab	323	Scarcelly	346	Scrutiny	264	Separatist	216	Shimmer	221
Sassoll	263	Savable	170	Scariness	346	Scrutolre	264	Septennial	216	Shin	221
Sassoral	263	Savacan	170	Scarcity	346	Scud	264	Septuagint	216	Shingle	221
Sassoraila	263	Savage	170	Scare	346	Scuffle	264	Sepulcher	216	Shinney	221
Sassybark	263	Savagel	323	Scarecrow	346	Seull	264	Sepulchral	216	Shinto	221
Sastra	263	Savagely	170	Scarf	346	Scullery	264	Sepulture	216	Shire	221
Sat	263	Savagen	323	Scarfed	346	Scullion	264	Sequences	216	Shirk	221
Satan	263	Savageness	170	Scarfing	346	Sculpture	264	Sequel	216	Shirred	221
Satanic	263	Savager	323	Scarfskin	346	Scum	264	Sequence	216	Shirting	221
Satanleal	263	Savagery	170	Scarfier	346	Scupper	265	Sequester	216	Shive	221
Satunism	263	Savagist	323	Scarify	346	Scurf	265	Sequestrate	216	Shiver	221
Satanist	263	Savagism	170	Scarlatina	346	Scurrilous	265	Sequestration	216	Shoal	221
Satanophamy	263	Savan	324	Scarlet	346	Scurry	265	Serapilo	218	Shoar	221
Satchel	259	Savana	170	Scarp	346	Scutcheon	265	Seraph	218	Shoat	221
Sate	259	Savanna	323	Scarred	346	Scuttle	265	Seraphic	218	Shock	221
Sateless	259	Savant	170	Scarring	346	Scythe	265	Seraphim	218	Shoddy	221
Satellite	259	Save	170	Scath	346	Sea	265	Serapis	218	Shone	221
Satellitious	259	Saveall	170	Scathe	347	Seaboard	265	Serenade	218	Shook	221
Satlade	327	Saveloy	170	Scathful	347	Seafarer	265	Serene	218	Shoot	221
Satlation	327	Saver	170	Scathless	347	Seal	265	Serenity	218	Shore	221
Satiety	327	Savero	324	Scatter	347	Seam	265	Serf	218	Shote	221
Satin	327	Savin	324	Scattered	347	Seaman	265	Sergeant	218	Shout	221
Satinet	327	Saving	170	Scattering	347	Seamstress	265	Serial	218	Shove	221
Satinflower	327	Savingly	170	Scavenger	347	Sear	265	Serious	218	Shower	221
Satling	327	Savigny	324	Scene	347	Search	265	Serjeant	218	Showery	221
Satinspar	327	Savingne	324	Sceney	347	Season	265	Sermon	219	Shred	221
Satinwood	327	Savings	170	Scenic	347	Seat	265	Serons	219	Shrew	221
Satiro	327	Savingsness	170	Scenical	347	Seaworthy	265	Serpentine	219	Shrewd	221
Satiric	327	Savingsbank	170	Scenographic	347	Scabaceous	265	Serrate	219	Shrlek	221
Satirleal	327	Savoie	170	Scenography	347	Secant	265	Serum	219	Shrill	221
Satirist	328	Savo	324	Scent	347	Secede	265	Servant	219	Shrine	221

	PAGE.		PAGE.		PAGE.		PAGE.		PAGE.
Shrink.....	274	Sickliness.....	284	Significantly.....	301	Simplice.....	403	Sixthrate.....	327
Shrinkage.....	274	Sicklist.....	284	Significate.....	301	Simplician.....	212	Sixtieth.....	327
Shrinker.....	274	Sickly.....	284	Signification.....	301	Simplify.....	212	Sizable.....	327
Shrinkingly.....	274	Sickness.....	285	Significative.....	301	Simplify.....	403	Sizar.....	327
Shrive.....	274	Sickroom.....	285	Significator.....	301	Simply.....	403	Sized.....	326
Shrivately.....	274	Sicle.....	285	Significavit.....	301	Simulate.....	404	Sizel.....	326
Shrive.....	274	Siddow.....	285	Signify.....	301	Simulty.....	404	Sizer.....	326
Shrivel.....	274	Side.....	286	Signior.....	301	Sl.....	404	Siziuess.....	326
Shriver.....	274	Sidearm.....	286	Signiorize.....	301	Slac.....	404	Sizing.....	326
Shriving.....	274	Sideboard.....	286	Signiorship.....	301	Slaitic.....	404	Slzy.....	326
Shroff.....	274	Sidebox.....	286	Signiory.....	301	Slaple.....	404	Sizzle.....	326
Shroffage.....	274	Sidecut.....	286	Signimannual.....	301	Slapluce.....	404	Sizzling.....	326
Shrood.....	274	Sided.....	286	Signor.....	301	Slapls.....	404	Skain.....	326
Shroud.....	274	Sidely.....	286	Signpost.....	301	Slapism.....	404	Skald.....	326
Shrouding.....	274	Sideglance.....	286	Sike.....	301	Since.....	404	Skate.....	326
Shroudless.....	274	Sidehead.....	286	Siker.....	301	Sindon.....	404	Skater.....	326
Shroudplate.....	275	Sidehill.....	286	Sikerness.....	301	Sine.....	404	Skayless.....	326
Shroudy.....	275	Sidelever.....	286	Sikhs.....	301	Sinecure.....	404	Ske.....	324
Shrove.....	275	Sidelong.....	286	Silica.....	220	Sineplete.....	404	Skean.....	326
Shrovetide.....	275	Sidelling.....	286	Silcanite.....	220	Sinew.....	404	Skeed.....	390
Shrowing.....	275	Sideman.....	281	Sile.....	301	Sinewed.....	290	Skeel.....	326
Shrow.....	276	Sidepipe.....	286	Silence.....	301	Sinewons.....	290	Skeet.....	326
Shrowd.....	276	Sideposts.....	287	Sileue.....	301	Sinewy.....	290	Skeg.....	326
Shrn.....	276	Sider.....	287	Silent.....	301	Sinful.....	290	Skegger.....	326
Shrub.....	276	Sideral.....	287	Silentiary.....	301	Sing.....	290	Skein.....	326
Shrubbery.....	276	Siderate.....	287	Silently.....	301	Singe.....	290	Skeletal.....	326
Shrubbiness.....	276	Siderated.....	287	Silentness.....	302	Singer.....	290	Skeleton.....	326
Shrubby.....	276	Sideration.....	287	Silesia.....	302	Single.....	290	Skelly.....	326
Shrubless.....	276	Siderograph.....	287	Silesion.....	302	Singlin.....	290	Skelp.....	326
Shruff.....	276	Siderography.....	287	Silhex.....	302	Singlo.....	290	Skeu.....	326
Shrug.....	276	Sideroman.....	287	Silhouette.....	302	Slugly.....	290	Skep.....	326
Shrunken.....	276	Sideromel.....	287	Silica.....	302	Singsong.....	290	Skeptic.....	326
Shuck.....	279	Sideros.....	287	Silicate.....	302	Singster.....	290	Skeptical.....	326
Shudder.....	279	Siderscope.....	287	Silicated.....	302	Singular.....	290	Skepticalsin.....	326
Shude.....	279	Sidesad.....	281	Silice.....	302	Singult.....	290	Skeptelze.....	326
Shuff.....	279	Siddlesaddle.....	287	Siliceous.....	302	Sinical.....	290	Skerri.....	326
Shuffle.....	279	Sidetable.....	281	Silicic.....	303	Sinister.....	290	Sketch.....	343
Shuffleboard.....	278	Sidetaiding.....	281	Silicify.....	303	Sinisterly.....	308	Sketcher.....	329
Shufflecap.....	278	Sidewalk.....	295	Siliculous.....	302	Sinistral.....	308	Sketchily.....	329
Shuffler.....	278	Sidewalk.....	295	Silicite.....	303	Sinistrous.....	309	Sketchy.....	329
Shuffling.....	278	Sideways.....	295	Silicited.....	303	Sink.....	309	Skew.....	329
Shug.....	278	Sidewind.....	295	Silice.....	303	Sinker.....	309	Skewarch.....	329
Shuinac.....	278	Sidewise.....	295	Silicon.....	303	Slukhole.....	309	Skewback.....	324
Shun.....	278	Siding.....	295	Sillation.....	139	Sluess.....	309	Skewbridge.....	324
Shunless.....	278	Sidle.....	295	Silicule.....	303	Sinner.....	310	Skewer.....	324
Shuntl.....	277	Siege.....	295	Silqua.....	303	Sinter.....	311	Skewery.....	324
Shut.....	277	Sienite.....	295	Silique.....	303	Sintoe.....	311	Skidder.....	324
Shute.....	277	Sienitic.....	295	Silk.....	303	Sinuate.....	312	Skiff.....	394
Shutter.....	277	Sienna.....	295	Silkcotton.....	303	Situation.....	312	Skill.....	389
Shuttered.....	277	Siennese.....	295	Silkeu.....	304	Sinuose.....	312	Skilled.....	389
Shuttle.....	277	Sierra.....	295	Silkgrass.....	304	Sinuons.....	312	Skinniness.....	391
Shuttlebox.....	277	Siesta.....	295	Silkiness.....	304	Sip.....	312	Skimmy.....	391
Shuttlerace.....	231	Sieur.....	295	Silkman.....	304	Sipe.....	312	Skinch.....	389
Shy.....	281	Sieve.....	295	Silkness.....	304	Siphon.....	312	Skinflint.....	389
Shyly.....	280	Sift.....	295	Siltshag.....	304	Sipid.....	311	Skinful.....	389
Shyness.....	280	Sifter.....	295	Silkweed.....	304	Sipper.....	311	Skinl.....	389
Si.....	280	Sig.....	296	Silkwill.....	304	Sippex.....	311	Skinless.....	389
Sialogue.....	282	Sivautilian.....	296	Silkworm.....	304	Sippling.....	311	Skinner.....	389
Siamese.....	282	Sigel.....	300	Silky.....	304	Sir.....	313	Skip.....	391
Sib.....	282	Sigillative.....	300	Sill.....	305	Sire.....	313	Skipper.....	391
Siberian.....	282	Sigh.....	296	Sillily.....	305	Siren.....	313	Skippingly.....	390
Siberite.....	282	Sighborn.....	296	Sillock.....	305	Sirene.....	313	Skirf.....	390
Sibillance.....	282	Sigher.....	296	Sillon.....	305	Sirenical.....	313	Skirling.....	390
Sibilant.....	282	Sighfulness.....	300	Silly.....	305	Sirenize.....	313	Skirmish.....	390
Sibilate.....	283	Sighingly.....	296	Sillyhow.....	305	Sirlasis.....	314	Skirmisher.....	390
Sibilation.....	282	Sight.....	297	Silo.....	305	Sirltch.....	314	Skirret.....	390
Sibilatory.....	283	Sighted.....	297	Silt.....	285	Sirius.....	214	Skirt.....	390
Sibilous.....	283	Sightful.....	300	Silty.....	179	Sirname.....	315	Skirting.....	390
Sibul.....	283	Sightless.....	300	Silure.....	180	Sirrah.....	315	Skittish.....	390
Sibyllist.....	283	Sightlessly.....	300	Silurian.....	161	Sirupy.....	315	Skittishly.....	390
Sibylline.....	283	Sightly.....	300	Silverbush.....	270	Sisalgrass.....	316	Skittles.....	390
Sic.....	283	Sightseeing.....	300	Silverfur.....	270	Sisery.....	316	Skive.....	390
Sicamore.....	283	Sightseer.....	300	Silverless.....	190	Siskiu.....	316	Skver.....	390
Sicca.....	283	Sightshap.....	300	Silverly.....	190	Siskint.....	316	Skout.....	390
Siccate.....	283	Sightsman.....	300	Silvern.....	288	Siss.....	316	Sky.....	390
Sication.....	283	Sigla.....	300	Silvery.....	288	Sissoo.....	316	Skyblue.....	390
Sicative.....	283	Sigma.....	300	Sima.....	288	Sist.....	316	Skycolor.....	390
Siccety.....	283	Sigmoid.....	300	Simagre.....	288	Sister.....	317	Skyed.....	390
Siccifle.....	283	Sigmoidal.....	300	Simar.....	288	Sisterly.....	318	Skyey.....	390
Sice.....	283	Sigmoidally.....	300	Simare.....	288	Sistine.....	392	Skyhigh.....	390
Sich.....	285	Sigmolding.....	300	Simbat.....	291	Sistrun.....	318	Skylark.....	390
Siellan.....	285	Sign.....	300	Simla.....	291	Sit.....	392	Slavedriver.....	390
Sick.....	285	Signal.....	300	Simlar.....	404	Site.....	325	Slaveholder.....	390
Sickbed.....	285	Signalfire.....	300	Simle.....	291	Sited.....	325	Slaver.....	391
Sickberth.....	285	Signalst.....	300	Simiou.....	272	Stfast.....	325	Slaverer.....	391
Sickboy.....	285	Signalty.....	300	Simlous.....	207	Sith.....	325	Slaveringly.....	391
Sickbrained.....	285	Signalty.....	300	Simlar.....	272	Sitology.....	325	Slavery.....	391
Sicken.....	285	Signalment.....	300	Simmer.....	272	Sitta.....	325	Slaveship.....	391
Sicker.....	284	Signation.....	300	Simmel.....	272	Sitter.....	325	Slavetrade.....	391
Sickeringly.....	284	Signator.....	301	Simlogue.....	310	Sitting.....	325	Slavic.....	391
Sickerly.....	284	Signatory.....	300	Simonlac.....	272	Situate.....	327	Slavoule.....	391
Sickerness.....	284	Signature.....	201	Simonist.....	272	Situated.....	327	Slavish.....	391
Sickish.....	284	Signatulist.....	301	Simony.....	207	Situation.....	327	Slavishly.....	391
Sickishly.....	284	Signboard.....	301	Simoon.....	207	Situs.....	327	Slavishness.....	391
Sickishness.....	284	Signer.....	301	Simople.....	314	Sivan.....	327	Slavism.....	391
Sickle.....	284	Signet.....	301	Simper.....	207	Siver.....	327	Slavocracy.....	391
Sickled.....	284	Signeted.....	301	Simperer.....	207	Sixfold.....	327	Slavic.....	391
Sickleman.....	284	Signetring.....	301	Simple.....	212	Sixpence.....	327	Slaw.....	391
Sickler.....	284	Signifier.....	301	Simpleness.....	212	Sixpenny.....	327	Slay.....	391
Sickless.....	284	Significance.....	301	Simpler.....	212	Sixscore.....	327	Slayer.....	392
Sicklewort.....	284	Significance.....	301	Simplish.....	212	Sixshooter.....	327	Sleazy.....	392
Sickled.....	284	Significant.....	301	Simplest.....	212	Sixthly.....	327	Sleaziness.....	392

	PAGE.		PAGE.		PAGE.		PAGE.		PAGE.
Sled.....	332	Sledding.....	332	Sleek.....	332	Sleekly.....	332	Sleeky.....	332
Sledding.....	332	Sleek.....	332	Sleekly.....	332	Sleekness.....	332	Sleekstone.....	332
Sleek.....	332	Sleekly.....	332	Sleekness.....	332	Sleep.....	332	Sleeper.....	332
Sleekly.....	332	Sleeky.....	332	Sleep.....	332	Sleepful.....	332	Sleepily.....	332
Sleekness.....	332	Sleep.....	332	Sleepful.....	332	Sleepily.....	332	Sleepiness.....	332
Sleekstone.....	332	Sleeper.....	332	Sleepily.....	332	Sleepiness.....	332	Sleeping.....	332
Sleep.....	332	Sleepful.....	332	Sleepiness.....	332	Sleeping.....	332	Sleepless.....	332
Sleeper.....	332	Sleepily.....	332	Sleeping.....	332	Sleepless.....	332	Sleeplessly.....	332
Sleepful.....	332	Sleepiness.....	332	Sleeping.....	332	Sleeplessly.....	332	Sleepy.....	332
Sleepily.....	332	Sleeping.....	332	Sleepless.....	332	Sleepy.....	332	Sleet.....	333
Sleepiness.....	332	Sleepless.....	332	Sleepy.....	332	Sleet.....	333	Sleetch.....	332
Sleeping.....	332	Sleeplessly.....	332	Sleet.....	333	Sleetch.....	332	Sleetiness.....	332
Sleepless.....	332	Sleepy.....	332	Sleeth.....	332	Sleetiness.....	332	Sleety.....	332
Sleeplessly.....	332	Sleet.....	333	Sleight.....	332	Sleety.....	332	Sleevefit.....	332
Sleepy.....	332	Sleeth.....	332	Sleightful.....	334	Sleevefit.....	332	Sleevehand.....	332
Sleet.....	333	Sleight.....	332	Sleightful.....	334	Sleevehand.....	332	Sleeveless.....	332
Sleetch.....	332	Sleightful.....	334	Sleightly.....	334	Sleeveless.....	332	Sleid.....	332
Sleetiness.....	332	Sleightly.....	334	Slender.....	334	Sleid.....	332	Sleigh.....	332
Sleety.....	332	Slender.....	334	Slenderly.....	334	Sleigh.....	332	Sleight.....	332
Sleevefit.....	332	Slenderly.....	334	Slenderness.....	334	Sleight.....	332	Sleightful.....	334
Sleevehand.....	332	Slenderness.....	334	Slept.....	334	Sleightful.....	334	Sleightly.....	334
Sleeveless.....	332	Slept.....	334	Slenth.....	334	Sleightly.....	334	Sleightly.....	334
Sleid.....	332	Slenth.....	334	Sleuth.....	334	Sleightly.....	334	Sleightly.....	334
Sleigh.....	332	Sleuth.....	334	Sleuthhound.....	334	Sleightly.....	334	Sleightly.....	334
Sleight.....	332	Sleuthhound.....	334	Slew.....	334	Sleightly.....	334	Sleightly.....	334
Sleightful.....	334	Slew.....	334	Slewed.....	334	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slewed.....	334	Sley.....	334	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Sley.....	334	Slibber.....	334	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slibber.....	334	Slice.....	334	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slice.....	334	Slicer.....	334	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slicer.....	334	Slick.....	334	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slick.....	334	Slicking.....	384	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slicking.....	384	Slickness.....	334	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slickness.....	334	Sild.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Sild.....	333	Sidden.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Sidden.....	333	Sidder.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Sidder.....	333	Silde.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Silde.....	333	Sidgroat.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Sidgroat.....	333	Silder.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Silder.....	333	Silderest.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Silderest.....	333	Silvervalve.....	333	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Silvervalve.....	333	Slifted.....	439	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slifted.....	439	Slight.....	439	Sleightly.....	334	Sleightly.....	334
Sleightly.....	334	Slight.....	439	Slighten.....	439	S			

PAGE.		PAGE.		PAGE.		PAGE.		PAGE.		PAGE.	
Sloveness.....	335	Smart.....	337	Snacket.....	478	Snowdeep.....	340	Sodium.....	480	Solidist.....	466
Slopeside.....	335	Smarten.....	336	Snaffle.....	478	Snowding.....	340	Sodomite.....	480	Solify.....	466
Sloping.....	335	Smartle.....	336	Snag.....	478	Snowdrift.....	340	Sodomitical.....	480	Solltude.....	490
Slopingly.....	335	Smartly.....	336	Snagged.....	478	Snowdrop.....	341	Sofa.....	480	Sollar.....	490
Sloppiness.....	335	Smartness.....	336	Suaggy.....	478	Snowflake.....	341	Sofett.....	480	Solo.....	490
Sloppy.....	335	Smartweed.....	336	Snake.....	478	Snowfleck.....	341	Sofi.....	480	Solstice.....	490
Slopy.....	335	Smash.....	336	Snakeroot.....	478	Snowflood.....	341	Sofflet.....	480	Solstitial.....	490
Slot.....	335	Smasher.....	338	Snakeweed.....	478	Snowgoose.....	341	Sofism.....	480	Soltier.....	169
Slot.....	335	Smatch.....	338	Snakewood.....	478	Snowless.....	341	Soft.....	480	Solubility.....	490
Slot.....	335	Smatter.....	338	Snakish.....	478	Snowplow.....	341	Softener.....	480	Soluble.....	490
Slothfully.....	334	Smatterer.....	338	Snaky.....	478	Snowshoe.....	341	Softness.....	479	Solubleness.....	490
Slothfulness.....	334	Smattering.....	338	Snall.....	478	Snowstorm.....	341	Softish.....	480	Solus.....	490
Slothound.....	334	Smear.....	338	Snap.....	478	Snowwhite.....	342	Softling.....	480	Solute.....	490
Slotted.....	334	Smear dab.....	338	Snaplock.....	478	Snowy.....	342	Softly.....	480	Solution.....	490
Slottery.....	334	Smeary.....	338	Snapper.....	478	Snub.....	342	Softman.....	480	Solutive.....	490
Sloth.....	335	Smeath.....	338	Snappish.....	478	Snubnose.....	342	Softner.....	479	Solvability.....	490
Slothful.....	335	Smeectite.....	338	Snappishly.....	478	Snubpost.....	342	Softness.....	479	Solvable.....	490
Slouch.....	334	Smeir.....	475	Snappy.....	478	Snudge.....	342	Soggy.....	479	Solvableness.....	490
Slouching.....	334	Smell.....	475	Suare.....	478	Snuff.....	342	Sogly.....	479	Solve.....	490
Slough.....	334	Smeller.....	475	Suare.....	478	Snuffbox.....	342	Sol.....	479	Solvency.....	490
Sloughy.....	334	Smelling.....	475	Suarl.....	478	Soaking.....	482	Solless.....	479	Solvent.....	490
Sloven.....	442	Smelt.....	475	Snarler.....	478	Soaky.....	482	Sollure.....	479	Solver.....	490
Slovenliness.....	449	Smelt.....	475	Snary.....	478	Soal.....	482	Solly.....	479	Somative.....	490
Slovenly.....	449	Smelter.....	475	Snatch.....	478	Soal.....	482	Solree.....	479	Somatic.....	490
Slow.....	449	Smeltery.....	475	Snatcher.....	478	Soap.....	482	Solrize.....	479	Somatics.....	490
Slowback.....	449	Smerlin.....	475	Snatchingly.....	478	Soapsuds.....	482	Solrize.....	479	Somatist.....	490
Slowly.....	449	Smew.....	475	Snath.....	478	Soapwort.....	482	Solrize.....	479	Somatology.....	490
Slowness.....	449	Smicker.....	475	Snead.....	478	Soapy.....	482	Solrize.....	479	Somatotomy.....	490
Slub.....	449	Smicket.....	475	Sneak.....	481	Soar.....	482	Sol.....	479	Somber.....	490
Slubber.....	449	Smilacine.....	476	Sneaker.....	481	Sob.....	482	Solace.....	479	Somberly.....	490
Sludge.....	439	Smilax.....	476	Sneaking.....	481	Sober.....	482	Solacement.....	479	Somberness.....	490
Sludger.....	439	Smile.....	476	Sneakingness.....	481	Soberize.....	482	Solacious.....	479	Sombrero.....	490
Sludgy.....	439	Smileless.....	476	Sneap.....	481	Soberly.....	482	Solanacious.....	479	Sombrous.....	490
Slue.....	439	Smiles.....	476	Sneck.....	481	Soberness.....	482	Solander.....	479	Sonbrously.....	490
Sluggard.....	475	Smilingly.....	476	Sneckband.....	481	Soboles.....	482	Solanine.....	479	Somedial.....	490
Sluggardly.....	475	Smilingness.....	476	Sned.....	481	Soboliferous.....	482	Solano.....	479	Somewhat.....	490
Sluggish.....	475	Smirch.....	476	Sneer.....	481	Sobriety.....	482	Solarium.....	457	Sonuniel.....	490
Sluggishly.....	475	Smirk.....	476	Sneerer.....	481	Sobriquet.....	482	Solarization.....	457	Sonnambula.....	490
Sluggo.....	475	Smirky.....	476	Sneerful.....	481	Soc.....	482	Solarize.....	408	Sonnambulator.....	67
Slugs.....	475	Smite.....	476	Sneeringly.....	481	Socage.....	482	Solary.....	408	Sonnambulic.....	67
Sluice.....	475	Smiter.....	476	Sneeze.....	481	Socager.....	482	Soldanel.....	408	Sonnambulism.....	67
Sluicagate.....	475	Smith.....	476	Sneezeweed.....	481	Socafan.....	480	Soldier.....	408	Sonambulist.....	67
Sluicy.....	475	Smith.....	476	Sneezewood.....	481	Socafine.....	480	Soldiering.....	408	Sommer.....	31
Slum.....	475	Smithery.....	476	Sneezewort.....	481	Sociability.....	482	Soldierly.....	408	Sommal.....	31
Slumber.....	475	Smithing.....	476	Snell.....	481	Social.....	479	Soldiery.....	458	Somnatic.....	453
Slumberer.....	475	Smithsonian.....	476	Snep.....	481	Socialableness.....	482	Sole.....	458	Somnific.....	289
Slumbery.....	475	Smithy.....	476	Snick.....	481	Socially.....	482	Solecism.....	458	Somniferous.....	489
Slumberless.....	475	Smitt.....	476	Snickup.....	481	Social.....	482	Solecist.....	458	Song.....	380
Slump.....	475	Smitten.....	476	Sniff.....	481	Socialism.....	482	Solecistically.....	458	Songful.....	380
Slumpy.....	475	Smittle.....	476	Snift.....	481	Socialist.....	482	Solecize.....	458	Songish.....	380
Slung.....	475	Smock.....	477	Snig.....	481	Socialistic.....	482	Solely.....	459	Songless.....	380
Slungshot.....	475	Smockable.....	477	Snigger.....	481	Socialize.....	482	Solemn.....	459	Songster.....	380
Slunk.....	475	Smoke.....	477	Sniggle.....	481	Socially.....	482	Solemnness.....	401	Songstress.....	380
Slur.....	475	Smokearch.....	477	Snip.....	481	Socialness.....	479	Solemnity.....	459	Soniferous.....	434
Slurred.....	475	Smokeball.....	477	Snipe.....	481	Socialogic.....	479	Solemnly.....	401	Station.....	327
Slush.....	475	Smokebox.....	477	Snipebill.....	481	Sociology.....	479	Solemnize.....	459	Sy.....	285
Slushy.....	475	Smokejack.....	477	Snipefish.....	481	Society.....	479	Solemnizer.....	401	Syn.....	280
Slutch.....	475	Smokeless.....	477	Snipper.....	481	Societ.....	479	Solen.....	407		
Slutchy.....	475	Smoker.....	477	Snipsnap.....	481	Societian.....	479	Solenacean.....	407		
Sly.....	475	Smokesail.....	477	Snithy.....	482	Societianism.....	479	Solenceous.....	407		
Slyboots.....	337	Smolt.....	477	Snivel.....	482	Sock.....	479	Soleness.....	407		
Slyly.....	337	Smooth.....	477	Sniveler.....	482	Sockdoler.....	479	Solenite.....	407		
Slyness.....	337	Smooter.....	477	Snively.....	482	Sockless.....	479	Soleplate.....	424		
Smack.....	337	Smoozando.....	477	Snob.....	482	Socky.....	479	Solere.....	424		
Smacking.....	337	Smoothing.....	477	Snobbery.....	482	Socle.....	479	Solert.....	424		
Smaketre.....	477	Smoothly.....	477	Snobbish.....	482	Socman.....	479	Solship.....	424		
Snakily.....	477	Smoothness.....	477	Snobbishly.....	482	Socmanry.....	479	Solfa.....	100		
Snakiness.....	477	Smother.....	477	Snobbishness.....	482	Socome.....	480	Solfanara.....	100		
Snakny.....	477	Smothery.....	477	Snobbism.....	482	Socratically.....	480	Solfatara.....	100		
Snalder.....	477	Smouch.....	477	Snod.....	339	Socratism.....	480	Sollicitant.....	432		
Snaldry.....	477	Snu.....	478	Snood.....	339	Socratist.....	480	Sollicitation.....	466		
Snallage.....	337	Snuage.....	477	Snooze.....	339	Sod.....	480	Sollicitor.....	466		
Snallish.....	337	Snuage.....	477	Snooze.....	339	Soda.....	480	Sollicitous.....	466		
Snallpox.....	337	Snuage.....	477	Snooze.....	339	Sodalite.....	480	Sollicitously.....	466		
Snalls.....	337	Snuage.....	477	Snooze.....	339	Sodality.....	480	Sollicitress.....	466		
Snally.....	337	Snuage.....	477	Snooze.....	339	Sodawater.....	480	Sollicitude.....	466		
Snalt.....	337	Snuage.....	477	Snooze.....	339	Sodden.....	480	Solidarity.....	466		
Snaltine.....	337	Snuage.....	477	Snooze.....	339	Soddy.....	480	Solidate.....	466		
Snaragline.....	337	Snuage.....	477	Snooze.....	339	Soder.....	480	Solidism.....	466		
Snaragdite.....	337	Snuage.....	477	Snooze.....	339						

T

Thimble.....	102
Tiger.....	102
Tigress.....	102
Tippler.....	102

V

Vagrancy.....	289
Versatile.....	440
Vertebra.....	440
Vestment.....	440
Vigorous.....	100
Villager.....	100
Vineyard.....	61
Vividly.....	440
Volant.....	70
Volition.....	70
Volley.....	70

Index to Numbers.

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
1	431	213	155	430	446	607	289	821	14
1½	431	214	155	431	446	608	289	822	14
2	431	239	107	432	447	609	289	823	14
2½	431	240	107	433	447	610	289	824	14
6	65	241	21	434	447	611	289	825	14
6¼	330	242	21	435	447	612	289	826	14
8	432	245	21	436	447	613	288	827	9
9	432-434	246	21	437	447	614	288	828	9
012	441	247	22	438	447	615	288	829	9
13	441	248	22	439	447	616	288	830	9
013	441	249	22	440	447	617	288	831	9
013½	441	250	22	441	446	618	288	832	9
14	441	251	22	442	446	619	288	833	9
18	60	254	23	443	447	620	288	834	9
19	61	255	23	444	447	621	288	835	9
20	441	256	23	445	447	622	288	836	9
20½	441	257	23	446	447	623	288	837	9
22	79	258	23	447	448	624	288	838	9
23	79	259	23	448	448	625	288	839	14
24	79	260	23	449	448	626	177	841	12
25	79	261	23	450	448	627	177	842	12
26	79-433	262	24-102	451	448	628	177	843	12
27	79	263	24	452	448	629	177	844	12
33	10	274	351	453	448	630	177	845	10
33½	10	300	440	454	448	631	177	846	10
34	10	301	440	455	448	632	177	847	10
34½	10	302	440	456	448	633	177	848	10
35	10	303	440	457	448	634	177	849	83
35½	10	372	136	458	448	635	177	850	83
36	10	373	136	459	448	636	177	851	83
36½	10	374	136	460	448	637	177	852	83
37	441	375	136	461	448	638	177	853	415
37½	441	376	136	470	247	639	177	854	415
38	80	377	136	471	247	640	177	855	83
39	67	378	136	472	247	641	177	856	83
40	66	379	136	472½	247	642	177	857	351
50	433	380	136	473	247	643	177	859	83
54	62	381	136	473½	247	644	177	860	83
60	351	382	136	478	435	645	177	867	101
61	433	383	136	479	435	646	177	868	95
63	351	384	136	481	435	647	177	869	67
64	433	385	136	482	435	648	177	870	63
64½	433	386	446	483	435	649	177	871	63
66	351	387	446	484	435	650	177	872	63
70	66	388	446	485	435	651	177	873	289
74	62	389	446	487	435	652	177	878	77
80	65	390	447	488	435	653	177	879	77
81	66	391	447	489	435	654	177	880	77
82	66	392	447	490	435	655	177	881	77
106	378	393	447	491	435	690½	334	882	77
108	97	394	447	492	435	695½	334	883	77
109	97	395	447	493	435	700½	337	884	76
111	97	396	447	494	435	705½	333-335	885	76
112	97	397	447	496	436	706½	333-335	886	76
114	97	398	447	497	436	707½	334	887	76
115	97	399	447	498	436	710½	334-335-336	888	77
117	97	400	447	554	414	712½	332	889	77
120¼	329	401	446	555	414	713½	332	890	77
126	136	402	446	556	414	715½	337	891	71
128¼	329	403	446	557	414	716½	334	892	71
130	441	404	447	558	414	717½	334	893	71
130½	441	405	447	559	414	718½	337-338	894	71
134	11	406	447	560	414	719½	337-338	895	71
134½	11	407	447	561	414	720½	332	896	71
135	11	408	447	562	414	722½	332	897	71
135½	11	409	447	563	414	759	280	900	60
136	154	410	447	564	414	770½	335-336	901	60
137	154	411	447	565	414	802	9	902	60
138	154	412	447	566	414	803	9	903	60
139	154	413	447	590	448	804	9	904	14
141	154	414	447	591	448	805	9	905	14
142	154	415	446	592	448	806	9	906	14
143	154	416	446	593	448	807	9	907	14
144	154	417	446	594	448	808	9	908	14
145	154	418	447	595	448	809	9	909	14
153	355	419	447	596	448	810	9	910	14
154	355	420	447	597	351	811	9	911	14
156	355	421	447	598	448	812	9	912	14
157	355	422	447	599	351	813	9	913	14
170	64	423	447	600	289	814	14	914	14
205½	339	424	447	601	289	815	14	915	20
206½	339	425	447	602	289	816	14	916	20
207½	339	426	447	603	289	817	14	917	10
208½	339	427	447	604	289	818	14	918	10
209½	339	428	447	605	289	819	14	921	93
210½	339	429	446	606	289	820	14	922	96

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
923	101	1085	110	1235	468	1421	345	1575	348
924	101	1086	110	1236	468	1422	345	1576	348
925	101	1087	110	1237	468	1423	354	1577	348
926	63	1088	252	1238	468	1424	354	1578	348
929	94	1089	252	1239	468	1425	354	1579	348
930	62	1090	110	1239 $\frac{1}{2}$	246	1427	354	1580	348
931	62	1091	110	1241	468	1428	354	1581	348
932	63	1092	252	1242	468	1429	354	1582	348
933	62	1093	252	1243	468	1430	345	1583	355
934	160	1094	252	1244	468	1431	345	1584	355
935	158	1101	110	1245	468	1432	345	1585	355
936	10	1102	110	1246	468	1433	345	1586	355
937	10	1103	110	1247	468	1434	345	1587	355
938	76	1104	110	1248	468	1435	345	1588	355
939	76	1105	110	1249	468	1436	354	1589	355
940	76	1106	110	1250	468	1437	354	1590	355
941	76	1107	110	1251	468	1439	354	1591	355
942	77	1108	375	1252	468	1440	354	1592	355
943	77	1109	377	1253	468	1441	354	1593	355
944	77	1110	110	1254	468	1442	354	1594	355
945	78	1111	110	1255	468	1443	345	1595	355
946	61	1115	158	1273	351	1444	345	1596	355
947	25	1116	158	1275	351	1445	345	1597	355
948	93	1117	158	1276	351	1446	345	1598	355
950	64	1118	159	1277	351	1447	345	1600	488
958	185	1119	159	1278	351	1448	345	1601	488
960	185	1120	159	1279	351	1449	349	1602	488
999	10	1121	111	1280	351	1450	349	1603	488
1000	10	1122	111	1316	355	1451	349	1604	488
1001	109	1123	111	1317	355	1452	349	1605	488
1002	109	1124	111	1318	355	1453	349	1606	488
1003	109	1125	111	1319	355	1454	349	1607	488
1004	109	1126	111	1320	79	1455	349	1608	488
1005	109	1127	159	1321	151	1456	349	1609	488
1006	109	1128	246	1322	151	1457	349	1610	488
1007	109	1129	246	1323	67	1458	349	1611	488
1008	109	1130	246	1324	67	1459	349	1615	488
1009	109	1131	111	1325	79	1460	349	1617	488
1010	109	1132	111	1326	79	1461	349	1619	488
1011	109	1133	111	1327	79	1462	349	1621	488
1012	109	1134	111	1328	79	1463	349	1624	488
1013	109	1135	111	1329	79	1464	349	1625	488
1014	109	1136	111	1330	79	1465	349	1626	488
1015	109	1137	246	1333	151	1466	349	1627	488
1016	109	1138	246	1334	151	1467	349	1628	488
1017	109	1138 $\frac{1}{2}$	246	1335	151	1468	349	1629	488
1018	109	1139	246	1336	151	1469	349	1630	488
1019	109	1141	111	1337	104	1470	349	1631	488
1021	109	1142	111	1338	353	1471	349	1632	488
1022	109	1143	111	1339	253	1472	349	1633	488
1023	109	1144	111	1340	353	1473	349	1634	488
1024	109	1145	111	1342	353	1474	349	1635	488
1025	109	1146	111	1343	353	1475	349	1637	488
1026	109	1151	111	1344	353	1476	349	1639	488
1027	109	1152	111	1345	353	1477	350	1641	488
1028	109	1153	111	1346	353	1478	350	1643	488
1029	109	1154	111	1354	353	1479	350	1645	488
1030	109	1155	111	1355	353	1480	350	1648	488
1031	109	1156	111	1356	353	1481	350	1650	488
1032	109	1157	438	1358	353	1482	350	1651	488
1033	109	1159	438	1359	353	1483	350	1652	488
1034	109	1161	438	1360	353	1484	350	1653	488
1035	109	1164	393	1361	353	1485	350	1654	488
1036	109	1165	393	1369	354	1486	350	1655	488
1037	109	1166	393	1370	354	1487	350	1656	488
1038	109	1167	393	1371	354	1488	350	1657	488
1039	109	1168	393	1373	354	1489	350	1658	488
1041	110	1169	469	1374	354	1490	350	1659	488
1042	110	1170	469	1375	354	1491	350	1660	488
1043	110	1171	469	1376	354	1492	350	1661	488
1044	110	1172	469	1384	354	1493	350	1662	488
1045	110	1173	469	1385	354	1494	350	1663	488
1046	110	1174	469	1387	354	1495	350	1664	488
1047	110	1176	457	1388	354	1496	350	1665	488
1048	110	1177	167	1389	354	1497	350	1666	488
1049	110	1178	241	1390	354	1498	350	1667	488
1050	110	1179	241	1397	354	1499	350	1668	488
1051	110	1180	242	1398	354	1500	350	1669	488
1052	110	1183	242	1399	354	1501	350	1670	488
1053	110	1184	243	1401	354	1502	350	1671	488
1061	110	1185	250	1402	354	1503	350	1672	488
1062	110	1187	250	1403	354	1504	350	1673	488
1063	110	1188	250	1404	345	1505	350	1674	488
1064	110	1189	250	1405	345	1506	350	1675	488
1065	110	1190	250	1406	345	1507	351	1676	488
1066	110	1193	242	1407	345	1508	351	1677	488
1067	110	1194	242	1408	345	1509	351	1678	488
1068	110	1195	242	1409	345	1510	351	1679	488
1069	110	1196	242	1410	354	1511	351	1680	488
1070	110	1197	212	1411	354	1512	351	1681	488
1071	110	1198	242	1412	354	1513	351	1682	488
1072	110	1199	212	1414	354	1514	351	1683	488
1073	110	1229	468	1415	354	1515	351	1684	488
1080	251	1230	468	1416	354	1516	351	1685	488
1081	110	1231	468	1417	345	1517	351	1686	488
1082	110	1232	468	1418	345	1518	351	1687	488
1083	110	1233	468	1419	345	1573	318	1688	488
1084	110	1234	468	1420	345	1574	318	1689	488

CAT. No.	PAGE.	CAT No	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.
1690	485	1837	153	1944	251	2107	219	2222	25
1691	485	1838	153	1945	251	2108	249	2223	25
1692	485	1839	153	1946	251	2109	249	2229	13
1693	485	1840	153	1947	251	2110	245	2230	13
1694	485	1841	153	1948	94	2111	245	2255	267
1695	485	1842	153	1949	95	2112	249	2260	268
1696	485	1843	153	1950	473	2113	249	2261	268
1697	485	1844	153	1951	473	2114	249	2265	379
1698	485	1845	10	1952	473	2115	249	2281	240
1699	485	1846	10	1953	473	2116	245	2282	240
1700	483	1847	10	1954	473	2117	245	2283	240
1701	483	1848	10	1955	473	2118	249	2284	240
1702	483	1849	153	1956	473	2119	249	2285	240
1703	483	1850	153	1957	473	2120	245	2286	240
1704	483	1851	151	1958	473	2120½	246	2287	240
1705	483	1852	151	1959	473	2121	245	2288	240
1706	483	1853	151	1960	473	2121½	246	2289	240
1707	483	1854	151	1961	473	2122	245	2290	240
1708	483	1855	151	1962	473	2123	245	2291	240
1709	483	1857	437	1963	473	2124	246	2292	240
1710	483	1858	437	1964	473	2125	245	2293	240
1711	483	1867	101	1965	473	2126	245	2294	240
1712	483	1868	93	1966	473	2127	246	2295	257
1713	483	1869	469	1967	473	2130	246	2296	257
1714	483	1870	469	1968	473	2131	246	2297	257
1715	483	1871	469	1969	473	2132	246	2298	257
1716	483	1872	469	1970	473	2133	246	2299	257
1717	483	1873	469	1971	473	2134	246	2300	64
1718	483	1874	469	1972	473	2135	246	2301	64
1719	483	1875	469	1973	473	2136	246	2302	65
1720	483	1876	469	1974	473	2137	246	2303	65
1721	484	1877	469	1975	473	2138	246	2304	257
1722	484	1878	469	1976	473	2139	246	2305	257
1723	484	1879	469	1977	473	2140	246	2306	257
1724	484	1880	469	1978	473	2141	246	2307	257
1725	484	1881	469	1979	473	2142	246	2307½	257
1726	484	1882	469	1980	473	2143	246	2308	257
1727	484	1883	469	1981	473	2144	246	2309	258
1728	484	1884	469	1982	473	2145	246	2310	258
1729	484	1885	469	1983	473	2146	246	2311	258
1730	484	1886	469	1984	473	2147	246	2312	258
1731	484	1887	469	1985	473	2148	246	2313	258
1732	484	1888	469	1986	473	2149	246	2314	258
1733	484	1889	472	1987	473	2150	246	2315	258
1734	484	1890	472	1988	473	2152	248	2316	258
1735	484	1891	472	1989	473	2153	248	2317	258
1736	484	1892	472	1990	251	2155	248	2318	258
1737	484	1893	472	2000	251	2156	248	2319	258
1738	484	1894	472	2001	166	2158	248	2320	258
1739	484	1895	472	2002	167	2159	248	2321	258
1740	484	1896	472	2003	167	2160	247	2322	258
1741	484	1897	472	2050	273	2161	248	2323	258
1742	452	1898	472	2051	273	2162	248	2324	258
1743	452	1899	472	2058	239	2163	247	2325	258
1744	452	1900	472	2060	238	2164	248	2326	258
1745	452	1901	472	2061	238	2165	248	2327	258
1746	452	1902	472	2062	238	2166	247	2328	258
1747	452	1903	472	2063	238	2167	248	2329	258
1748	396	1904	472	2064	238	2168	248	2330	258
1749	396	1905	472	2065	238	2169	247	2331	258
1750	396	1906	472	2066	238	2170	248	2334	419
1751	396	1907	472	2067	238	2171	248	2335	419
1752	396	1908	472	2068	238	2172	247	2336	422
1753	396	1909	472	2069	238	2173	247	2337	423
1804	152	1910	472	2070	238	2174	248	2338	423
1805	152	1911	472	2071	238	2175	248	2339	423
1806	152	1912	472	2072	238	2176	247	2341	432
1807	152	1913	472	2073	238	2177	248	2344	437
1808	152	1914	472	2074	238	2178	248	2345	447
1809	152	1915	472	2075	238	2179	247	2346	438
1810	152	1916	472	2076	238	2180	248	2347	438
1811	152	1917	472	2077	238	2181	248	2348	417
1812	152	1918	472	2078	238	2182	247	2349	417
1813	153	1919	472	2079	238	2183	248	2350	417
1813½	483	1920	472	2080	238	2184	248	2351	418
1814	153	1921	93	2081	238	2185	247	2352	418
1815	153	1922	96	2082	238	2186	248	2353	395
1816	153	1923	426	2083	238	2187	248	2354	419
1817	153	1924	427	2084	238	2188	247	2355	222
1818	153	1925	427	2085	238	2189	247	2356	222
1819	153	1926	428	2086	238	2190	247	2357	222
1820	153	1927	428	2087	238	2191	247	2358	222
1821	153	1928	425	2088	238	2192	247	2359	222
1822	153	1929	425	2089	238	2193	247	2360	222
1823	153	1930	425	2090	238	2194	246	2361	222
1824	153	1931	472	2091	238	2197	246	2362	222
1825	153	1932	472	2092	238	2200	246	2363	222
1826	153	1933	472	2093	238	2203	246	2364	222
1827	153	1934	472	2094	238	2206	246	2365	222
1828	153	1935	472	2095	238	2213	12	2366	222
1829	153	1936	472	2097	489	2214	12	2367	222
1830	153	1937	472	2100	249	2215	12	2368	222
1831	153	1938	472	2101	249	2216	12	2369	223
1832	153	1939	472	2102	249	2217	12	2370	223
1833	153	1940	250	2103	249	2218	12	2371	281
1834	153	1941	250	2104	245	2219	21	2372	281
1835	153	1942	250	2105	245	2220	21	2373	281
1836	153	1942½	250	2106	249	2221	21	2374	281
		1943	250						

CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.
2375	281	2598	244	2735	223	2850	163	3034	467
2376	281	2599	244	2736	223	2851	163	3035	467
2377	281	2600	244	2737	224	2852	183	3036	467
2378	281	2601	244	2738	224	2853	434	3037	467
2379	281	2602	244	2739	224	2854	434	3038	467
2380	289	2603	244	2740	224	2855	434	3040	248
2381	289	2604	244	2741	224	2856	434	3041	248
2382	289	2605	244	2742	224	2857	434	3042	471
2383	289	2606	244	2743	226	2858	435	3043	248
2384	289	2607	244	2744	226	2859	435	3044	248
2385	289	2608	244	2745	226	2860	435	3045	241
2386	281	2609	241	2746	226	2861	435	3046	241
2388	406	2610	241	2747	226	2862	435	3047	243
2392	400	2611	241	2748	226	2863	435	3047½	245
2393	400	2612	241	2749	226	2864	435	3050	250
2394	61	2613	241	2750	226	02865	435	3051	250
2395	61	2614	254	2751	226	02866	435	3052	489
2396	436	2615	254	2752	226	2867	101	3053	489
2397	436	2616	254	2753	226	2868	94	3054	489
2398	436	2617	254	2754	226	2869	383	3055	489
2399	436	2618	254	2755	226	2870	383	3056	489
2400	436	2619	254	2756	226	2871	383	3057	489
2401	436	2620	254	2757	226	2872	383	3058	489
2402	436	2621	254	2758	226	2873	383	3059	489
2403	486	2622	254	2759	226	2874	383	3060	489
2404	436	2623	254	2760	227	2875	383	3061	489
2405	79	2624	254	2761	227	2876	383	3063	489
2406	79	2625	255	2762	227	2877	383	3065	489
2407	79	2626	255	2763	227	2878	383	3067	245
2408	79	2627	255	2764	227	2879	383	3067½	246
2409	80	2628	255	2765	227	2880	383	3068	245
2515	386	2629	257	2766	227	2881	383	3068½	246
2516	386	2630	257	2767	227	2882	883	3070	245
2517	386	2631	257	2768	227	2883	383	3071	245
2518	386	2636	255	2769	227	2884	383	3073	245
2520	387	2637	255	2770	227	2885	383	3074	245
2521	387	2638	255	2771	227	2886	168	3075	375
2523	382	2639	255	2772	227	2887	168	3076	245
2524	379	2640	255	2773	227	2888	168	3077	245
2525	379	2641	255	2774	227	2891	460	3078	375
2526	379	2642	255	2775	227	2913	396	3079	246
2527	400	2671	451	2776	227	2914	396	3080	246
2528	400	2672	451	2777	224	2915	436	3081	251
2538	377	2673	386	2778	224	2916	396	3082	252
2542	379	2674	386	2779B	223	2917	396	3083	252
2543	376	2675	386	2779	223	2918	396	3084	252
2544	376	2676	386	2780	223	2919	396	3085	252
2545	376	2678	251	2781	223	2920	396	3092	489
2546	376	2680	384	2782	237	2921	94	3093	489
2547	377	2681	384	2783	237	2923	437	3104	467
2548	377	2682	384	2784	237	2924	437	3105	467
2549	377	2683	384	2785	237	2925	437	3106	467
2550	406	2688	384	2786	237	2926	158	3107	467
2551	406	2689	384	2787	237	2927	103	3108	467
2552	406	2690	384	2792	225	2931	437	3109	467
2553	406	2690½	489	2793	225	2932	437	3110	467
2554	393	2691	384	2794	226	2933	437	3111	467
2555	393	2694	106	2795	450	2934	437	3112	467
2556	393	2695	489	2796	450	2935	437	3113	467
2557	393	2696	489	2797	225	2944	396	3114	467
2558	393	2697	489	2798	225	2945	396	3115	467
2559	393	2698	489	2799	237	2946	396	3116	467
2560	393	2700	207	2800	226	2947	396	3117	467
2561	393	2701	207	2801	226	3000	452	3118	467
2562	393	2702	207	2803	239	3000½	466	3119	467
2563	393	2703	207	2804	239	3001	466	3120	467
2564	393	2704	207	2806	239	3002	466	3122	467
2566	432	2705	207	2807	239	3003	466	3123	467
2567	432	2706	207	2808	239	3004	466	3124	467
2568	432	2707	207	2809	239	3005	466	3125	467
2569	432	2708	207	2820	365	3006	466	3126	467
2570	432	2709	207	2821	365	3007	466	3127	467
2571	432	2710	207	2822	365	3008	466	3128	467
2572	432	2711	207	2823	365	3009	466	3129	467
2573	432	2712	207	2824	365	3010	466	3130	467
2574	432	2713	207	2825	365	3011	496	3131	468
2575	426	2714	207	2826	365	3012	466	3132	468
2576	80	2715	207	2827	365	3013	466	3133	468
2577	80	2716	207	2828	365	3014	466	3134	468
2578	80	2717	207	2829	365	3015	466	3135	468
2579	80	2718	207	2830	365	3016	466	3136	468
2580	80	2719	207	2831	365	3017	466	3137	468
2581	80	2720	207	2832	365	3018	466	3138	468
2582	80	2721	207	2833	365	3019	466	3139	468
2583	80	2722	207	2834	365	3020	466	3140	468
2584	80	2723	207	2835	383	3021	466	3141	468
2585	80	2724	207	2836	383	3022	466	3142	468
2586	80	2725	207	2837	383	3023	466	3143	468
2587	80	2726	207	2838	383	3024	466	3144	468
2588	80	2727	207	2839	383	3025	466	3145	468
2589	80	2728	207	2840	383	3026	467	3146	468
2590	80	2729	89	2841	383	3027	467	3147	468
2591	80	2729½	208	2843	179	3028	467	3148	468
2592	80	2730	208	2845	10	3029	467	3149	468
2594	243	2731	208	2846	10	3030	467	3150	468
2595	243	2732	208	2847	10	3031	467	3158	470
2596	243	2733	223	2848	190	3032	467	3159	470
2597	244	2734	223	2849	190	3033	467	3160	470

CAT No.	PAGE.	CAT No	PAGE.	CAT. No	PAGE.	CAT No	PAGE.	CAT No.	PAGE.
3161	470	3373	240	3608	83	3819	444	3929	356
3162	470	3374	240	3609	83	3820	444	3930	356
3163	470	3375	240	3610	452	3821	444	3931	356
3164	470	3376	240	3618	106	3822	444	3948	93
3165	470	3377	240	3619	106	3823	444	3956	489
3166	470	3378	240	3622	374	3824	444	3957	489
3167	470	3379	240	3623	407	3825	444	3958	489
3168	470	3380	240	3630	103	3832	397	3959	489
3169	470	3381	240	3631	103	3833	397	3960	489
3170	470	3382	240	3632	103	3834	415	3961	499
3171	470	3383	240	3633	103	3835	415	3962	489
3172	470	3383½	89	3634	103-106	3836	444	3963	489
3173	470	3384	89	3635	103-106	3837	444	3964	489
3174	470	3394	451	3636	103	3838	415	3965	489
3175	470	3415	438	3637	103	3839	415	3966	489
3176	471	3416	438	3638	407	3840	415	3967	489
3177	471	3417	438	3639	407	3841	415	3968	489
3178	471	3418	438	3640	407	3842	415	3969	489
3179	471	3419	438	3641	407	3843	415	3971	353
3180	471	3420	438	3642	407	3844	416	3972	353
3181	471	3421	438	3643	407	3845	416	3973	353
3182	471	3446	270	3644	407	3846	416	3974	353
3183	471	3450	415	3645	407	3847	416	3975	353
3184	471	3451	415	3646	407	3848	416	3976	353
3185	471	3452	415	3647	407	3849	416	3977	353
3186	471	3453	415	3651	104	3850	416	3978	353
3187	471	3454	414	3663	382	3851	416	3979	353
3188	471	3455	414	3664	382	3852	416	3980	353
3189	471	3456	414	3665	382	3853	416	3981	344
3190	471	3457	104	3667	382	3854	416	3982	344
3191	471	3458	425	3668	382	3855	416	3983	344
3192	471	3460	425	3669	382	3856	416	3984	344
3193	471	3462	425	3673	272	3857	416	3985	344
3194	471	3464	426	3674	273	3858	416	3986	344
3195	471	3466	426	3677	243	3859	416	3987	344
3196	471	3468	427	3678	243	3860	416	3988	344
3197	106	3470	428	3679	256	3861	416	3997	223
3198	106	3472	444	3680	270	3862	416	3999	412
3201	89	3473	444	3681	270	3863	416	4504	87
3202	89	3474	444	3682	270	3864	416	4505	86
3203	89	3475	411	3683	256	3865	416	4974	201
3201	89	3476	411	3684	256	3866	416	4975	201
3205	401	3477	411	3685	257	3867	416	5559	104
3206	401	3478	411	3686	266	3868	402	6000	98
3207	401	3479	411	3687	266	3869	374	6001	98
3211	470	3480	411	3787½	375	3870	374	6538	262
3212	470	3481	411	3688	375	3872	418	6539	262
3213	470	3482	411	3688½	266	3879	483	6540	261
3214	470	3483	411	3689	266	3880	483	6541	261
3215	470	3484	411	3689½	374	3881	483	6542	261
3216	470	3485	411	3690	266	3882	483	6542½	261
3217	470	3486	411	3690½	374	3883	483	6543	261
3218	470	3487	411	3691	266	3884	483	6544	261
3219	470	3488	411	3692	266	3885	483	6555	262
3220	470	3489	288	3693	266	3886	483	6556	262
3221	470	3490	288	3693½	375	3887	483	6556½	262
3222	470	3491	288	3694	266	3888	483	6557	262
3223	470	3492	288	3694½	375	3889	483	6558	262
3224	470	3493	288	6695	266	3890	483	6558½	262
3225	470	3494	377	3695½	375	3891	483	6559	262
3226	470	3495	377	3695½½	266	3892	483	6560	262
3227	470	3496	387	3697	266	3893	483	6560½	262
3228	470	3497	387	3698	266	3894	483	6561	262
3229	471	3498	387	3700	270	3895	483	6562	262
3230	471	3499	387	3705	377	3896	483	6562½	262
3231	471	3500	387	3706	377	3897	483	6563	261
3232	471	3501	387	3719	419	3898	483	6565	261
3233	471	3507	406	3728	89	3899	483	6566	261
3234	471	3508	406	3730	89	3900	483	6567	261
3235	471	3509	406	3731	407	3901	483	6567½	261
3236	471	3510	406	3732	407	3902	484	6568	261
3237	471	3511	406	3733	407	3903	484	6569	261
3238	471	3512	406	3780	374	3904	484	6569½	261
3239	471	3513	401	3781	374	3905	484	6570	261
3240	471	3514	401	3782	374	3906	484	6570½	261
3241	471	3515	401	3783	374	3907	484	6571	261
3242	471	3516	401	3787	397	3908	484	6572	261
3243	471	3517	401	3788	397	3909	83	6572½	262
3244	471	3518	401	3789	384	3909½	484	6573	262
3245	471	3519	401	3790	384	3910	484	6574	262
3246	471	3520	401	3791	384	3911	484	6575	262
3247	471	3521	401	3792	384	3912	484	6576	262
3248	471	3527	397	3794	383	3913	484	6577	262
3249	411	3528	457	3795	383	3914	484	6577½	262
3250	411	3529	457	3796	383	3915	484	6580	431
3251	411	3530	457	3797	383	3916	484	6597	261
3252	411	3531	457	3798	383	3917	484	6699	267
3253	411	3532	457	3799	383	3918	484	6705	267
3254	411	3533	457	3800	383	3919	484	6710	321
3255	411	3534	457	3801	383	3920	484	6711	321
3256	411	3535	457	3802	383	3921	484	6712	321
3257	411	3536	457	3803	106	3922	484	6713	321
3338	401	3537	457	3804	106	3923	484	6714	321
3339	401	3538	457	3814	438	3924	484	6715	321
3340	401	3539	457	3815	438	3925	356	6716	321
3347	412	3556	104	3816	444	3926	356	6717	321
3348	412	3561	104	3817	444	3927	356	6718	323
3349	412	3604	414	3818	444	3928	356	6719	323

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
6720	323	6954½	261	8078	43	8176	45	8274	41
6721	323	6955	261	8079	43	8177	45	8275	41
6722	323	6964	261	8080	43	8178	45	8276	41
6723	323	6964½	261	8081	43	8179	45	8277	41
6724	323	6965	261	8082	43	8180	45	8278	41
6725	323	6965½	261	8083	43	8181	45	8279	41
6728	322	6966	261	8084	44	8182	45	8280	41
6729	322	6966½	262	8085	44	8183	45	8281	41
6730	322	6966¾	262	8086	44	8184	45	8282	41
6731	322	6967	261	8087	44	8185	45	8283	41
6732	322	6967½	262	8088	44	8186	45	8284	41
6734	261	6968	261	8089	44	8187	45	8285	41
6735	261	6968½	261	8090	44	8188	45	8286	41
6736	322	6968¾	266	8091	44	8189	45	8287	41
6737	322	6970	266	8092	44	8190	45	8288	41
6738	322	6970½	262	8093	44	8191	45	8289	41
6739	322	6971½	262	8094	44	8192	45	8290	41
6740	322	6973½	262	8095	44	8193	45	8291	41
6741	322	6974½	262	8096	44	8194	45	8292	41
6742	322	6975½	262	8097	44	8195	45	8293	41
6743	322	8000	41	8098	44	8196	45	8294	41
6744	322	8001	41	8099	44	8197	45	8295	41
6745	322	8002	41	8100	44	8198	45	8296	41
6746	322	8003	41	8101	44	8199	45	8297	41
6747	322	8004	41	8102	44	8200	45	8298	41
6748	322	8005	41	8103	44	8201	45	8299	41
6749	322	8006	41	8104	44	8202	45	8300	41
6750	322	8007	41	8105	44	8203	45	8301	41
6751	322	8008	41	8106	44	8204	45	8302	41
6752	322	8009	41	8107	44	8205	45	8303	41
6753	322	8010	42	8108	44	8206	45	8304	41
6754	322	8011	42	8109	44	8207	45	8305	41
6755	322	8012	42	8110	44	8208	18	8306	41
6756	322	8013	42	8111	44	8209	18	8307	41
6757	322	8014	42	8112	44	8210	18	8308	41
6761	487	8015	42	8113	44	8211	19	8309	46
6762	487	8016	42	8114	44	8212	19	8311	46
6763	487	8017	42	8115	44	8213	19	8312	46
6764	487	8018	42	8116	44	8214	19	8314	46
6765	487	8019	42	8117	44	8215	19	8316	46
6766	487	8020	42	8118	44	8216	19	8317	46
6768	487	8021	42	8119	44	8217	19	8318	46
6769	487	8022	42	8120	44	8218	19	8320	46
6770	487	8023	42	8121	44	8219	19	8321	46
6771	487	8024	42	8122	44	8220	19	8323	46
6772	487	8025	42	8123	44	8221	19	8324	46
6773	487	8026	42	8124	43	8222	19	8326	46
6774	487	8027	42	8125	43	8223	20	8327	46
6775	487	8028	42	8126	43	8224	20	8329	46
6776	487	8029	42	8127	43	8225	20	8330	46
6777	487	8030	42	8128	43	8226	20	8332	46
6778	487	8031	42	8129	43	8227	20	8333	46
6779	487	8032	42	8130	43	8228	20	8335	46
6780	487	8033	42	8131	43	8229	20	8336	46
6781	487	8034	42	8132	43	8230	20	8338	46
6782	487	8035	42	8133	43	8231	20	8339	46
6783	487	8036	42	8134	43	8232	20	8341	46
6786	288	8037	42	8135	43	8233	20	8342	46
6787	288	8038	42	8136	43	8234	20	8344	46
6788	288	8039	42	8137	43	8235	16	8345	47
6789	288	8040	42	8138	43	8236	16	8347	47
6790	288	8041	42	8139	43	8237	17	8348	47
6791	288	8042	42	8140	43	8238	17	8350	47
6793	437	8043	42	8141	43	8239	17	8351	47
6798	437	8044	42	8142	43	8240	17	8353	47
6799	437	8045	42	8143	43	8241	17	8354	47
6800	438	8046	42	8144	43	8242	17	8356	47
6807	381	8047	42	8145	43	8243	17	8357	47
6808	381	8048	42	8146	43	8244	17	8359	47
6809	381	8049	42	8147	43	8245	17	8360	47
6810	381	8050	42	8148	43	8246	17	8362	47
6812	381	8051	43	8149	43	8247	18	8363	47
6813	262	8052	43	8150	43	8248	18	8365	47
6813½	262	8053	43	8151	43	8249	18	8366	47
6814	262	8054	43	8152	43	8250	18	8368	47
6815	262	8055	43	8153	43	8251	46	8369	47
6815½	262	8056	43	8154	43	8252	46	8371	47
6816	262	8057	43	8155	43	8253	45	8372	47
6817	381	8058	43	8156	43	8254	45	8374	47
6818	381	8059	43	8157	44	8255	45	8375	47
6819	381	8060	43	8158	44	8256	45	8377	47
6820	381	8061	43	8159	44	8257	45	8378	47
6821	381	8062	42	8160	44	8258	45	8380	47
6822	381	8063	42	8161	44	8259	45	8381	47
6823	381	8064	42	8162	44	8260	45	8383	47
6824	381	8065	42	8163	44	8261	46	8384	47
6825	381	8066	42	8164	44	8262	46	8386	47
6833	322	8067	42	8165	44	8263	46	8387	47
6834	322	8068	42	8166	44	8264	46	8390	47
6835	322	8069	42	8167	44	8265	41	8391	47
6843	261	8070	42	8168	45	8266	41	8393	47
6848	262	8071	42	8169	45	8267	41	8394	48
6849	262	8072	42	8170	45	8268	41	8396	48
6850	261	8073	43	8171	45	8269	41	8397	48
6850½	262	8074	43	8172	45	8270	41	8399	48
6851	261	8075	43	8173	45	8271	41	8400	48
6854	261	8076	43	8174	45	8272	41	8402	48
		8077	43	8175	45	8273	41	8403	48

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
8405	48	8552	51	8708	165	8858	211	9129	205
8406	48	8553	51	8709	165	8859	211	9130	205
8408	48	8555	51	8710	165	8860	211	9131	205
8409	48	8556	51	8711	165	8861	211	9132	206
8411	48	8558	51	8712	208	8862	211	9133	206
8412	48	8559	51	8716	165	8863	211	9134	204
8414	48	8561	51	8717	165	8864	211	9135	204
8415	48	8562	52	8720	272	8865	211	9136	204
8417	48	8564	52	8723	106	8866	211	9137	204
8418	48	8565	52	8724	106	8867	211	9138	205
8420	48	8567	52	8725	175	8868	211	9140	203
8421	48	8568	52	8725½	239	8869	211	9141	203
8423	48	8570	52	8726	175	8870	211	9164	16
8421	48	8571	52	8726½	412	8871	211	9200	422
8426	48	8573	52	8727	412	8872	211	9266	432
8427	48	8574	52	8728	412	8873	211	9290	292
8429	48	8576	52	8729	412	8874	211	9293	291
8430	48	8577	52	8730	412	8875	211	9301	434
8432	48	8579	52	8731	224	8876	211	9308	422
8433	48	8580	52	8732	224	8877	211	9315	422
8435	48	8582	52	8734	224	8878	208	9319	86
8436	49	8583	52	8735	224	8881	412	9327	442
8438	49	8585	52	8736	224	8882	291	9328	291
8439	49	8586	52	8737	225	8883	291	9378	14
8441	49	8588	52	8739	225	8899	444	9379	14
8442	49	8589	52	8740	225	8900	444	9380	14
8444	49	8591	52	8741	225	8901	444	9381	14
8445	49	8592	52	8742	433	8902	444	9382	14
8447	49	8594	52	8746	407	8903	444	9383	14
8448	49	8595	52	8747	225	8904	444	9383½	292
8450	49	8597	52	8748	225	8905	444	9384	14
8451	49	8598	53	8749	487	8906	444	9386	291
8453	49	8599	53	8750	487	8907	431	9387	291
8454	49	8600	53	8751	487	8908	431	9388	291
8456	49	8601	53	8752	487	8909	431	9389	291
8457	49	8602	53	8753	487	8910	431	9391	291
8459	49	8603	53	8765	209	8913	201	9392	292
8460	49	8604	53	8766	209	8966	464	9393	292
8462	49	8605	53	8767	209	8967	464	9394	292
8463	49	8606	53	8768	210	8968	464	9395	292
8465	49	8607	53	8769	210	8969	464	9400	84
8466	49	8608	53	8770	208	8970	465	9400	247
8468	49	8609	53	8771	208	8971	465	9400¼	247
8469	49	8610	53	8772	208	8972	465	9402½	247
8471	49	8611	53	8773	209	8973	151	9403	247
8472	50	8612	53	8788	381	8974	151	9404	247
8474	50	8613	53	8789	381	8975	151	9405	247
8475	50	8624	400	8790	111	8976	151	9406	247
8477	50	8625	400	8791	111	8977	152	9407	247
8478	50	8626	400	8792	111	8978	152	9408	247
8480	50	8627	400	8793	111	8979	152	9410	247
8481	50	8632	385	8794	111	8980	152	9411	247
8483	50	8633	385	8795	111	8981	152	9412	247
8484	50	8634	385	8796	111	8982	152	9413	247
8486	50	8635	385	8797	111	8983	108	9414	247
8487	50	8636	462	8798	111	8984	108	9415	247
8489	50	8637	462	8799	111	8985	108	9416	247
8490	50	8638	462	8800	111	8986	108	9417	247
8492	50	8639	462	8801	441	8987	108	9418	247
8493	50	8640	458	8802	184	8988	108	9419	247
8495	50	8641	458	8803	184	8989	108	9419	247
8496	50	8642	460	8804	184	8989½	442	9468½	460
8498	50	8643	460	8805	185	8990	108	9530	292
8499	50	8646	460	8806	185	8992	461	9531	292
8501	50	8647	460	8807	185	8993	461	9532	292
8502	50	8648	460	8808	186	8994	461	9533	292
8504	50	8649	405	8809	186	8995	461	9537	293
8505	50	8650	406	8810	186	8996	461	9538	293
8507	50	8651	406	8811	186	8997	461	9539	293
8508	50	8652	405	8815	199	8998	442	9540	293
8510	50	8653	405	8816	199	9061	270	9542	293
8511	50	8654	405	8817	199	9063	270	9543	293
8513	50	8655	405	8818	199	9065	462	9544	293
8514	50	8656	405	8819	199	9066	462	9545	293
8516	50	8657	459	8820	199	9067	462	9547	293
8517	51	8658	459	8821	203	9068	463	9548	293
8519	51	8659	459	8822	203	9069	463	9549	293
8520	51	8660	459	8823	203	9070	463	9550	293
8522	51	8661	459	8824	204	9071	463	9552	294
8523	51	8662	459	8825	209	9072	463	9553	294
8525	51	8663	460	8826	210	9073	487	9554	294
8526	51	8677	107	8827	210	9074	487	9555	294
8528	51	8678	107	8828	210	9075	487	9557	294
8529	51	8679	107	8829	210	9076	487	9558	294
8531	51	8680	107	8830	95	9077	487	9559	294
8532	51	8681	107	8836	98	9078	487	9560	294
8534	51	8682	107	8837	98	9107	291	9562	294
8535	51	8683	107	8839	98	9118	201	9563	294
8537	51	8684	107	8840	98	9119	201	9561	294
8538	51	8689	280	8842	98	9120	203	9565	294
8540	51	8691	105	8843	98	9121	200	9568	292
8541	51	8692	105	8845	98	9122	202	9569	292
8543	51	8701	408	8846	98	9123	202	9570	292
8544	51	8703	181	8848	98	9124	202	9571	292
8546	51	8704	186	8849	98	9125	203	9634	292
8547	51	8705	161	8851	163	9126	204	9683	292
8549	51	8706	161	8852	163	9127	206	13210	409
8550	51	8707	161	8857	211	9128	206	13211	409

CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.
13212	409	14917	374	15163	394	15493	457	20015	12
13213	409	14918	374	15165	397	15800	491	20017	12
13214	409	14920	374	15166	397	15801	491	20018	12
13215	409	14921	374	15170	397	15802	491	20020	13
13216	409	14923	374	15175	397	15804	491	20021	13
13217	409	14925	375	15180	398	15805	491	20022	13
13218	409	14926	375	15181	398	15810	491	20023	13
13219	409	14927	375	15182	398	15811	491	20024	13
13220	409	14928	375	15183	398	15812	491	20025	13
13221	409	14929	375	15185	398	15813	491	20026	13
13222	409	14930	375	15186	398	15820	491	20027	13
13223	409	14931	375	15187	398	15821	491	20028	13
13224	409	14932	375	15190	398	15822	491	20029	13
13225	409	14933	375	15191	398	15823	491	20030	66
13226	409	14935	377	15192	398	15824	491	20040	33
13227	409	14936	377	15193	398	15825	491	20041	33
13235	409	14937	377	15195	398	15830	491	20042	33
13236	409	14938	377	15200	399	15831	491	20043	33
13237	409	14940	377	15201	399	15835	491	20044	33
13238	409	14941	377	15202	399	15836	491	20045	33
13239	409	14942	377	15205	399	15837	491	20046	33
13240	409	14945	378	15206	399	15838	491	20047	33
13241	409	14946	378	15207	399	15840	491	20048	33
13242	409	15005	373	15210	399	15841	491	20049	33
13243	409	15007	373	15211	399	15842	491	20050	34
13244	409	15010	373	15212	399	15843	491	20051	34
13245	409	15011	373	15213	399	15845	492	20052	34
13246	409	15012	373	15215	399	15846	492	20053	32
13247	409	15015	376	15216	399	15847	492	20054	32
13260	410	15018	378	15220	402	15848	492	20055	32
13261	410	15020	378	15222	402	15849	492	20056	32
13262	410	15021	378	15225	402	15850	492	20057	32
13263	410	15025	379	15230	402	15851	492	20058	32
13264	410	15026	379	15245	406	15852	492	20059	32
13265	410	15030	381	15300	420	15853	492	20060	32
13266	410	15031	381	15301	420	15860	492	20061	32
13267	410	15032	381	15302	420	15861	492	20062	32
13269	410	15033	381	15305	420	15862	492	20063	32
13270	410	15035	381	15308	421	15863	492	20064	32
13271	410	15040	382	15310	421	15864	492	20065	32
13272	410	15041	382	15312	421	15865	492	20066	26
13273	410	15042	382	15325	439	15866	492	20067	26
13274	410	15043	382	15416	449	15867	492	20068	26
13275	410	15045	382	15417	449	15368	492	20069	26
13276	410	15046	382	15418	449	15869	492	20070	26
13277	410	15047	382	15420	450	15870	492	20071	26
13278	410	15050	382	15421	450	15871	492	20072	26
13279	410	15052	382	15422	450	15872	492	20073	26
13280	410	15055	382	15423	450	15875	493	20074	27
13281	410	15056	382	15425	450	15876	493	20075	27
13285	410	15057	382	15426	450	15877	493	20076	27
13286	410	15058	382	15430	451	15878	493	20077	27
13287	410	15060	384	15431	451	15879	493	20078	27
13288	410	15062	384	15432	451	15880	493	20079	27
13289	410	15063	384	15433	451	15881	493	20080	27
13290	410	15065	385	15434	451	15882	493	20081	27
13291	410	15066	385	15435	451	15883	493	20082	27
13292	410	15067	385	15440	451	15884	493	20083	27
13293	410	15068	385	15441	451	15885	493	20084	27
13294	410	15070	386	15442	451	15886	493	20085	27
13295	410	15071	386	15443	451	15887	493	20086	27
13296	410	15075	387	15444	451	15890	493	20087	27
13297	410	15076	387	15446	451	15891	493	20089	27
13298	410	15077	387	15447	451	15892	493	20090	27
13299	410	15078	387	15455	451	15893	493	20091	27
13310	411	15080	387	15456	451	15894	493	20092	27
13311	411	15085	396	15457	451	15895	493	20093	27
13312	411	15086	396	15458	451	15896	493	20094	27
13313	411	15115	388	15459	451	15897	493	20095	27
13314	411	15116	388	15460	454	15898	493	20096	28
13315	411	15117	388	15461	454	15899	493	20097	28
13316	411	15118	388	15462	454	18757	449	20098	28
13317	411	15120	388	15463	454	18758	449	20099	28
13580	306	15121	388	15464	454	18759	449	20100	28
13581	306	15122	388	15465	454	18769	449	20101	28
13582	306	15123	388	15466	454	18761	449	20102	28
13583	306	15124	388	15467	454	18762	449	20103	28
13585	307	15125	388	15170	454	18763	449	20104	28
13586	307	15126	388	15471	454	18764	449	20105	28
13587	307	15127	388	15472	454	19760	489	20106	28
13588	307	15128	388	15473	454	19761	489	20107	28
13993	410	15130	388	15475	454	19762	489	20108	28
13994	410	15132	388	15476	454	19763	489	20109	28
13995	410	15110	391	15477	454	19764	489	20110	28
13996	410	15142	394	15478	454	20001	9	20111	28
14850	108	15145	394	15480	457	20002	9	20112	28
14851	108	15148	394	15481	457	20003	12	20113	28
14852	108	15150	394	15482	457	20004	12	20114	24
14853	108	15152	394	15483	457	20005	12	20115	24
14854	108	15153	394	15484	457	20006	12	20116	13
14855	108	15154	394	15485	457	20007	12	20117	13
14856	108	15155	394	15486	457	20008	12	20118	46
14910	373	15156	394	15487	457	20009	12	20119	46
14911	373	15157	394	15488	457	20010	12	20120	46
14912	373	15158	394	15489	457	20011	12	20121	46
14913	373	15159	394	15490	457	20012	12	20122	47
14915	373	15160	394	15491	457	20013	12	20123	47
14916	373	15162	394	15492	457	20014	12	20124	47

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
20125	47	20233	92	20333	36	20436	118	20541	121
20126	47	20234	92	20334	36	20437	118	20542	121
20127	47	20235	92	20335	36	20438	118	20543	121
20128	47	20236	92	20336	37	20439	118	20544	121
20129	47	20237	93	20337	37	20440	118	20545	121
20130	48	20238	93	20338	37	20441	118	20546	121
20131	48	20240	95	20339	37	20442	118	20547	121
20132	48	20241	95	20340	37	20443	118	20559	122
20133	48	20242	95	20341	37	20444	118	20560	122
20134	48	20243	97	20342	37	20445	118	20561	122
20135	48	20244	97	20343	37	20446	118	20562	122
20136	49	20245	97	20345	37	20447	118	20563	122
20137	49	20246	97	20346	37	20448	118	20564	122
20138	49	20247	97	20347	37	20449	118	20566	122
20139	49	20248	97	20348	37	20450	118	20567	122
20140	49	20249	97	20349	37	20451	118	20568	122
20141	49	20250	97	20350	37	20452	118	20569	122
20142	49	20251	97	20351	37	20453	118	20570	122
20143	49	20252	97	20352	112	20454	118	20571	122
20144	50	20253	97	20354	112	20455	118	20593	123
20145	50	20254	89	20355	112	20456	118	20594	123
20146	50	20255	89	20356	112	20457	119	20595	123
20147	50	20256	90	20357	112	20458	119	20596	123
20148	51	20257	90	20358	112	20459	119	20597	123
20149	51	20258	90	20359	112	20460	119	20598	123
20150	51	20259	90	20360	112	20461	119	20599	123
20151	51	20260	90	20361	112	20462	119	20600	123
20152	51	20261	90	20362	112	20463	119	20601	123
20153	51	20262	90	20363	112	20464	119	20602	123
20154	52	20263	90	20364	112	20465	119	20603	123
20155	52	20264	90	20365	112	20466	119	20604	123
20156	52	20265	90	20366	112	20467	119	20605	123
20157	52	20266	98	20367	112	20468	119	20606	123
20158	52	20267	98	20368	112	20469	119	20607	123
20159	52	20268	97	20369	112	20470	119	20608	123
20160	52	20269	91	20370	112	20471	119	20609	123
20161	52	20270	91	20372	112	20472	119	20610	123
20162	52	20271	91	20373	112	20473	119	20611	123
20163	52	20272	91	20374	112	20474	119	20612	123
20164	52	20273	91	20375	112	20475	119	20613	123
20165	52	20274	91	20376	112	20476	119	20614	123
20166	53	20275	91	20377	112	20477	119	20615	123
20167	53	20276	91	20379	112	20478	119	20616	123
20168	53	20277	91	20380	112	20479	119	20617	123
20169	53	20278	91	20381	112	20480	119	20618	123
20170	53	20279	91	20382	112	20481	119	20619	123
20171	53	20280	91	20383	112	20482	119	20620	123
20172	78	20281	91	20384	112	20483	119	20621	123
20173	78	20282	35	20385	112	20484	119	20622	123
20174	78	20283	35	20386	112	20485	119	20623	123
20175	78	20284	35	20388	112	20486	119	20624	123
20176	78	20285	35	20389	112	20487	119	20625	123
20177	78	20286	35	20390	112	20488	119	20626	123
20182	11	20287	35	20391	112	20489	119	20627	123
20183	11	20288	35	20392	112	20490	119	20628	123
20184	11	20289	35	20393	112	20491	119	20629	124
20185	11	20290	35	20394	112	20492	119	20630	124
20186	63	20291	35	20395	112	20493	120	20631	124
20187	63	20292	35	20396	113	20494	120	20632	124
20188	63	20293	35	20397	113	20495	120	20633	124
20189	68	20294	35	20398	113	20496	120	20634	124
20190	68	20295	35	20399	113	20497	120	20635	124
20191	68	20296	35	20400	113	20498	120	20636	124
20192	72	20297	35	20401	113	20499	120	20637	124
20193	72	20298	35	20402	113	20500	120	20638	124
20194	72	20299	35	20403	113	20501	120	20639	124
20195	72	20300	36	20404	114	20502	120	20640	124
20196	72	20301	36	20405	114	20503	120	20641	124
20197	72	20302	36	20405 ^{1/4}	114	20504	120	20642	124
20198	72	20303	36	20407	114	20505	120	20643	124
20199	53	20304	36	20408	114	20506	120	20644	124
20202	84	20305	36	20409	114	20507	120	20645	124
20203	84	20306	36	20410	114	20508	120	20646	124
20204	84	20307	36	20411	114	20509	120	20647	124
20205	84	20308	36	20412	114	20510	120	20648	124
20206	84	20309	36	20413	114	20511	120	20649	124
20207	84	20310	36	20414	114	20512	120	20650	124
20208	84	20311	36	20415	114	20513	120	20651	124
20209	84	20312	36	20416	118	20514	120	20652	124
20210	84	20313	36	20417	118	20515	120	20653	124
20211	84	20314	36	20418	118	20516	120	20654	124
20212	85	20315	36	20419	118	20517	120	20655	124
20213	85	20316	36	20420	118	20518	120	20656	124
20214	85	20317	36	20421	118	20519	120	20657	124
20215	85	20318	36	20422	118	20520	120	20658	124
20216	85	20319	36	20423	118	20521	120	20659	124
20217	85	20320	36	20424	118	20522	120	20660	124
20222	85	20321	36	20425	118	20523	120	20661	125
20223	85	20322	36	20426	118	20528	121	20662	125
20224	85	20323	36	20427	118	20529	121	20663	125
20225	85	20324	36	20428	118	20530	121	20664	125
20226	87	20325	36	20429	118	20531	121	20665	125
20227	87	20326	36	20430	118	20532	121	20666	125
20228	87	20327	36	20431	118	20533	121	20667	125
20229	92	20328	36	20432	118	20534	121	20668	125
20230	92	20329	36	20433	118	20535	121	20669	125
20231	92	20331	36	20434	118	20539	121	20670	125
20232	92	20332	36	20435	118	20540	121	20671	125

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
20672	125	20893	188	20992	169	21113	170	21237	173
20673	125	20894	188	20993	169	21114	170	21267	175
20674	125	20895	181	20994	169	21115	170	21269	140
20675	125	20896	181	21000	262	21116	170	21270	140
20676	125	20897	182	21601	262	21117	170	21271	140
20677	125	20898	182	21092	262	21118	170	21272	140
20678	125	20900	139	21003	262	21119	170	21273	140
20679	125	20901	139	21004	263	21120	170	21274	140
20680	125	20902	139	21005	263	21121	170	21275	140
20681	125	20903	139	21606	263	21122	170	21276	140
20682	125	20904	139	21007	263	21123	170	21277	140
20683	125	20905	139	21008	263	21124	170	21278	140
20684	125	20906	139	21009	263	21125	170	21279	140
20685	125	20907	139	21010	263	21126	170	21280	140
20686	125	20908	139	21011	263	21127	170	21281	140
20687	125	20909	139	21012	263	21128	170	21282	140
20688	125	20910	139	21013	263	21129	170	21283	140
20689	125	20911	139	21014	263	21130	170	21284	140
20690	125	20912	139	21015	263	21131	170	21286	140
20691	125	20913	139	21016	133	21132	170	21287	140
20692	126	20914	139	21017	133	21133	170	21288	140
20693	126	20915	139	21018	133	21134	170	21294	275
20694	126	20916	139	21019	133	21135	170	21350	157
20695	126	20917	139	21020	133	21136	170	21351	157
20696	126	20918	139	21021	133	21137	170	21352	157
20697	126	20919	139	21022	133	21138	170	21353	179
20698	126	20920	139	21024	133	21139	170	21354	179
20699	126	20921	139	21025	133	21140	170	21355	175
20700	126	20922	139	21026	133	21141	170	21358	180
20701	126	20923	139	21027	133	21142	170	21359	180
20702	126	20924	139	21028	133	21143	170	21360	179
20703	126	20925	139	21029	168	21144	170	21361	253
20704	126	20926	139	21030	168	21145	170	21362	253
20723	70	20927	139	21031	168	21146	170	21363	253
20724	70	20928	139	21032	168	21147	170	21364	253
20725	70	20929	139	21033	178	21148	170	21365	253
20726	70	20930	139	21034	178	21149	170	21366	253
20727	70	20931	139	21035	178	21150	171	21367	253
20728	70	20932	139	21036	178	21151	171	21368	253
20729	70	20933	139	21037	178	21152	171	21369	253
20760	105	20934	139	21038	178	21153	171	21370	259
20761	105	20935	139	21039	178	21154	171	21371	259
20762	105	20936	139	21040	178	21155	171	21372	259
20763	137	20937	139	21041	178	21156	171	21373	259
20764	137	20938	139	21042	178	21157	171	21374	259
20765	137	20939	139	21043	178	21158	171	21375	259
20766	137	20940	139	21044	178	21159	171	21376	260
20767	137	20941	139	21046	178	21160	171	21377	260
20768	138	20942	139	21047	178	21161	171	21378	260
20769	138	20943	139	21048	162	21162	171	21379	260
20770	138	20944	139	21049	162	21163	171	21380	260
20771	138	20945	139	21050	162	21164	171	21381	260
20772	236	20946	139	21051	163	21165	171	21382	260
20773	236	20947	139	21052	163	21166	171	21383	260
20774	236	20948	139	21053	162	21167	171	21384	260
20775	236	20949	139	21054	162	21168	197	21385	260
20776	182	20950	139	21055	176	21169	197	21386	260
20777	181	20951	139	21056	176	21170	197	21387	260
20778	183	20952	139	21057	176	21171	197	21389	260
20779	183	20953	139	21058	164	21198	173	21390	260
20856	93	20954	140	21059	164	21199	173	21391	260
20857	93	20955	140	21060	164	21200	173	21392	260
20858	199	20956	140	21061	164	21201	173	21393	260
20859	102	20957	140	21062	164	21202	173	21394	260
20860	102	20958	140	21079	160	21203	173	21395	260
20861	102	20959	140	21080	160	21204	173	21396	260
20862	100-192	20960	140	21081	160	21205	173	21397	264
20863	100	20961	140	21082	192	21206	173	21398	264
20864	100	20962	140	21083	192	21207	173	21399	264
20865	184	20963	140	21084	192	21208	173	21400	264
20866	184	20964	140	21085	191	21209	173	21401	264
20867	184	20965	140	21086	191	21210	173	21402	264
20868	184	20966	140	21087	191	21211	173	21403	264
20869	184	20967	140	21088	191	21212	173	21404	263
20870	184	20968	140	21089	191	21213	173	21405	263
20871	184	20969	169	21090	191	21214	173	21406	263
20872	184	20970	169	21091	169	21215	173	21407	263
20873	192	20971	169	21092	169	21216	173	21408	263
20874	192	20972	169	21093	169	21217	173	21409	263
20875	192	20973	169	21094	169	21218	173	21410	263
20876	192	20974	169	21095	169	21219	173	21411	263
20877	192	20975	169	21096	169	21220	173	21412	263
20878	192	20976	169	21097	169	21221	172	21413	263
20879	183	20977	169	21098	169	21222	173	21414	263
20880	183	20978	169	21099	169	21223	173	21415	263
20881	189	20979	169	21100	169	21224	173	21416	263
20882	189	20980	169	21101	169	21225	173	21417	263
20883	189	20981	169	21102	169	21226	173	21418	263
20884	186	20982	169	21103	169	21227	173	21419	263
20885	186	20983	169	21104	169	21228	173	21429	263
20886	185	20984	169	21105	169	21229	173	21421	263
20887	185	20985	169	21106	170	21230	173	21422	263
20888	185	20986	169	21107	170	21231	173	21423	263
20889	182	20987	169	21108	170	21232	173	21424	263
20889½	187	20988	169	21109	170	21233	173	21425	259
20890	187	20989	169	21110	170	21234	173	21426	259
20891	187	20990	169	21111	170	21235	173	21427	259
20892	188	20991	169	21112	170	21236	173	21428	259

CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.
21429	259	21526	343	21625	352	21732	213	21833	220
21430	327	21527	343	21626	352	21733	213	21834	220
21431	327	21528	343	21627	352	21734	213	21835	220
21432	327	21529	343	21628	352	21735	214	21836	220
21433	327	21530	343	21629	352	21736	214	21837	220
21434	327	21531	343	21630	352	21737	214	21838	220
21435	327	21532	343	21631	352	21738	214	21839	221
21436	327	21533	343	21632	352	21739	214	21840	221
21437	327	21534	343	21633	352	21740	214	21841	221
21438	327	21535	343	21635	352	21741	214	21843	221
21439	327	21537	343	21636	166	21742	214	21844	221
21440	327	21538	343	21645	264	21743	214	21845	221
21441	327	21539	343	21646	264	21744	214	21846	221
21442	327	21540	343	21647	264	21745	214	21847	221
21443	327	21541	344	21648	264	21746	214	21848	221
21444	328	21542	344	21649	264	21747	214	21849	221
21445	328	21543	344	21650	264	21748	214	21850	221
21446	328	21544	344	21651	264	21749	214	21851	221
21447	328	21545	344	21652	264	21750	214	21852	234
21448	328	21546	344	21653	264	21751	214	21853	234
21449	328	21547	344	21654	264	21752	214	21854	234
21450	328	21548	344	21655	264	21753	214	21855	234
21451	328	21549	344	21656	264	21754	214	21856	234
21452	328	21550	344	21657	264	21755	214	21857	234
21453	328	21551	344	21658	264	21756	215	21858	234
21454	323	21552	344	21659	264	21757	215	21859	234
21455	328	21553	344	21660	264	21758	215	21860	235
21456	328	21554	344	21661	264	21759	215	21861	235
21457	328	21555	344	21662	264	21760	215	21862	228
21458	328	21556	346	21663	264	21761	215	21863	228
21459	328	21557	346	21664	264	21762	215	21864	228
21460	328	21558	346	21665	264	21763	215	21865	228
21461	328	21559	346	21666	264	21764	215	21866	228
21462	323	21560	346	21667	264	21765	215	21867	228
21463	328	21561	346	21668	264	21766	215	21868	228
21464	328	21562	346	21669	264	21767	215	21869	228
21465	328	21563	346	21670	264	21768	215	21870	228
21466	328	21564	346	21671	264	21769	216	21871	228
21466 ^{1/2}	328	21565	346	21672	264	21770	216	21872	228
21467	328	21566	346	21673	264	21772	216	21873	228
21468	328	21567	346	21674	264	21773	216	21874	228
21469	328	21568	346	21675	264	21774	216	21875	228
21470	328	21569	346	21676	264	21775	216	21876	228
21471	328	21570	346	21677	264	21776	216	21877	228
21472	328	21571	346	21678	265	21777	216	21878	228
21473	328	21572	346	21679	265	21778	216	21879	228
21474	328	21573	346	21680	265	21779	216	21880	228
21475	323	21574	346	21681	265	21780	216	21881	228
21476	323	21575	347	21682	265	21781	216	21882	228
21477	323	21576	347	21683	265	21782	216	21883	233
21478	323	21577	347	21684	265	21783	218	21884	233
21479	323	21578	347	21685	265	21784	218	21885	233
21480	323	21579	347	21686	265	21785	218	21886	233
21481	323	21580	347	21687	265	21786	218	21887	233
21482	323	21581	347	21688	265	21788	218	21888	223
21483	323	21582	347	21689	265	21789	218	21889	233
21484	323	21583	342	21690	265	21790	218	21890	233
21485	323	21584	347	21691	265	21792	218	21891	233
21486	323	21585	347	21692	265	21793	218	21892	233
21487	323	21586	347	21693	265	21794	218	21893	233
21488	323	21587	347	21694	265	21795	218	21894	233
21489	324	21588	317	21695	265	21796	218	21895	274
21490	324	21589	347	21696	265	21797	219	21896	274
21491	324	21590	347	21697	265	21798	219	21897	274
21492	324	21591	347	21698	265	21799	219	21898	274
21493	324	21592	347	21699	265	21800	219	21899	274
21494	321	21593	347	21700	265	21801	219	21900	274
21495	324	21594	317	21701	265	21802	219	21901	274
21496	324	21595	347	21702	265	21803	219	21902	274
21497	324	21596	347	21703	265	21804	219	21903	274
21498	324	21597	347	21704	265	21805	219	21904	274
21499	324	21598	347	21705	265	21806	219	21905	274
21500	324	21599	347	21706	265	21807	219	21906	274
21501	324	21600	347	21707	265	21808	219	21907	274
21502	324	21601	347	21708	265	21809	219	21908	274
21503	324	21602	317	21709	265	21810	219	21909	274
21504	324	21603	348	21710	265	21811	219	21910	274
21505	324	21604	348	21711	265	21812	219	21911	274
21506	324	21605	348	21712	265	21813	219	21912	274
21507	324	21606	348	21713	265	21814	219	21913	274
21508	324	21607	348	21714	265	21815	219	21914	274
21509	324	21608	348	21715	265	21816	219	21915	274
21510	324	21609	348	21716	265	21817	219	21916	274
21511	324	21610	348	21717	265	21818	219	21917	274
21512	324	21611	348	21718	265	21819	217	21918	274
21513	324	21612	348	21719	265	21820	217	21919	274
21514	324	21613	348	21720	265	21821	217	21920	275
21515	343	21614	348	21721	265	21822	217	21921	275
21516	313	21615	348	21722	265	21823	217	21922	275
21517	343	21616	348	21723	265	21824	217	21923	275
21518	343	21617	348	21724	265	21825	217	21925	276
21519	343	21618	352	21725	265	21826	217	21926	276
21520	343	21619	352	21726	265	21827	217	21927	276
21521	343	21620	352	21727	265	21828	217	21928	276
21522	343	21621	352	21728	265	21829	220	21929	276
21523	343	21622	352	21729	213	21830	220	21930	276
21524	343	21623	352	21730	213	21831	220	21931	276
21525	343	21624	352	21731	213	21832	220	21932	276

CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.
21933	276	22033	287	23030	301	23131	404	24022	327
21934	276	22034	287	23031	301	23132	404	24023	327
21935	276	22035	287	23032	301	23133	404	24024	327
21936	279	22036	287	23033	301	23134	404	24025	327
21937	279	22037	287	23034	301	23135	290	24026	327
21938	279	22038	287	23035	301	23136	290	24027	326
21939	279	22039	287	23036	302	23137	290	24028	326
21940	279	22040	287	23037	302	23138	290	24029	326
21941	278	22041	287	23038	302	23139	290	24030	326
21942	278	22042	287	23039	302	23140	290	24031	326
21943	278	22043	287	23040	302	23141	290	24032	326
21944	278	22044	281	23041	302	23142	290	24033	326
21945	278	22045	281	23042	302	23143	290	24034	326
21946	278	22046	281	23043	302	23144	290	24035	326
21947	278	22047	281	23044	302	23145	290	24036	326
21948	278	22048	295	23045	302	23146	290	24037	326
21949	277	22049	295	23046	302	23147	290	24038	326
21950	277	22050	295	23047	303	23148	290	24039	326
21951	277	22051	295	23048	303	23149	290	24040	326
21952	277	22052	295	23049	303	23150	290	24041	326
21953	277	22053	295	23050	303	23151	290	24042	326
21954	277	22054	295	23051	303	23152	303	24043	326
21955	277	22055	295	23052	303	23153	303	24044	326
21958	281	22056	295	23053	303	23154	309	24045	326
21959	281	22057	295	23054	303	23155	309	24046	326
21960	280	22058	295	23055	303	23156	309	24047	326
21961	280	22059	295	23056	303	23157	309	24048	326
21962	280	22060	295	23057	303	23158	309	24049	326
21963	280	22061	295	23058	304	23159	310	24050	326
21964	282	22062	295	23059	304	23160	310	24051	326
21965	282	22063	295	23060	304	23161	314	24052	326
21966	282	22064	295	23061	304	23162	311	24053	326
21967	282	22065	295	23062	304	23163	311	24054	326
21968	282	22066	296	23063	304	23164	312	24055	326
21969	282	22067	296	23064	304	23165	312	24056	326
21970	282	22068	296	23065	304	23166	312	24057	343
21971	282	22069	296	23066	304	23167	312	24058	324
21972	283	22070	296	23067	304	23168	312	24059	324
21973	283	22071	296	23068	305	23169	312	24060	324
21974	283	22072	297	23069	305	23170	312	24061	324
21975	283	22073	297	23070	305	23171	311	24063	324
21976	283	22074	300	23071	305	23172	311	24064	389
21977	283	22075	300	23072	305	23173	311	24065	389
21978	283	22076	300	23073	305	23174	311	24075	389
21979	283	22077	300	23074	305	23175	313	24076	389
21980	283	22078	300	23075	235	23176	313	24077	389
21981	283	22079	300	23076	179	23177	313	24078	389
21982	283	22080	300	23077	180	23178	313	24079	389
21983	283	22081	300	23078	161	23179	313	24080	389
21984	283	22082	300	23079	220	23180	313	24081	391
21985	283	22083	300	23081	220	23181	314	24082	324
21986	283	22084	300	23084	270	23182	314	24082½	391
21987	285	22085	300	23085	270	23183	314	24083	391
21988	285	22086	300	23086	190	23185	315	24084	391
21989	285	22087	300	23087	130	23187	315	24085	390
21990	285	22088	300	23088	288	22188	315	24086	390
21991	285	22089	300	23089	238	23189	316	24087	390
21992	285	22090	300	23090	288	23190	316	24088	390
21993	285	22091	300	23091	288	23191	316	24089	390
21994	285	22092	300	23092	288	23192	316	24090	390
21995	285	22093	300	23093	288	23193	316	24091	390
21996	284	22094	300	23094	289	23194	316	24092	390
21997	284	22095	300	23095	291	23195	316	24093	390
21998	284	22096	300	23096	291	23196	316	24094	390
21999	284	22097	300	23097	291	23197	317	24095	390
22000	284	22098	300	23098	272	23199	318	24096	390
22001	284	22099	300	23099	272	23400	318	24097	390
22002	284	22552	231	23100	272	23563	454	24098	390
22003	284	23000	301	23101	272	23564	454	24099	390
22004	284	23001	301	23102	272	23565	454	24100	439
22005	284	23002	301	23103	272	23566	454	24101	439
22006	284	23003	301	23104	207	23567	454	24102	439
22007	284	23004	301	23105	207	23568	454	24103	439
22008	284	23005	301	23106	207	23569	454	24107	439
22009	284	23006	301	23107	207	23572	454	24108	440
22010	284	23007	301	23108	207	23573	454	24109	440
22011	284	23008	301	23109	212	23842	221	24110	440
22012	284	23009	301	23110	212	24001	392	24111	440
22013	285	23010	301	23111	212	24002	392	24113	440
22014	285	23011	301	23112	212	24003	325	24114	440
22015	285	23012	301	23113	212	24004	325	24115	440
22016	285	23013	301	23114	212	24005	325	24116	440
22017	286	23014	301	23115	212	24006	325	24117	440
22018	286	23015	301	23116	403	24007	325	24118	440
22019	286	23016	301	23117	403	24008	325	24120	440
22020	286	23017	301	23118	403	24009	325	24121	440
22021	286	23018	301	23119	404	24010	325	24122	440
22022	286	23019	301	23120	404	24011	327	24124	450
22023	286	23020	301	23121	404	24012	327	24125	442
22024	286	23021	301	23122	404	24013	327	24126	450
22025	286	23022	301	23123	404	24014	327	24127	450
22026	286	23023	301	23124	404	24015	327	24128	450
22027	286	23024	301	23125	404	24016	327	24129	449
22028	286	23025	301	23126	404	24017	327	24130	449
22029	286	23026	301	23127	404	24018	327	24131	449
22030	286	23027	301	23128	404	24019	327	24132	449
22031	287	23028	301	23129	404	24020	327	24133	449
22032	287	23029	301	23130	404	24021	327	24134	449

AMERICAN ELECTRIC COMPANY.

537

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
24135	419	24260	477	24358	482	24458	401	25108	118
24136	450	24261	477	24359	482	24459	401	25109	118
24137	449	24262	477	24360	482	24460	407	25110	118
24138	449	24263	477	24361	482	24461	407	25111	118
24139	449	24264	477	24362	482	24462	407	25112	118
24140	449	24265	477	24363	482	24463	407	25113	112
24141	449	24266	478	24364	482	24464	407	25114	112
24142	449	24267	478	24365	482	24465	424	25115	112
24143	449	24268	478	24366	482	24467	421	25116	112
24144	449	24269	478	24367	482	24468	424	25117	112
24146	439	24270	478	24368	482	24477	70	25118	112
24147	439	24271	478	24368½	479	24478	70	25119	112
24148	439	24272	478	24369	479	24479	70	25120	112
24149	439	24273	478	24370	479	24487	61	25121	120
24150	475	24274	478	24371	479	24488	100	25122	120
24151	475	24275	478	24372	479	24489	100	25123	120
24152	475	24276	478	24373	479	24490	100	25124	120
24153	475	24277	478	24374	479	24491	100	25125	120
24154	475	24278	478	24375	479	24492	100	25126	120
24155	475	24279	478	24376	479	25000	132	25127	120
24156	475	24280	478	24377	479	25001	466	25128	120
24157	475	24281	478	24378	479	25002	186	25129	120
24158	475	24282	478	24379	479	25003	466	25130	120
24159	475	24283	478	24380	179	25004	466	25131	120
24160	475	24284	478	24381	179	25005	466	25132	120
24161	475	24285	478	24382	479	25006	106	25133	120
24162	475	24286	478	24383	480	25007	166	25134	120
24163	475	24287	478	24384	480	25008	466	25135	120
24164	475	24288	478	24385	180	25009	466	25136	121
24165	475	24289	478	24386	480	25010	466	25137	121
24166	475	24290	478	24387	480	25011	466	25138	121
24167	475	24291	478	24388	480	25025	490	25139	121
24168	475	24292	478	24389	480	25026	490	25140	121
24169	475	24293	478	24390	480	25027	490	25141	121
24170	475	24294	478	24391	480	25028	490	25142	121
24171	475	24295	478	24392	480	25029	490	25143	121
24172	475	24296	478	24393	480	25030	490	25144	121
24173	475	24297	478	24394	480	25031	490	25145	121
24174	475	24298	481	24395	480	25032	490	25146	121
24175	475	24299	481	24396	480	25033	490	25147	121
24200	475	24300	481	24397	480	25034	490	25148	121
24201	175	24301	481	24398	480	25035	490	25149	121
24202	475	24302	481	24399	480	25036	490	25150	121
24203	475	24303	481	24400	430	25037	490	25151	121
24204	175	24304	481	24401	480	25038	490	25152	121
24205	475	24305	484	24402	480	25039	490	25153	121
24206	475	24306	481	24403	480	25040	490	25154	121
24207	475	24307	481	24404	480	25041	490	25155	121
24208	475	24308	481	24405	480	25042	490	25156	121
24209	475	24309	481	24406	480	25043	490	25157	121
24210	475	24310	481	24407	480	25044	490	25158	121
24212	476	24311	481	24408	480	25045	490	25159	121
24214	476	24312	481	24409	480	25046	490	25160	121
24215	476	24313	481	24410	480	25047	490	25161	121
24216	476	24314	481	24411	480	25048	490	25162	96
24217	476	24315	481	24412	480	25049	490	25163	96
24218	476	24316	481	24413	479	25050	490	25164	96
24219	476	24317	481	24414	479	25051	490	25165	96
24220	476	24318	481	24415	479	25052	490	25166	96
24221	476	24319	481	24416	479	25053	490	25167	96
24222	476	24320	481	24417	479	25054	490	25168	96
24223	476	24321	481	24418	479	25055	490	25169	96
24224	476	24322	481	24419	479	25056	490	25170	96
24225	476	24323	481	24420	479	25057	490	25171	96
24226	476	24324	481	24421	479	25058	490	25172	96
24227	476	24325	481	24422	479	25059	490	25173	96
24228	476	24326	481	24423	479	25060	130	25174	96
24229	476	24327	481	24424	479	25061	130	25175	96
24230	476	24328	481	24425	479	25062	130	25176	96
24231	476	24329	482	24426	479	25063	130	25177	96
24232	476	24330	482	24427	479	25064	130	25178	96
24233	477	24331	482	24428	479	25065	130	25179	96
24234	477	24332	482	24429	479	25066	130	25180	119
24235	477	24333	482	24430	479	25067	67	25181	119
24236	477	24334	482	24431	479	25068	67	25182	119
24237	477	24335	482	24432	479	25069	67	25183	119
24238	477	24336	482	24433	457	25070	67	25184	119
24239	477	24337	482	24434	457	25071	31	25185	119
24240	477	24338	482	24435	408	25072	31	25186	119
24241	477	24339	482	24436	408	25073	453	25187	119
24242	477	24340	482	24437	408	25074	453	25188	119
24243	477	24341	482	24438	408	25075	489	25189	119
24244	477	24342	482	24439	408	25076	269	25190	119
24245	477	24343	482	24440	408	25088	380	25191	119
24246	477	24344	482	24441	408	25089	380	25192	119
24247	477	24345	482	24442	424	25090	380	25193	119
24248	477	24346	482	24443½	458	25091	380	25194	119
24249	477	24347	482	24444	458	25092	380	25195	119
24250	477	24348	482	24445	458	25093	380	25196	119
24251	477	24349	482	24446	458	25094	434	25197	119
24252	477	24350	482	24447	458	25100	104	25198	119
24253	477	24351	482	24448	458	25101	104	25199	119
24254	477	24352	482	24449	458	25102	118	25200	119
24255	477	24353	482	24450	459	25103	118	25201	119
24256	477	24354	482	24451	459	25104	118	25202	119
24257	477	24355	482	24452	459	25105	118	25203	119
24258	477	24356	482	24453	459	25106	118	25204	122
24259	477	24357	482	24454	401	25107	118	25205	122

CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.	CAT. NO.	PAGE.
25206	122	25311	85	25409	69	25508	229	25607	490
25207	122	25312	138	25410	69	25509	229	25608	495
25208	122	25313	138	25411	69	25510	229	25609	495
25209	122	25314	138	25412	69	25511	229	25610	495
25210	122	25315	138	25413	69	25512	229	25611	495
25211	122	25316	138	25414	69	25513	229	25612	495
25212	122	25317	138	25415	69	25514	229	25613	495
25213	122	25318	138	25416	69	25515	229	25614	495
25214	122	25319	138	25417	69	25516	229	25615	495
25215	122	25320	138	25418	69	25517	229	25616	495
25216	122	25321	138	25419	69	25518	229	25617	495
25217	122	25322	138	25420	69	25520	229	25618	495
25218	122	25323	151	25421	69	25521	229	25619	495
25219	122	25324	151	25422	69	25522	229	25620	495
25220	122	25325	157	25423	69	25523	229	25621	495
25221	122	25326	163	25424	69	25524	229	25622	495
25222	122	25327	163	25425	69	25525	229	25623	495
25223	122	25328	32	25426	69	25526	229	25624	496
25224	122	25329	32	25427	69	25527	229	25625	496
25225	122	25330	32	25428	69	25528	229	25626	496
25226	122	25331	32	25429	429	25529	229	25627	496
25227	122	25332	32	25430	429	25530	229	25628	496
25228	122	25333	32	25431	429	25531	229	25629	496
25229	122	25334	32	25432	429	25532	230	25630	496
25230	122	25335	32	25433	429	25533	230	25631	496
25231	122	25336	32	25434	429	25534	230	25632	496
25232	122	25337	32	25435	429	25535	230	25633	496
25233	122	25338	32	25436	429	25536	230	25634	496
25234	122	25339	32	25437	429	25537	230	25635	496
25235	122	25340	32	25438	429	25538	230	25636	496
25236	122	25341	32	25439	429	25539	230	25637	496
25237	122	25342	32	25440	430	25540	230	25638	496
25238	122	25343	32	25441	430	25541	230	25639	496
25239	122	25344	32	25442	430	25542	230	25640	496
25240	122	25345	32	25443	430	25543	230	25641	496
25241	122	25346	32	25444	430	25544	230	25642	496
25242	122	25347	32	25445	430	25545	230	25643	496
25243	122	25348	32	25446	430	25546	230	25644	496
25244	122	25349	32	25447	430	25547	231	25645	496
25245	122	25350	32	25448	430	25548	231	25646	496
25246	122	25351	33	25449	430	25549	231	25647	497
25247	122	25352	33	25450	430	25550	231	25648	497
25248	122	25353	33	25451	430	25551	231	25649	497
25249	122	25354	33	25452	430	25552	231	25650	497
25250	122	25355	33	25453	430	25553	231	25651	497
25251	122	25356	33	25454	430	25554	231	25652	497
25252	126	25357	33	25455	99	25555	231	25653	497
25253	126	25358	33	25457	99	25556	231	25654	497
25254	126	25359	33	25458	99	25557	231	25655	497
25255	126	25360	33	25459	99	25558	231	25656	497
25256	126	25361	33	25460	99	25559	232	25657	497
25257	126	25362	33	25461	409	25560	232	25658	497
25258	126	25363	33	25462	99	25561	232	25659	497
25259	126	25364	33	25463	99	25562	232	25660	497
25260	126	25365	33	25464	99	25563	231	25661	497
25261	126	25366	33	25465	99	25564	231	25662	497
25262	126	25367	34	25466	99	25565	231	25663	497
25263	126	25368	34	25467	99	25566	231	25664	497
25264	126	25369	34	25468	78	25567	231	25665	497
25265	126	25370	34	25469	320	25568	231	25666	497
25266	126	25371	34	25470	320	25569	231	25667	497
25267	126	25372	34	25471	320	25570	231	25668	497
25268	126	25373	34	25472	320	25571	147	25669	497
25269	126	25374	34	25473	319	25572	239	25670	497
25270	126	25375	34	25474	319	25573	149	25671	497
25271	126	25376	34	25475	319	25574	149	25672	497
25272	126	25377	34	25476	319	25575	149	25673	497
25273	126	25378	34	25477	319	25576	149	25674	502
25274	126	25379	34	25478	319	25577	149	25675	502
25275	126	25380	34	25479	319	25578	149	25676	502
25276	126	25381	34	25480	319	25579	149	25677	502
25277	126	25382	34	25481	319	25580	150	25678	503
25278	126	25383	34	25482	319	25581	150	25679	503
25279	126	25384	34	25483	348	25582	150	25680	503
25280	126	25385	34	25484	225	25583	150	25681	503
25281	126	25386	34	25485	225	25584	150	25682	503
25282	126	25387	34	25486	225	25585	150	25683	503
25283	126	25388	34	25487	225	25586	150	25684	503
25284	126	25389	34	25488	379	25587	150	25685	503
25285	126	25390	34	25489	379	25588	318	25686	501
25286	126	25391	34	25490	289	25589	317	25687	501
25287	101	25392	34	25491	289	25590	317	25688	501
25288	101	25393	34	25492	289	25591	259	25689	501
25289	96	25394	34	25493	289	25592	259	25690	102
25290	96	25395	34	25494	289	25593	259	25691	102
25291	83	25396	34	25495	289	25594	378	25692	102
25292	83	25397	32	25496	289	25595	394	25693	102
25293	85	25398	32	25497	289	25596	401	25694	102
25294	85	25399	30	25498	229	25597	408	25695	102
25295	85	25400	30	25499	229	25598	380	25696	102
25296	85	25401	30	25500	229	25599	444	25697	102
25297	80	25402	100	25501	229	25600	444	25698	102
25298	85	25403	100	25502	229	25601	444	25699	102
25299	85	25404	100	25503	229	25602	444	25700	444
25300	85	25405	31	25504	229	25603	457	25701	444
25301	85	25406	31	25505	229	25604	457	25702	444
25302	85	25407	69	25506	229	25605	490	25703	75
25303	85	25408	69	25507	229	25606	490	25704	36

CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.
30341	37	32167	332	32480	335	61243	73	65189	151
30504	338	32172	332	32481	335	61245	73	65193	151
30505	338	32173	332	32486	337	61247	75	65197	151
30506	338	32174	332	32488	337	61265	74	65201	151
30507	338	32175	332	32490	337	61299	74	65205	151
30508	338	32178	332	32492	337	61365	74	65209	151
30616	310	32190	332	32494	337	61465	73	65213	151
30647	340	32192	332	32496	336	61487	73	65217	151
30648	340	32194	332	32497	336	61535	74	65221	151
30649	341	32196	332	32498	336	61565	73	65225	151
30650	341	32198	332	32499	336	61569	73	65229	151
30651	341	32240	331	32502	329	61587	74	65233	151
30681	342	32241	333	32500	330	61945	75	65237	151
30683	342	32242	331	32501	330	62135	76	65241	151
30911	337	32244	333	32502	330	62165	76	65245	151
30912	337-338	32245	333	32503	330	62199	76	66223	86
30913	337	32246	335	32508	331	62235	74	66225	86
30914	337	32247	333	32508	331	62569	75	66235	86
30915	337	32248	333	32540	339	62587	75	66237	86
30916	337	32249	333	32641	339	62835	73	66271	88
30917	337	32250	331	32642	339	62945	75	66273	88
30920	338	32251	333	32613	340	62965	75	66281	88
30981	340	32252	331	32644	340	63756	200	66285	88
30983	340	32253	333	32645	340	63757	200	66297	87
30984	340	32254	333	32690	331	63758	200	66299	87
30986	340	32255	333	32692	331	63759	200	66307	87
30987	340	32256	333	32694	331	63763	200	66327	76
30989	340	32257	333	32696	331	63764	200	66329	76
32002	329	32258	333	32698	331	63766	199	66331	76
32011	329	32259	332	32920	338	64109	200	66333	76
32046	333	32260	331	33132	332	64110	200	66335	76
32046 ¹ / ₂	335	32265	331	33133	332	64111	200	66337	76
32048	333	32266	331	33134	332	64112	200	66339	76
32072	334	32267	331	32136	332	64113	200	66341	76
32072 ¹ / ₂	335	32273	331	33138	332	65095	15	67361	148
32073	335	32274	331	33139	332	65096	15	67363	148
32074	334	32290	334	33140	332	65097	15	67365	148
32075	333	32300	334	33141	332	65098	16	67367	148
32075	335	32301	334	33142	332	65099	16	67369	148
32079	335	32302	334	33143	332	65100	15	67371	148
32090	330	32303	334	33144	332	65102	15	67419	15
32091	330	32304	334	33145	332	65103	16	67420	15
32092	330	62305	334	50965	199	65104	16	67421	15
32092	330	32306	334	50966	199	65120	15	67422	15
32093	330	32307	334	50967	199	65122	15	68020	75
32098	332	32308	334	50970	200	65161	148	69171	94
32132	333	32309	334	50971	200	65163	148	69323	85
32133	333	32401	334	50972	199	65165	148	69324	86
32134	333	32402	334	50973	199	65167	148	69364	85
32136	333	32403	334	50974	200	65169	148	69368	88
32137	333	32404	342	50978	88	65171	148	69369	88
32138	331	32405	342	50979	88	65173	148	69370	94
32139	334	32406	342	57568	15	65175	148	69373	86
32140	334	32407	342	60207	16	65177	148	69376	88
32141	334	32408	342	60666	87	65179	148	69377	88
32142	334	32409	342	61116	61	65181	148		
32165	332	32478	335	61119	61	65183	148		
32166	332	32479	335	61235	75				

Special Index to Numbers of W. E. Fan Motors.

CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.	CAT. No.	PAGE.
A 4	359	AAA 15	359	CC 70	364	F 22	363	G 45	366
A 5	359	AAA 16	360	CC 73	364	F 23	363	G 48	366
A 6	359	AAA 33	363	CCC 36	361	F 34	863	G 83	366
A 10	360	C 34	361	CCC 68	364	F 54	364	G 85	366
A 11	360	C 66	364	CCC 71	364	F 55	364	GG 41	366
A 12	360	C 69	364	CCC 74	364	F 56	364	GG 44	366
A 24	363	C 72	364	F 1	359	F 57	364	GG 46	366
A 25	363	C 75	364	F 2	359	F 58	364	GG 49	366
A 26	363	C 76	364	F 3	359	F 59	364	GG 84	366
A 27	363	C 77	364	F 7	360	F 60	364	GG 86	366
A 28	363	C 78	364	F 8	360	F 61	364	M 37	362
A 29	363	C 79	364	F 9	360	F 62	364	MM 38	362
A 30	363	C 80	364	F 17	363	F 63	364	MMM 39	362
A 31	363	C 81	364	F 18	363	F 64	364	T 50	367
AA 13	359	C 82	364	F 19	363	F 65	364	T 51	367
AA 14	360	CC 35	361	F 20	463	G 40	366	T 52	367
AA 32	363	CC 67	364	F 21	363	G 43	366	T 53	367

Index to Headings.

	PAGE.
Appendix.....	494 to 504
Arc Supplies, Miscellaneous	155 to 198
Conduit and Conduit Fittings.....	321 to 357
Construction Material.....	417 to 465
Cutouts	60 to 82
Electric Cooking and Heating Apparatus	308 to 320
Fixtures	274 to 294
Incandescent Supplies, Miscellaneous	103 to 154
Marine Supplies.....	199 to 206
Minature Incandescent Lamps.....	299 to 307

	PAGE.
Motors	358 to 372
Shades	207 to 239
Sockets and Receptacles.....	83 to 102
Station and Workmen's Supplies.....	407 to 416
Station, Testing and Measuring Instruments..	240 to 273
Sunbeam Incandescent Lamps.....	295 to 299
Switches	9 to 59
Tools.....	373 to 406
Western Electric Fan Motors.....	358 to 367
Wires, Cords and Cables.....	466 to 493

Index to Materials.

A	PAGE.
Accessories for Switches.....	24
Acme Portable Testing Set.....	270
Acme Shade Holder.....	106
Acorn Cap.....	290
Adapters with Plugs and Cords, Lamp.....	257
Adjustable House Brackets.....	462
Adjustable Lamp Hanger, Improved.....	179
Adjustable Malleable Iron Handles	395
Adjustable Portable and Bracket.....	280
Adjustable Rheostats.....	133
Adjustable Transformers.....	269
Adjusters, Cord.....	104, 105
Alcohol Blow Lamp.....	405
Alcohol Soldering Torch.....	402
AM China Junction Boxes and Motor Cut- outs, P. & S.....	372
All Steel Pliers, Vom Cleff's.....	383
Allen Soldering Stick.....	401
Almond Flexible Bracket.....	276
Alternating Current Ammeters.....	258 to 265
Alternating Current Amperemeters.....	259
Alternating Current Fan Motors.....	366, 367
Alternating Current Instruments.....	257 to 265
Alternating Current Power Motor.....	371
Alternating Current Voltmeters.....	257, 260
Alternating Current Wattmeters.....	263, 265
Alternating Power Motors, Single Phase.....	503
Aluminum Half Shape Shade.....	234
Aluminum Lined Reflectors.....	220
Always Level Suspension Street Hood.....	235
Cutter's.....	356
American Circular Loom Conduit	316
American Heaters.....	400
American Standard Wire Gauges.....	127, 128
American Universal Enamel Field Rheo- stats.....	396
Amidon's Patent Corner Bit Brace.....	258, 271, 496
Arc.....	155
Portable.....	271
Queen Wirt.....	271

	PAGE.
Ammeters, Railway	251 to 253
Standard.....	244
Station.....	245 to 247
Western Electric.....	240
Weston.....	244 to 247
Whitney.....	258
Amperemeters	259, 264, 265
Bristol Recording.....	259
Duncan Recording	264, 265
Shallenberger.....	261
Anchor Ceiling Rosette.....	68
Anchor Cutouts.....	68
Anchor Flush Plates.....	28
Anchor Sockets.....	91
Anchor Switchblock.....	27
Anchor Switches.....	26, 27
Angle and Corner Insulating Boxes for Iron Armored Conduit.....	339 to 341
Angle K. W. Shade Holder Receptacle.....	96
Annunciator Wire.....	491
Arc Ammeter.....	155
Arc Circuit Meters.....	263
Arc Cutout Boards.....	163
Arc Cutouts.....	158 to 160
Arc Fixture, Cutter Pole.....	189
Arc Hanging Boards, China.....	163
Arc Insulator, Cutter.....	182
Arc Lamp Carbons.....	169 to 174
Arc Lamp Cord, Galvanized.....	489
Arc Lamp Globes.....	177 to 179
Arc Lamp Hangers.....	163, 164, 181
Arc Lamp Hooks.....	164, 165
Arc Lamps.....	191 to 193
Arc Light Line Switches.....	162
Arc Light Transformers.....	501
Arc Switchboard.....	156
Arc Switchboard Fittings.....	157
Arc Supplies.....	155 to 198
Armalac.....	412
Arms, Cross.....	183, 454
Arms, Brace.....	183
Arms, Break.....	458, 460
Arms, Mast.....	189, 190

	PAGE.
Arresters, Lightning	136 to 138, 160, 179
Arresters, Spark.....	175
Arresters, Static.....	179
Asbestos.....	412
Atmospheric Heaters.....	317
Attachment, Kerosene Lamp.....	291
Attachment, Plug and Receptacle for Brass Armored Conduit.....	352
Attachment Plugs.....	98; 100 to 102, 200
Attachments for Kreuger Theater Lamps.....	192
Attachments, Gas.....	106, 107
Augurs, Vaughan's Patent.....	374
Automatic Boring Tools.....	395
Automatic Circuit Controlling Switch.....	161
Automatic Magnetic Circuit Breakers.....	55, 56, 58
Automatic Pressure Controller.....	130
Automatic Pulleys, Fletcher.....	185
Automatic Rheostats, Leonard Universal.....	120, 121
Automatic Switch, C. S., Flush.....	92
Automatic Switches, for Electric Motors.....	131, 132
Awning Insulator Tube.....	442
Axes.....	388

B

B. & T. White Porcelain Tubes.....	445
B. E. Bracket Cutouts.....	289
B. E. Rosettes.....	70
B. F. Theater Dimmers.....	133, 136
B. W. H. Tape.....	407
Baby Knife Switches.....	32 to 34
Backs, Bracket.....	289
Bag, Tool.....	399
Bags, Carbon.....	175
Bairdow-Fanning Rheostats.....	133 to 136
Ball, Cluster.....	288
Ball Cord Adjuster.....	104
Ball Shades.....	216, 219
Balls, Ceiling.....	282
"Banner Core" Hoisting Rope, Cutter's.....	450

	PAGE.		PAGE.		PAGE.
Bar or Peanut Cord Adjuster.....	104	Brush-Swan Attachment Plugs.....	100	China Floor Tubes.....	444
Bare Tinsel Cord.....	493	Brush-Swan Socket.....	100	China Hanging Boards.....	162, 163
Bars.....	374, 375, 389	Brushes, Carbon.....	140	China Insulating Joints, P. & S.....	111
Bases, Lamp.....	298, 299	Brushes, Dynamo.....	139 to 142	China Insulator for High Voltages.....	424
Battery Cells, Hard Rubber.....	410	Brushes, W. E. Non-sparking.....	141, 142	China Sockets, P. & S.....	97
Battery Fan Motors.....	365	Bryant Bug Cutouts.....	61	China Switches, P. & S.....	10, 11
Battery Lamps.....	300 to 305	Bryant Chandelier Switch.....	25	China Switch, Ratchet, Double Pole.....	10
Battle Lantern.....	201	Bryant-Cleveland Arc Cutouts.....	160	China Switches, Paiste.....	9
Bedroom Fixtures.....	285	Bryant Double Pole Switch.....	12	China Wall Socket Receptacles.....	97
Bell Break Arm, Fletcher's.....	400	Bryant-Edison Main and Branch Blocks.....	71, 72	China Wiring Tubes.....	441 to 443
Bell Hanger.....	180	Bryant High Tension Service Switch.....	53	Chisels.....	398
Bell Hanger and Cut-off Switch Combined.....	180	Bryant K. W. Receptacle.....	96	Circuit Breakers.....	55 to 59, 432
Bell Hanger's Gimlet.....	394	Bryant Sockets.....	83 to 85, 92, 93	Circuit Boards.....	69, 70, 79, 81, 82
Belt, Tool.....	399	Bryant Paiste Switch, Flush.....	20	Circular Loom Conduit.....	356
Bend Flame Lamps.....	301	Bryant Porcelain Tablet Board.....	70	Circuit Motors, Arc.....	263
Bergman Switch Connections.....	54	Bryant Receptacles.....	93, 96	Circuit Tester and Ground Detector, Weston.....	270
Bergman Switches.....	46 to 53	Bryant Rosette and Cleat Combined.....	66	Clamp Connections.....	152
Billiard Shades or Reflectors.....	225, 233	Bryant Single Pole Switch.....	19	Clamp Connectors.....	148
Bit Braces, Corner.....	396	Bryant Testing Base.....	96	Clamp, Perfection Desk or Music Rack.....	105
Blts.....	394, 395, 397	Bryant Waterproof Marine Switch.....	199	Clamps.....	148, 377, 378, 385, 386, 390, 399, 457
Block, I. T. E. Shunt, with Protected Fuse.....	56	Buckles, Turn.....	449, 450	Clark Wire.....	475, 476
Blocks, Pulley.....	381	Buffalo Grip.....	378	Clay Tubes, Vitrified.....	445
Blow Lamp, Alcohol.....	405	Bug Cutouts.....	60, 61	Cleats.....	69, 438 to 440
Blow Torches.....	403 to 406	Building Switch, Western Electric.....	158	Cleats or Rosettes, Ceiling Cutout.....	63 to 68, 70
Blowers and Exhausters, Direct Connected Electric.....	369	Bulb Shades.....	216 to 218	Cleveland Arc Cutouts.....	158
Board, Richmond Panel.....	495	Bung Hole Lamps.....	297	Clifton Tape.....	407
Boards, Circuit.....	69, 70, 79, 81, 82	Bus Bar Clamps.....	148	Climax Wire.....	482
Boards, Distributing Cutout.....	81, 82	Bus Bar Connections.....	153	Climbers.....	386, 390
Boards, Hanging.....	162 to 164	Bus Bar Stands.....	153	Clips, Crosby.....	457
Boards, Multiple Cutout.....	69, 70, 79, 81, 82	Bushings, Brass.....	290	Clips for Brass Armored Conduit.....	348
Boiler, Farina.....	309	Bushings for Floors.....	442, 444	Clock Switch, Electric.....	161
Bolt and Lock, Tile.....	453	Bushings, Porcelain.....	444	Clock, Switchboard.....	147
Bolt, Cutter Insulated Suspension.....	450	Bushings, Socket.....	103, 106	Closet and Door Switches.....	31
Bolts.....	455	Butt Reamer for Iron Armored Conduit.....	343	Cloth, Crocus.....	412
Bolts, Switchboard.....	154	Buttons, Ceiling.....	64, 66, 67	Cluster Balls.....	288
Books for Meter Reading.....	267			Cluster Fixture Complete.....	289
Boring Tools.....	395			Cluster Reflectors, Frink's.....	230, 231
Bottom Wire Sockets.....	92			Cluster Shades.....	228
Boulevard Lamp Post.....	198	C. S. Flush Double Push Switches.....	21 to 23	Coc Wrenches.....	387
Boulevard Street Hood, Cutter.....	236	C. S. Flush Switch Accessories.....	24	Coiled Filament Lamp.....	295, 296
Bowl Shades, Silver Etched.....	220	Cable Glass Insulator.....	422	Coil Heater, Immersion.....	311
Bowling Alley Shades.....	225	Cables.....	476, 478 to 480, 489, 491	Cold Chisel.....	398
Box Cluster.....	288	Calipers, Micrometer.....	400	Colored Lamps.....	305
Boxes for Iron Armored Conduit.....	329 to 342	Candelabra Lamp Receptacles.....	306	Colored Shades.....	211
Boxes for Plain and Brass Armored Conduit.....	349 to 351	Candle Flame Lamps.....	301	Columbian Hood.....	287
Boxes, High Potential Fuse Cutout.....	502	Candle Lamps.....	301	Columbian Lamp Post.....	197
Boxes, Marine Junction.....	199	Candle or Bung Hole Lamps.....	297	Column Fan Motors.....	362
Boxes, Wall.....	24, 102	Canopies.....	291 to 294	Combination Bracket.....	460
Brace Arm, Cutter.....	183	Cans, Oil.....	414 to 416	Combination Bridge, Rheostat and Galvanometer.....	269
Braces.....	396	Can Hooks.....	373, 389	Combination Cluster Reflector, Frink's.....	230
Braces, Cross Arm.....	454	Caoutchouc Wire, Simplex.....	481, 482	Combination Conduit.....	339
Bracket, Almond Flexible.....	276	Cap, Acorn.....	290	Combination Coupling.....	339
Bracket and Portable, Adjustable.....	280	Caps for Iron Armored Conduit.....	324, 328	Combination Cross Arm, Cutter's.....	183
Bracket and Portable Combined.....	281	Car Circuit Breakers.....	317	Combination Fixture Cutout and Outlet Insulator.....	433
Bracket Backs.....	289	Car Heaters, Electric.....	58	Combination Gas and Electric Branch Circuit Box and Cutout for Iron Armored Conduit.....	336 to 338
Bracket Cutout, K. W.....	289	Carbon Bags.....	175	Combination Gas and Electric Side Outlet Boxes for Iron Armored Conduit.....	342
Bracket Cutouts.....	289	Carbon Brushes.....	140	Combination Handles.....	397
Brackets, Electric.....	275 to 279	Carbons.....	169 to 174	Combination Hot Blast Blow Torch.....	403
Bracket, Fan Motors.....	360	Cardboard Shades.....	224, 225	Combination Hot Blast Furnace.....	402
Bracket, Fletcher Insulating.....	437	Cargo Lantern with Guard.....	204	Combination Lag Screw and Nut Wrench.....	387
Bracket Receptacles, Chapman.....	102	Carpenter Enamel Rheostats.....	118 to 126	Combination Pay-out Reel.....	376, 391
Bracket Sockets.....	83, 96	Cartwright Paper Waterproof Lamp Shade.....	224	Combination Reamer.....	355
Bracket Tubes.....	274	Carrying Cases, Wooden.....	258	Combination Rosettes and Cutouts.....	63, 65, 66, 68, 70
Brackets, 154, 274 to 279, 437, 450 to 452, 458 to 465.....	450	Carrying Hooks.....	373, 389	Combination Shade and Holder, Marten.....	226
Brackets, Incandescent Street.....	450	Cases for Instruments, Leather.....	345, 358	Combination Shade, Cutter.....	235
Brady Mast Arms.....	190	Cast Iron Plugs for Iron Armored Conduit.....	324, 328	Combination Soldering Torch, Victor.....	402
Braided Office Wire.....	491	Cast Iron Pockets for Anchor Switches.....	27	Combination Windlass, Cutter.....	184
Branch Blocks.....	69 to 79	Cedar Poles, Round.....	456	Combined Exhaust Fans and Lundell Motors.....	368, 369
Branch Circuit Junction Boxes for Iron Armored Conduit.....	332 to 334	Ceiling Brackets, Malleable Iron.....	458	Combined Instruments and Shunts.....	245
Branch Circuit Junction Boxes for Plain and Brass Armored Conduit.....	349 to 352	Ceiling Buttons.....	64, 66, 67	Combined Parallel and Cutting Pliers, Bernard's.....	384
Branch Cutouts.....	69, 71 to 79	Ceiling Clusters.....	283, 284	Combined Portable and Bracket.....	281
Brass and Plain Covered Conduit, Branch Circuit Junction Boxes.....	349 to 352	Ceiling Combination Gas and Electric Outlets.....	336 to 338	"Come-along" Eccentric.....	377
Brass Armored Conduit.....	339, 344 to 348, 352	Ceiling Fan Motors.....	361, 367	Common Reel.....	391
Brass Armored Conduit Couplings.....	348	Ceiling Fixtures, Marine.....	203, 204	Commutation Switch, C. S.....	22
Brass Armored Conduit Elbows.....	345 to 347	Ceiling Fixtures, Ornamental.....	282	Commutator Compound.....	408
Brass Brackets with Husks.....	277	Ceiling Globes and Balls.....	282	Competition Tape.....	407
Brass Bushings.....	290	Ceiling Hook, Cutter.....	181	Composition Bushings.....	103, 106
Brass Covered T's.....	345	Ceiling Outlet Boxes for Iron Armored Conduit.....	338	Compound, Chatterton's.....	407
Brass Engineers' Filler.....	415	Ceiling Rosettes, or Cutouts.....	63 to 68, 70	Compound, Commutator.....	408
Brass Fittings.....	290	Cells, Hard Rubber Battery.....	410	Compound Eccentric, Klein's.....	379
Brass Lineman's Torch.....	406	Celluloid Shades.....	225	Compound, Splicing.....	407
Brass Oil Cans.....	415, 416	Century Tape.....	407	Comstock Pipe Cutters.....	343
Brass Wire Cleats.....	440	Chafing Dish, Electric.....	308	Concealed Ceiling Rosettes and Cutouts.....	63, 64, 66, to 68, 70
Braziers, Hot Blast Blow Torch.....	403	Champion Screw Drivers.....	393	Concentric Lamp.....	195
Break Arms.....	458, 460	Chandelier Cutout, Anchor Covered.....	68	Condenser Lamps.....	305
Break Knobs, Glass.....	423, 424	Chandelier, Frink's Suspended Reflecting.....	231	Conducting Cords, Copper.....	433
Brewers Lamp Guard.....	201	Chandelier Loops, Iron.....	107	Conduit and Conduit Fittings.....	321 to 357
Brick Drills.....	398	Chandelier Switch, Bryant.....	25	Cone Lamps.....	302, 303
Bridge and Rheostat.....	267, 268	Chapin's Hood.....	237	Cone Shades.....	224 to 229
Bridge, Wheatstone.....	269	Chapman Receptacles.....	102	Cone Tin Shades.....	227
Bristol Recording Instruments.....	259, 260	Chareol Soldering Furnace.....	402	Connections, Bus Bar.....	153
Broiler, Electric.....	318	Charts, Meter Rate.....	267	Connections, Clamp.....	152
Brown Duplex Brackets.....	452	Chatterton's Compound.....	407		
Brown Duplex Pins.....	451	Chicago Fuse Repair Kit.....	380		
Brunt's Regulating Socket.....	99	China Cleats.....	438, 439		
Brush Copper.....	143	China Cross-over Tubing.....	441		

	PAGE.
Electric Heating and Cooking Apparatus, 303, 320	
Electric Heating Pad	310
Electric Hot Blast Blow Torch	404
Electric Light Elevator Cable	476, 489
Electric Pendants	285
Electric Portable, Ornamental	281
Electric Railway Search Lights	196
Electric Smoothing Irons	313, 319
Electric Soldering Iron	320
Electric Spud	380
Electric Stew Pan	309
Electric Street Railway Lamps	296
Electric Wall Brackets	276, 277
Electricians' Drill Bit, Syracuse	385
Electricians' Hammer	388
Electricians' Scissors	384
Electroliter Cutout	61
Electroliter Socket	86
Electroliters	205, 206, 286, 287
Elevator Electric Light Cable	476, 489
Elevator Switches	46
Ellipse Lamps	301
Enamel Field Rheostats, American Universal	127 to 129
Enamelac	412
Enclosed Arc Lamps, Western Electric Long Burning	193
Engineers' Fillers	415
Engraved Lamps	297
English Standard Wire Gauge	400
Etched Electric Globes, Glass	208 to 211
Etched Lamps	297
Etched Shades	208 to 216, 218 to 220
Eureka Post Hole Diggers	374
Exhaust Fans and Lundell Motors, Combined	368, 369
Exhausters and Electric Blowers, Direct Connected	363
Extension Ring	291
Extra Deep Groove, Double Petticoat Glass Insulators	410

F

F. W. Arc Circuit Cutouts	160
Fan Motor Parts	364
Fan Motors	358 to 367
Fan Speed Controllers, Ventilating	122
Fancy Lamps	297
Farina Boiler	303
Featherweight Spreader Cutter	183
Feeder and Isolated Plant Ammeters, Weston Railway	251 to 253
Feeder and Isolated Plant Voltmeters, Weston Railway	250
Feeder Splicing or Pulling in Boxes	321, 332
Feeder Terminal Junction Boxes for Iron Armored Conduit	330
Ferdinand Wire Stretcher	378
Ferrule Screwdriver, Dicke Lock	391
Fiber Rod, Vulcanized	410
Fiber Sheet, Vulcanized	409
Fiber Tubing	411
Field Rheostats	123 to 125, 127 to 129
Fillers, Engineers'	415
Filter, Model Oil	414
Finishing and Fitting Tools for Conduit	355
Fire and Weatherproof Wire	418
Firepot Helpers	402
Fishing Wire	355
Fittings, Arc Switchboard	157
Fittings for Conduit	321 to 355
Fittings for Switchboard	148 to 154
Fittings, Turned Brass	290
500 Volt Cutouts	69, 78, 80, 372
500 Volt Switch, Gibbs	12
Five O'Clock Tea	309
Fixture Bushings	103
Fixture, Cluster	289
Fixture Cutout and Outlet Insulator, Combination	433
Fixture Cutouts	60 to 63, 68, 69
Fixture, Cutter Arc	189
Fixture, Ornamental Ceiling	282
Fixture Pliers	384
Fixture Socket, Bryant 2-B	84
Fixture Wire	469, 491
Fixtures, Portable	280, 281
Flame Lamps	301
Flat Base Candleabra Receptacle	306
Flat Cone Reflectors or Shades	128, 221
Flat Lead Links	113
Flat Long Nose Pliers	383
Flat Reflecting Shade, Frink's	229
Flat Reflectors	229 to 222, 224, 227, to 229
Flat Spiral Corrugated Shade	222
Flat Tin Reflectors	227
Fletcher Automatic Pulley	185
Fletcher Double Pin Bell Break Arm	460
Fletcher Insulated Cross Arm	184
Fletcher Insulating Arc Lamp Hangers	181

Fletcher Insulating Iron Pin and Bracket	437
Fletcher Pole Padlock	182
Fletcher Pulleys	185, 196
Fletcher Safety Lamp Support	185
Fletcher Safety Windlass	184
Fletcher Wiring Pendants	437
Flexible Brass Chain	25, 26
Flexible Cables, Safety	478
Flexible Clark Wire	476
Flexible Conduit	356
Flexible Incandescent Lamp Cord	489, 490
Flexible Portable	280
Floor Bushings or Insulators	442, 444
Floor Groovers	398
Floor Tubes, China	442, 444
Flush Plates for Snap Switches, 13, 18 to 20, 28	
Flush Pocket Switches, Edison	14
Flush Switches	20 to 25, 27, 28, 30, 31
Fluted Shades	212, 222
Fog Projectors	195, 196
Foot Light Reflector	233
Foot Warmer, Electric	314
Forks, Raising	375
Four-way Switch, Anchor	26
Four-way Switches	18, 26
Four-wire Switch, C. S.	22
Framing Chisel Socket	398
Freight Lantern	204
French Etched Lamps	297
Friction Tape	407
Frink's Combination Cluster Reflector	230
Frink's Patent Reflectors	229 to 232
Frink's Suspended Reflecting Chandelier	231
Frosting Varnish	108
Fry's Patent Lineman's Splicing Pliers	382
Fulford's Eccentrics	378
Full Cone Shades	220, 223 to 229, 235
Full Wire Guard Fixture	202
Furnace, Charcoal Soldering	402
Furnace, Combination Hot Blast	402
Fuse Cutout Boxes, High Potential	502
Fuse Holders, Special	80
Fuse Link Cutouts	73, 75
Fuse Links	113
Fuse Plugs	76, 495
Fuse Posts	149
Fuse Repair Kit, Chicago	380
Fuse Ribbon	112
Fuse Wire	112
Fuseless Rosettes	65 to 67
Fuses	114, 199, 495
Fusible Attachment Plugs	101
Fusible Wall Socket Receptacles	93 to 98
Fusible Wall Sockets	85, 90

G

G. E. Key Socket	86
G. E. Keyless Socket	86
G. E. Pull Socket	84
G. E. T-H Keyless Socket	86
Gale's Commutator Compound	408
Galvanized Arc Lamp Cord	489
Galvanized Guy Clamps	457
Galvanized Oil Waste Cans	414
Galvanized Steel Cross Arm Braces	454
Galvanized Steel Wire Strand	489
Galvanometer, Bridge and Rheostat	268
Galvanometer, Weston Portable	270
Garton Lightning Arresters	138
Gas and Electric Outlets, Combination Ceiling	336 to 338, 342
Gas Attachments	106, 107
Gas Fixture Wire	491
Gaskets	203
Gasoline Blow Torch, Imperial Hot Blast	403
Gauges	400
Gem Wire Holders	434 to 436
German Silver Resistance Wire	486
Gibbs Switches	12, 13
Gimlet, Bell Hanger's	394
Glass Fuses	199
Glass Insulating or Break Knobs	423, 424
Glass Insulator for High Voltages	424
Glass Insulators	417 to 424, 444
Glass Reflectors	221 to 223
Glass Shades	208 to 224
Globe Car Heaters	317
Globe Holder, Cutter	176
Globe Nets	179
Globes and Balls, Ceiling	282
Globes, Arc Lamp	177 to 179
Globes, Etched Electric	208 to 211
Globes, Vaporproof	238
Globes, Weatherproof	238
Gloves, Rubber	408
Glue Pot, Electric	312
Goose Irons	314, 319
Grading Shovels	374
Griddles, Pancake	315
Grimshaw Duplex Fixture Wire	460

Grimshaw Tape	407
Grimshaw White Core Wire	467, 468
Grips	378, 380
Groovers, Floor	398
Ground Detector and Weston Circuit Tester	270
Guard Wire Suspension Insulators, P. & S	432
Guards, Lamp	200, 201
Guards, Perfection	239
Guards, Wire	200 to 203, 239
Guy Clamps, Galvanized	457

H

H. L. Switch	31
Habirshaw Wire	466, 467
Half Pin Filament Lamp, Pear Shaped	295
Half Deep Tin Shades	227
Half Reflector Shades, McCreary	224
Half Shades, Metal	225, 226
Half Shape Shades, Aluminum	234
Half Wire Guards	202
Hall Bracket	276
Hall Fixtures	276, 285
Hall's Telegraph Pliers	384
Hammers	388
Hand Axes	388
Handles	104, 239, 384, 395, 398
Handy Ratchet Screw Driver	394
Hangers	163, 164, 179 to 181
Hanging Boards	162 to 164
Hard Rubber Battery Cells	410
Hard Rubber Bushings	103, 106
Hard Rubber Ring	106
Hard Rubber Rods	410
Hard Rubber Sheet	409
Hard Rubber Waterproof Sockets	87
Hard Rubber Tubing	411
Hard Rubber Tubing with Heads	413
Hart Flush Plates	18 to 20
Hart Switches	16 to 20, 29
Hatchets	388
Haven's Clamps	377
Head Light Switch	29
Heat Regulating Switch	30
Heaters, Electric	311, 315, to 318
Heath Speed Indicator	273
Heating Pad, Electric	310
Helios Carbons	171, 172
Helpers Fire Pot	402
Hemingway Glass Insulators	420, 421
High Insulation Brackets	458 to 460
High Insulation Ceiling Button, P & S	66
High Potential Fuse Cutout Boxes	502
High Range Voltmeters	242, 243, 255
High Tension Service Switch, Bryant	53
High Voltage Insulators	424
High Voltage Lamp	296
Hill Knife Switches	41 to 45
Hoffman's Rod Polish	408
Holsting Rope, Cutter's "Banner Core"	450
Holder, Cutter's Globe	176
Holders, Fuse	80
Holders, Shade	106, 223
Holders, Wire	153, 432, 434 to 438
Hood and Pulley, Cutter's Petite	236
Hoods Lamp	166 to 168, 191, 235 to 237
Hook, Cutter's Ceiling	181
Hook, Insulator Rubber	482
Hooks, Carrying	373, 389
Hope Arc Cutout	158, 159
Horse Shoe Cutout	61 to 63
Hot Blast Blow Torches	403, 404
Hot Blast Furnaces	402
House Brackets	461 to 465
Household Irons	319
Howe's Improved Wire Tool	390
Husks	282, 283

I

I. T. E. Circuit Breakers	55 to 59
I. T. E. Shunt Block with Protected Terminal Fuse	56
I. X. L. Cleat	439
Illuminated Dial Switchboard Instruments, Wagner	496 to 498
Illuminated Dial Weston Station Instruments	245 to 249
Hamerson Coil Heater	311
Imperial Hot Blast Gasoline Blow Torch	413
Imperial Rosettes	67
Imported Carbons	173, 174
Improved Adjustable Lamp Hanger	179
Improved Attachment Plugs	101
Improved Form Sawyer-Man Branch Cutout	78
Improved Parallel Wire Stretchers	380
Improved Plugs	157
Improved Springjack	157
Improved Take-up Reel	376
Improved Wire Tool, Howe's	390

	PAGE.
Incandescent Arc Lamps.....	191 to 193
Incandescent Lamp Cord.....	489, 490
Incandescent Lamps.....	295 to 305
Incandescent Street Brackets.....	450
Incase Wire.....	478
Indestructible Insulator Pin, Locke.....	452
Indicator, Current Direction.....	155
Indicator, Potential.....	249
Indicators, Speed.....	272, 273
Inside Reamer.....	355
Inspectors' Pattern Voltmeter.....	256
Inspectors' Tools.....	397
Instrument Scales.....	498
Instruments, Alternating Current.....	257 to 265, 271, 496 to 498
Instruments, Direct Current.....	155, 240 to 263, 266 to 271
Instruments, Wagner Switchboard.....	496 to 498
Insulated Cross Arm.....	183
Insulated Suspension Bolt, Cutter's.....	450
Insulated Wood Risers.....	436
Insulated Turn Buckle, Cutter's.....	450
Insulating Arc Lamp Hangers, Fletcher.....	181
Insulating Boxes, Corner.....	339 to 341
Insulating Elbows for Iron Armored Conduit.....	322, 323, 326, 327
Insulating Iron Pin and Bracket, Fletcher.....	437
Insulating Joints.....	109 to 111
Insulating Nipples for Iron Armored Conduit.....	324, 328
Insulating or Break Arms, Glass.....	423, 424
Insulating Paints.....	412
Insulating Saddle Staples.....	452
Insulator, Cutter Arc.....	182
Insulator, Cutter Revolute.....	181
Insulator, Liquid.....	424
Insulator Pin, Locke Indestructible.....	452
Insulator Tube, Awning.....	442
Insulators.....	181, 182, 417 to 438, 442, 444
Insulators, Floor.....	414
Insulators for High Voltages.....	424
Insulators, Glass.....	417 to 424
Insulators, Porcelain.....	425 to 438
Insulators, Tree.....	434
Insullac.....	412
Insullac Thinner.....	412
Interchangeable Pulley, Cutter's.....	188
Interlocking Switchboard for Theatre Lighting.....	134
Intersection or Splicing Boxes.....	331
Iron Armored Conduit.....	321, 325, 339
Iron Armored Conduit Branch, Junction or Outlet Box Covers.....	339, 343
Iron Armored Conduit Tools.....	343
Iron Armored Elbows.....	322, 323, 326, 327
Iron Brackets.....	277, 458 to 465
Iron Chandelier Loops.....	107
Iron Clad Fan Motor.....	365
Iron Crowfoot.....	107
Iron Duopod.....	107
Iron Handles for Drill Bits.....	395
Iron Pin and Bracket, Fletcher's Insulating.....	437
Iron Pins, Solid.....	451
Iron Pockets for Switches.....	27
Iron Pulley Blocks.....	381
Iron Stage Box, Edison.....	98
Iron Tripod.....	107
Iron Wall Box for Switches.....	24
Iron Wall Boxes for Chapman Receptacles.....	102
Iron Wire, Triple Braid Weatherproof.....	457
Irons, Electric.....	313, 314, 319
Irons, Soldering.....	320
Isolated Plant and Feeder Ammeters, Weston Railway.....	251, 253
Isolated Plant and Feeders Voltmeters, Weston Railway.....	250
Isolating Switch for Arc Circuits.....	162

J

Japanned House Brackets.....	461 to 465
Japanned Wall Plates.....	462
Jenny Pole Supporters.....	375, 389
Jewel Rich Cut Bulb Shade.....	220
Johns Manufacturing Company's Sockets, H. W.....	89
Joint, Rigid Ball, 45 degrees.....	274
Joint, Insulating.....	109 to 111
Jumbo Wire Holder.....	436
Junction Boxes and Motor Cutouts, P. & S., all China.....	372
Junction Boxes for Iron Armored Conduit.....	329, 330, 332 to 334
Junction Boxes, Marine.....	499
Junction Boxes, Plain and Brass Covered Conduit.....	349 to 352

K

K. W. Bracket Cutout.....	289
---------------------------	-----

	PAGE.
K. W. Rosettes.....	63, 64
K. W. Main and Branch Cutouts.....	77
K. W. Receptacles.....	96
Kelsh Arc Hanger Board.....	164
Kerito Tape.....	407
Kerite Wire.....	472 to 474
Kerosene Lamp Attachment.....	291
Kester's Commutator Compound.....	408
Key and Keyless Lamp Receptacles, Edison.....	98
Key Sockets.....	83 to 85, 87 to 91, 97 to 100, 199
Key Switches.....	23, 27
Key Wall Sockets, Edison.....	87, 88
Keyless Receptacles.....	88, 93 to 98
Keyless Sockets.....	83 to 100, 199
Keys, Reversing.....	243
Kinsman Desk Light.....	281
Kinsman Portable.....	281
Kit, Chicago Fuse Repair.....	380
Klein's Compound Eccentrics.....	379
Klein's Plain Eccentric.....	377
Klein's Splicing Clamps.....	385
Knife Elevator Switch.....	46
Knife Switches.....	32 to 53
Knives, Draw.....	396
Kreuger Theatre Arc Lamp.....	192

L

L. & S. Knife Switch.....	38
Ladle Solder.....	406
Lacquer Radiant.....	108
Lag Bolts.....	455
Lag Screw Wrenches.....	380, 387, 390
Lamp Adapters, Cords and Plugs.....	257
Lamp, Alcohol Blow.....	405
Lamp Attachment, Kerosene.....	291
Lamp Bases.....	298, 299
Lamp Cord, Incandescent.....	489, 490
Lamp Cross Arms.....	182
Lamp Guards.....	200 to 203, 239
Lamp Hangers.....	163, 164, 179 to 182
Lamp Hour Recorder, Pattee's.....	176
Lamp Hooks, Arc.....	164, 165
Lamp, Marine Desk.....	205
Lamp Posts.....	197, 198
Lamp Shades.....	202, 207 to 239, 306, 307
Lamp Sockets, Moulded Mica.....	89
Lamp Supporting Pulley, Cutter's.....	187
Lamps, Arc.....	191 to 193
Lamps, Incandescent.....	295 to 307
Lance Tip Lamps.....	302
Landee's Clamp.....	378
Lantern Lamps.....	304, 305
Lanterns, Marine.....	201, 203, 204
Large Arc Circuit Cutout, F. W.....	160
Large China Tubes.....	442, 443
Lateral Brackets.....	460
Laundry Iron.....	319
Lazyman's Switch.....	11
Lead Covered Cable, Simplex Low Tension.....	480
Lead Covered Wire.....	492
Lead Encased Wire, Safety.....	478
Lead Seals.....	267
Leather Cases for Instruments.....	245, 258
Lens.....	195
Lens Lamps.....	304
Leonard Universal Automatic Rheostats.....	120, 121
Lightning Arresters.....	136 to 138, 160, 179
Lightning Speed Indicator.....	272
Line Tapping Clamps.....	399
Line Switches, Arc Light.....	162
Lined Reflector, Aluminum.....	220
Lineman's Axe.....	388
Lineman's Splicing Pliers, Fry's Patent.....	382
Lineman's Tool Bag.....	399
Lineman's Torch.....	406
Links, Fuse.....	113
Liquid Insulator.....	424
Lock, Cutter's Pole.....	182
Lock Ferrule Screwdriver, Dicke.....	391
Lock Flush Plates, Hart.....	19
Lock Switches, Perkins.....	25
Locke Indestructible Insulating Pin.....	452
Locke Triple Petticoat Insulator.....	424
Locomotive Oilers.....	416
Locust Pins.....	451
Long Burning Enclosed Arc Lamps, Western Electric.....	193
Long Curved Tubes.....	442
Long Nose Pliers, Flat.....	383
Long Tubes with Curved End.....	442
Loop or Spreader Brackets.....	459
Loops, Iron.....	107
Low Tension Simplex Cable.....	479, 480
Lundell Motors and Dynamos.....	370
Lundell Motors and Exhaust Fans, Combined.....	368, 369

M

	PAGE.
Macallen Solid Mica Insulating Joints.....	109 to 111
Machine Bolts.....	455
Magnet Wire.....	483 to 486
Magnetic Circuit Breakers, Automatic.....	56
Main and Branch Blocks, Bryant, Edison.....	71
Main Block, Sawyer-Man, P. & S.....	79
Main Branch Cutouts.....	82
Main Cutouts.....	69
Main Junction and Terminal Boxes for Iron Armored Conduit.....	329
Main Line Cutouts.....	77
Main Line Fuse Blocks.....	80
Main Plugs.....	157
Malleable Iron Break Arms.....	458
Malleable Iron Ceiling, and Drive Brackets.....	458, 459
Malleable Iron Handles, Adjustable.....	395
Malleable Iron Pins.....	458, 459
Manilla Rope.....	450
Manson Tape.....	407
Maple Leaf Shade, Rough Etched.....	212
Marine Desk Lamp.....	205
Marine Electroliters.....	205, 206
Marine Fixtures.....	202 to 206
Marine Lanterns.....	201 to 204
Marine Receptacles.....	200
Marine Shades.....	203
Marine Sockets.....	199
Marine Switches.....	199, 200
Marine Supplies.....	199 to 206
Marine Wall Brackets.....	204, 205
Marten Combination Shade and Holder.....	226
Marten Hood.....	237
Mast Arm Pulley, Cutter's.....	187
Mast Arms.....	189, 190
Mats, Wood.....	24, 102
McCreary Reflectors.....	223, 224
McIntire Patent Wire Connectors.....	449
McIntire Twisting Clamps.....	386
McRoy Vitrified Terra Cotta Conduit.....	357
Measuring Instruments.....	155, 240 to 273, 496 to 498
Medium Horse Shoe Cutout.....	61, 62
Melon Bulb Shade, Twist.....	218
Mercury Contact Circuit Breakers.....	57
Metal Covers for Branch Boxes for Brass Armored Conduit.....	351
Metal Covers for Junction or Outlet Boxes for Iron Armored Conduit.....	329, 343
Metal Dipping Cup.....	108
Metal Half Shades.....	225, 226
Metal Half Shades with Combination Holder.....	226
Metal Half Shades with Wire Guard.....	226
Metal Hoods.....	237
Metal Shades and Reflectors.....	225 to 237
Meter and Wire Reel.....	392
Meter, Arc Circuit.....	263
Meter Charts and Books.....	267
Meter for Alternating Current, Shallenberger.....	264
Meter for Counter, Wire.....	392
Meter Sealing Tools.....	267
Mica.....	413
Mica Covered Bryant-Edison Main and Branch Blocks.....	71
Mica Dust Protector.....	223
Mica Insulating Joints, Macallen.....	109 to 111
Mica Lamp Sockets, Moulded.....	89
Micrometer Calipers.....	400
Midget Cutouts.....	60, 69
"Midget" Wiring Tubes.....	441
Mill Ammeters.....	244
Milli Voltmeters.....	243
Miniature Incandescent Lamps.....	299 to 305
Miniature Lamp Receptacles.....	307
Miniature Lamp Shades.....	306, 307
Mining Wire, Simplex Caoutchouc.....	482
Mirror Reflectors.....	228, 233
Miscellaneous Material for Brass Armored Conduit.....	352
Miscellaneous Metal Shades.....	225, 226
Model Oil Filter.....	414
Monkey Wrenches.....	387
Motor, Alternating Current Power.....	371, 503
Motors and Dynamos, Lundell.....	370
Motor Cutout Covered.....	69, 78, 80, 372
Motor Regulating Rheostats.....	118
Motor Starting Boxes.....	114 to 117, 119, 120
Motor Switches, Automatic.....	131, 132
Motors, Fan.....	358 to 367
Moulded Lamp Cord.....	490
Moulded Mica Insulation Screwdriver.....	393
Moulded Mica Lamp Sockets.....	89
Moulded Rosettes.....	63 to 66, 68, 70
Moulding, Wood.....	446 to 448
Mule or "Dead Man" Pole Supports.....	375, 389
Multiple Circuit Tablet Boards.....	69, 70

Multiple Cutout Boards.....	69, 70, 79, 81, 82
Multipliers for Voltmeters.....	255

N

Nail Hammers.....	388
National Pony Double Petticoat Glass Insulators.....	419
Navy Signal Lantern.....	103
Nets, Globe.....	179
New Patterns in Standard Shades.....	212
New Style Cutout.....	69
New Suburban Hood.....	237
New York Switch.....	30
Nipple, Curved.....	279
Nipples, Fixture.....	290
Nipples, Insulating for Iron Armored Conduit.....	324, 328
Non-sparking Brushes, Western Electric.....	141, 142
Norway Pine Poles.....	476
Novelty Pocket Screwdrivers.....	394
Nozzles.....	240
No. 1 Sockets, Bryant.....	83, 85
No. 2-A Sockets, Bryant.....	84, 85
No. 2-B Sockets, Bryant.....	84, 85
Nursery Iron.....	319
Nut Wrenches.....	387

O

Oak Pins.....	451
Octagonal Pole.....	476
Office Cables.....	491
Office Wire, Braided.....	491
Oil Cans.....	415, 416
Oil Cans, Galvanized Waste.....	414
Oil Filter.....	414
Oil Insulator, Glass.....	422
Oil Sets.....	415, 416
Oilers, Locomotive.....	416
Okonite Tape.....	407
Okonite Tubing.....	411
Okonite Wire.....	270, 471
Old Style Plugs.....	157
Opal Shades.....	107
Ornamental Bedroom Fixtures.....	285
Ornamental Brackets.....	277
Ornamental Ceiling Clusters.....	283
Ornamental Ceiling Fixtures.....	282
Ornamental Electric Portables.....	281
Ornamental Moulding.....	448
Ornamental Pendants.....	285
Overload and No Voltage Rheostat.....	110
Overload and Underload Circuit Breaker.....	57
Outlet Boxes for Iron Armored Conduit.....	335 to 338, 342
Outlet Elbows for Brass Armored Conduit.....	346
Outlet Elbows for Iron Armored Conduit.....	323, 327
Outlet Insulators.....	433
Outlet or Switch Box for Iron Armored Conduit.....	342
Outtrigger, Cutter.....	189
Outs de Reamer.....	355

P

P. & B. Paint.....	412
P. & S. All China Junction Boxes and Motor Cutouts.....	372
P. & S. China Hanging Boards.....	162, 163
P. & S. China Insulating Joints.....	111
P. & S. China Sockets.....	97, 98
P. & S. China Switches.....	10, 11
P. & S. Circuit Breakers.....	432
P. & S. Cleats.....	438, 439
P. & S. Cutouts.....	67, 69
P. & S. Guard Wire Suspension Insulator.....	432
P. & S. Rosettes.....	64 to 67
P. & S. Sawyer-Man Main Block.....	79
P. & S. Wiring Insulator.....	431
P. & S. Tree Insulator.....	434
Packing House Lamp Cord, Special.....	490
Pad, Electric Heating.....	310
Padlock, Fletcher's Pole.....	182
Paints, Insulating.....	412
Paiste Bryant Switches.....	9, 14, 20
Pancake Griddle.....	315
Panel Board, Richmond.....	495
Paper Waterproof Lamp Shades, Cartwright.....	294
Para Splicing Compound.....	407
Parabolic Reflector.....	234
Paragon Tape.....	407
Parallel Pliers, Bernard's.....	384
Parallel Screw Clamp.....	378
Parallel Wire Stretchers.....	379, 380
Partition Bracket.....	275

Parts for Torches.....	494
Paste, S. S. Soldering.....	401
Patent Augurs, Vaughan's.....	374
Patent Branch Block, Seymour's.....	79
Patent Corner Bit Brace, Amidon's.....	396
Patent Pliers.....	382
Patent Reflectors, Frink's.....	229 to 232
Patent Wire Connectors, McIntire.....	449
Pattee's Lamp Hour Recorder.....	176
Pear Shaped Lamps.....	295
Pearl Etched Shades.....	213
Peeler, Wire.....	314
Pendants.....	285
Pendants, Wire.....	437
Perfection Desk or Music Rack Clamp.....	115
Perfection Guards.....	239
Perfection Woven Wire Brushes.....	139, 140
Perkins Flush Plates.....	13
Perkins Sockets.....	89, 90
Perkins Switches.....	12, 13, 21, 25
Permanent Pin Break Arms.....	458
Pern Cutouts.....	69
Petite Pulley and Hood, Cutter's.....	236
Pike Poles.....	375
Pilot House Projector.....	194 to 196
Pin, Fletcher Insulating Iron.....	437
Pine Poles.....	456
Pinion-Screwdriver.....	394
Pins.....	451, 452, 458, 459
Pipe Cutters.....	343, 347
Pipe Wrench, Sheffy.....	393
Plain and Brass Covered Conduit Branch Circuit Junction Boxes.....	349 to 352
Plain Braces.....	396
Plain Conduit.....	353
Plain Hall Fixtures.....	285
Plain Rosette, No Fuse.....	67
Plain Stalactite Shade, Roughed Inside.....	217
Plain Standard Portables.....	280
Plates, Wall.....	289, 462
Plating Dynamos.....	371
Platinum Wire.....	492
Pliable Cord.....	493
Pliers.....	382 to 384
Plug Cutouts.....	75, 76, 495
Plugs and Receptacles for Brass Armored Conduit, Attachment.....	352
Plugs, Attachment.....	98, 100 to 102
Plugs, Cast Iron for Iron Armored Conduit.....	34, 328
Plugs, Cords and Lamp Adapters.....	257
Plugs, Disconnecting.....	157
Plugs, Dummy.....	102
Plugs for Arc Circuits.....	157
Plugs, Fuse.....	76, 495
Pockets for Anchor Switches, Cast Iron.....	27
Pocket Screwdrivers, Novelty.....	374
Pocket Switches, Edison Flush.....	14
Pod Bits.....	394
Pointed Soldering Coppers.....	401
Pole Arc Fixture, Cutter.....	189
Pole Counter or Tally Register.....	399
Pole Hole Shovels and Spoons.....	373, 374
Pole Lock, Cutter.....	182
Pole Padlock, Fletcher's.....	182
Pole Pulleys.....	186, 187
Pole Steps.....	457
Pole Supporters.....	375, 389
Poles.....	456
Poles, Pike.....	375
Polish, Hoffman's Rod.....	498
Polished Brass Armored Conduit.....	352
Polished Brass Fixture Bushings.....	103
Polishing Irons.....	313, 319
Pony Double Petticoat Insulators.....	418, 419
Pony Glass Insulators.....	418, 419, 421
Pony Receptacle.....	96
Pony Telephone Pins, Western Union.....	451
Porcelain Bushings.....	444
Porcelain Ceiling Buttons.....	64 to 67
Porcelain Cleats.....	438, 439
Porcelain Covered Bryant-Edison Fuse Blocks.....	72
Porcelain Insulators.....	435 to 434, 444
Porcelain Keyless Receptacles and Sockets.....	87, 92 to 98, 100
Porcelain Knobs.....	425 to 433
Porcelain Lamp Base.....	298
Porcelain Shades.....	207, 108
Porcelain Socket Rings.....	106
Porcelain Tablet Board, Bryant.....	70
Porcelain Tubes, B. & T.....	445
Porcelain Window Tubes.....	441, 442
Porcelain Wire Holders.....	437, 438
Portable and Bracket, Adjustable.....	280
Portable and Bracket, Combined.....	281
Portable Electric Heaters.....	311, 318
Portable, Electric Ornamental.....	281
Portable, Flexible.....	280
Portable Galvanometer, Weston.....	270
Portable Instruments.....	241, 242, 244, 245, 254 to 258, 266 to 271

Portable, Kinsman.....	281
Portable Lamp Guards.....	200, 201
Portable, Plain Standard.....	280
Portable Tachometer, Standard.....	273
Portables, Desk.....	280, 281
Portables, Fixture.....	280, 281
Porter's Wire Cutters.....	397
Post Hole Diggers, Eureka.....	374
Post Office Bridge and Rheostat.....	267
Posts, Fuse.....	149
Posts, Lamp.....	197, 198
Pot, Electric Glue.....	312
Potential Indicators.....	249
Pots, Solder.....	406
Power Motor, Alternating Current.....	371, 503
Power Transmission Transformers.....	500, 501
Powdered Soapstone.....	355
Pressure Controller, Automatic.....	130
Pressure Reducing Transformers.....	497
Prism Lamps.....	302
Projectors and Search Lights, Rushmore.....	194 to 196
Protected Terminal Fuses.....	56
Protector, Mica Dust.....	223
Pull Sockets.....	84
Pulley Blocks.....	381
Pulleys, Sleetproof.....	185 to 188
Pulling-in Boxes for Iron Armored Conduit.....	331, 332
Pulpit Hood.....	233
Pure Manila Rope.....	450
Push Button Switches.....	16, 27, 30

Q

Q. & S. Cord Adjuster.....	104
Quadrant Cutout.....	60
Queen Decade-Testing Set.....	270
Queen Instruments.....	270, 271
Queen Wire Ammeters and Voltmeters.....	271
Quick Break Western Electric Knife Switches.....	37

R

Radial Fluted Shade.....	222
Radiant Lacquer.....	108
Rae Store Reflector.....	176
Railroad Oilers.....	416
Railway Ammeters and Voltmeters.....	250 to 253
Railway Double Petticoat, Deep Groove Glass Insulator.....	421
Railway Lamps.....	296, 305
Raising Forks.....	375
Ratchet Braces.....	396
Ratchet Double Pole Switch.....	10
Ratchet Screw Driver.....	394
Raven Core Wire.....	468, 469
Reamer Butt for Iron Armored Conduit.....	343
Reamers.....	355
Receptacles.....	96
Angle.....	96
Bryant.....	93, 96
Candelabra Lamp.....	306
Chapman.....	102
Bdison.....	88, 94, 95, 98
For Conduit Branch Blocks for Brass Armored Conduit.....	352
Fusible Wall Socket.....	93 to 98
K. W.....	94 to 96
Marine.....	200
Miniature Lamp.....	307
P. & S.....	97, 98
Pony.....	96
Porcelain Keyless.....	93
Search Light.....	200
Shadeholder.....	93 to 96, 306
Stage.....	98, 100
Testing Base.....	96
Weatherproof or Waterproof.....	92 to 98
Recorder, Pattee's Lamp Hour.....	176
Recording Amperemeter, Bristol.....	259
Recording Instruments, Bristol.....	259, 260
Recording Meters, Duncan.....	264, 265
Recording Wattmeters.....	260, 261 to 263, 265
Recording Voltmeters, Bristol.....	260
Red Core Wire, Habbirshaw.....	466, 467
Reel and Meter, Wire.....	392
Reels.....	376, 391, 392
Reflector, Pilot House.....	196
Reflector, Rae Store.....	176
Reflectors.....	220 to 224, 226 to 237
Register, Counter, Pole or Tally.....	399
Regular Glass Insulators.....	217, 420
Regulating Sockets.....	99
Regulator, Combined Starting Box and Speed.....	116
Removable Pin Break Arms.....	458
Repair Kit, Chicago Fuse Kit.....	380
Repair Parts for Torches.....	404
Resistance Wire, German Silver.....	486

	PAGE.		PAGE.		PAGE.
Return Elbows for Brass Armored Conduit.....	347	Sheet Brass Clips for Brass Armored Conduit.....	348	Special Shelf Bracket.....	275
Reversing Controllers..... 117, 121,	122	Sheet, Fiber and Rubber.....	409	Specially Designed Fuses.....	114
Reversing Keys.....	243	Sheffy Pipe Wrench.....	393	Speed Controller, Ventilating Fan.....	122
Revolute Insulator, Cutter.....	181	Shelf Brackets.....	275	Speed Indicators.....	272, 273
Rheostats..... 114 to 129, 133 to	136	Short Shell Sockets.....	83	Speed Regulator.....	116
Ribbon Fuse.....	112	Shovels.....	373, 274	Sphere Lamps.....	303, 305
Richmond Panel Board.....	495	Shunt Block with Protected Terminal Fuse.....	56	Spiral Corrugated Shades.....	222, 223
Richmond Plug Cutout.....	495	Shunts for Illuminated Dial Station Ammeters.....	245, 247	Splicing Boxes for Iron Armored Conduit.....	331, 332
Rich Cut Shades.....	214 to	Side Brackets.....	460	Splicing Clamps for Connectors.....	335, 336, 390
Ries Regulating Sockets.....	99	Side Cutting Pliers.....	382, 383	Splicing Compound.....	407
Rigid Ball Joint, 45 degrees.....	274	Side Outlet Box for Iron Armored Conduit.....	342	Splicing Pliers.....	382
Ring, Extension.....	291	Side Wire Sockets.....	92	Splicing Tool.....	390
Rings, Socket.....	106	Signal Lantern, Navy.....	203	Splicing Wrench, Double Steel.....	387
Risers, Insulated Wood.....	436	Silk Covered German Silver Resistance Wire.....	486	Split Canopies.....	291
Rod Polish.....	408	Silk Covered Incandescent Lamp Cord.....	489, 490	Split Insulators.....	426, 432, 444
Rods, Hard Rubber.....	410	Silver Etched Shades.....	214, 215, 219, 220	Spoons.....	374
Rods, Vulcanized Fiber.....	410	Silver Plated Mirror Reflectors.....	228, 232	Spreader Brackets.....	459
Roof Brackets.....	459	Silvered Glass Reflectors.....	221 to 223	Spreader, Cutter Featherweight.....	183
Rope.....	182, 450	Silvered Scalloped Shade.....	222	Spring Starters for Motors.....	119, 120
Rosette and Cleat Combined, Bryant.....	66	Simpex Tape.....	407	Springjack, Improved.....	157
Rosettes.....		Simpex Tree Insulator.....	434	Spud, Electric.....	380
Anchor Ceiling.....	68	Simpex Wire.....	479 to 482	Spurs.....	386, 390
B. E.....	70	Single Cotton Covered Magnet Wire.....	483	Square Base Rosettes for Moulding Work.....	63, 65, 66, 68, 70
Ceiling Rosette with Cap, P. & S.....	66	Single Phase Alternating Power Motors.....	503	Square Miniature Lamp Receptacle.....	307
Cleat.....	63, 64, 66 to 68, 70	Single Pole Cutout, 500 Volts.....	69, 78, 80, 372	Stage Box, Edison, Iron.....	98
Combination.....	63, 65, 66, 68, 70	Single Silk Covered Magnet Wire.....	485	Stage Receptacles.....	98, 100
Concealed.....	63, 64, 66 to 68, 70	Sleepproof Pulleys.....	185 to 188	Stalactite Shades.....	217 to 219
Dovetail.....	64, 65	Sleeving, Cotton.....	490	Standard Deep Groove Glass Insulators.....	429
Fuseless.....	65	Soapstone, Powdered.....	355	Standard Direct Reading Mil Ammeters and Ammeters, Weston.....	244
High Insulation Ceiling Button.....	66	Socket Bushings.....	103, 106	Standard Cross Arm.....	454
Imperial.....	67	Socket for Series Incandescent Lamps.....	86, 87	Standard Edison Receptacles.....	94, 95
K. W. Ceiling.....	63, 64	Socket Framing Chisel.....	398	Standard Edison Sockets.....	85 to 88
Moulding Work.....	63 to 66, 68, 70	Socket Handles.....	104, 239	Standard Glass Insulators, Heiningray.....	420, 421
P. & S.....	64 to 67	Socket Rings.....	106	Standard No. 1 Sockets, Bryant.....	83
Plain Fuse.....	67	Sockets.....		Standard Pins, Western Union.....	451
Roughed Etched Maple Leaf Shade.....	212	Anchor.....	91	Standard Portable Direct Reading Voltmeters, Weston.....	241, 242
Roughened Inside Shade.....	214, 217	Bottom Wire.....	92	Standard Portable, Plain.....	280
Round Cedar Poles.....	456	Bracket.....	83, 96	Standard Portable Tachometer.....	273
Round Long Nose Pliers.....	383	Brush-Swan.....	100	Standard Portable Voltmeters.....	254 to 256
Round Miniature Lamp Receptacles.....	307	Bryant.....	83 to 85, 92, 93	Standard Round Candelabra Receptacles.....	306
Rubber Battery Cells.....	410	Cutter's Street Hood.....	91	Standard Street Hood, Cutter's.....	236
Rubber Covered Midget Cutout.....	69	Edison.....	85 to 88	Standard Swing.....	270
Rubber Gaskets.....	203	Electrolier.....	86	Standard Waterproof Receptacles, Edison.....	95
Rubber Gloves.....	408	Extra Long Key.....	84	Standard Wire Gauges.....	490
Rubber Handles for Pliers.....	384	Fixture.....	84	Stands, Bus Bar.....	153
Rubber Rods, Hard.....	410	For Conduit Branch Boxes.....	352	Staple Drivers.....	355
Rubber Sheet.....	409	For High Candle Power Lamps.....	86	Staples.....	355
Rubber Socket Bushings.....	106	For 3/4 Pipe.....	83	Staples, Saddle.....	452
Rubber Tubing.....	411, 443	Fusible Wall.....	85, 90	Star Shades with Colored Edgings.....	306
Running Pulley, Cutter.....	188	Key.....	83 to 85, 87 to 91, 97	Star Soldering Sticks.....	401
Rushmore Projectors and Search Lights.....	194 to 196	Marine.....	199	Starting Boxes, Motor.....	114 to 120
		Moulded Mica.....	89	Static Arresters.....	179
		P. & S.....	97, 98	Station Ammeters.....	245 to 247
		Perkins.....	89, 90	Station and Workmen's Supplies.....	407 to 416
		Pull Sockets.....	84	Station Testing and Measuring Instruments.....	240 to 273, 496 to 498
		Regulating.....	99	Station Switches.....	41 to 46
		Side Wire.....	92	Station Voltmeters.....	248, 249
		U. S.....	83	Stationary Arc Lamp Hangers.....	103, 164
		Wall.....	85, 87 to 91, 97	Stationary Electric Car Heater.....	317
		Weatherproof or Waterproof.....	87, 89, 92, 93, 95, 97, 98, 100	Stationary Hanger Board.....	163, 164
		Westinghouse.....	83 to 85, 89 to 91	Steam Tight Globe.....	202, 203
		Soft Rubber Bushings.....	103	Steel Cross Arm Braces.....	454
		Soft Rubber Socket Cover.....	106	Steel Engineers' Fillers.....	415
		Soft Rubber Tubing.....	411	Steel Lag Screw Wrench.....	387
		Solder.....	401	Steel Oil Cans.....	415, 416
		Solder Ladles.....	406	Steel Pliers.....	382, 383
		Soldering Apparatus and Supplies.....	401 to 406	Steel Railroad Oiler.....	416
		Soldering Coppers, Pointed.....	401	Steel Splicing Wrench.....	387
		Soldering Furnaces.....	402	Steel Tie Wrench.....	387
		Soldering Irons.....	320	Steel Wire Strand, Galvanized.....	489
		Soldering Paste, S. S.....	401	Steps, Pole.....	457
		Soldering Pots.....	406	Stew Pan, Electric.....	309
		Soldering Salts, Western Electric.....	401	Store Reflector, Rae.....	176
		Soldering Stick.....	401	Stove, Electric Portable.....	311
		Soldering Torches.....	402 to 406	Straight Flame Lamps.....	301
		Solid Carbons.....	163 to 174	Straight Nozzle.....	230
		Solid Iron Pins.....	451	Straight Rib Reflectors.....	221
		Solid Mica Insulating Joints.....	109 to 111	Stranded Conductors 466 to 469, 471, 474 to 482	482
		Solid Pin Break Arm, Malleable Iron.....	458	Street Brackets.....	189, 450
		Solid Steel Pliers.....	382	Street Hood Socket, Cutter's.....	91
		Small Arc Circuit Cutout, F. W.....	160	Street Hoods.....	235 to 237
		Smoothing Irons, Electric.....	313, 319	Street Lamp Post, Columbian.....	197
		Snake Bracket.....	274	Street Railway Insulator.....	421
		Snap Rope, Cutter's Trimmers.....	182	Street Railway Lamp.....	296
		Spark Arresters.....	175	Stretcher, Wire.....	378 to 380
		Special Branch Cutout.....	78	Stub's Pliers.....	382
		Special Elbows for Brass Armored Conduit.....	347	Stub's Vises.....	377
		Special Fuse Holders.....	80	Style H Station Switches.....	39, 40
		Special Packing House Lamp Cord.....	490	Sunbeam Incandescent Lamps.....	295 to 297
		Special Patent Window Reflectors.....		Suspension Bolt.....	450
		Frink's.....	232	Swan Brackets.....	278
		Special Porcelain Insulator.....	429, 430	Swing Brackets.....	278
		Special Series Lamps.....	300	Swing Standards.....	279
		Special Shade Holder Receptacles.....	93, 94	Swinging Arc Fixture, Cutter's.....	189
				Swinging Ball Lightning Arrestor.....	136

	PAGE.		PAGE.		PAGE.
Swinging Tree Insulator, Cutter's	434	Switches, Vertical	16	Twist Bulb Shade	218
Switch, Are Light Line	162	Swivel Pole Pulley, Cutter's	187	Twist Melon Bulb	218
Switch, Automatic Circuit Controlling	161	Swivel Pole Pulley, Fletcher's	186	Twist Rib Flat Reflectors	221
Switch, Bell Hanger and Cut-off Combined	180	Syracuse Electricians' Drill Bit	395	Twist Stalactite Shades	217
Switch Block	27			Twist Straight Flat Reflectors	221
Switch Box for Cutter and other Flush Switches	341	T		Twisted Wire Clips for Brass Armored Conduit	348
Switch Box for Iron Armored Conduit	341	T for Brass Armored Conduit	345	Twisting Clamps, McIntire	386
Switch Connections, Bergman	54	T for Plain Conduit	354	Two-Circuit Switch	11, 29
Switch, Cutoff	180	T. H. Attachment Plugs	101	Two-light Electric Brackets	278
Switch, Dimmer	29	T. H. Base Sockets and Receptacles	83 to 91, 96 to 100	Two-light Wall Bracket	279
Switch, Double Pole Cutoff	79	Tablet Board, Bryant Porcelain	70	Two-point Are Light Line Switch	162
Switch, Electric Clock	161	Tablet Board, Multiple Circuit	69	Type A, Baby Knife Switch, Mounted	33
Switch, Isolating, for Are Circuits	162	Tachometer, Standard Portable	273	Type A, Baby Knife Switch, Unmounted	32
Switch, Marine	199, 200	Tallor Irons	314, 319	Type B, Baby Knife Switch, Mounted	33
Switch or Outlet Boxes for Iron Armored Conduit	342	Take-up Reel	376, 391	Type B, Baby Knife Switch, Unmounted	32
Switch, Western Electric Building	153	Talley Register	399	Type C, Baby Knife Switch, Mounted	34
Switchboard Bolts	154	Tamping Bars	375, 389	Type C, Baby Knife Switch, Unmounted	32
Switchboard Brackets	154, 276	Tape	497	Type D, Baby Knife Switch, Mounted	34
Switchboard Clock	147	Tape Lines	399	Type E, Baby Knife Switch, Mounted	34
Switchboard Fittings	143 to 154, 157	Taped Silk Covered Incandescent Lamp Cord	489	Type E, Baby Knife Switch, Unmounted	33
Switchboard Instruments	245 to 253, 259, 260, 271, 496 to 498	Teat Insulator, Western Union Double Petticoat	421	Type E, Western Electric Knife Switch	35, 36
Switchboards	134, 135, 144 to 146, 156, 499	Telegraph Pliers, Hall	384	Type Q, Western Electric Knife Switch	37
Switches for Electric Motors, Automatic	131, 132	Telephone Cross Arms	454		
Switches for Voltmeters	272	Telephone Brackets, Western Union	451	U	
Switches, Knife		Tenax Tape	407	Uhlich Soldering Pot	406
Are Light Line Switches	162	Tenax Splicing Compound	407	Underload and Overload Circuit Breaker	57
Automatic	131, 132	Terminal Elbows for Brass Armored Conduit	346	Underwriter's Wire	488
Baby	32 to 34	Terminal Junction Boxes for Iron Armored Conduit, Feeder	329, 330	Universal Automatic Rheostat, Leonard	1, 9, 121
Bergman	46 to 53	Terminals, Shawmut Copper	114	Universal Enamel Field Rheostat, American	127 to 129
Circuit Breakers, Magnetic	55 to 59	Terminals, Wire	151, 152	Universal House Bracket	444
Elevator	46	Terra Cotta Conduit, McRoy Vitrified	357	Universal Speed Indicator	273
High Tension Service Switch and Fuse Box Combined	53	Test Jack	157	Universal Steel Pliers	382
Hill	41 to 45	Tested Fuse Links, Shawmut	113	Universal Trimmer for Brass Armored Conduit	355
Mounted Baby Knife	33, 34	Tested Fuse Ribbon	112	United States Attachment Plugs	100
Quick Break, Western Electric	37	Tested Fuse Wire	112	United States Key Sockets	83
Station	39 to 46	Testing and Measuring Instruments, Station	240 to 273	United States Keyless Sockets	84
Style H	39, 40	Testing Base, Bryant	96	Upright Locomotive Oilers	416
Type A, Baby, Mounted	33	Testing Sets	270	Utility Shades	224, 225
Type A, Baby, Unmounted	32	Theater Are Lamps, Kreuzer	192		
Type B, Baby, Mounted	33	Theater Dimmers	126, 133, 136	V	
Type B, Baby, Unmounted	32	Thinner for Insulac	412	Vaporproof Globes	233
Type C, Baby, Mounted	34	Thompson Recording Wattmeters	261 to 263	Varnish, Frosting	108
Type C, Baby, Unmounted	32	Threaded Brackets, Ventilated	462 to 465	Vaughan's Patent Augurs	374
Type D, Baby, Mounted	34	Three-point Are Light Line Switch	162	Ventilated Thread Brackets	462 to 465
Type E, Baby, Mounted	34	Three-point Switches	14, 16	Ventilating Fan Speed Controllers	122
Type E, Baby, Unmounted	33	Three-way Switches	11, 18	Ventilating Outfits, Direct Coupled	504
Type E, Western Electric	35, 36	Three-wire Switches	13, 22	Victor Combination Soldering Torch	402
Type Q	37	Tidnam Hood	237	Victor Split Insulator	432
Unmounted	32, 33, 35 to 37	Tie Wrench, Steel	387	Vises	577
Western Electric	35 to 37	Tile Bolt and Lock	453	Vitrified Clay Tubes	445
Switches, Snap		Tin Lineman's Torch	406	Vitrified Terra Cotta Conduit, McRoy	357
Accessories for C. S.	24	Tin Reflectors, Flat	227	Volt Ammeter	244
Anchor	26, 27	Tin Shades	227	Voltmeter Multiplier	255
Automatic, C. S.	22	Tin Upright Locomotive Oilier	416	Voltmeter Switch	272
Bryant	9, 10, 12, 14, 20, 25	Tinsel Cord	493	Voltmeters	240 to 243, 248 to 250, 253 to 257, 260, 271
C. S.	21 to 24	Toggles	452	Bristol Recording	260
Cast Iron Pockets, for Chandelier, Bryant	25	Tool Bag	399	Differential	253
China	9 to 11	Tool Belt	399	High Range	242, 243, 255
Commutation, C. S.	22	Tool Coupling for Brass Armored Conduit	355	Inspectors	256
Dial	12	Tools	373 to 406	Millivoltmeter	243
Dimmer	29	Tools, Digging	373, 374	Portable	241, 242, 254 to 256
Door and Closet	31	Tools for Iron Armored Conduit	343	Queen Wirt	271
Double Pole	10 to 12, 15, 17, 21, 23, 25 to 27, 30	Tools for Sealing Meters	267	Railway	250
Double Pole Ratchet	10	Torches, Parts for	404	Station	248, 249
Edison	15	Torches, Soldering	402 to 406	Western Electric	249
Edison Flush Pocket	14	Transfer Plugs	157	Weston	241 to 243, 248 to 250, 254 to 256
Edison Three-way	16	Transformer, Adjustable	269	Whitney	257
Flush	14, 20 to 23	Transformers, Arc Light	501	Vom Cleff's All Steel Pliers	383
Flush Plates	13, 18 to 20, 28	Transformers for Power Transmission, Wagner	500, 501	Vom Cleff's Splicing Clamps	386
Four-point, Anchor	26	Transformers, Pressure Reducing	497	Vom Cleff's Vises	377
Four-way	18, 26	Tree Insulators	434	Vulcan Screwdrivers	393
Four-wire, C. S.	22	Tree Trimmers	387	Vulcan Torch	405
Gibbs	12, 13	"Tree" Wire Holder	435	Vulcanite Lamp Cord	490
Hart	16 to 20, 29	Tri-colored Lamps	303	Vulcanized Fiber Rod	410
Headlight	29	Trimmer for Brass Armored Conduit, Universal	355	Vulcanized Fiber Sheet	409
Heat Regulating	30	Trimmers, Cutter's Snap Rope	182	Vulcanized Fiber Tubing	411
Key	27	Trimmers, Tree	387		
Lazman's	25	Triple Braid Weatherproof Wire	487	W	
Lock	11	Triple Petticoat Insulator, Locke	424	"W" Cleats	439
Marluc	199, 200	Tubes, B. & T. White Porcelain	445	W. E. Ceiling Clusters	284
New York	30	Tubes, Bracket	274	W. E. Soldering Salts	401
No. 9	10, 11	Tubes, China Floor	444	Wagner Company's Material	496 to 504
P. & S. China	9, 14, 20	Tubes, China Wiring	441 to 443	Wagner Transformers for Power Transmission	500, 501
Paiste	12, 13	Tubes, Deck	200	Wall Boxes	24, 102
Perkins	12, 13	Tubes, Vitrified Clay	445	Wall Brackets	204, 205, 276 to 279, 281, 459
Push Button	16, 30	Tubes, Window	441	Wall Plates	462
Ratchet Double Pole	10	Tubing, Rubber	411, 413	Wall Plates or Electric Bracket Backs	289
Single Pole	9, 10, 12, 14, 16, 17, 20 to 23, 25 to 27, 30, 31	Tuerk Alternating Current Ceiling Fan Motor	367	Wall Sockets and Receptacles	85 to 98
Special	29	Turkey Neck Brackets	274	Walsh's Blow Torch	406
Three-point	11, 14, 26, 27, 31	Turn Buckles	419, 450	Warmer, Electric Foot	314
Three-way	11, 16, 18, 30	Turned Brass Fittings	290	Washers	455
Three-wire	13, 22	Twin Sleetproof Pulley, Fletcher's	186	Waste	412
Two-Circuit	11, 29				

	PAGE-		PAGE		PAGE.
Waste Cans, Galvanized Oil.....	414	Westinghouse Sockets and Receptacles.....	83 to 85, 89 to 93, 96 to 100	Wire, Connectors.....	150, 151, 449
Waterproof Marine Switch, Bryant.....	199	Weston Circuit Tester and Ground Detector.....	270	Wire Cutters.....	397
Waterproof Paper Lamp Shade, Cartwright.....	224	Weston Direct Current Voltmeters, 254 to 256	256	Wire, Fishing.....	355
Weatherproof Globes.....	238	Weston Illuminated Dial Station Ammeters.....	245 to 247	Wire, Fuse.....	112
Weatherproof Sockets and Receptacles.....	87, 89, 92 to 98, 100	Weston Illuminated Dial Station Voltmeters.....	248, 249	Wire Guards.....	202, 239
Weatherproof Wire.....	487, 488, 491	Weston Portable Galvanometer.....	270	Wire Holders.....	153, 432, 434 to 438
Wellington Torch.....	402	Weston Portable Standard Voltmeters for Alternating and Direct Current Service.....	254 to 256	Wire Meter for Counter.....	392
Wertheim, Carbons.....	174	Weston Potential Indicators.....	249	Wire Peeler.....	394
Western Climbers.....	386, 390	Weston Railway, Isolated Plant and Feeder Voltmeter.....	250	Wire Reel and Meter.....	392
Western Electric Ammeter.....	240	Weston Standard Direct Reading Mill Ammeters and Ammeters.....	244	Wire Stretchers.....	378 to 380
Western Electric Arc Lamps.....	193	Weston Standard Portable Direct Reading Voltmeter.....	241, 242	Wire Terminals.....	151, 152
Western Electric Building Switch.....	158	Wheatstone Bridge.....	269	Wire Tool, Howe's Improved.....	390
Western Electric Company's Heater.....	316	White Core Wire, Grimshaw.....	467, 468	Wiring Insulators.....	431
Western Electric Constant Potential Arc Lamp.....	191	White Core Wire, Habrshaw.....	466	Wiring Pendants, Fletcher's.....	437
Western Electric Fan Motors.....	358 to 364	White Core Wire, Safety.....	479	Wiring Tubes, China.....	441 to 443
Western Electric Knife Switches.....	35 to 37	White Porcelain Tubes, B. & T.....	445	Wood Attachment Plugs.....	100, 101
Western Electric Mast Arms.....	190	Whitney Ammeters and Voltmeters.....	257, 258	Wood Cleats.....	440
Western Electric Non-Sparking Brushes.....	141, 142	Windlasses.....	184	Wood Handle Tamping Bars.....	389
Western Electric Quick Break Knife Switch.....	37	Window Reflector, Frink's Special Patent.....	232	Wood Mats.....	24, 102
Western Electric Voltmeter.....	240	Window Tubes.....	441, 442	Wood Moulding.....	446 to 448
Western Electric Windlasses.....	184	Wire.....	466 to 493	Wood Poles.....	456
Western Union Double Petticoat Teat Insulator.....	421	Wire Cleats, Brass.....	440	Wood Risers.....	436
Western Union Glass Insulators.....	417	Wire Clips for Brass Armored Conduit, Twisted.....	348	Wooden Carrying Cases.....	258
Western Union Standard Pins.....	451			Worsted Incandescent Lamp Cord.....	489, 490
Western Union Telephone Brackets.....	451			Woven Wire Brushes, Perfection.....	139, 140
Westfield Grip.....	380			Wrenches.....	380, 387, 390, 393
Westinghouse Attachment Plugs.....	101			Wurt Lightning Arresters.....	137, 138

X

X-Ray Silvered Glass Reflector..... 221

Z

Zone Lamps..... 304

OCT 12 1899

LIBRARY OF CONGRESS



0 020 169 346 9